

#### Development of an assessment method for vulnerability to climate change of maize farming systems

Jacques-Eric Bergez, Stéphane Couture, Magali Willaume, Johanna Alkan-Olsson, Marine Albert

#### ▶ To cite this version:

Jacques-Eric Bergez, Stéphane Couture, Magali Willaume, Johanna Alkan-Olsson, Marine Albert. Development of an assessment method for vulnerability to climate change of maize farming systems. 17th Congress of the European Society for Agronomy: Diversification and Digitalisation (ESA 2022), European Society for Agronomy; Leibniz-Centre for Agricultural Landscape Research (ZALF), Aug 2022, Potsdam, Germany. à paraître. hal-03772326

HAL Id: hal-03772326

https://hal.science/hal-03772326

Submitted on 8 Sep 2022

**HAL** is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers. L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.





# Development of an assessment method for vulnerability to climate change of maize farming systems

Marine Albert, PhD student at INRAE UMR AGIR
Jacques-Eric Bergez, Stéphane Couture, Magali Willaume, Johanna Alkan-Olsson







### Need for Vulnerability assessment



Impacts from climate change

#### **Observations**

Maladaptations (Juhola et al., 2016; Neset et al., 2020; Barnett et al., 2010)



Heterogeneity of adoption of adaptations (Yanuarti et al., 2019; Daydé, 2017)

#### Needs

Adaptation strategies need to answer the farm's particular context and the farmer's perceptions




Agronomic advising need to be more specific and individualized

Vulnerability assessment is fondamental in order to offer efficient adaptation strategies



Build a method to assess vulnerability of the farm

### Concept of Vulnerability




### Overview of our method

Dardonville et al., 2021; Urruty et al., 2016; Gil et al., 2017; Durham et al., 2010

- A participative, systemic and interdisciplinary approach
  - Predefined properties based on expert perceptions

- 1. Build the conceptual framework
  - Elicitation of indicators
  - 3. Selection of indicators
    - 4. Design the tool

### 1. Our conceptual framework



### 2. Elicitation of indicators from maize farmers


Transcription of interviews into monographs



Identification of elements linked to the dimensions of our conceptual framework



Classification of these elements into a database and elicitation of associated criteria




### 2. Add indicators from literature

Literature on behavioural factors influencing adoption of practices

X Maize growers interviews



- Farmers' characteristics
  - Information sources
  - Cognitive factors
  - Dispositional factors




### 3. Selection of indicators by scientists



Need to reduce the number of indicators in order to build an opperational tool

SMART criteria of selection (Doran et al., 1981)

→ Specific, Measurable, Achievable, Relevant, Timely



### 4. Design the tool

#### Part 1

Set of indicators → qualitative assessment by the farmer and his advisor

#### Userform

Indicators	Qualitative assessment
Excess of water in winter	High pressure
Compaction of soil	Very high impact


Diagnosis of Vulnerability of the farm

Part 2

Results → radar graphs for each dimension of vulnerability

Modification of initial graphs thanks to adaptations

#### **Pressures**





#### Part 3

Adaptations 
The farmer choses adaptation strategies within a list

Test of adaptations to reduce Vulnerability of the farm


### Recap of the process





### Case study

Maize farming systems of SouthWestern France



#### Pressures

days without rainfall
heat waves in summer
windy episodes
thunderstorms in summer
excess of water in winter
moth pressure (pyrale)
increase in input and material prices
prices volatility (for maize selling)
water restrictions in summer

#### Impacts

Autan wind hinders irrigation
soil too dry to sow summer crops
soil too wet to sow winter crops
compaction of soils
erosion of soils
decrease irrigation capacity
yield decrease
hydric stress due to low humidity
water scarcity

#### Structural properties

watercourses management
topography
intra-plot heterogeneity (type of soil)
organic matter
porosity of soils
soil hydromorphy

#### Farm resources

diversification of buyers to spread risks presence of on-farm storage facilities cooperative for sharing equipment intensity of work

#### irrigation capacity

weakness of water source

#### financial situation - debt

economic specialisation rate irrigation costs

## A set of 48 indicators distributed in the conceptual framework

#### Farmer resources

experience

#### farmer's network - collective

decision-aid tools

websites wheater consultation

learning - tests

observation of fields (crop, fauna, flora, soil)

#### risks preferences

perception of risks linked to climate change resistance to change

### Issues in the methodology

- Modeling requires simplification
  - Reducing the number of indicators
  - Simplify effects of adaptations on the diagnosis of vulnerability
- Need for SMART indicators → conflicts between experts
- Subjectivity in selection and weight of indicators

### Toward a usefull tool for stakeholders

#### For farmers

→ Better knowledge of their farm, awareness of climate change and adaptations

#### For advisors

→ Awareness of farmers internal resources influencing adaptive capacity

#### For public policies

→ Provide data of practices implemented by farmers at a regional scale

# Thank you for your attention

This study was funded by VACCARM from INRAE