



Search for subsolar-mass binaries in the first half of advanced LIGO's and advanced Virgo's third observing run

R. Abbott, T.D. Abbott, F. Acernese, K. Ackley, C. Adams, N. Adhikari, R.X. Adhikari, V.B. Adya, C. Affeldt, D. Agarwal, et al.

► To cite this version:

R. Abbott, T.D. Abbott, F. Acernese, K. Ackley, C. Adams, et al.. Search for subsolar-mass binaries in the first half of advanced LIGO's and advanced Virgo's third observing run. *Phys.Rev.Lett.*, 2022, 129 (6), pp.061104. <10.1103/PhysRevLett.129.061104>. <hal-03778299>

HAL Id: hal-03778299

<https://hal.science/hal-03778299v1>

Submitted on 21 Oct 2024

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.



HAL Authorization



Abbott, R. et al. (2022) Search for subsolar-mass binaries in the first half of Advanced LIGO's and Advanced Virgo's third observing run. *Physical Review Letters*, 129(6), 061104.

There may be differences between this version and the published version. You are advised to consult the publisher's version if you wish to cite from it.

<https://eprints.gla.ac.uk/278260/>

Deposited on: 1 September 2022

Enlighten – Research publications by members of the University of Glasgow
<https://eprints.gla.ac.uk>

Search for subsolar-mass binaries in the first half of Advanced LIGO's and Advanced Virgo's third observing run

R. Abbott,¹ T. D. Abbott,² F. Acernese,^{3,4} K. Ackley,⁵ C. Adams,⁶ N. Adhikari,⁷ R. X. Adhikari,¹ V. B. Adya,⁸ C. Affeldt,^{9,10} D. Agarwal,¹¹ M. Agathos,^{12,13} K. Agatsuma,¹⁴ N. Aggarwal,¹⁵ O. D. Aguiar,¹⁶ L. Aiello,¹⁷ A. Ain,¹⁸ P. Ajith,¹⁹ S. Albanesi,²⁰ A. Allocca,^{21,4} P. A. Altin,⁸ A. Amato,²² C. Anand,⁵ S. Anand,¹ A. Ananyeva,¹ S. B. Anderson,¹ W. G. Anderson,⁷ T. Andrade,²³ N. Andres,²⁴ T. Andrić,²⁵ S. V. Angelova,²⁶ S. Ansoldi,^{27,28} J. M. Antelis,²⁹ S. Antier,³⁰ S. Appert,¹ K. Arai,¹ M. C. Araya,¹ J. S. Areeda,³¹ M. Arène,³⁰ N. Arnaud,^{32,33} S. M. Aronson,² K. G. Arun,³⁴ Y. Asali,³⁵ G. Ashton,⁵ M. Assiduo,^{36,37} S. M. Aston,⁶ P. Astone,³⁸ F. Aubin,²⁴ C. Austin,² S. Babak,³⁰ F. Badaracco,³⁹ M. K. M. Bader,⁴⁰ C. Badger,⁴¹ S. Bae,⁴² A. M. Baer,⁴³ S. Bagnasco,²⁰ Y. Bai,¹ J. Baird,³⁰ M. Ball,⁴⁴ G. Ballardín,³³ S. W. Ballmer,⁴⁵ A. Balsamo,⁴³ G. Baltus,⁴⁶ S. Banagiri,⁴⁷ D. Bankar,¹¹ J. C. Barayoga,¹ C. Barbieri,^{48,49,50} B. C. Barish,¹ D. Barker,⁵¹ P. Barneo,²³ F. Barone,^{52,4} B. Barr,⁵³ L. Barsotti,⁵⁴ M. Barsuglia,³⁰ D. Barta,⁵⁵ J. Bartlett,⁵¹ M. A. Barton,⁵³ I. Bartos,⁵⁶ R. Bassiri,⁵⁷ A. Basti,^{58,18} M. Bawaj,^{59,60} J. C. Bayley,⁵³ A. C. Baylor,⁷ M. Bazzan,^{61,62} B. Bécsy,⁶³ V. M. Bedakihale,⁶⁴ M. Bejger,⁶⁵ I. Belahcene,³² V. Benedetto,⁶⁶ D. Beniwal,⁶⁷ T. F. Bennett,⁶⁸ J. D. Bentley,¹⁴ M. BenYaala,²⁶ F. Bergamin,^{9,10} B. K. Berger,⁵⁷ S. Bernuzzi,¹³ C. P. L. Berry,^{15,53} D. Bersanetti,⁶⁹ A. Bertolini,⁴⁰ J. Betzwieser,⁶ D. Beveridge,⁷⁰ R. Bhandare,⁷¹ U. Bhardwaj,^{72,40} D. Bhattacharjee,⁷³ S. Bhaumik,⁵⁶ I. A. Bilenko,⁷⁴ G. Billingsley,¹ S. Bini,^{75,76} R. Birney,⁷⁷ O. Birnholtz,⁷⁸ S. Biscans,^{1,54} M. Bischì,^{36,37} S. Biscoveanu,⁵⁴ A. Bisht,^{9,10} B. Biswas,¹¹ M. Bitossi,^{33,18} M.-A. Bizouard,⁷⁹ J. K. Blackburn,¹ C. D. Blair,^{70,6} D. G. Blair,⁷⁰ R. M. Blair,⁵¹ F. Bobba,^{80,81} N. Bode,^{9,10} M. Boer,⁷⁹ G. Bogaert,⁷⁹ M. Boldrini,^{82,38} L. D. Bonavena,⁶¹ F. Bondu,⁸³ E. Bonilla,⁵⁷ R. Bonnand,²⁴ P. Booker,^{9,10} B. A. Boom,⁴⁰ R. Bork,¹ V. Boschi,¹⁸ N. Bose,⁸⁴ S. Bose,¹¹ V. Bossilkov,⁷⁰ V. Boudart,⁴⁶ Y. Bouffanais,^{61,62} A. Bozzi,³³ C. Bradaschia,¹⁸ P. R. Brady,⁷ A. Bramley,⁶ A. Branch,⁶ M. Branchesi,^{25,85} J. E. Brau,⁴⁴ M. Breschi,¹³ T. Briant,⁸⁶ J. H. Briggs,⁵³ A. Brillet,⁷⁹ M. Brinkmann,^{9,10} P. Brockill,⁷ A. F. Brooks,¹ J. Brooks,³³ D. D. Brown,⁶⁷ S. Brunett,¹ G. Bruno,³⁹ R. Bruntz,⁴³ J. Bryant,¹⁴ T. Bulik,⁸⁷ H. J. Bulten,⁴⁰ A. Buonanno,^{88,89} R. Buscicchio,¹⁴ D. Buskulic,²⁴ C. Buy,⁹⁰ R. L. Byer,⁵⁷ L. Cadonati,⁹¹ G. Cagnoli,²² C. Cahillane,⁵¹ J. Calderón Bustillo,^{92,93} J. D. Callaghan,⁵³ T. A. Callister,^{94,95} E. Calloni,^{21,4} J. Cameron,⁷⁰ J. B. Camp,⁹⁶ M. Canepa,^{97,69} S. Canevarolo,⁹⁸ M. Cannavacciuolo,⁸⁰ K. C. Cannon,⁹⁹ H. Cao,⁶⁷ E. Capote,⁴⁵ G. Carapella,^{80,81} F. Carbognani,³³ J. B. Carlin,¹⁰⁰ M. F. Carney,¹⁵ M. Carpinelli,^{101,102,33} G. Carrillo,⁴⁴ G. Carullo,^{58,18} T. L. Carver,¹⁷ J. Casanueva Diaz,³³ C. Casentini,^{103,104} G. Castaldi,¹⁰⁵ S. Caudill,^{40,98} M. Cavaglià,⁷³ F. Cavalier,³² R. Cavalieri,³³ M. Ceasar,¹⁰⁶ G. Cella,¹⁸ P. Cerdá-Durán,¹⁰⁷ E. Cesarini,¹⁰⁴ W. Chaibi,⁷⁹ K. Chakravarti,¹¹ S. Chalathadka Subrahmanya,¹⁰⁸ E. Champion,¹⁰⁹ C.-H. Chan,¹¹⁰ C. Chan,⁹⁹ C. L. Chan,⁹³ K. Chan,⁹³ K. Chandra,⁸⁴ P. Chanial,³³ S. Chao,¹¹⁰ P. Charlton,¹¹¹ E. A. Chase,¹⁵ E. Chassande-Mottin,³⁰ C. Chatterjee,⁷⁰ Debarati Chatterjee,¹¹ Deep Chatterjee,⁷ M. Chaturvedi,⁷¹ S. Chaty,³⁰ K. Chatziioannou,¹ H. Y. Chen,⁵⁴ J. Chen,¹¹⁰ X. Chen,⁷⁰ Y. Chen,¹¹² Z. Chen,¹⁷ H. Cheng,⁵⁶ C. K. Cheong,⁹³ H. Y. Cheung,⁹³ H. Y. Chia,⁵⁶ F. Chiadini,^{113,81} G. Chiarini,⁶² R. Chierici,¹¹⁴ A. Chincarini,⁶⁹ M. L. Chiofalo,^{58,18} A. Chiummo,³³ G. Cho,¹¹⁵ H. S. Cho,¹¹⁶ R. K. Choudhary,⁷⁰ S. Choudhary,¹¹ N. Christensen,⁷⁹ Q. Chu,⁷⁰ S. Chua,⁸ K. W. Chung,⁴¹ G. Ciani,^{61,62} P. Cieciela,⁶⁵ M. Cieřlar,⁶⁵ M. Cifaldi,^{103,104} A. A. Ciobanu,⁶⁷ R. Ciolfi,^{117,62} F. Cipriano,⁷⁹ A. Cirone,^{97,69} F. Clara,⁵¹ E. N. Clark,¹¹⁸ J. A. Clark,^{1,91} L. Clarke,¹¹⁹ P. Clearwater,¹²⁰ S. Clesse,¹²¹ F. Cleva,⁷⁹ E. Coccia,^{25,85} E. Codazzo,²⁵ P.-F. Cohadon,⁸⁶ D. E. Cohen,³² L. Cohen,² M. Colleoni,¹²² C. G. Collette,¹²³ A. Colombo,⁴⁸ M. Colpi,^{48,49} C. M. Compton,⁵¹ M. Constancio Jr.,¹⁶ L. Conti,⁶² S. J. Cooper,¹⁴ P. Corban,⁶ T. R. Corbitt,² I. Cordero-Carrión,¹²⁴ S. Corezzi,^{60,59} K. R. Corley,³⁵ N. Cornish,⁶³ D. Corre,³² A. Corsi,¹²⁵ S. Cortese,³³ C. A. Costa,¹⁶ R. Cotesta,⁸⁹ M. W. Coughlin,⁴⁷ J.-P. Coulon,⁷⁹ S. T. Countryman,³⁵ B. Cousins,¹²⁶ P. Couvares,¹ D. M. Coward,⁷⁰ M. J. Cowart,⁶ D. C. Coyne,¹ R. Coyne,¹²⁷ J. D. E. Creighton,⁷ T. D. Creighton,¹²⁸ A. W. Criswell,⁴⁷ M. Croquette,⁸⁶ S. G. Crowder,¹²⁹ J. R. Cudell,⁴⁶ T. J. Cullen,² A. Cumming,⁵³ R. Cummings,⁵³ L. Cunningham,⁵³ E. Cuoco,^{33,130,18} M. Curyło,⁸⁷ P. Dabadie,²² T. Dal Canton,³² S. Dall'Osso,²⁵ G. Dálya,¹³¹ A. Dana,⁵⁷ L. M. DaneshgaranBajastani,⁶⁸ B. D'Angelo,^{97,69} S. Danilishin,^{132,40} S. D'Antonio,¹⁰⁴ K. Danzmann,^{9,10} C. Darsow-Fromm,¹⁰⁸ A. Dasgupta,⁶⁴ L. E. H. Datrier,⁵³ S. Datta,¹¹ V. Dattilo,³³ I. Dave,⁷¹ M. Davier,³² G. S. Davies,¹³³ D. Davis,¹ M. C. Davis,¹⁰⁶ E. J. Daw,¹³⁴ R. Dean,¹⁰⁶ D. DeBra,⁵⁷ M. Deenadayalan,¹¹ J. Degallaix,¹³⁵ M. De Laurentis,^{21,4} S. Deléglise,⁸⁶ V. Del Favero,¹⁰⁹ F. De Lillo,³⁹ N. De Lillo,⁵³ W. Del Pozzo,^{58,18} L. M. DeMarchi,¹⁵ F. De Matteis,^{103,104} V. D'Emilio,¹⁷ N. Demos,⁵⁴ T. Dent,⁹² A. Depasse,³⁹ R. De Pietri,^{136,137} R. De Rosa,^{21,4} C. De Rossi,³³ R. DeSalvo,¹⁰⁵ R. De Simone,¹¹³ S. Dhurandhar,¹¹ M. C. Díaz,¹²⁸ M. Diaz-Ortiz Jr.,⁵⁶ N. A. Didio,⁴⁵ T. Dietrich,^{89,40} L. Di Fiore,⁴ C. Di Fronzo,¹⁴ C. Di Giorgio,^{80,81} F. Di Giovanni,¹⁰⁷ M. Di Giovanni,²⁵ T. Di Girolamo,^{21,4}

- A. Di Lieto,^{58,18} B. Ding,¹²³ S. Di Pace,^{82,38} I. Di Palma,^{82,38} F. Di Renzo,^{58,18} A. K. Divakarla,⁵⁶ A. Dmitriev,¹⁴ Z. Doctor,⁴⁴ L. D'Onofrio,^{21,4} F. Donovan,⁵⁴ K. L. Dooley,¹⁷ S. Doravari,¹¹ I. Dorrington,¹⁷ M. Drago,^{82,38} J. C. Driggers,⁵¹ Y. Drori,¹ J.-G. Ducoin,³² P. Dupej,⁵³ O. Durante,^{80,81} D. D'Urso,^{101,102} P.-A. Duverne,³² S. E. Dwyer,⁵¹ C. Eassa,⁵¹ P. J. Easter,⁵ M. Ebersold,¹³⁸ T. Eckhardt,¹⁰⁸ G. Eddolls,⁵³ B. Edelman,⁴⁴ T. B. Edo,¹ O. Edy,¹³³ A. Effler,⁶ J. Eichholz,⁸ S. S. Eikenberry,⁵⁶ M. Eisenmann,²⁴ R. A. Eisenstein,⁵⁴ A. Ejlli,¹⁷ E. Engelby,³¹ L. Errico,^{21,4} R. C. Essick,¹³⁹ H. Estellés,¹²² D. Estevez,¹⁴⁰ Z. Etienne,¹⁴¹ T. Etzel,¹ M. Evans,⁵⁴ T. M. Evans,⁶ B. E. Ewing,¹²⁶ V. Fafone,^{103,104,25} H. Fair,⁴⁵ S. Fairhurst,¹⁷ A. M. Farah,¹³⁹ S. Farinon,⁶⁹ B. Farr,⁴⁴ W. M. Farr,^{94,95} N. W. Farrow,⁵ E. J. Fauchon-Jones,¹⁷ G. Favaro,⁶¹ M. Favata,¹⁴² M. Fays,⁴⁶ M. Fazio,¹⁴³ J. Feicht,¹ M. M. Fejer,⁵⁷ B. Fekecs,¹⁴⁴ E. Fenyvesi,^{55,145} D. L. Ferguson,¹⁴⁶ A. Fernandez-Galiana,⁵⁴ I. Ferrante,^{58,18} T. A. Ferreira,¹⁶ F. Fidecaro,^{58,18} P. Figura,⁸⁷ I. Fiori,³³ M. Fishbach,¹⁵ R. P. Fisher,⁴³ R. Fittipaldi,^{147,81} V. Fiumara,^{148,81} R. Flaminio,^{24,149} E. Floden,⁴⁷ H. Fong,⁹⁹ J. A. Font,^{107,150} B. Fornal,¹⁵¹ P. W. F. Forsyth,⁸ A. Franke,¹⁰⁸ S. Frasca,^{82,38} F. Frasconi,¹⁸ C. Frederick,¹⁵² J. P. Freed,²⁹ Z. Frei,¹³¹ A. Freise,¹⁵³ R. Frey,⁴⁴ P. Fritschel,⁵⁴ V. V. Frolov,⁶ G. G. Fronzé,²⁰ P. Fulda,⁵⁶ M. Fyffe,⁶ H. A. Gabbard,⁵³ B. U. Gadre,⁸⁹ J. R. Gair,⁸⁹ J. Gais,⁹³ S. Galaudage,⁵ R. Gamba,¹³ D. Ganapathy,⁵⁴ A. Ganguly,¹⁹ S. G. Gaonkar,¹¹ B. Garaventa,^{69,97} C. García-Núñez,⁷⁷ C. García-Quirós,¹²² F. Garufi,^{21,4} B. Gateley,⁵¹ S. Gaudio,²⁹ V. Gayathri,⁵⁶ G. Gemme,⁶⁹ A. Gennai,¹⁸ J. George,⁷¹ O. Gerberding,¹⁰⁸ L. Gergely,¹⁴⁴ P. Gewecke,¹⁰⁸ S. Ghonge,⁹¹ Abhirup Ghosh,⁸⁹ Archisman Ghosh,¹⁵⁴ Shaon Ghosh,^{7,142} Shrobana Ghosh,¹⁷ B. Giacomazzo,^{48,49,50} L. Giacoppo,^{82,38} J. A. Giaime,^{2,6} K. D. Giardina,⁶ D. R. Gibson,⁷⁷ C. Gier,²⁶ M. Giesler,¹⁵⁵ P. Giri,^{18,58} F. Gissi,⁶⁶ J. Glanzer,² A. E. Gleckl,³¹ P. Godwin,¹²⁶ E. Goetz,¹⁵⁶ R. Goetz,⁵⁶ N. Gohlke,^{9,10} B. Goncharov,^{5,25} G. González,² A. Gopakumar,¹⁵⁷ M. Gosselin,³³ R. Gouaty,²⁴ D. W. Gould,⁸ B. Grace,⁸ A. Grado,^{158,4} M. Granata,¹³⁵ V. Granata,⁸⁰ A. Grant,⁵³ S. Gras,⁵⁴ P. Grassia,¹ C. Gray,⁵¹ R. Gray,⁵³ G. Greco,⁵⁹ A. C. Green,⁵⁶ R. Green,¹⁷ A. M. Gretarsson,²⁹ E. M. Gretarsson,²⁹ D. Griffith,¹ W. Griffiths,¹⁷ H. L. Griggs,⁹¹ G. Grignani,^{60,59} A. Grimaldi,^{75,76} S. J. Grimm,^{25,85} H. Grote,¹⁷ S. Grunewald,⁸⁹ P. Gruning,³² D. Guerra,¹⁰⁷ G. M. Guidi,^{36,37} A. R. Guimaraes,² G. Guixé,²³ H. K. Gulati,⁶⁴ H.-K. Guo,¹⁵¹ Y. Guo,⁴⁰ Anchal Gupta,¹ Anuradha Gupta,¹⁵⁹ P. Gupta,^{40,98} E. K. Gustafson,¹ R. Gustafson,¹⁶⁰ F. Guzman,¹⁶¹ L. Haegel,³⁰ O. Halim,^{28,162} E. D. Hall,⁵⁴ E. Z. Hamilton,¹³⁸ G. Hammond,⁵³ M. Haney,¹³⁸ J. Hanks,⁵¹ C. Hanna,¹²⁶ M. D. Hannam,¹⁷ O. Hannuksela,^{98,40} H. Hansen,⁵¹ T. J. Hansen,²⁹ J. Hanson,⁶ T. Harder,⁷⁹ T. Hardwick,² K. Haris,^{40,98} J. Harms,^{25,85} G. M. Harry,¹⁶³ I. W. Harry,¹³³ D. Hartwig,¹⁰⁸ B. Haskell,⁶⁵ R. K. Hasskew,⁶ C.-J. Haster,⁵⁴ K. Haughian,⁵³ F. J. Hayes,⁵³ J. Healy,¹⁰⁹ A. Heidmann,⁸⁶ A. Heidt,^{9,10} M. C. Heintze,⁶ J. Heinze,^{9,10} J. Heinzl,¹⁶⁴ H. Heitmann,⁷⁹ F. Hellman,¹⁶⁵ P. Hello,³² A. F. Helmling-Cornell,⁴⁴ G. Hemming,³³ M. Hendry,⁵³ I. S. Heng,⁵³ E. Hennes,⁴⁰ J. Hennig,¹⁶⁶ M. H. Hennig,¹⁶⁶ A. G. Hernandez,⁶⁸ F. Hernandez Vivanco,⁵ M. Heurs,^{9,10} S. Hild,^{132,40} P. Hill,²⁶ A. S. Hines,¹⁶¹ S. Hochheim,^{9,10} D. Hofman,¹³⁵ J. N. Hohmann,¹⁰⁸ D. G. Holcomb,¹⁰⁶ N. A. Holland,⁸ I. J. Hollows,¹³⁴ Z. J. Holmes,⁶⁷ K. Holt,⁶ D. E. Holz,¹³⁹ P. Hopkins,¹⁷ J. Hough,⁵³ S. Hourihane,¹¹² E. J. Howell,⁷⁰ C. G. Hoy,¹⁷ D. Hoyland,¹⁴ A. Hreibi,^{9,10} Y. Hsu,¹¹⁰ Y. Huang,⁵⁴ M. T. Hübner,⁵ A. D. Huddart,¹¹⁹ B. Hughey,²⁹ V. Hui,²⁴ S. Husa,¹²² S. H. Huttner,⁵³ R. Huxford,¹²⁶ T. Huynh-Dinh,⁶ B. Idzkowski,⁸⁷ A. Iess,^{103,104} C. Ingram,⁶⁷ M. Isi,⁵⁴ K. Isleif,¹⁰⁸ B. R. Iyer,¹⁹ V. JaberianHamedan,⁷⁰ T. Jacqmin,⁸⁶ S. J. Jadhav,¹⁶⁷ S. P. Jadhav,¹¹ A. L. James,¹⁷ A. Z. Jan,¹⁰⁹ K. Jani,¹⁶⁸ J. Janquart,^{98,40} K. Janssens,^{169,79} N. N. Janthalur,¹⁶⁷ P. Jaranowski,¹⁷⁰ D. Jariwala,⁵⁶ R. Jaume,¹²² A. C. Jenkins,⁴¹ K. Jenner,⁶⁷ M. Jeunon,⁴⁷ W. Jia,⁵⁴ G. R. Johns,⁴³ A. W. Jones,⁷⁰ D. I. Jones,¹⁷¹ J. D. Jones,⁵¹ P. Jones,¹⁴ R. Jones,⁵³ R. J. G. Jonker,⁴⁰ L. Ju,⁷⁰ J. Junker,^{9,10} V. Juste,¹⁴⁰ C. V. Kalaghatgi,^{17,98} V. Kalogera,¹⁵ B. Kamai,¹ S. Kandhasamy,¹¹ G. Kang,¹⁷² J. B. Kanner,¹ Y. Kao,¹¹⁰ S. J. Kapadia,¹⁹ D. P. Kapasi,⁸ S. Karat,¹ C. Karathanasis,¹⁷³ S. Karki,⁷³ R. Kashyap,¹²⁶ M. Kasprzak,¹ W. Kastaun,^{9,10} S. Katsanevas,³³ E. Katsavounidis,⁵⁴ W. Katzman,⁶ T. Kaur,⁷⁰ K. Kawabe,⁵¹ F. Kéfélian,⁷⁹ D. Keitel,¹²² J. S. Key,¹⁷⁴ S. Khadka,⁵⁷ F. Y. Khalili,⁷⁴ S. Khan,¹⁷ E. A. Khazanov,¹⁷⁵ N. Khetan,^{25,85} M. Khursheed,⁷¹ N. Kijbunchoo,⁸ C. Kim,¹⁷⁶ J. C. Kim,¹⁷⁷ K. Kim,¹⁷⁸ W. S. Kim,¹⁷⁹ Y.-M. Kim,¹⁸⁰ C. Kimball,¹⁵ M. Kinley-Hanlon,⁵³ R. Kirchhoff,^{9,10} J. S. Kissel,⁵¹ L. Kleybolte,¹⁰⁸ S. Klimenko,⁵⁶ A. M. Knee,¹⁵⁶ T. D. Knowles,¹⁴¹ E. Knyazev,⁵⁴ P. Koch,^{9,10} G. Koekoek,^{40,132} S. Koley,²⁵ P. Kolitsidou,¹⁷ M. Kolstein,¹⁷³ K. Komori,⁵⁴ V. Kondrashov,¹ A. Kontos,¹⁸¹ N. Koper,^{9,10} M. Korobko,¹⁰⁸ M. Kovalam,⁷⁰ D. B. Kozak,¹ V. Kringel,^{9,10} N. V. Krishnendu,^{9,10} A. Królak,^{182,183} G. Kuehn,^{9,10} F. Kuei,¹¹⁰ P. Kuijter,⁴⁰ A. Kumar,¹⁶⁷ P. Kumar,¹⁵⁵ Rahul Kumar,⁵¹ Rakesh Kumar,⁶⁴ K. Kuns,⁵⁴ S. Kuwahara,⁹⁹ P. Lagabbe,²⁴ D. Laghi,^{58,18} E. Lalande,¹⁸⁴ T. L. Lam,⁹³ A. Lamberts,^{79,185} M. Landry,⁵¹ B. B. Lane,⁵⁴ R. N. Lang,⁵⁴ J. Lange,¹⁴⁶ B. Lantz,⁵⁷ I. La Rosa,²⁴ A. Lartaux-Vollard,³² P. D. Lasky,⁵ M. Laxen,⁶ A. Lazzarini,¹ C. Lazzaro,^{61,62} P. Leaci,^{82,38} S. Leavey,^{9,10} Y. K. Lecoecue,¹⁵⁶ H. M. Lee,¹¹⁵ H. W. Lee,¹⁷⁷ J. Lee,¹¹⁵ K. Lee,¹⁸⁶ J. Lehmann,^{9,10} A. Lemaître,¹⁸⁷ N. Leroy,³² N. Letendre,²⁴ C. Levesque,¹⁸⁴ Y. Levin,⁵ J. N. Leviton,¹⁶⁰ K. Leyde,³⁰ A. K. Y. Li,¹

- B. Li,¹¹⁰ J. Li,¹⁵ T. G. F. Li,⁹³ X. Li,¹¹² F. Linde,^{188,40} S. D. Linker,⁶⁸ J. N. Linley,⁵³ T. B. Littenberg,¹⁸⁹
 J. Liu,^{9,10} K. Liu,¹¹⁰ X. Liu,⁷ F. Llamas,¹²⁸ M. Llorens-Monteagudo,¹⁰⁷ R. K. L. Lo,¹ A. Lockwood,¹⁹⁰
 L. T. London,⁵⁴ A. Longo,^{191,192} D. Lopez,¹³⁸ M. Lopez Portilla,⁹⁸ M. Lorenzini,^{103,104} V. Lorette,¹⁹³
 M. Lormand,⁶ G. Losurdo,¹⁸ T. P. Lott,⁹¹ J. D. Lough,^{9,10} C. O. Lousto,¹⁰⁹ G. Lovelace,³¹ J. F. Lucaccioni,¹⁵²
 H. Lück,^{9,10} D. Lumaca,^{103,104} A. P. Lundgren,¹³³ J. E. Lynam,⁴³ R. Macas,¹³³ M. MacInnis,⁵⁴ D. M. Macleod,¹⁷
 I. A. O. MacMillan,¹ A. Macquet,⁷⁹ I. Magaña Hernandez,⁷ C. Magazzù,¹⁸ R. M. Magee,¹ R. Maggiore,¹⁴
 M. Magnozzi,^{69,97} S. Mahesh,¹⁴¹ E. Majorana,^{82,38} C. Makarem,¹ I. Maksimovic,¹⁹³ S. Maliakal,¹ A. Malik,⁷¹
 N. Man,⁷⁹ V. Mandic,⁴⁷ V. Mangano,^{82,38} J. L. Mango,¹⁹⁴ G. L. Mansell,^{51,54} M. Manske,⁷ M. Mantovani,³³
 M. Mapelli,^{61,62} F. Marchesoni,^{195,59,196} F. Marion,²⁴ Z. Mark,¹¹² S. Márka,³⁵ Z. Márka,³⁵ C. Markakis,¹²
 A. S. Markosyan,⁵⁷ A. Markowitz,¹ E. Maros,¹ A. Marquina,¹²⁴ S. Marsat,³⁰ F. Martelli,^{36,37} I. W. Martin,⁵³
 R. M. Martin,¹⁴² M. Martinez,¹⁷³ V. A. Martinez,⁵⁶ V. Martinez,²² K. Martinovic,⁴¹ D. V. Martynov,¹⁴
 E. J. Marx,⁵⁴ H. Masalehdan,¹⁰⁸ K. Mason,⁵⁴ E. Massera,¹³⁴ A. Masserot,²⁴ T. J. Massinger,⁵⁴ M. Masso-Reid,⁵³
 S. Mastrogiovanni,³⁰ A. Matas,⁸⁹ M. Mateu-Lucena,¹²² F. Matichard,^{1,54} M. Matushechkin,^{9,10} N. Mavalvala,⁵⁴
 J. J. McCann,⁷⁰ R. McCarthy,⁵¹ D. E. McClelland,⁸ P. K. McClincy,¹²⁶ S. McCormick,⁶ L. McCuller,⁵⁴
 G. I. McGhee,⁵³ S. C. McGuire,¹⁹⁷ C. McIsaac,¹³³ J. McIver,¹⁵⁶ T. McRae,⁸ S. T. McWilliams,¹⁴¹
 D. Meacher,⁷ M. Mehmet,^{9,10} A. K. Mehta,⁸⁹ Q. Meijer,⁹⁸ A. Melatos,¹⁰⁰ D. A. Melchor,³¹ G. Mendell,⁵¹
 A. Menendez-Vazquez,¹⁷³ C. S. Menoni,¹⁴³ R. A. Mercer,⁷ L. Mereni,¹³⁵ K. Merfeld,⁴⁴ E. L. Merill,⁶ J. D. Merritt,⁴⁴
 M. Merzougui,⁷⁹ S. Meshkov,^{1,*} C. Messenger,⁵³ C. Messick,¹⁴⁶ P. M. Meyers,¹⁰⁰ F. Meylahn,^{9,10} A. Mhaske,¹¹
 A. Miani,^{75,76} H. Miao,¹⁴ I. Michaloliakos,⁵⁶ C. Michel,¹³⁵ H. Middleton,¹⁰⁰ L. Milano,²¹ A. Miller,⁶⁸ A. L. Miller,³⁹
 B. Miller,^{72,40} M. Millhouse,¹⁰⁰ J. C. Mills,¹⁷ E. Milotti,^{162,28} O. Minazzoli,^{79,198} Y. Minenkov,¹⁰⁴ L. M. Mir,¹⁷³
 M. Miravet-Tenés,¹⁰⁷ C. Mishra,¹⁹⁹ T. Mishra,⁵⁶ T. Mistry,¹³⁴ S. Mitra,¹¹ V. P. Mitrofanov,⁷⁴ G. Mitselmakher,⁵⁶
 R. Mittleman,⁵⁴ Geoffrey Mo,⁵⁴ E. Moguel,¹⁵² K. Mogushi,⁷³ S. R. P. Mohapatra,⁵⁴ S. R. Mohite,⁷ I. Molina,³¹
 M. Molina-Ruiz,¹⁶⁵ M. Mondin,⁶⁸ M. Montani,^{36,37} C. J. Moore,¹⁴ D. Moraru,⁵¹ F. Morawski,⁶⁵ A. More,¹¹
 C. Moreno,²⁹ G. Moreno,⁵¹ S. Morisaki,⁷ B. Mours,¹⁴⁰ C. M. Mow-Lowry,^{14,153} S. Mozzon,¹³³ F. Muciaccia,^{82,38}
 Arunava Mukherjee,²⁰⁰ D. Mukherjee,¹²⁶ Soma Mukherjee,¹²⁸ Subroto Mukherjee,⁶⁴ Suvodip Mukherjee,⁷²
 N. Mukund,^{9,10} A. Mullavey,⁶ J. Munch,⁶⁷ E. A. Muñoz,⁴⁵ P. G. Murray,⁵³ R. Musenich,^{69,97} S. Muusse,⁶⁷
 S. L. Nadji,^{9,10} A. Nagar,^{20,201} V. Napolano,³³ I. Nardecchia,^{103,104} L. Naticchioni,³⁸ B. Nayak,⁶⁸ R. K. Nayak,²⁰²
 B. F. Neil,⁷⁰ J. Neilson,^{66,81} G. Nelemans,²⁰³ T. J. N. Nelson,⁶ M. Nery,^{9,10} P. Neubauer,¹⁵² A. Neunzert,¹⁷⁴
 K. Y. Ng,⁵⁴ S. W. S. Ng,⁶⁷ C. Nguyen,³⁰ P. Nguyen,⁴⁴ T. Nguyen,⁵⁴ S. A. Nichols,² S. Nissanke,^{72,40}
 E. Nitoglia,¹¹⁴ F. Nocera,³³ M. Norman,¹⁷ C. North,¹⁷ L. K. Nuttall,¹³³ J. Oberling,⁵¹ B. D. O'Brien,⁵⁶
 J. O'Dell,¹¹⁹ E. Oelker,⁵³ G. Oganessian,^{25,85} J. J. Oh,¹⁷⁹ S. H. Oh,¹⁷⁹ F. Ohme,^{9,10} H. Ohta,⁹⁹ M. A. Okada,¹⁶
 C. Olivetto,³³ R. Oram,⁶ B. O'Reilly,⁶ R. G. Ormiston,⁴⁷ N. D. Ormsby,⁴³ L. F. Ortega,⁵⁶ R. O'Shaughnessy,¹⁰⁹
 E. O'Shea,¹⁵⁵ S. Ossokine,⁸⁹ C. Osthelder,¹ D. J. Ottaway,⁶⁷ H. Overmier,⁶ A. E. Pace,¹²⁶ G. Pagano,^{58,18}
 M. A. Page,⁷⁰ G. Pagliaroli,^{25,85} A. Pai,⁸⁴ S. A. Pai,⁷¹ J. R. Palamos,⁴⁴ O. Palashov,¹⁷⁵ C. Palomba,³⁸ H. Pan,¹¹⁰
 P. K. Panda,¹⁶⁷ P. T. H. Pang,^{40,98} C. Pankow,¹⁵ F. Pannarale,^{82,38} B. C. Pant,⁷¹ F. H. Panther,⁷⁰
 F. Paoletti,¹⁸ A. Paoli,³³ A. Paolone,^{38,204} H. Park,⁷ W. Parker,^{6,197} D. Pascucci,⁴⁰ A. Pasqualetti,³³
 R. Passaquietti,^{58,18} D. Passuello,¹⁸ M. Patel,⁴³ M. Pathak,⁶⁷ B. Patricelli,^{33,18} A. S. Patron,² S. Paul,⁴⁴ E. Payne,⁵
 M. Pedraza,¹ M. Pegoraro,⁶² A. Pele,⁶ S. Penn,²⁰⁵ A. Perego,^{75,76} A. Pereira,²² T. Pereira,²⁰⁶ C. J. Perez,⁵¹
 C. Périgois,²⁴ C. C. Perkins,⁵⁶ A. Perreca,^{75,76} S. Perriès,¹¹⁴ J. Petermann,¹⁰⁸ D. Petterson,¹ H. P. Pfeiffer,⁸⁹
 K. A. Pham,⁴⁷ K. S. Phukon,^{40,188} O. J. Piccinni,³⁸ M. Pichot,⁷⁹ M. Piendibene,^{58,18} F. Piergiovanni,^{36,37}
 L. Pierini,^{82,38} V. Pierro,^{66,81} G. Pillant,³³ M. Pillas,³² F. Pilo,¹⁸ L. Pinard,¹³⁵ I. M. Pinto,^{66,81,207} M. Pinto,³³
 K. Piotrkowski,³⁹ M. Pirello,⁵¹ M. D. Pitkin,²⁰⁸ E. Placidi,^{82,38} L. Planas,¹²² W. Plastino,^{191,192} C. Pluchar,¹¹⁸
 R. Poggiani,^{58,18} E. Polini,²⁴ D. Y. T. Pong,⁹³ S. Ponrathnam,¹¹ P. Popolizio,³³ E. K. Porter,³⁰ R. Poulton,³³
 J. Powell,¹²⁰ M. Pracchia,²⁴ T. Pradier,¹⁴⁰ A. K. Prajapati,⁶⁴ K. Prasai,⁵⁷ R. Prasanna,¹⁶⁷ G. Pratten,¹⁴
 M. Principe,^{66,207,81} G. A. Prodi,^{209,76} L. Prokhorov,¹⁴ P. Proposito,^{103,104} L. Prudenzi,⁸⁹ A. Puecher,^{40,98}
 M. Punturo,⁵⁹ F. Puosi,^{18,58} P. Puppo,³⁸ M. Pürner,⁸⁹ H. Qi,¹⁷ V. Quetschke,¹²⁸ R. Quitzow-James,⁷³
 F. J. Raab,⁵¹ G. Raaijmakers,^{72,40} H. Radkins,⁵¹ N. Radulesco,⁷⁹ P. Raffai,¹³¹ S. X. Rail,¹⁸⁴ S. Raja,⁷¹
 C. Rajan,⁷¹ K. E. Ramirez,⁶ T. D. Ramirez,³¹ A. Ramos-Buades,⁸⁹ J. Rana,¹²⁶ P. Rapagnani,^{82,38} U. D. Rapol,²¹⁰
 A. Ray,⁷ V. Raymond,¹⁷ N. Raza,¹⁵⁶ M. Razzano,^{58,18} J. Read,³¹ L. A. Rees,¹⁶³ T. Regimbau,²⁴ L. Rei,⁶⁹
 S. Reid,²⁶ S. W. Reid,⁴³ D. H. Reitze,^{1,56} P. Relton,¹⁷ A. Renzini,¹ P. Rettigno,^{211,20} M. Rezac,³¹ F. Ricci,^{82,38}
 D. Richards,¹¹⁹ J. W. Richardson,¹ L. Richardson,¹⁶¹ G. Riemenschneider,^{211,20} K. Riles,¹⁶⁰ S. Rinaldi,^{18,58}
 K. Rink,¹⁵⁶ M. Rizzo,¹⁵ N. A. Robertson,^{1,53} R. Robie,¹ F. Robinet,³² A. Rocchi,¹⁰⁴ S. Rodriguez,³¹ L. Rolland,²⁴
 J. G. Rollins,¹ M. Romanelli,⁸³ R. Romano,^{3,4} C. L. Romel,⁵¹ A. Romero-Rodríguez,¹⁷³ I. M. Romero-Shaw,⁵

J. H. Romie,⁶ S. Ronchini,^{25,85} L. Rosa,^{4,21} C. A. Rose,⁷ D. Rosińska,⁸⁷ M. P. Ross,¹⁹⁰ S. Rowan,⁵³
 S. J. Rowlinson,¹⁴ S. Roy,⁹⁸ Santosh Roy,¹¹ Soumen Roy,²¹² D. Rozza,^{101,102} P. Ruggeri,³³ K. Ryan,⁵¹ S. Sachdev,¹²⁶
 T. Sadecki,⁵¹ J. Sadiq,⁹² M. Sakellariadou,⁴¹ O. S. Salafia,^{50,49,48} L. Salconi,³³ M. Saleem,⁴⁷ F. Salemi,^{75,76}
 A. Samajdar,^{40,98} E. J. Sanchez,¹ J. H. Sanchez,³¹ L. E. Sanchez,¹ N. Sanchis-Gual,²¹³ J. R. Sanders,²¹⁴
 A. Sanuy,²³ T. R. Saravanan,¹¹ N. Sarin,⁵ B. Sassolas,¹³⁵ H. Satari,⁷⁰ B. S. Sathyaprakash,^{126,17} O. Sauter,⁵⁶
 R. L. Savage,⁵¹ D. Sawant,⁸⁴ H. L. Sawant,¹¹ S. Sayah,¹³⁵ D. Schaetzl,¹ M. Scheel,¹¹² J. Scheuer,¹⁵ M. Schiworski,⁶⁷
 P. Schmidt,¹⁴ S. Schmidt,⁹⁸ R. Schnabel,¹⁰⁸ M. Schneewind,^{9,10} R. M. S. Schofield,⁴⁴ A. Schönbeck,¹⁰⁸
 B. W. Schulte,^{9,10} B. F. Schutz,^{17,9,10} E. Schwartz,¹⁷ J. Scott,⁵³ S. M. Scott,⁸ M. Seglar-Arroyo,²⁴ D. Sellers,⁶
 A. S. Sengupta,²¹² D. Sentenac,³³ E. G. Seo,⁹³ V. Sequino,^{21,4} A. Sergeev,¹⁷⁵ Y. Setyawati,⁹⁸ T. Shaffer,⁵¹
 M. S. Shahriar,¹⁵ B. Shams,¹⁵¹ A. Sharma,^{25,85} P. Sharma,⁷¹ P. Shawhan,⁸⁸ N. S. Shcheblanov,¹⁸⁷ M. Shikauchi,⁹⁹
 D. H. Shoemaker,⁵⁴ D. M. Shoemaker,¹⁴⁶ S. ShyamSundar,⁷¹ M. Sieniawska,⁸⁷ D. Sigg,⁵¹ L. P. Singer,⁹⁶ D. Singh,¹²⁶
 N. Singh,⁸⁷ A. Singha,^{132,40} A. M. Sintes,¹²² V. Sipala,^{101,102} V. Skliris,¹⁷ B. J. J. Slagmolen,⁸ T. J. Slaven-Blair,⁷⁰
 J. Smetana,¹⁴ J. R. Smith,³¹ R. J. E. Smith,⁵ J. Soldateschi,^{215,216,37} S. N. Somala,²¹⁷ E. J. Son,¹⁷⁹ K. Soni,¹¹
 S. Soni,² V. Sordini,¹¹⁴ F. Sorrentino,⁶⁹ N. Sorrentino,^{58,18} R. Soulard,⁷⁹ T. Souradeep,^{210,11} E. Sowell,¹²⁵
 V. Spagnuolo,^{132,40} A. P. Spencer,⁵³ M. Spera,^{61,62} R. Srinivasan,⁷⁹ A. K. Srivastava,⁶⁴ V. Srivastava,⁴⁵
 K. Staats,¹⁵ C. Stachie,⁷⁹ D. A. Steer,³⁰ J. Steinlechner,^{132,40} S. Steinlechner,^{132,40} S. Stevenson,¹²⁰ D. J. Stops,¹⁴
 M. Stover,¹⁵² K. A. Strain,⁵³ L. C. Strang,¹⁰⁰ G. Stratta,^{218,37} A. Strunk,⁵¹ R. Sturani,²⁰⁶ A. L. Stuver,¹⁰⁶
 S. Sudhagar,¹¹ V. Sudhir,⁵⁴ H. G. Suh,⁷ T. Z. Summerscales,²¹⁹ H. Sun,⁷⁰ L. Sun,⁸ S. Sunil,⁶⁴ A. Sur,⁶⁵ J. Suresh,⁹⁹
 P. J. Sutton,¹⁷ B. L. Swinkels,⁴⁰ M. J. Szczepańczyk,⁵⁶ P. Szewczyk,⁸⁷ M. Tacca,⁴⁰ S. C. Tait,⁵³ C. J. Talbot,²⁶
 C. Talbot,¹ A. J. Tanasijczuk,³⁹ D. B. Tanner,⁵⁶ D. Tao,¹ L. Tao,⁵⁶ E. N. Tapia San Martín,⁴⁰ C. Taranto,¹⁰³
 J. D. Tasson,¹⁶⁴ R. Tenorio,¹²² J. E. Terhune,¹⁰⁶ L. Terkowski,¹⁰⁸ M. P. Thirugnanasambandam,¹¹ M. Thomas,⁶
 P. Thomas,⁵¹ J. E. Thompson,¹⁷ S. R. Thondapu,⁷¹ K. A. Thorne,⁶ E. Thrane,⁵ Shubhanshu Tiwari,¹³⁸
 Srishti Tiwari,¹¹ V. Tiwari,¹⁷ A. M. Toivonen,⁴⁷ K. Toland,⁵³ A. E. Tolley,¹³³ M. Tonelli,^{58,18} A. Torres-Forné,¹⁰⁷
 C. I. Torrie,¹ I. Tosta e Melo,^{101,102} D. Töyrä,⁸ A. Trapananti,^{195,59} F. Travasso,^{59,195} G. Traylor,⁶ M. Trevor,⁸⁸
 M. C. Tringali,³³ A. Tripathi,¹⁶⁰ L. Troiano,^{220,81} A. Trovato,³⁰ L. Trozzo,⁴ R. J. Trudeau,¹ D. S. Tsai,¹¹⁰
 D. Tsai,¹¹⁰ K. W. Tsang,^{40,221,98} M. Tse,⁵⁴ R. Tso,¹¹² L. Tsukada,⁹⁹ D. Tsuna,⁹⁹ T. Tsutsui,⁹⁹ K. Turbang,^{222,169}
 M. Turconi,⁷⁹ A. S. Ubhi,¹⁴ R. P. Udall,¹ K. Ueno,⁹⁹ C. S. Unnikrishnan,¹⁵⁷ A. L. Urban,² A. Utina,^{132,40}
 H. Vahlbruch,^{9,10} G. Vajente,¹ A. Vajpeyi,⁵ G. Valdes,¹⁶¹ M. Valentini,^{75,76} V. Valsan,⁷ N. van Bakel,⁴⁰
 M. van Beuzekom,⁴⁰ J. F. J. van den Brand,^{132,223,40} C. Van Den Broeck,^{98,40} D. C. Vander-Hyde,⁴⁵
 L. van der Schaaf,⁴⁰ J. V. van Heijningen,³⁹ J. Vanosky,¹ N. van Remortel,¹⁶⁹ M. Vardaro,^{188,40} A. F. Vargas,¹⁰⁰
 V. Varma,¹⁵⁵ M. Vasúth,⁵⁵ A. Vecchio,¹⁴ G. Vedovato,⁶² J. Veitch,⁵³ P. J. Veitch,⁶⁷ J. Venneberg,^{9,10}
 G. Venugopalan,¹ D. Verkindt,²⁴ P. Verma,¹⁸³ Y. Verma,⁷¹ D. Veske,³⁵ F. Vetrano,³⁶ A. Viceré,^{36,37} S. Vidyant,⁴⁵
 A. D. Viets,¹⁹⁴ A. Vijaykumar,¹⁹ V. Villa-Ortega,⁹² J.-Y. Vinet,⁷⁹ A. Virtuoso,^{162,28} S. Vitale,⁵⁴ T. Vo,⁴⁵
 H. Vocca,^{60,59} E. R. G. von Reis,⁵¹ J. S. A. von Wrangel,^{9,10} C. Vorvick,⁵¹ S. P. Vyatchanin,⁷⁴ L. E. Wade,¹⁵²
 M. Wade,¹⁵² K. J. Wagner,¹⁰⁹ R. C. Walet,⁴⁰ M. Walker,⁴³ G. S. Wallace,²⁶ L. Wallace,¹ S. Walsh,⁷ J. Z. Wang,¹⁶⁰
 W. H. Wang,¹²⁸ R. L. Ward,⁸ J. Warner,⁵¹ M. Was,²⁴ N. Y. Washington,¹ J. Watchi,¹²³ B. Weaver,⁵¹
 S. A. Webster,⁵³ M. Weinert,^{9,10} A. J. Weinstein,¹ R. Weiss,⁵⁴ C. M. Weller,¹⁹⁰ F. Wellmann,^{9,10} L. Wen,⁷⁰
 P. Weßels,^{9,10} K. Wette,⁸ J. T. Whelan,¹⁰⁹ D. D. White,³¹ B. F. Whiting,⁵⁶ C. Whittle,⁵⁴ D. Wilken,^{9,10}
 D. Williams,⁵³ M. J. Williams,⁵³ A. R. Williamson,¹³³ J. L. Willis,¹ B. Willke,^{9,10} D. J. Wilson,¹¹⁸ W. Winkler,^{9,10}
 C. C. Wipf,¹ T. Wlodarczyk,⁸⁹ G. Woan,⁵³ J. Woehler,^{9,10} J. K. Wofford,¹⁰⁹ I. C. F. Wong,⁹³ D. S. Wu,^{9,10}
 D. M. Wysocki,⁷ L. Xiao,¹ H. Yamamoto,¹ F. W. Yang,¹⁵¹ L. Yang,¹⁴³ Yang Yang,⁵⁶ Z. Yang,⁴⁷ M. J. Yap,⁸
 D. W. Yeeles,¹⁷ A. B. Yelkar,¹⁰⁹ M. Ying,¹¹⁰ J. Yoo,¹⁵⁵ Hang Yu,¹¹² Haocun Yu,⁵⁴ A. Zadrożny,¹⁸³ M. Zanolin,²⁹
 T. Zelenova,³³ J.-P. Zendri,⁶² M. Zevin,¹³⁹ J. Zhang,⁷⁰ L. Zhang,¹ T. Zhang,¹⁴ Y. Zhang,¹⁶¹ C. Zhao,⁷⁰ G. Zhao,¹²³
 Yue Zhao,¹⁵¹ R. Zhou,¹⁶⁵ Z. Zhou,¹⁵ X. J. Zhu,⁵ A. B. Zimmerman,¹⁴⁶ M. E. Zucker,^{1,54} and J. Zweizig¹

(The LIGO Scientific Collaboration and the Virgo Collaboration)

Donghui Jeong¹²⁶ and Sarah Shandera¹²⁶

¹*LIGO Laboratory, California Institute of Technology, Pasadena, CA 91125, USA*

²*Louisiana State University, Baton Rouge, LA 70803, USA*

³*Dipartimento di Farmacia, Università di Salerno, I-84084 Fisciano, Salerno, Italy*

⁴*INFN, Sezione di Napoli, Complesso Universitario di Monte S. Angelo, I-80126 Napoli, Italy*

⁵*OzGrav, School of Physics & Astronomy, Monash University, Clayton 3800, Victoria, Australia*

⁶*LIGO Livingston Observatory, Livingston, LA 70754, USA*

⁷*University of Wisconsin-Milwaukee, Milwaukee, WI 53201, USA*

- ⁸OzGrav, Australian National University, Canberra, Australian Capital Territory 0200, Australia
- ⁹Max Planck Institute for Gravitational Physics (Albert Einstein Institute), D-30167 Hannover, Germany
- ¹⁰Leibniz Universität Hannover, D-30167 Hannover, Germany
- ¹¹Inter-University Centre for Astronomy and Astrophysics, Pune 411007, India
- ¹²University of Cambridge, Cambridge CB2 1TN, United Kingdom
- ¹³Theoretisch-Physikalisches Institut, Friedrich-Schiller-Universität Jena, D-07743 Jena, Germany
- ¹⁴University of Birmingham, Birmingham B15 2TT, United Kingdom
- ¹⁵Center for Interdisciplinary Exploration & Research in Astrophysics (CIERA), Northwestern University, Evanston, IL 60208, USA
- ¹⁶Instituto Nacional de Pesquisas Espaciais, 12227-010 São José dos Campos, São Paulo, Brazil
- ¹⁷Gravity Exploration Institute, Cardiff University, Cardiff CF24 3AA, United Kingdom
- ¹⁸INFN, Sezione di Pisa, I-56127 Pisa, Italy
- ¹⁹International Centre for Theoretical Sciences, Tata Institute of Fundamental Research, Bengaluru 560089, India
- ²⁰INFN Sezione di Torino, I-10125 Torino, Italy
- ²¹Università di Napoli “Federico II”, Complesso Universitario di Monte S. Angelo, I-80126 Napoli, Italy
- ²²Université de Lyon, Université Claude Bernard Lyon 1, CNRS, Institut Lumière Matière, F-69622 Villeurbanne, France
- ²³Institut de Ciències del Cosmos (ICCUB), Universitat de Barcelona, C/ Martí i Franquès 1, Barcelona, 08028, Spain
- ²⁴Laboratoire d’Annecy de Physique des Particules (LAPP), Univ. Grenoble Alpes, Université Savoie Mont Blanc, CNRS/IN2P3, F-74941 Annecy, France
- ²⁵Gran Sasso Science Institute (GSSI), I-67100 L’Aquila, Italy
- ²⁶SUPA, University of Strathclyde, Glasgow G1 1XQ, United Kingdom
- ²⁷Dipartimento di Scienze Matematiche, Informatiche e Fisiche, Università di Udine, I-33100 Udine, Italy
- ²⁸INFN, Sezione di Trieste, I-34127 Trieste, Italy
- ²⁹Embry-Riddle Aeronautical University, Prescott, AZ 86301, USA
- ³⁰Université de Paris, CNRS, Astroparticule et Cosmologie, F-75006 Paris, France
- ³¹California State University Fullerton, Fullerton, CA 92831, USA
- ³²Université Paris-Saclay, CNRS/IN2P3, IJCLab, 91405 Orsay, France
- ³³European Gravitational Observatory (EGO), I-56021 Cascina, Pisa, Italy
- ³⁴Chennai Mathematical Institute, Chennai 603103, India
- ³⁵Columbia University, New York, NY 10027, USA
- ³⁶Università degli Studi di Urbino “Carlo Bo”, I-61029 Urbino, Italy
- ³⁷INFN, Sezione di Firenze, I-50019 Sesto Fiorentino, Firenze, Italy
- ³⁸INFN, Sezione di Roma, I-00185 Roma, Italy
- ³⁹Université catholique de Louvain, B-1348 Louvain-la-Neuve, Belgium
- ⁴⁰Nikhef, Science Park 105, 1098 XG Amsterdam, Netherlands
- ⁴¹King’s College London, University of London, London WC2R 2LS, United Kingdom
- ⁴²Korea Institute of Science and Technology Information, Daejeon 34141, Republic of Korea
- ⁴³Christopher Newport University, Newport News, VA 23606, USA
- ⁴⁴University of Oregon, Eugene, OR 97403, USA
- ⁴⁵Syracuse University, Syracuse, NY 13244, USA
- ⁴⁶Université de Liège, B-4000 Liège, Belgium
- ⁴⁷University of Minnesota, Minneapolis, MN 55455, USA
- ⁴⁸Università degli Studi di Milano-Bicocca, I-20126 Milano, Italy
- ⁴⁹INFN, Sezione di Milano-Bicocca, I-20126 Milano, Italy
- ⁵⁰INAF, Osservatorio Astronomico di Brera sede di Merate, I-23807 Merate, Lecco, Italy
- ⁵¹LIGO Hanford Observatory, Richland, WA 99352, USA
- ⁵²Dipartimento di Medicina, Chirurgia e Odontoiatria “Scuola Medica Salernitana”, Università di Salerno, I-84081 Baronissi, Salerno, Italy
- ⁵³SUPA, University of Glasgow, Glasgow G12 8QQ, United Kingdom
- ⁵⁴LIGO Laboratory, Massachusetts Institute of Technology, Cambridge, MA 02139, USA
- ⁵⁵Wigner RCP, RMKI, H-1121 Budapest, Konkoly Thege Miklós út 29-33, Hungary
- ⁵⁶University of Florida, Gainesville, FL 32611, USA
- ⁵⁷Stanford University, Stanford, CA 94305, USA
- ⁵⁸Università di Pisa, I-56127 Pisa, Italy
- ⁵⁹INFN, Sezione di Perugia, I-06123 Perugia, Italy
- ⁶⁰Università di Perugia, I-06123 Perugia, Italy
- ⁶¹Università di Padova, Dipartimento di Fisica e Astronomia, I-35131 Padova, Italy
- ⁶²INFN, Sezione di Padova, I-35131 Padova, Italy
- ⁶³Montana State University, Bozeman, MT 59717, USA
- ⁶⁴Institute for Plasma Research, Bhat, Gandhinagar 382428, India
- ⁶⁵Nicolaus Copernicus Astronomical Center, Polish Academy of Sciences, 00-716, Warsaw, Poland
- ⁶⁶Dipartimento di Ingegneria, Università del Sannio, I-82100 Benevento, Italy

- ⁶⁷ OzGrav, University of Adelaide, Adelaide, South Australia 5005, Australia
- ⁶⁸ California State University, Los Angeles, 5151 State University Dr, Los Angeles, CA 90032, USA
- ⁶⁹ INFN, Sezione di Genova, I-16146 Genova, Italy
- ⁷⁰ OzGrav, University of Western Australia, Crawley, Western Australia 6009, Australia
- ⁷¹ RRCAT, Indore, Madhya Pradesh 452013, India
- ⁷² GRAPPA, Anton Pannekoek Institute for Astronomy and Institute for High-Energy Physics, University of Amsterdam, Science Park 904, 1098 XH Amsterdam, Netherlands
- ⁷³ Missouri University of Science and Technology, Rolla, MO 65409, USA
- ⁷⁴ Faculty of Physics, Lomonosov Moscow State University, Moscow 119991, Russia
- ⁷⁵ Università di Trento, Dipartimento di Fisica, I-38123 Povo, Trento, Italy
- ⁷⁶ INFN, Trento Institute for Fundamental Physics and Applications, I-38123 Povo, Trento, Italy
- ⁷⁷ SUPA, University of the West of Scotland, Paisley PA1 2BE, United Kingdom
- ⁷⁸ Bar-Ilan University, Ramat Gan, 5290002, Israel
- ⁷⁹ Artemis, Université Côte d'Azur, Observatoire de la Côte d'Azur, CNRS, F-06304 Nice, France
- ⁸⁰ Dipartimento di Fisica "E.R. Caianiello", Università di Salerno, I-84084 Fisciano, Salerno, Italy
- ⁸¹ INFN, Sezione di Napoli, Gruppo Collegato di Salerno, Complesso Universitario di Monte S. Angelo, I-80126 Napoli, Italy
- ⁸² Università di Roma "La Sapienza", I-00185 Roma, Italy
- ⁸³ Univ Rennes, CNRS, Institut FOTON - UMR6082, F-3500 Rennes, France
- ⁸⁴ Indian Institute of Technology Bombay, Powai, Mumbai 400 076, India
- ⁸⁵ INFN, Laboratori Nazionali del Gran Sasso, I-67100 Assergi, Italy
- ⁸⁶ Laboratoire Kastler Brossel, Sorbonne Université, CNRS, ENS-Université PSL, Collège de France, F-75005 Paris, France
- ⁸⁷ Astronomical Observatory Warsaw University, 00-478 Warsaw, Poland
- ⁸⁸ University of Maryland, College Park, MD 20742, USA
- ⁸⁹ Max Planck Institute for Gravitational Physics (Albert Einstein Institute), D-14476 Potsdam, Germany
- ⁹⁰ L2IT, Laboratoire des 2 Infinis - Toulouse, Université de Toulouse, CNRS/IN2P3, UPS, F-31062 Toulouse Cedex 9, France
- ⁹¹ School of Physics, Georgia Institute of Technology, Atlanta, GA 30332, USA
- ⁹² IGFAE, Campus Sur, Universidad de Santiago de Compostela, 15782 Spain
- ⁹³ The Chinese University of Hong Kong, Shatin, NT, Hong Kong
- ⁹⁴ Stony Brook University, Stony Brook, NY 11794, USA
- ⁹⁵ Center for Computational Astrophysics, Flatiron Institute, New York, NY 10010, USA
- ⁹⁶ NASA Goddard Space Flight Center, Greenbelt, MD 20771, USA
- ⁹⁷ Dipartimento di Fisica, Università degli Studi di Genova, I-16146 Genova, Italy
- ⁹⁸ Institute for Gravitational and Subatomic Physics (GRASP), Utrecht University, Princetonplein 1, 3584 CC Utrecht, Netherlands
- ⁹⁹ RESCEU, University of Tokyo, Tokyo, 113-0033, Japan.
- ¹⁰⁰ OzGrav, University of Melbourne, Parkville, Victoria 3010, Australia
- ¹⁰¹ Università degli Studi di Sassari, I-07100 Sassari, Italy
- ¹⁰² INFN, Laboratori Nazionali del Sud, I-95125 Catania, Italy
- ¹⁰³ Università di Roma Tor Vergata, I-00133 Roma, Italy
- ¹⁰⁴ INFN, Sezione di Roma Tor Vergata, I-00133 Roma, Italy
- ¹⁰⁵ University of Sannio at Benevento, I-82100 Benevento, Italy and INFN, Sezione di Napoli, I-80100 Napoli, Italy
- ¹⁰⁶ Villanova University, 800 Lancaster Ave, Villanova, PA 19085, USA
- ¹⁰⁷ Departamento de Astronomía y Astrofísica, Universitat de València, E-46100 Burjassot, València, Spain
- ¹⁰⁸ Universität Hamburg, D-22761 Hamburg, Germany
- ¹⁰⁹ Rochester Institute of Technology, Rochester, NY 14623, USA
- ¹¹⁰ National Tsing Hua University, Hsinchu City, 30013 Taiwan, Republic of China
- ¹¹¹ OzGrav, Charles Sturt University, Wagga Wagga, New South Wales 2678, Australia
- ¹¹² CaRT, California Institute of Technology, Pasadena, CA 91125, USA
- ¹¹³ Dipartimento di Ingegneria Industriale (DIIN), Università di Salerno, I-84084 Fisciano, Salerno, Italy
- ¹¹⁴ Université Lyon, Université Claude Bernard Lyon 1, CNRS, IP2I Lyon / IN2P3, UMR 5822, F-69622 Villeurbanne, France
- ¹¹⁵ Seoul National University, Seoul 08826, Republic of Korea
- ¹¹⁶ Pusan National University, Busan 46241, Republic of Korea
- ¹¹⁷ INAF, Osservatorio Astronomico di Padova, I-35122 Padova, Italy
- ¹¹⁸ University of Arizona, Tucson, AZ 85721, USA
- ¹¹⁹ Rutherford Appleton Laboratory, Didcot OX11 0DE, United Kingdom
- ¹²⁰ OzGrav, Swinburne University of Technology, Hawthorn VIC 3122, Australia
- ¹²¹ Université libre de Bruxelles, Avenue Franklin Roosevelt 50 - 1050 Bruxelles, Belgium
- ¹²² Universitat de les Illes Balears, IAC3—IEEC, E-07122 Palma de Mallorca, Spain

- ¹²³ *Université Libre de Bruxelles, Brussels 1050, Belgium*
- ¹²⁴ *Departamento de Matemáticas, Universitat de València, E-46100 Burjassot, València, Spain*
- ¹²⁵ *Texas Tech University, Lubbock, TX 79409, USA*
- ¹²⁶ *The Pennsylvania State University, University Park, PA 16802, USA*
- ¹²⁷ *University of Rhode Island, Kingston, RI 02881, USA*
- ¹²⁸ *The University of Texas Rio Grande Valley, Brownsville, TX 78520, USA*
- ¹²⁹ *Bellevue College, Bellevue, WA 98007, USA*
- ¹³⁰ *Scuola Normale Superiore, Piazza dei Cavalieri, 7 - 56126 Pisa, Italy*
- ¹³¹ *MTA-ELTE Astrophysics Research Group, Institute of Physics, Eötvös University, Budapest 1117, Hungary*
- ¹³² *Maastricht University, P.O. Box 616, 6200 MD Maastricht, Netherlands*
- ¹³³ *University of Portsmouth, Portsmouth, PO1 3FX, United Kingdom*
- ¹³⁴ *The University of Sheffield, Sheffield S10 2TN, United Kingdom*
- ¹³⁵ *Université Lyon, Université Claude Bernard Lyon 1, CNRS, Laboratoire des Matériaux Avancés (LMA), IP2I Lyon / IN2P3, UMR 5822, F-69622 Villeurbanne, France*
- ¹³⁶ *Dipartimento di Scienze Matematiche, Fisiche e Informatiche, Università di Parma, I-43124 Parma, Italy*
- ¹³⁷ *INFN, Sezione di Milano Bicocca, Gruppo Collegato di Parma, I-43124 Parma, Italy*
- ¹³⁸ *Physik-Institut, University of Zurich, Winterthurerstrasse 190, 8057 Zurich, Switzerland*
- ¹³⁹ *University of Chicago, Chicago, IL 60637, USA*
- ¹⁴⁰ *Université de Strasbourg, CNRS, IPHC UMR 7178, F-67000 Strasbourg, France*
- ¹⁴¹ *West Virginia University, Morgantown, WV 26506, USA*
- ¹⁴² *Montclair State University, Montclair, NJ 07043, USA*
- ¹⁴³ *Colorado State University, Fort Collins, CO 80523, USA*
- ¹⁴⁴ *University of Szeged, Dóm tér 9, Szeged 6720, Hungary*
- ¹⁴⁵ *Institute for Nuclear Research, Hungarian Academy of Sciences, Bem tér 18/c, H-4026 Debrecen, Hungary*
- ¹⁴⁶ *Department of Physics, University of Texas, Austin, TX 78712, USA*
- ¹⁴⁷ *CNR-SPIN, c/o Università di Salerno, I-84084 Fisciano, Salerno, Italy*
- ¹⁴⁸ *Scuola di Ingegneria, Università della Basilicata, I-85100 Potenza, Italy*
- ¹⁴⁹ *Gravitational Wave Science Project, National Astronomical Observatory of Japan (NAOJ), Mitaka City, Tokyo 181-8588, Japan*
- ¹⁵⁰ *Observatori Astronòmic, Universitat de València, E-46980 Paterna, València, Spain*
- ¹⁵¹ *The University of Utah, Salt Lake City, UT 84112, USA*
- ¹⁵² *Kenyon College, Gambier, OH 43022, USA*
- ¹⁵³ *Vrije Universiteit Amsterdam, 1081 HV, Amsterdam, Netherlands*
- ¹⁵⁴ *Universiteit Gent, B-9000 Gent, Belgium*
- ¹⁵⁵ *Cornell University, Ithaca, NY 14850, USA*
- ¹⁵⁶ *University of British Columbia, Vancouver, BC V6T 1Z4, Canada*
- ¹⁵⁷ *Tata Institute of Fundamental Research, Mumbai 400005, India*
- ¹⁵⁸ *INAF, Osservatorio Astronomico di Capodimonte, I-80131 Napoli, Italy*
- ¹⁵⁹ *The University of Mississippi, University, MS 38677, USA*
- ¹⁶⁰ *University of Michigan, Ann Arbor, MI 48109, USA*
- ¹⁶¹ *Texas A&M University, College Station, TX 77843, USA*
- ¹⁶² *Dipartimento di Fisica, Università di Trieste, I-34127 Trieste, Italy*
- ¹⁶³ *American University, Washington, D.C. 20016, USA*
- ¹⁶⁴ *Carleton College, Northfield, MN 55057, USA*
- ¹⁶⁵ *University of California, Berkeley, CA 94720, USA*
- ¹⁶⁶ *Maastricht University, 6200 MD, Maastricht, Netherlands*
- ¹⁶⁷ *Directorate of Construction, Services & Estate Management, Mumbai 400094, India*
- ¹⁶⁸ *Vanderbilt University, Nashville, TN 37235, USA*
- ¹⁶⁹ *Universiteit Antwerpen, Prinsstraat 13, 2000 Antwerpen, Belgium*
- ¹⁷⁰ *University of Białystok, 15-424 Białystok, Poland*
- ¹⁷¹ *University of Southampton, Southampton SO17 1BJ, United Kingdom*
- ¹⁷² *Chung-Ang University, Seoul 06974, Republic of Korea*
- ¹⁷³ *Institut de Física d'Altes Energies (IFAE), Barcelona Institute of Science and Technology, and ICREA, E-08193 Barcelona, Spain*
- ¹⁷⁴ *University of Washington Bothell, Bothell, WA 98011, USA*
- ¹⁷⁵ *Institute of Applied Physics, Nizhny Novgorod, 603950, Russia*
- ¹⁷⁶ *Ewha Womans University, Seoul 03760, Republic of Korea*
- ¹⁷⁷ *Inje University Gimhae, South Gyeongsang 50834, Republic of Korea*
- ¹⁷⁸ *Korea Astronomy and Space Science Institute, Daejeon 34055, Republic of Korea*
- ¹⁷⁹ *National Institute for Mathematical Sciences, Daejeon 34047, Republic of Korea*
- ¹⁸⁰ *Ulsan National Institute of Science and Technology, Ulsan 44919, Republic of Korea*
- ¹⁸¹ *Bard College, 30 Campus Rd, Annandale-On-Hudson, NY 12504, USA*
- ¹⁸² *Institute of Mathematics, Polish Academy of Sciences, 00656 Warsaw, Poland*

- ¹⁸³ *National Center for Nuclear Research, 05-400 Świerk-Otwock, Poland*
- ¹⁸⁴ *Université de Montréal/Polytechnique, Montreal, Quebec H3T 1J4, Canada*
- ¹⁸⁵ *Laboratoire Lagrange, Université Côte d'Azur, Observatoire Côte d'Azur, CNRS, F-06304 Nice, France*
- ¹⁸⁶ *Sungkyunkwan University, Seoul 03063, Republic of Korea*
- ¹⁸⁷ *NAVIER, École des Ponts, Univ Gustave Eiffel, CNRS, Marne-la-Vallée, France*
- ¹⁸⁸ *Institute for High-Energy Physics, University of Amsterdam, Science Park 904, 1098 XH Amsterdam, Netherlands*
- ¹⁸⁹ *NASA Marshall Space Flight Center, Huntsville, AL 35811, USA*
- ¹⁹⁰ *University of Washington, Seattle, WA 98195, USA*
- ¹⁹¹ *Dipartimento di Matematica e Fisica, Università degli Studi Roma Tre, I-00146 Roma, Italy*
- ¹⁹² *INFN, Sezione di Roma Tre, I-00146 Roma, Italy*
- ¹⁹³ *ESPCI, CNRS, F-75005 Paris, France*
- ¹⁹⁴ *Concordia University Wisconsin, Mequon, WI 53097, USA*
- ¹⁹⁵ *Università di Camerino, Dipartimento di Fisica, I-62032 Camerino, Italy*
- ¹⁹⁶ *School of Physics Science and Engineering, Tongji University, Shanghai 200092, China*
- ¹⁹⁷ *Southern University and A&M College, Baton Rouge, LA 70813, USA*
- ¹⁹⁸ *Centre Scientifique de Monaco, 8 quai Antoine 1er, MC-98000, Monaco*
- ¹⁹⁹ *Indian Institute of Technology Madras, Chennai 600036, India*
- ²⁰⁰ *Saha Institute of Nuclear Physics, Bidhannagar, West Bengal 700064, India*
- ²⁰¹ *Institut des Hautes Etudes Scientifiques, F-91440 Bures-sur-Yvette, France*
- ²⁰² *Indian Institute of Science Education and Research, Kolkata, Mohanpur, West Bengal 741252, India*
- ²⁰³ *Department of Astrophysics/IMAPP, Radboud University Nijmegen, P.O. Box 9010, 6500 GL Nijmegen, Netherlands*
- ²⁰⁴ *Consiglio Nazionale delle Ricerche - Istituto dei Sistemi Complessi, Piazzale Aldo Moro 5, I-00185 Roma, Italy*
- ²⁰⁵ *Hobart and William Smith Colleges, Geneva, NY 14456, USA*
- ²⁰⁶ *International Institute of Physics, Universidade Federal do Rio Grande do Norte, Natal RN 59078-970, Brazil*
- ²⁰⁷ *Museo Storico della Fisica e Centro Studi e Ricerche "Enrico Fermi", I-00184 Roma, Italy*
- ²⁰⁸ *Lancaster University, Lancaster LA1 4YW, United Kingdom*
- ²⁰⁹ *Università di Trento, Dipartimento di Matematica, I-38123 Povo, Trento, Italy*
- ²¹⁰ *Indian Institute of Science Education and Research, Pune, Maharashtra 411008, India*
- ²¹¹ *Dipartimento di Fisica, Università degli Studi di Torino, I-10125 Torino, Italy*
- ²¹² *Indian Institute of Technology, Palaj, Gandhinagar, Gujarat 382355, India*
- ²¹³ *Departamento de Matemática da Universidade de Aveiro and Centre for Research and Development in Mathematics and Applications, Campus de Santiago, 3810-183 Aveiro, Portugal*
- ²¹⁴ *Marquette University, 11420 W. Clybourn St., Milwaukee, WI 53233, USA*
- ²¹⁵ *Università di Firenze, Sesto Fiorentino I-50019, Italy*
- ²¹⁶ *INAF, Osservatorio Astrofisico di Arcetri, Largo E. Fermi 5, I-50125 Firenze, Italy*
- ²¹⁷ *Indian Institute of Technology Hyderabad, Sangareddy, Khandi, Telangana 502285, India*
- ²¹⁸ *INAF, Osservatorio di Astrofisica e Scienza dello Spazio, I-40129 Bologna, Italy*
- ²¹⁹ *Andrews University, Berrien Springs, MI 49104, USA*
- ²²⁰ *Dipartimento di Scienze Aziendali - Management and Innovation Systems (DISA-MIS), Università di Salerno, I-84084 Fisciano, Salerno, Italy*
- ²²¹ *Van Swinderen Institute for Particle Physics and Gravity, University of Groningen, Nijenborgh 4, 9747 AG Groningen, Netherlands*
- ²²² *Vrije Universiteit Brussel, Boulevard de la Plaine 2, 1050 Ixelles, Belgium*
- ²²³ *Vrije Universiteit Amsterdam, 1081 HV Amsterdam, Netherlands*

We report on a search for compact binary coalescences where at least one binary component has a mass between $0.2 M_{\odot}$ and $1.0 M_{\odot}$ in Advanced LIGO and Advanced Virgo data collected between 1 April 2019 1500 UTC and 1 October 2019 1500 UTC. We extend our previous analyses in two main ways: we include data from the Virgo detector and we allow for more unequal mass systems, with mass ratio $q \geq 0.1$. We do not report any gravitational-wave candidates. The most significant trigger has a false alarm rate of 0.14 yr^{-1} . This implies an upper limit on the merger rate of subsolar binaries in the range $[220\text{--}24200] \text{ Gpc}^{-3} \text{ yr}^{-1}$, depending on the chirp mass of the binary. We use this upper limit to derive astrophysical constraints on two phenomenological models that could produce subsolar-mass compact objects. One is an isotropic distribution of equal-mass primordial black holes. Using this model, we find that the fraction of dark matter in primordial black holes in the mass range $0.2 M_{\odot} < m_{\text{PBH}} < 1.0 M_{\odot}$ is $f_{\text{PBH}} \equiv \Omega_{\text{PBH}}/\Omega_{\text{DM}} \lesssim 6\%$. This improves existing constraints on primordial black hole abundance by a factor of ~ 3 . The other is a dissipative dark matter model, in which fermionic dark matter can collapse and form black holes. The upper limit on the fraction of dark matter black holes depends on the minimum mass of the black holes that can be formed: the most constraining result is obtained at $M_{\text{min}} = 1 M_{\odot}$, where

$f_{\text{DBH}} \equiv \Omega_{\text{DBH}}/\Omega_{\text{DM}} \lesssim 0.003\%$. These are the first constraints placed on dissipative dark models by subsolar-mass analyses.

I. INTRODUCTION

The first detection of gravitational waves from a binary black hole (BBH) merger in 2015 [1] has given us a new way to study the universe. Since then, dozens of gravitational waves (GWs) have been detected in Advanced LIGO [2] and Advanced Virgo [3] data. The LIGO Scientific, Virgo, and KAGRA Collaboration (LVK) have reported the discovery of GWs from approximately fifty binary black holes (BBHs), binary neutron stars (BNSs), or neutron star black hole mergers (NSBHs) [4–6]. Further analyses on public data [7, 8] have resulted in the discovery of other compact binaries [9–13]. The gravitational-wave sources presented in [4, 5] are already being used to answer key questions including cosmological measurements [14–18], analyses of the mass and spin distribution of compact objects, their formation channels [19–28], and tests of general relativity [29–31].

The black holes detected with gravitational waves can have masses larger than those discovered in X-ray binaries [32–35]. Several GW sources have challenged our understanding of astrophysics and stellar evolution [36–44]. One such source is GW190521 [37, 38], a system whose most massive black hole might have a mass in the pair instability mass gap [38, 45–47] (but see e.g. Refs [48–53]). With a mass of $\sim 142 M_{\odot}$, the merger product of GW190521 was likely an intermediate mass black hole [38, 54]. At the other end of the mass spectrum, the lightest object in GW190814, a $\sim 2.6 M_{\odot}$ compact object, was either the heaviest neutron star or the lightest black hole ever discovered [39, 55–58].

There are no widely accepted astrophysical channels that predict the formation of subsolar-mass (SSM) objects significantly more compact than white dwarfs. Since the endpoint of stellar evolution of massive stars is either a neutron star or a supersolar-mass black hole, the existence of a compact object below $1 M_{\odot}$ would be indicative of a new formation mechanism, and potentially of new physics.

One possible scenario for the formation of SSM black holes is the collapse of overdensities in the early universe, resulting in primordial black holes (PBHs) [59–62]. The amplitude of primordial fluctuations on very small scales [63, 64], together with the equation-of-state of the early universe [65, 66], determines the mass and abundance of these objects [67, 68]. In particular, their masses might be in the range probed by ground-based detectors [64, 69, 70], and so the mass spectrum is constrained by gravitational-wave data [71–77]. Alternatively, if dark matter has a sufficiently complex particle composition, which allows for chemistry and dissipation, small com-

compact objects could form through the cooling and gravitational collapse of dark matter halos [78–80]. If dark matter is sufficiently dissipative, compact objects would form through pathways similar to known astrophysical channels, with details dependent on the interactions specific to the dark sector. Dissipative dark matter models that produce black holes in the subsolar to supersolar range were recently constrained in [81] by analyzing LVK data. Another possibility is that ultralight bosonic fields clump together to form self-gravitating, horizonless compact objects, known as boson stars [82–84]. Their maximum mass depends on the mass of the bosonic particle, hence they might be subsolar if the latter is larger than $10^{-10} \text{ eV}/c^2$ [85, 86]. Finally, some dark matter models predict the formation of $\sim 1 M_{\odot}$ black holes through the accumulation of dark matter particles in neutron star cores [87–93]. Black holes formed via this class of mechanisms would have masses comparable to or smaller than the mass of the neutron star.

Searches for compact binaries with at least one SSM component have been carried out in both Initial LIGO [94–96] and Advanced LIGO and Advanced Virgo data [97, 98]. Advanced LIGO and Advanced Virgo data have more recently been analyzed in [99–101] for systems with lower mass ratios and higher eccentricities than those considered by the LVK. No detections were reported. In this *Letter*, we report the results of searches for SSM compact binaries in the first half of Advanced LIGO and Advanced Virgo’s third observing run (this is the first half of the third science run, henceforth O3a). While no sources are detected, we obtain limits on the abundance of monochromatic PBHs and black holes formed by dissipative fermionic dark matter.

II. SEARCH

The data used for this *Letter* were collected during O3a by the Advanced LIGO and Advanced Virgo interferometers between 1 April 2019 1500 UTC and 1 October 2019 1500 UTC. The data characterization and calibration were performed as described in Refs. [5, 102–104] with the addition of a non-linear removal of spectral lines [105, 106].

We present results from three matched-filter based pipelines: GstLAL [107–109], MBTA [110], and PyCBC [111–116]. These analyses correlate the data with a bank of templates that model the gravitational-wave signals expected from binaries in quasi-circular orbit. The bank is designed to recover binaries with (redshifted) primary mass $m_1 \in [0.2, 10] M_{\odot}$ and secondary mass $m_2 \in [0.2, 1.0] M_{\odot}$. The lower mass bound is set for consistency with previous searches [97, 98] and to limit the computational cost of the search. We additionally limit the binary mass ratio, $q \equiv m_2/m_1$, to range from

* Deceased, August 2020.

$0.1 < q < 1.0$. We include the effect of spins aligned with the orbital angular momentum in the gravitational waveform used in the template bank [117]. When a binary component, m_i , has a mass $m_i \geq 0.5 M_\odot$, we allow for a dimensionless component spin up to 0.9. For compact objects with $m_i < 0.5 M_\odot$, we limit the maximum dimensionless spin to 0.1. We chose to restrict the possible spin magnitude in the low-mass part of the template bank, and not to allow for spin precession in order to reduce the computational cost. All three searches use the same template bank, constructed using a geometric placement algorithm [118] with a minimum match [119] of 0.97. This ensures that no more than 10% of astrophysical signals can be missed due to the discrete template placement. We use the `TaylorF2` waveform [120–130], including phase terms up to 3.5 post-Newtonian order, but no amplitude corrections.

This search covers a larger mass and spin range than the last LVK analysis for SSM objects [98]. As a result, we require approximately twice as many template waveforms to effectively cover the search parameter space. To reduce the computational cost of the search, we analyze the data from 45 Hz instead of 15 Hz (as in the searches described in [5]). We estimate that this restricted bandwidth results in a maximum loss of signal-to-noise ratio (SNR) of 9%, relative to what would be obtained filtering from 15 Hz. In turn, this results in a maximum reduction of the surveyed volume of 24%.

The three pipelines used in this *Letter* are described in more detail in Ref. [5, 106]. Here we only highlight differences in the way each pipeline has been run for this analysis, as compared to Ref. [5, 106].

GstLAL’s [107–109] detection statistic is unchanged relative to Ref. [5]. GstLAL reweighs waveforms in the template bank according to the characteristics of the expected population [131]. However, because SSM populations are yet to be observed we use a population model uniform in template density for this search. GstLAL uses a similar procedure to the one it employed in Ref. [39] and includes all events from the analyzed period in the noise background to provide a conservative false-alarm-rate estimate. As in previous SSM searches [97, 98] we do not use a gating scheme to account for loud noise artifacts [107]; instead we rely on statistical data quality information from the iDQ algorithm [132, 133].

The MBTA pipeline splits the matched filtering in two different frequency bands in order to reduce the computational cost [134, 135]. The set-up of the search is unchanged with respect to Ref. [110] with two exceptions in order to adapt to the extended duration of low mass binaries: we use longer stretches of data to perform fast Fourier transforms (FFTs) and to calculate the noise power spectral density (PSD). For the FFT, we use from seconds to hundreds of seconds of data, while the PSD update time is up to two times longer than for standard BNS searches, depending on the frequency region under consideration.

The PyCBC pipeline [111, 113–116, 136] is unchanged

relative to the configuration described in Ref. [106]. However, the sine-Gaussian veto described in Ref. [137] is not used, due to the low total mass of the template bank.

III. RESULTS

No gravitational-wave candidates were identified by any of the search pipelines. The most significant candidate has a false-alarm rate (FAR) of 0.14 yr^{-1} . The lack of detections can be recast as an upper limit on the merger rate of compact binaries. First, we estimate the sensitivity of each search pipeline for binaries in a given population. This can be done by computing the surveyed time-volume:

$$\langle VT \rangle = T \int dz \frac{dV}{(1+z)dz} \epsilon(z);, \quad (1)$$

where T is the analyzed time and $\epsilon(z)$ is the efficiency. The efficiency represents the fraction of astrophysical sources in the population which are detectable at a redshift z . The efficiency can be written as the probability that a binary with parameters $\vec{\theta}$ is detectable (a quantity often referred to as $p_{\text{det}}(\vec{\theta})$ in the literature, e.g. Ref. [19]) integrated over the distribution of all parameters but the redshift. Therefore, in order to calculate Eq. (1) we need to assume a model for the mass distribution, spin distribution, sky positions and orbital orientations [138–140]. Since we are only sensitive to nearby ($z \lesssim 0.12$) sources we treat the merger rate as constant.

Each pipeline estimates its sensitivity by simulating gravitational-wave signals from a population of SSM compact binaries and adding them into the collected data. We simulate a population with a uniform distribution of source masses in the range $0.2 M_\odot < m_1 < 10.0 M_\odot$ and $0.2 M_\odot < m_2 < 1.0 M_\odot$. We make an additional detector frame mass cut $m_1 < 10 M_\odot$ ($m_2 < 1 M_\odot$) due to the template bank coverage. We reject binaries with mass ratios exceeding the $0.1 < q < 1.0$ bounds of our search. The dimensionless spins are again assumed to be oriented in the direction of the angular momentum for computational reasons. The spin magnitude is uniform in the range $-0.1 < \chi_k < 0.1$ ($-0.9 < \chi_k < 0.9$) when $m_k < 0.5 M_\odot$ ($m_k > 0.5 M_\odot$). The sources are uniform in comoving volume, isotropically distributed on the sphere, and randomly oriented. We use the Planck “TT,TE,EE+lowP+lensing+ext” cosmology [141].

Since the search sensitivity is primarily a function of chirp mass, $\mathcal{M} \equiv (m_1 m_2)^{3/5} / (m_1 + m_2)^{1/5}$ [142], we break this population into 9 equally spaced chirp mass bins in the range $0.17 M_\odot < \mathcal{M} < 2.39 M_\odot$ to determine $\langle VT \rangle(\mathcal{M})$.

Treating each chirp mass bin as a different population, labeled by an index i , we can use the surveyed time-volume [143] $\langle VT \rangle_i$ for each chirp mass bin to estimate a frequentist upper limit (90% confidence interval) on the




FIG. 1. Upper limit on the merger rate of binaries with at least one SSM component as a function of source frame chirp mass. The dotted, dashed, and solid lines represent the 90% confidence limits obtained by GstLAL, MBTA, and PyCBC, respectively.

merger rate of that population by using the loudest event statistic [97, 98, 144]:

$$\mathcal{R}_{90,i} = \frac{2.3}{\langle VT \rangle_i}. \quad (2)$$

This is shown in Fig. 1 for the three pipelines. Although the pipelines generally agree, differences in background estimation and ranking statistics can lead to $\langle VT \rangle$ measurements that agree to within $\mathcal{O}(30\%)$. In what follows, we use the MBTA results as our fiducial rate constraint. Instrumental calibration errors were at most $\sim 3\%$ in amplitude in the bandwidth relevant for our analysis, and usually much smaller [102]. At most, they could contribute a $\sim 10\%$ uncertainty in our $\langle VT \rangle_i$ measurement. We follow [19, 106] and neglect their impact in the remainder of this work.

IV. MODELING DARK MATTER CONSTRAINTS

For any astrophysical model that could generate SSM binaries, the merger rate upper limits can be used to set constraints on the model parameters. Here we focus on two such models: formation of PBHs catalyzed by three-body interactions [145], and dark-matter black holes formed by late-time gravitational collapse of dark matter sub-structure [79].

We use a phenomenological model for PBHs, rather than a first-principles model derived from an inflationary

potential (see for example [146, 147] for work connecting PBH distributions to inflationary models). Following [145] we assume PBHs produced at a single mass, and randomly distributed in space (see Appendix A for details). This model predicts a merger rate given the mass of the PBHs in the binary and the abundance of PBHs, parametrized as a fraction of the dark matter density, $f_{\text{PBH}} \equiv \Omega_{\text{PBH}}/\Omega_{\text{DM}}$. By using the merger rate upper limits derived above, we can thus obtain an upper limit on f_{PBH} as a function of the component mass of the black holes in the binary [145]. This is shown in Fig. 2.

In this analysis, it is assumed that the two objects in the binary have the same mass. Because the detectors' sensitivity depends more strongly on the chirp mass than on the mass ratio, for this analysis we assume that the rate upper limits we presented above (which included unequal mass binaries) can be used to assess the rate of equal mass binaries: $\mathcal{R}_{90}(\mathcal{M}, q = 1) \approx \mathcal{R}_{90}(\mathcal{M})$. Under these assumptions, we find $f_{\text{PBH}} \lesssim 6\%$ for PBHs in equal-mass binaries with component objects in the range $[0.2 - 1.0] M_{\odot}$. The method of Ref. [148] may be used to interpret these constraints on generic PBH mass functions. Recent work [149–151] has shown that there are a number of mechanisms that can alter and suppress the PBH merger rate from that derived in Ref. [145] and used here; these include binary disruption from other close PBHs, clusters of black holes, and matter inhomogeneities [152]. Suppression of the theoretical merger rate leads to looser constraints on the allowable fraction of the dark matter contained in PBHs.

Next, we consider a dissipative dark-matter model which consists of two fermions, oppositely charged under a dark version of electromagnetism, together with a massless dark photon. The dark matter can form bound states analogous to atomic and molecular hydrogen, and dissipate energy by radiative processes including Bremsstrahlung, recombination, and collisional excitation [153]. In dense regions, some dark matter gas can cool efficiently enough for gravitational collapse to proceed, eventually forming black holes [79]. In contrast to the PBH case, here we assume a power-law distribution for the black hole masses, with an unknown low-mass cutoff. We calculate an upper limit on the fraction of the dissipative dark matter that ends up in black holes ($f_{\text{DBH}} \equiv \Omega_{\text{DBH}}/\Omega_{\text{DM}}$) as a function of the low-mass cutoff for the dark matter black holes, marginalized over all other parameters of the model (e.g. the slope of the dark matter black hole mass function). More details on the model are given in Appendix B, and the marginalization procedures are discussed in depth in [81]. In Fig. 3, we show our constraints. The lowest upper limit is found at $M_{\text{min}} = 1 M_{\odot}$, where $f_{\text{DBH}} \lesssim 0.003\%$. No meaningful constraints can be set for $M_{\text{min}} \lesssim 2 \times 10^{-2} M_{\odot}$ since below that mass none of the black holes in the population would be detectable with the current sensitivity, hence a non-detection does not yield any constraint.




FIG. 2. Constraints on the fraction of dark matter in PBHs. The horizontal axis shows the source frame mass of the black hole in each model; for LVK results this is the component mass for each object in the binary. Each constraint shown carries a model dependency. Shown (pink) are the LVK results from O1 [97], O2 [98], and O3a (this work); (orange) microlensing constraints from MACHO [154], EROS [155], and OGLE [156]; (green) dynamical constraints from observations of Segue I [157] and Eridanus II [158] dwarf galaxies; (blue) supernova lensing constraints from the Joint Light-curve Analysis and Union 2.1 datasets [159]. LVK results use the Planck “TT,TE,EE+lowP+lensing+ext” cosmology [141].

V. CONCLUSIONS AND OUTLOOK

Gravitational waves from compact object mergers provide a unique probe of dark matter structures on the smallest scales. Here, we have considered two possible dark matter candidates: PBHs and fermionic dark matter particles that can dissipate and form dark matter black holes. Both of these formation mechanisms can potentially produce both sub and supersolar mass black holes. We have focused on the SSM regime, which cannot be populated with black holes by any known astrophysical channel.

We have used three different algorithms to search the data from O3a for compact binaries in which at least one of the component objects had a mass between $[0.2 - 1.0] M_\odot$. We have found no candidates, and obtained upper limits on the merger rate of SSM black holes in the range $[220 - 24200] \text{ Gpc}^{-3} \text{ yr}^{-1}$. The upper limit is dependent on the chirp mass of the source and shown in Fig. 1. These upper limits can be recast into limits on the physical parameters of SSM black holes populations.

By considering a phenomenological model for SSM PBHs in which the compact objects are all formed with




FIG. 3. Constraints on the fraction of dark matter, f_{DBH} , in black holes formed from cooling of dissipative dark matter and their minimum possible source frame mass M_{min} .

the same mass, we have obtained a limit on the abundance of these black holes as a function of their mass at formation: $f_{\text{PBH}} \lesssim 6\%$ in the mass range, as seen in Fig. 2. This significantly improves microlensing and supernova lensing constraints in the same mass region as well as our previous constraints from Ref. [98], though we note that there are uncertain mechanisms that can reduce the expected PBH merger rate and raise the allowed value of f_{PBH} [149, 150, 152]. Our work focuses on a small slice of the mass spectrum; we refer the reader to [160] for constraints on this model across the full parameter space. We have also considered a model for fermionic dissipative dark matter, parametrized by the abundance of the black holes it produces, and by their minimum mass. The most stringent limit is obtained at $M_{\text{min}} = 1 M_\odot$ for which $f_{\text{DBH}} \lesssim 0.003\%$, as shown in Fig. 3. The constraint on the minimum mass can be interpreted in two ways. The most straightforward is as a constraint on the Chandrasekhar limit of the fermionic particle progenitors of dark matter black holes [79], which constrains the mass of a dark fermion analogous to the proton to be in the range $0.66 - 8.8 \text{ GeV}/c^2$. Additionally, the minimum mass of black holes formed when the dark matter gas cools and fragments depends on the coldest temperature the gas can reach, that is, on the dark matter chemistry. For the model we considered, this temperature is set by the energy difference of the lowest energy molecular radiative transition. Therefore, a constraint on the minimum mass of any dark black holes also implies a constraint on the dark molecular energy spacing, although the precise relationship depends on astrophysical modeling.

In the coming years, the sensitivity of Advanced LIGO and Advanced Virgo will continue to improve [161], and the global network of detectors is expected to grow with the addition of KAGRA [162] and LIGO-Aundha [163]. These advances will allow for more stringent limits in the near future [164], or even the detection of a SSM compact object.

Note As our work was finalized, Ref. [165] reported results on a search for binaries with no spin and component masses $m_1 \in (0.1M_\odot, 7.0M_\odot)$, $m_2 \in (0.1M_\odot, 1.0M_\odot)$ in O3a data. That search also reported no detections.

ACKNOWLEDGMENTS

This material is based upon work supported by NSF’s LIGO Laboratory which is a major facility fully funded by the National Science Foundation. The authors also gratefully acknowledge the support of the Science and Technology Facilities Council (STFC) of the United Kingdom, the Max-Planck-Society (MPS), and the State of Niedersachsen/Germany for support of the construction of Advanced LIGO and construction and operation of the GEO600 detector. Additional support for Advanced LIGO was provided by the Australian Research Council. The authors gratefully acknowledge the Italian Istituto Nazionale di Fisica Nucleare (INFN), the French Centre National de la Recherche Scientifique (CNRS) and the Netherlands Organization for Scientific Research (NWO), for the construction and operation of the Virgo detector and the creation and support of the EGO consortium. The authors also gratefully acknowledge research support from these agencies as well as by the Council of Scientific and Industrial Research of India, the Department of Science and Technology, India, the Science & Engineering Research Board (SERB), India, the Ministry of Human Resource Development, India, the Spanish Agencia Estatal de Investigación, the Vicepresidència i Conselleria d’Innovació, Recerca i Turisme and the Conselleria d’Educació i Universitat del Govern de les Illes Balears, the Conselleria d’Innovació, Universitats, Ciència i Societat Digital de la Generalitat Valenciana and the CERCA Programme Generalitat de Catalunya, Spain, the National Science Centre of Poland and the European Union - European Regional Development Fund; Foundation for Polish Science (FNP), the Swiss National Science Foundation (SNSF), the Russian Foundation for Basic Research, the Russian Science Foundation, the European Commission, the European Regional Development Funds (ERDF), the Royal Society, the Scottish Funding Council, the Scottish Universities Physics Alliance, the Hungarian Scientific Research Fund (OTKA), the French Lyon Institute of Origins (LIO), the Belgian Fonds de la Recherche Scientifique (FRS-FNRS), Actions de Recherche Concertées (ARC) and Fonds Wetenschappelijk Onderzoek - Vlaanderen (FWO), Belgium, the Paris Île-de-France Region, the National Research, Development and Innovation Office Hungary (NKFIH),

the National Research Foundation of Korea, the Natural Science and Engineering Research Council Canada, Canadian Foundation for Innovation (CFI), the Brazilian Ministry of Science, Technology, and Innovations, the International Center for Theoretical Physics South American Institute for Fundamental Research (ICTP-SAIFR), the Research Grants Council of Hong Kong, the National Natural Science Foundation of China (NSFC), the Leverhulme Trust, the Research Corporation, the Ministry of Science and Technology (MOST), Taiwan, the United States Department of Energy, and the Kavli Foundation. The authors gratefully acknowledge the support of the NSF, STFC, INFN and CNRS for provision of computational resources. Funding for this project was provided by the Charles E. Kaufman Foundation of The Pittsburgh Foundation and the Institute for Computational and Data Sciences at Penn State. This article has been assigned the document number LIGO-P2100163-v8.

We would like to thank all of the essential workers who put their health at risk during the COVID-19 pandemic, without whom we would not have been able to complete this work.

Appendix A: Connecting f_{PBH} with Advanced LIGO and Advanced Virgo rate constraints

We model an equal mass population of PBHs that are initially uniformly distributed in comoving volume. We parametrize the abundance of this population as a fraction of the total dark matter, i.e. $f_{\text{PBH}} = \Omega_{\text{PBH}}/\Omega_{\text{DM}}$. We model the merger rates by considering two nearest neighbor, gravitationally bound black holes that are torqued by the next closest black hole. From these assumptions, we find the merger rate distribution [70, 145]

$$dP = \begin{cases} \frac{3 f_{\text{PBH}}^{37/8}}{58} \left[f_{\text{PBH}}^{-29/8} \left(\frac{t}{t_c} \right)^{3/37} - \left(\frac{t}{t_c} \right)^{3/8} \right] \frac{dt}{t}, & t < t_c \\ \frac{3 f_{\text{PBH}}^{37/8}}{58} \left[f_{\text{PBH}}^{-29/8} \left(\frac{t}{t_c} \right)^{-1/7} - \left(\frac{t}{t_c} \right)^{3/8} \right] \frac{dt}{t}, & t \geq t_c \end{cases} \quad (\text{A1})$$

where t_c is a function of the mass of the compact objects and the fraction of the dark matter they comprise:

$$t_c = \frac{3}{170} \frac{c^5}{(G m_{\text{PBH}})^{5/3}} \frac{f_{\text{PBH}}^7}{(1 + z_{\text{eq}})^4} \left(\frac{8\pi}{3H_0^2 \Omega_{\text{DM}}} \right)^{4/3}. \quad (\text{A2})$$

Here, c is the speed of light, G is the gravitational constant, m_{PBH} is the mass of the black holes in our equal mass population, f_{PBH} is the parametrized abundance from above, z_{eq} is the redshift at matter-radiation equality, H_0 is the Hubble constant, and Ω_{DM} is the dark matter density. We use the Planck “TT,TE,EE+lowP+lensing+ext” cosmology [141] to evaluate t_c .

The above equation, when evaluated at present day and multiplied by the number density of PBHs, provides a theoretical merger rate for PBHs:

$$\mathcal{R}_{\text{PBH}} = n_{\text{PBH}} \left. \frac{dP}{dt} \right|_{t=t_0}. \quad (\text{A3})$$

We equate our observed upper limit on the merger rate to the theoretical merger rate and invert at each value of m_{PBH} to obtain the constraint curve shown in Fig. 2. This PBH model is discussed in further detail in the literature [70, 145, 166, 167].

Appendix B: Constraining dissipative dark matter using gravitational-wave searches for SSM binaries

We use a Bayesian approach to get the posterior probability of the fraction of dark matter in dark black holes, f , and the possible minimum mass of the DBH distribution, M_{min} , using modelled rates for dark-matter BH mergers and estimated $\langle VT \rangle$ from searches for SSM binary black holes. The 2D distribution for $\{f_{\text{DBH}}, M_{\text{min}}\}$ is obtained by marginalising over two additional parameters needed to characterize the binary distribution: the slope of the initial mass function, b , and a parameter $r = M_{\text{max}}/M_{\text{min}}$ that sets the mass range of the initial population. The 4D distribution is $P(f, \bar{\theta} = \{M_{\text{min}}, b, r\} | \mathcal{R}_i, VT(\mathcal{M} = m_i))$, which can be written in terms of the independent distributions for f and the set $\bar{\theta} = \{M_{\text{min}}, b, r\}$, as well as the likelihood $\mathcal{L}(f, \bar{\theta}; \mathcal{R}VT)$

$$P(f, \bar{\theta} | \mathcal{R}, VT) \propto P(f)P(\bar{\theta})\mathcal{L}(f, \bar{\theta}; \mathcal{R}VT). \quad (\text{B1})$$

The rates \mathcal{R}_i are computed in pre-defined chirp mass bins within the range $\mathcal{M} \in [0.2M_{\odot}, 2.5M_{\odot}]$ which is representative of the SSM search, and depend on the model parameters f and $\bar{\theta}$. The rates are modelled as:

$$\begin{aligned} \mathcal{R}_i(\mathcal{M} = m_i | f, \bar{\theta}) &= P_i(m_i | t_m, \bar{\theta}) \left(\frac{dP(t_m = 10 \text{ Gyr} | \bar{\theta})}{dt} \right) \\ &\times \left(\frac{\rho_{\text{DM}} \times f \times f_{\text{binary}}}{\langle M \rangle} \right) \end{aligned} \quad (\text{B2})$$

where $\rho_{\text{DM}} = 3.3 \times 10^{19} M_{\odot} \text{ Gpc}^{-3}$ is the density of dark matter in the universe, and $f_{\text{binary}} = 0.26$ is the number of dark black hole binaries divided by total DBHs. This choice is informed by numerical studies of binary formation in Population III stars [168]. Since Pop III stars form in nearly pristine hydrogen gas, their formation is a close analog to the cooling and collapse of dark hydrogen gas into dark black holes. This number is of course uncertain, but other studies of Population III binaries (e.g., [169]) often assume that binaries make about 1/3 of all systems, which would correspond to the nearly identical $f_{\text{binary}} = 0.25$. We choose $f_{\text{binary}} = 0.26$ to match [79]. As f_{binary} is an overall multiplicative factor, the plotted constraint can be directly scaled for any

other choice of f_{binary} . The chirp mass distribution of binary systems that would merge within some merger time t_m is $P(\mathcal{M} | t_m, \bar{\theta})$. Since these objects likely form between $20 \lesssim z \lesssim 30$, we may use $t_m = 10 \text{ Gyr}$, roughly the age of the universe, and the exact formation time makes a negligible shift in this number. The probability that the merger time of the binary is 10 Gyr is denoted as $P(t_m = 10 \text{ Gyr} | \bar{\theta})$, and $\langle M \rangle$ is the mean component mass of dark-matter BHs given the initial mass distribution, given some $\bar{\theta}$.

The $\langle VT \rangle$ estimated from SSM searches for compact binary coalescences were weighted according to the allowed mass-ratios and their probabilities for a given population described by $\bar{\theta}$.

$$VT_i(\mathcal{M} = m_i | \bar{\theta}) = \int_1^{q_{\text{max}}} \mathcal{P}(q | m_i, t_m, \bar{\theta}) VT(m_i) dq. \quad (\text{B3})$$

We assume a Poisson distribution for event counts such that the rate posterior for zero detections becomes $\mathcal{P}(\mathcal{R} | VT) = VT \exp(-\mathcal{R} \times VT)$. The above definitions for \mathcal{R} and VT are used to compute the rate posterior in each bin. The likelihood of $f, \bar{\theta}$ is computed by taking a product of rate posteriors over all chirp mass bins.

$$\mathcal{L}(f, \bar{\theta}; \mathcal{R}VT) = \prod_i \frac{\int_{\mathcal{R}_i}^{\infty} \mathcal{P}_i(\mathcal{R} | f, \bar{\theta}, VT_i) d\mathcal{R}}{\int_0^{\infty} \mathcal{P}_i(\mathcal{R} | f, \bar{\theta}, VT_i) d\mathcal{R}}. \quad (\text{B4})$$

We use $b \in [-1, 2]$ for initial mass distribution of DBHs $\mathcal{P}(m) \propto m^{-b}$ and $r \in [2, 1000]$ to constrain $f \in [10^{-10}, 1]$ and $M_{\text{min}} \in [10^{-3}M_{\odot}, 3.1M_{\odot}]$, shown in Fig 3. The range of initial mass function slopes b is inclusive of all values found in the literature on Population III star binaries [168, 170, 171], while the range chosen for r includes Population III star values [171] and was shown in Ref. [81] to be sufficient so that results are not too sensitive to changes in the range.

-
- [1] B. Abbott *et al.* (LIGO Scientific, Virgo), *Phys. Rev. Lett.* **116**, 061102 (2016), [arXiv:1602.03837 \[gr-qc\]](#).
- [2] J. Aasi *et al.* (LIGO Scientific), *Class. Quant. Grav.* **32**, 074001 (2015), [arXiv:1411.4547 \[gr-qc\]](#).
- [3] F. Acernese *et al.* (VIRGO), *Class. Quant. Grav.* **32**, 024001 (2015), [arXiv:1408.3978 \[gr-qc\]](#).
- [4] B. Abbott *et al.* (LIGO Scientific, Virgo), *Phys. Rev. X* **9**, 031040 (2019), [arXiv:1811.12907 \[astro-ph.HE\]](#).
- [5] R. Abbott *et al.*, (2020), [arXiv:2010.14527 \[gr-qc\]](#).
- [6] R. Abbott *et al.* (LIGO Scientific, KAGRA, VIRGO), *Astrophys. J. Lett.* **915**, L5 (2021), [arXiv:2106.15163 \[astro-ph.HE\]](#).
- [7] R. Abbott *et al.* (LIGO Scientific, Virgo), (2019), [arXiv:1912.11716 \[gr-qc\]](#).
- [8] A. Trovato (LIGO Scientific Collaboration, Virgo Collaboration), *Proceedings, The New Era of Multi-Messenger Astrophysics (ASTERICS 2019): Groningen, Netherlands, March 25-29, 2019, PoS Asterics2019*, 082 (2020).
- [9] B. Zackay, T. Venumadhav, L. Dai, J. Roulet, and M. Zaldarriaga, *Phys. Rev. D* **100**, 023007 (2019), [arXiv:1902.10331 \[astro-ph.HE\]](#).
- [10] T. Venumadhav, B. Zackay, J. Roulet, L. Dai, and M. Zaldarriaga, *Phys. Rev. D* **100**, 023011 (2019), [arXiv:1902.10341 \[astro-ph.IM\]](#).
- [11] T. Venumadhav, B. Zackay, J. Roulet, L. Dai, and M. Zaldarriaga, *Phys. Rev. D* **101**, 083030 (2020), [arXiv:1904.07214 \[astro-ph.HE\]](#).
- [12] A. H. Nitz, T. Dent, G. S. Davies, S. Kumar, C. D. Capano, I. Harry, S. Mozzon, L. Nuttall, A. Lundgren, and M. Tápai, *Astrophys. J.* **891**, 123 (2019), [arXiv:1910.05331 \[astro-ph.HE\]](#).
- [13] B. Zackay, L. Dai, T. Venumadhav, J. Roulet, and M. Zaldarriaga, “Detecting Gravitational Waves With Disparate Detector Responses: Two New Binary Black Hole Mergers,” (2019), [arXiv:1910.09528 \[astro-ph.HE\]](#).
- [14] B. Abbott *et al.* (LIGO Scientific, Virgo, 1M2H, Dark Energy Camera GW-E, DES, DLT40, Las Cumbres Observatory, VINROUGE, MASTER), *Nature* **551**, 85 (2017), [arXiv:1710.05835 \[astro-ph.CO\]](#).
- [15] B. Abbott *et al.* (LIGO Scientific, Virgo), (2019), [arXiv:1908.06060 \[astro-ph.CO\]](#).
- [16] M. Soares-Santos *et al.* (DES, LIGO Scientific, Virgo), *Astrophys. J. Lett.* **876**, L7 (2019), [arXiv:1901.01540 \[astro-ph.CO\]](#).
- [17] S. Vasylyev and A. Filippenko, *Astrophys. J.* **902**, 149 (2020), [arXiv:2007.11148 \[astro-ph.CO\]](#).
- [18] A. Finke, S. Foffa, F. Iacovelli, M. Maggiore, and M. Mancarella, (2021), [arXiv:2101.12660 \[astro-ph.CO\]](#).
- [19] R. Abbott *et al.* (LIGO Scientific, Virgo), (2020), [arXiv:2010.14533 \[astro-ph.HE\]](#).
- [20] J. Roulet and M. Zaldarriaga, *Mon. Not. Roy. Astron. Soc.* **484**, 4216 (2019), [arXiv:1806.10610 \[astro-ph.HE\]](#).
- [21] J. Roulet, H. S. Chia, S. Olsen, L. Dai, T. Venumadhav, B. Zackay, and M. Zaldarriaga, (2021), [arXiv:2105.10580 \[astro-ph.HE\]](#).
- [22] T. A. Callister, C.-J. Haster, K. K. Y. Ng, S. Vitale, and W. M. Farr, (2021), [arXiv:2106.00521 \[astro-ph.HE\]](#).
- [23] K. W. K. Wong, K. Breivik, K. Kremer, and T. Callister, *Phys. Rev. D* **103**, 083021 (2021), [arXiv:2011.03564 \[astro-ph.HE\]](#).
- [24] C. Kimball *et al.*, *Astrophys. J. Lett.* **915**, L35 (2021), [arXiv:2011.05332 \[astro-ph.HE\]](#).
- [25] M. Zevin, S. S. Bavera, C. P. L. Berry, V. Kalogera, T. Fragos, P. Marchant, C. L. Rodriguez, F. Antonini, D. E. Holz, and C. Pankow, *Astrophys. J.* **910**, 152 (2021), [arXiv:2011.10057 \[astro-ph.HE\]](#).
- [26] Y. Bouffanais, M. Mapelli, F. Santoliquido, N. Giacobbo, U. N. Di Carlo, S. Rastello, M. C. Artale, and G. Iorio, (2021), [arXiv:2102.12495 \[astro-ph.HE\]](#).
- [27] G. Franciolini, V. Baibhav, V. De Luca, K. K. Y. Ng, K. W. K. Wong, E. Berti, P. Pani, A. Riotto, and S. Vitale, (2021), [arXiv:2105.03349 \[gr-qc\]](#).
- [28] G. Hütsi, M. Raidal, V. Vaskonen, and H. Veermäe, *JCAP* **03**, 068 (2021), [arXiv:2012.02786 \[astro-ph.CO\]](#).
- [29] R. Abbott *et al.* (LIGO Scientific, Virgo), (2020), [arXiv:2010.14529 \[gr-qc\]](#).
- [30] G. Carullo, D. Laghi, J. Veitch, and W. Del Pozzo, *Phys. Rev. Lett.* **126**, 161102 (2021), [arXiv:2103.06167 \[gr-qc\]](#).
- [31] M. Isi, M. Giesler, W. M. Farr, M. A. Scheel, and S. A. Teukolsky, *Phys. Rev. Lett.* **123**, 111102 (2019), [arXiv:1905.00869 \[gr-qc\]](#).
- [32] F. Ozel, D. Psaltis, R. Narayan, and J. E. McClintock, *Astrophys. J.* **725**, 1918 (2010), [arXiv:1006.2834 \[astro-ph.GA\]](#).
- [33] W. M. Farr, N. Sravan, A. Cantrell, L. Kreidberg, C. D. Bailyn, I. Mandel, and V. Kalogera, *Astrophys. J.* **741**, 103 (2011), [arXiv:1011.1459 \[astro-ph.GA\]](#).
- [34] P. G. Jonker, K. Kaur, N. Stone, and M. A. P. Torres, (2021), [arXiv:2104.03596 \[astro-ph.HE\]](#).
- [35] J. C. A. Miller-Jones *et al.*, *Science* **371**, 1046 (2021), [arXiv:2102.09091 \[astro-ph.HE\]](#).
- [36] B. Abbott *et al.* (LIGO Scientific, Virgo), *Astrophys. J. Lett.* **892**, L3 (2020), [arXiv:2001.01761 \[astro-ph.HE\]](#).
- [37] R. Abbott *et al.* (LIGO Scientific, Virgo), *Phys. Rev. Lett.* **125**, 101102 (2020), [arXiv:2009.01075 \[gr-qc\]](#).
- [38] R. Abbott *et al.* (LIGO Scientific, Virgo), *Astrophys. J. Lett.* **900**, L13 (2020), [arXiv:2009.01190 \[astro-ph.HE\]](#).
- [39] R. Abbott *et al.* (LIGO Scientific, Virgo), *Astrophys. J.* **896**, L44 (2020), [arXiv:2006.12611 \[astro-ph.HE\]](#).
- [40] D. Gerosa, S. Vitale, and E. Berti, *Phys. Rev. Lett.* **125**, 101103 (2020), [arXiv:2005.04243 \[astro-ph.HE\]](#).
- [41] C. L. Rodriguez *et al.*, *Astrophys. J. Lett.* **896**, L10 (2020), [arXiv:2005.04239 \[astro-ph.HE\]](#).
- [42] A. S. Hamers and M. Safarzadeh, *Astrophys. J.* **898**, 99 (2020), [arXiv:2005.03045 \[astro-ph.HE\]](#).
- [43] C. Kimball, C. Talbot, C. P. L. Berry, M. Carney, M. Zevin, E. Thrane, and V. Kalogera, *Astrophys. J.* **900**, 177 (2020), [arXiv:2005.00023 \[astro-ph.HE\]](#).
- [44] B. Liu and D. Lai, *Mon. Not. Roy. Astron. Soc.* **502**, 2049 (2021), [arXiv:2009.10068 \[astro-ph.HE\]](#).
- [45] S. E. Woosley, *Astrophys. J.* **836**, 244 (2017), [arXiv:1608.08939 \[astro-ph.HE\]](#).
- [46] G. Costa, A. Bressan, M. Mapelli, P. Marigo, G. Iorio, and M. Spera, *Mon. Not. Roy. Astron. Soc.* **501**, 4514 (2021), [arXiv:2010.02242 \[astro-ph.SR\]](#).
- [47] E. J. Baxter, D. Croon, S. D. McDermott, and J. Sakstein, (2021), [arXiv:2104.02685 \[astro-ph.CO\]](#).
- [48] K. Kremer, M. Spera, D. Becker, S. Chatterjee, U. N. Di Carlo, G. Fragione, C. L. Rodriguez, C. S.

- Ye, and F. A. Rasio, *Astrophys. J.* **903**, 45 (2020), [arXiv:2006.10771 \[astro-ph.HE\]](#).
- [49] M. Renzo, M. Cantiello, B. D. Metzger, and Y. F. Jiang, *Astrophys. J. Lett.* **904**, L13 (2020), [arXiv:2010.00705 \[astro-ph.SR\]](#).
- [50] E. J. Farrell, J. H. Groh, R. Hirschi, L. Murphy, E. Kaiser, S. Ekström, C. Georgy, and G. Meynet, *Mon. Not. Roy. Astron. Soc.* **502**, L40 (2021), [arXiv:2009.06585 \[astro-ph.SR\]](#).
- [51] A. H. Nitz and C. D. Capano, *Astrophys. J. Lett.* **907**, L9 (2021), [arXiv:2010.12558 \[astro-ph.HE\]](#).
- [52] K. Belczynski, *Astrophys. J. Lett.* **905**, L15 (2020), [arXiv:2009.13526 \[astro-ph.HE\]](#).
- [53] J. Sakstein, D. Croon, S. D. McDermott, M. C. Straight, and E. J. Baxter, *Phys. Rev. Lett.* **125**, 261105 (2020), [arXiv:2009.01213 \[gr-qc\]](#).
- [54] J. E. Greene, J. Strader, and L. C. Ho, *Ann. Rev. Astron. Astrophys.* **58**, 257 (2020), [arXiv:1911.09678 \[astro-ph.GA\]](#).
- [55] E. R. Most, L. J. Papenfort, L. R. Weih, and L. Rezzolla, *Mon. Not. Roy. Astron. Soc.* **499**, L82 (2020), [arXiv:2006.14601 \[astro-ph.HE\]](#).
- [56] I. Tews, P. T. H. Pang, T. Dietrich, M. W. Coughlin, S. Antier, M. Bulla, J. Heinzl, and L. Issa, *Astrophys. J. Lett.* **908**, L1 (2021), [arXiv:2007.06057 \[astro-ph.HE\]](#).
- [57] V. Dexheimer, R. O. Gomes, T. Klähn, S. Han, and M. Salinas, *Phys. Rev. C* **103**, 025808 (2021), [arXiv:2007.08493 \[astro-ph.HE\]](#).
- [58] A. Nathanail, E. R. Most, and L. Rezzolla, *Astrophys. J. Lett.* **908**, L28 (2021), [arXiv:2101.01735 \[astro-ph.HE\]](#).
- [59] S. Hawking, *Mon. Not. Roy. Astron. Soc.* **152**, 75 (1971).
- [60] Y. B. Zel'dovich and I. D. Novikov, *Sov. Astron.* **10**, 602 (1967).
- [61] B. J. Carr, *Astrophysical Journal* **201**, 1 (1975).
- [62] G. F. Chapline, *Nature (London)* **253**, 251 (1975).
- [63] J. García-Bellido, A. D. Linde, and D. Wands, *Phys. Rev. D* **54**, 6040 (1996), [arXiv:hep-th/9605094 \[astro-ph\]](#).
- [64] S. Clesse and J. García-Bellido, *Phys. Rev. D* **92**, 023524 (2015), [arXiv:1501.07565 \[astro-ph.CO\]](#).
- [65] K. Jedamzik, *Phys. Rev. D* **55**, 5871 (1997), [arXiv:astro-ph/9605152](#).
- [66] K. Jedamzik, *Phys. Rept.* **307**, 155 (1998), [arXiv:astro-ph/9805147](#).
- [67] C. T. Byrnes, M. Hindmarsh, S. Young, and M. R. S. Hawkins, *JCAP* **08**, 041 (2018), [arXiv:1801.06138 \[astro-ph.CO\]](#).
- [68] B. Carr, S. Clesse, J. García-Bellido, and F. Kuhnel, *Phys. Dark Univ.* **31**, 100755 (2021), [arXiv:1906.08217 \[astro-ph.CO\]](#).
- [69] S. Bird, I. Cholis, J. B. Muñoz, Y. Ali-Haïmoud, M. Kamionkowski, E. D. Kovetz, A. Raccanelli, and A. G. Riess, *Phys. Rev. Lett.* **116**, 201301 (2016), [arXiv:1603.00464 \[astro-ph.CO\]](#).
- [70] M. Sasaki, T. Suyama, T. Tanaka, and S. Yokoyama, *Phys. Rev. Lett.* **117**, 061101 (2016), [Erratum: *Phys. Rev. Lett.* **121**, 059901 (2018)], [arXiv:1603.08338 \[astro-ph.CO\]](#).
- [71] S. Clesse and J. García-Bellido, *Phys. Dark Univ.* **22**, 137 (2018), [arXiv:1711.10458 \[astro-ph.CO\]](#).
- [72] J. M. Diego, *Phys. Rev. D* **101**, 123512 (2020), [arXiv:1911.05736 \[astro-ph.CO\]](#).
- [73] A. D. Gow, C. T. Byrnes, A. Hall, and J. A. Peacock, *JCAP* **01**, 031 (2020), [arXiv:1911.12685 \[astro-ph.CO\]](#).
- [74] V. De Luca, G. Franciolini, P. Pani, and A. Riotto, *JCAP* **06**, 044 (2020), [arXiv:2005.05641 \[astro-ph.CO\]](#).
- [75] A. Hall, A. D. Gow, and C. T. Byrnes, *Phys. Rev. D* **102**, 123524 (2020), [arXiv:2008.13704 \[astro-ph.CO\]](#).
- [76] K. Jedamzik, *Phys. Rev. Lett.* **126**, 051302 (2021), [arXiv:2007.03565 \[astro-ph.CO\]](#).
- [77] S. Clesse and J. García-Bellido, (2020), [arXiv:2007.06481 \[astro-ph.CO\]](#).
- [78] G. D'Amico, P. Panci, A. Lupi, S. Bovino, and J. Silk, *Mon. Not. Roy. Astron. Soc.* **473**, 328 (2018), [arXiv:1707.03419 \[astro-ph.CO\]](#).
- [79] S. Shandera, D. Jeong, and H. S. G. Gebhardt, *Phys. Rev. Lett.* **120**, 241102 (2018), [arXiv:1802.08206 \[astro-ph.CO\]](#).
- [80] J. Choquette, J. M. Cline, and J. M. Cornell, *JCAP* **07**, 036 (2019), [arXiv:1812.05088 \[astro-ph.CO\]](#).
- [81] D. Singh, M. Ryan, R. Magee, T. Akhter, S. Shandera, D. Jeong, and C. Hanna, *Phys. Rev. D* **104**, 044015 (2021), [arXiv:2009.05209 \[astro-ph.CO\]](#).
- [82] D. J. Kaup, *Phys. Rev.* **172**, 1331 (1968).
- [83] R. Ruffini and S. Bonazzola, *Phys. Rev.* **187**, 1767 (1969).
- [84] R. Brito, V. Cardoso, C. A. R. Herdeiro, and E. Radu, *Phys. Lett. B* **752**, 291 (2016), [arXiv:1508.05395 \[gr-qc\]](#).
- [85] S. L. Liebling and C. Palenzuela, *Living Rev. Rel.* **15**, 6 (2012), [arXiv:1202.5809 \[gr-qc\]](#).
- [86] C. A. R. Herdeiro, A. M. Pombo, and E. Radu, *Phys. Lett. B* **773**, 654 (2017), [arXiv:1708.05674 \[gr-qc\]](#).
- [87] C. Kouvaris and P. Tinyakov, *Phys. Rev. D* **83**, 083512 (2011), [arXiv:1012.2039 \[astro-ph.HE\]](#).
- [88] A. de Lavallaz and M. Fairbairn, *Phys. Rev. D* **81**, 123521 (2010), [arXiv:1004.0629 \[astro-ph.GA\]](#).
- [89] I. Goldman and S. Nussinov, *Phys. Rev. D* **40**, 3221 (1989).
- [90] J. Bramante and F. Elahi, *Phys. Rev. D* **91**, 115001 (2015), [arXiv:1504.04019 \[hep-ph\]](#).
- [91] J. Bramante and T. Linden, *Phys. Rev. Lett.* **113**, 191301 (2014), [arXiv:1405.1031 \[astro-ph.HE\]](#).
- [92] J. Bramante, T. Linden, and Y.-D. Tsai, *Phys. Rev. D* **97**, 055016 (2018), [arXiv:1706.00001 \[hep-ph\]](#).
- [93] C. Kouvaris, P. Tinyakov, and M. H. G. Tytgat, *Phys. Rev. Lett.* **121**, 221102 (2018), [arXiv:1804.06740 \[astro-ph.HE\]](#).
- [94] B. Abbott *et al.* (LIGO Scientific), *Phys. Rev. D* **72**, 082002 (2005), [arXiv:gr-qc/0505042](#).
- [95] B. Abbott *et al.* (LIGO Scientific), *Phys. Rev. D* **77**, 062002 (2008), [arXiv:0704.3368 \[gr-qc\]](#).
- [96] M. Wade, *Gravitational-wave science with the LASER Interferometer Gravitational-wave Observatory*, Ph.D. thesis, University of Wisconsin-Milwaukee (2015).
- [97] B. Abbott *et al.* (LIGO Scientific, Virgo), *Phys. Rev. Lett.* **121**, 231103 (2018), [arXiv:1808.04771 \[astro-ph.CO\]](#).
- [98] B. Abbott *et al.* (LIGO Scientific, Virgo), *Phys. Rev. Lett.* **123**, 161102 (2019), [arXiv:1904.08976 \[astro-ph.CO\]](#).
- [99] A. H. Nitz and Y.-F. Wang, *Phys. Rev. Lett.* **126**, 021103 (2021), [arXiv:2007.03583 \[astro-ph.HE\]](#).
- [100] A. H. Nitz and Y.-F. Wang, (2021), [arXiv:2102.00868 \[astro-ph.HE\]](#).
- [101] K. S. Phukon, G. Baltus, S. Caudill, S. Clesse, A. Depasse, M. Fays, H. Fong, S. J. Kapadia, R. Magee,

- and A. J. Tanasijczuk, (2021), [arXiv:2105.11449 \[astro-ph.CO\]](#).
- [102] L. Sun *et al.*, *Class. Quant. Grav.* **37**, 225008 (2020), [arXiv:2005.02531 \[astro-ph.IM\]](#).
- [103] F. Acernese *et al.* (Virgo), *Class. Quant. Grav.* **35**, 205004 (2018), [arXiv:1807.03275 \[gr-qc\]](#).
- [104] D. Davis *et al.* (LIGO), (2021), [arXiv:2101.11673 \[astro-ph.IM\]](#).
- [105] G. Vajente, Y. Huang, M. Isi, J. C. Driggers, J. S. Kissel, M. J. Szczepanczyk, and S. Vitale, *Phys. Rev. D* **101**, 042003 (2020), [arXiv:1911.09083 \[gr-qc\]](#).
- [106] T. L. S. Collaboration and T. V. Collaboration, In preparation (2021).
- [107] C. Messick *et al.*, *Phys. Rev. D* **95**, 042001 (2017), [arXiv:1604.04324 \[astro-ph.IM\]](#).
- [108] S. Sachdev *et al.*, “The GstLAL Search Analysis Methods for Compact Binary Mergers in Advanced LIGO’s Second and Advanced Virgo’s First Observing Runs,” (2019), [arXiv:1901.08580 \[gr-qc\]](#).
- [109] C. Hanna *et al.*, *Phys. Rev. D* **101**, 022003 (2020), [arXiv:1901.02227 \[gr-qc\]](#).
- [110] F. Aubin *et al.*, (2020), [arXiv:2012.11512 \[gr-qc\]](#).
- [111] B. Allen, W. G. Anderson, P. R. Brady, D. A. Brown, and J. D. E. Creighton, *Phys. Rev. D* **85**, 122006 (2012), [arXiv:gr-qc/0509116](#).
- [112] B. Allen, *Phys. Rev. D* **71**, 062001 (2005), [arXiv:gr-qc/0405045](#).
- [113] T. Dal Canton *et al.*, *Phys. Rev. D* **90**, 082004 (2014), [arXiv:1405.6731 \[gr-qc\]](#).
- [114] S. A. Usman *et al.*, *Class. Quant. Grav.* **33**, 215004 (2016), [arXiv:1508.02357 \[gr-qc\]](#).
- [115] A. H. Nitz, T. Dent, T. Dal Canton, S. Fairhurst, and D. A. Brown, *Astrophys. J.* **849**, 118 (2017), [arXiv:1705.01513 \[gr-qc\]](#).
- [116] G. S. Davies, T. Dent, M. Tápai, I. Harry, C. McIsaac, and A. H. Nitz, *Phys. Rev. D* **102**, 022004 (2020), [arXiv:2002.08291 \[astro-ph.HE\]](#).
- [117] D. A. Brown, I. Harry, A. Lundgren, and A. H. Nitz, *Phys. Rev. D* **86**, 084017 (2012), [arXiv:1207.6406 \[gr-qc\]](#).
- [118] I. W. Harry, A. H. Nitz, D. A. Brown, A. P. Lundgren, E. Ochsner, and D. Keppel, *Phys. Rev. D* **89**, 024010 (2014), [arXiv:1307.3562 \[gr-qc\]](#).
- [119] B. J. Owen, *Phys. Rev. D* **53**, 6749 (1996), [arXiv:gr-qc/9511032](#).
- [120] B. S. Sathyaprakash and S. V. Dhurandhar, *Phys. Rev. D* **44**, 3819 (1991).
- [121] L. Blanchet, T. Damour, B. R. Iyer, C. M. Will, and A. G. Wiseman, *Phys. Rev. Lett.* **74**, 3515 (1995), [arXiv:gr-qc/9501027 \[gr-qc\]](#).
- [122] E. Poisson, *Phys. Rev. D* **57**, 5287 (1998), [arXiv:gr-qc/9709032 \[gr-qc\]](#).
- [123] T. Damour, P. Jaranowski, and G. Schaefer, *Phys. Lett. B* **513**, 147 (2001), [arXiv:gr-qc/0105038](#).
- [124] B. Mikóczi, M. Vasuth, and L. A. Gergely, *Phys. Rev. D* **71**, 124043 (2005), [arXiv:astro-ph/0504538](#).
- [125] L. Blanchet, T. Damour, G. Esposito-Farese, and B. R. Iyer, *Phys. Rev. D* **71**, 124004 (2005), [arXiv:gr-qc/0503044 \[gr-qc\]](#).
- [126] K. G. Arun, A. Buonanno, G. Faye, and E. Ochsner, *Phys. Rev. D* **79**, 104023 (2009), [Erratum: *Physical Review D* **84**, 049901 (2011)], [arXiv:0810.5336 \[gr-qc\]](#).
- [127] A. Buonanno, B. R. Iyer, E. Ochsner, Y. Pan, and B. S. Sathyaprakash, *Phys. Rev. D* **80**, 084043 (2009), [arXiv:0907.0700 \[gr-qc\]](#).
- [128] A. Bohé, S. Marsat, and L. Blanchet, *Class. Quantum Grav.* **30**, 135009 (2013), [arXiv:1303.7412 \[gr-qc\]](#).
- [129] A. Bohé, G. Faye, S. Marsat, and E. K. Porter, *Class. Quantum Grav.* **32**, 195010 (2015), [arXiv:1501.01529 \[gr-qc\]](#).
- [130] C. K. Mishra, A. Kela, K. G. Arun, and G. Faye, *Physical Review D* **93**, 084054 (2016), [arXiv:1601.05588 \[gr-qc\]](#).
- [131] H. K. Y. Fong, *From simulations to signals: Analyzing gravitational waves from compact binary coalescences*, Ph.D. thesis, Toronto U. (2018).
- [132] R. Essick, P. Godwin, C. Hanna, L. Blackburn, and E. Katsavounidis, (2020), [arXiv:2005.12761 \[astro-ph.IM\]](#).
- [133] P. Godwin *et al.*, (2020), [arXiv:2010.15282 \[gr-qc\]](#).
- [134] S. Babak, *Class. Quant. Grav.* **25**, 195011 (2008), [arXiv:0801.4070 \[gr-qc\]](#).
- [135] S. Privitera, S. R. P. Mohapatra, P. Ajith, K. Cannon, N. Fotopoulos, M. A. Frei, C. Hanna, A. J. Weinstein, and J. T. Whelan, *Phys. Rev. D* **89**, 024003 (2014), [arXiv:1310.5633 \[gr-qc\]](#).
- [136] A. N. et al., “gwastro/pycbc,” (2020).
- [137] A. H. Nitz, *Class. Quant. Grav.* **35**, 035016 (2018), [arXiv:1709.08974 \[gr-qc\]](#).
- [138] I. Mandel, W. M. Farr, and J. R. Gair, *Mon. Not. Roy. Astron. Soc.* **486**, 1086 (2019), [arXiv:1809.02063 \[physics.data-an\]](#).
- [139] E. Thrane and C. Talbot, *Publ. Astron. Soc. Austral.* **36**, e010 (2019), [Erratum: *Publ. Astron. Soc. Austral.* **37**, e036 (2020)], [arXiv:1809.02293 \[astro-ph.IM\]](#).
- [140] S. Vitale, D. Gerosa, W. M. Farr, and S. R. Taylor, (2020), [arXiv:2007.05579 \[astro-ph.IM\]](#).
- [141] P. A. R. Ade *et al.* (Planck), *Astron. Astrophys.* **594**, A13 (2016), [arXiv:1502.01589 \[astro-ph.CO\]](#).
- [142] C. Cutler and E. E. Flanagan, *Phys. Rev. D* **49**, 2658 (1994), [arXiv:gr-qc/9402014](#).
- [143] V. Tiwari, *Class. Quant. Grav.* **35**, 145009 (2018), [arXiv:1712.00482 \[astro-ph.HE\]](#).
- [144] R. Biswas, P. R. Brady, J. D. E. Creighton, and S. Fairhurst, *Class. Quant. Grav.* **26**, 175009 (2009), [Erratum: *Class. Quant. Grav.* **30**, 079502 (2013)], [arXiv:0710.0465 \[gr-qc\]](#).
- [145] K. Ioka, T. Chiba, T. Tanaka, and T. Nakamura, *Phys. Rev. D* **58**, 063003 (1998), [arXiv:astro-ph/9807018](#).
- [146] C. T. Byrnes, P. S. Cole, and S. P. Patil, *JCAP* **06**, 028 (2019), [arXiv:1811.11158 \[astro-ph.CO\]](#).
- [147] A. Kalaja, N. Bellomo, N. Bartolo, D. Bertacca, S. Matarrese, I. Musco, A. Raccanelli, and L. Verde, *JCAP* **10**, 031 (2019), [arXiv:1908.03596 \[astro-ph.CO\]](#).
- [148] N. Bellomo, J. L. Bernal, A. Raccanelli, and L. Verde, *JCAP* **01**, 004 (2018), [arXiv:1709.07467 \[astro-ph.CO\]](#).
- [149] Y. Ali-Haïmoud, E. D. Kovetz, and M. Kamionkowski, *Phys. Rev. D* **96**, 123523 (2017), [arXiv:1709.06576 \[astro-ph.CO\]](#).
- [150] B. J. Kavanagh, D. Gaggero, and G. Bertone, *Phys. Rev. D* **98**, 023536 (2018), [arXiv:1805.09034 \[astro-ph.CO\]](#).
- [151] V. Vaskonen and H. Veermäe, *Phys. Rev. D* **101**, 043015 (2020), [arXiv:1908.09752 \[astro-ph.CO\]](#).
- [152] M. Raidal, C. Spethmann, V. Vaskonen, and H. Veermäe, *JCAP* **02**, 018 (2019), [arXiv:1812.01930 \[astro-ph.CO\]](#).
- [153] M. R. Buckley and A. DiFranzo, *Phys. Rev. Lett.* **120**,

- 051102 (2018), [arXiv:1707.03829 \[hep-ph\]](#).
- [154] R. A. Allsman *et al.* (Macho), *Astrophys. J. Lett.* **550**, L169 (2001), [arXiv:astro-ph/0011506](#).
 - [155] P. Tisserand *et al.* (EROS-2), *Astron. Astrophys.* **469**, 387 (2007), [arXiv:astro-ph/0607207](#).
 - [156] L. Wyrzykowski, J. Skowron, S. Kozłowski, A. Udalski, M. K. Szymański, M. Kubiak, G. Pietrzyński, I. Soszyński, O. Szewczyk, K. Ulaczyk, R. Poleski, and P. Tisserand, *Monthly Notices of the RAS* **416**, 2949 (2011), [arXiv:1106.2925 \[astro-ph.GA\]](#).
 - [157] S. M. Koushiappas and A. Loeb, *Phys. Rev. Lett.* **119**, 041102 (2017), [arXiv:1704.01668 \[astro-ph.GA\]](#).
 - [158] T. D. Brandt, *Astrophys. J. Lett.* **824**, L31 (2016), [arXiv:1605.03665 \[astro-ph.GA\]](#).
 - [159] M. Zumalacarregui and U. Seljak, *Phys. Rev. Lett.* **121**, 141101 (2018), [arXiv:1712.02240 \[astro-ph.CO\]](#).
 - [160] B. Carr, F. Kuhnel, and M. Sandstad, *Phys. Rev. D* **94**, 083504 (2016), [arXiv:1607.06077 \[astro-ph.CO\]](#).
 - [161] B. Abbott *et al.* (KAGRA, LIGO Scientific, VIRGO), *Living Rev. Rel.* **23**, 3 (2020), [arXiv:1304.0670 \[gr-qc\]](#).
 - [162] T. Akutsu *et al.* (KAGRA), (2020), [arXiv:2005.05574 \[physics.ins-det\]](#).
 - [163] B. Iyer *et al.*, *LIGO India*, Tech. Rep. LIGO-M1100296 (2011) <https://dcc.ligo.org/LIGO-M1100296/public>.
 - [164] R. C. Nunes, (2021), [arXiv:2109.05910 \[gr-qc\]](#).
 - [165] A. H. Nitz and Y.-F. Wang, (2021), [arXiv:2106.08979 \[astro-ph.HE\]](#).
 - [166] T. Nakamura, M. Sasaki, T. Tanaka, and K. S. Thorne, *Astrophys. J. Lett.* **487**, L139 (1997), [arXiv:astro-ph/9708060](#).
 - [167] R. Magee, A.-S. Deutsch, P. McClincy, C. Hanna, C. Horst, D. Meacher, C. Messick, S. Shandera, and M. Wade, *Phys. Rev. D* **98**, 103024 (2018), [arXiv:1808.04772 \[astro-ph.IM\]](#).
 - [168] A. Stacy and V. Bromm, *Mon. Not. Roy. Astron. Soc.* **433**, 1094 (2013), [arXiv:1211.1889 \[astro-ph.CO\]](#).
 - [169] K. Belczynski, T. Ryu, R. Perna, E. Berti, T. L. Tanaka, and T. Bulik, *Mon. Not. Roy. Astron. Soc.* **471**, 4702 (2017), [arXiv:1612.01524 \[astro-ph.HE\]](#).
 - [170] T. Greif, V. Springel, S. White, S. Glover, P. Clark, R. Smith, R. Klessen, and V. Bromm, *Astrophys. J.* **737**, 75 (2011), [arXiv:1101.5491 \[astro-ph.CO\]](#).
 - [171] T. Hartwig, M. Volonteri, V. Bromm, R. S. Klessen, E. Barausse, M. Magg, and A. Stacy, *Mon. Not. Roy. Astron. Soc.* **460**, L74 (2016), [arXiv:1603.05655 \[astro-ph.GA\]](#).