



**HAL**  
open science

## Evaluation of Degradation of Japanese Hanging Scrolls Using Relative Peak Area of Volatile Organic Compounds

Kang Lee, Michel Sablier, Toshiharu Enomae, Masamitsu Inaba

► **To cite this version:**

Kang Lee, Michel Sablier, Toshiharu Enomae, Masamitsu Inaba. Evaluation of Degradation of Japanese Hanging Scrolls Using Relative Peak Area of Volatile Organic Compounds. *Studies in Conservation*, 2021, 36, pp.1-13. 10.1080/00393630.2022.2049033 . hal-03788583

**HAL Id: hal-03788583**

**<https://hal.science/hal-03788583v1>**

Submitted on 10 Oct 2022

**HAL** is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.

## Correction

**Article title:** Evaluation of Degradation of Japanese Hanging Scrolls Using Relative Peak Area of Volatile Organic Compounds


**Authors:** Lee, K., Sablier, M., Enomae, T., & Inaba, M.

**Journal:** Studies in Conservation


**DOI:** <https://doi.org/10.1080/00393630.2022.2049033>

When the above article was first published online, wrong figures of 10 & 11 were included.

The correct figures are given below. The online version has been corrected.



**Figure 10.** Relationship between the peak areas of furfural and aliphatic aldehydes relative to the total peak before and after accelerated ageing.



**Figure 11.** Monitoring of discolouration from each turn of the reverse of the final lining papers.