



# Study of the bio monitoring potential of acclimated Tillandsia species in Occitanie for metal air pollution

Alexandre Gonzalez, Patrick Meffre

## ► To cite this version:

Alexandre Gonzalez, Patrick Meffre. Study of the bio monitoring potential of acclimated Tillandsia species in Occitanie for metal air pollution. Natural Products and Biocontrol 2022, Sep 2022, Perpignan, France. hal-03806423

**HAL Id: hal-03806423**

**<https://hal.science/hal-03806423>**

Submitted on 7 Oct 2022

**HAL** is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.

## Introduction

*Tillandsia* genus belongs to the Bromeliaceae family and is distributed from the South of the United States to the South of Argentina. More than 700 species are listed worldwide<sup>1,2</sup>. Among the 350 different species cultivated at *Tillandsia* PROD plant nursery, the studied *Tillandsia* species for this PhD (*T. aeranthos* and *T. bergeri*) are acclimated to the Occitanie region.



*Tillandsia aeranthos*



*Tillandsia bergeri*

Bio monitoring is the study of the pollution of a region helped with a plant able to accumulate pollutants<sup>3</sup>. In our case, we focus on air pollution and *Tillandsia*, commonly known as “air plants” could be, referring to the bibliography, interesting bio indicators for the monitoring of air pollution<sup>4</sup>. *Tillandsia aeranthos* and *Tillandsia bergeri* have never been studied for their ability to accumulate pollutants from the air. Thus, this study is of interest because *Tillandsia* are epiphytic plants, independent from the soil, growing by up taking nutrients from the air or the rainwater.

## Study of the bio monitoring potential for metal air pollution



*Tillandsia* acclimated in Occitanie

Determination of control values from unpolluted area



Sampling area

Exposition of *Tillandsia* to city and industrial pollution

Monitoring of bio accumulation in *Tillandsia* on 6 exposure sites. Evaluation of the accumulation as a function of the time.

Laboratory experimentation in a controlled atmosphere<sup>5</sup>

Determination of maximum metal accumulation capacity of *Tillandsia*.  
**Soaking method**

Primary results for 1 exposure site (in ppm and ppb)

As	Ba	Pb	Pd	Pt	Co	Cr	Cu	Fe	Mn	Ni	Sn	Ti	Zn
0,247	0,043	0,013	0,057	0,018	0,055	0,028	0,012	0,600	0,039	0,013	0,187	0,055	0,123

Results were obtained by ICP-OES and ICP-MS analysis with calibration curves of the 14 studied metals

## Conclusion and perspectives

Exposure of *Tillandsia* acclimated in Occitanie and study in a controlled atmosphere allow the evaluation of the accumulation and bio indication ability of metals air pollution by *Tillandsia* over time.

This work is financially supported by La Région Occitanie, Université de Nîmes and *Tillandsia* PROD.

## References

1. A. Benitez et al., *Diversity*, **2019**, 11, 28.
2. E. Estrella-Parra et al., *Boletín latinoamericano y del caribe de plantas medicinales y aromáticas*, **2019**, 18, 239-264.
3. L. Dos Santos et al., *Química Nova*, **2018**, 41, 55-60.
4. A. Sanchez-Chardi et al., *Atmospheric Environment*, **2016**, 131, 352-359.
5. E. D. Wannaz et al., *Environmental and Experimental Botany*, **2011**, 74, 296-301.