



CONTRIBUTIONS OF PHOTOMETRY TO THE 3D-DIGITIZATION OF HERITAGE

Antoine LAURENT^{1,2} Jean MÉLOU¹ Thomas SAGORY³ Carole FRITZ^{2,4} Jean-Denis DUROU¹
¹ IRIT, UMR CNRS 5505, Toulouse, France ² TRACES, UMR CNRS 5608, Toulouse, France
³ MAN, Saint-Germain-en-Laye, France ⁴ MSHS, UAR CNRS 3414, Toulouse, France



NEED FOR 3D-DIGITIZATION

Three main objectives in 3D-digitization of cultural heritage:


- Conservation of the remains
- Analysis of the artifacts
- Transmission of heritage

3D-SCANNING TECHNIQUES USED IN ARCHAEOLOGY

- Lasergrammetry and photogrammetry: reconstruct the scene in 3D, but not precise enough for micro-reliefs.
- Reflectance Transformation Imaging (RTI): highlights the micro-reliefs by simulating a grazing light, but without reconstructing them.
- Contribution: adapting photometric stereo to archaeology reconstruct micro-reliefs.

PHOTOMETRIC STEREO (PS) [1]

- Goal: from m images I^i and m light vectors s^i , estimate a depth map z .
- Lambertian model:
$$\underbrace{I^i}_{\text{Greylevel}} = \underbrace{\rho}_{\text{Albedo}} \times \underbrace{s^i \cdot n(z)}_{\text{Shading}}$$
- Two-step pipeline: normal and albedo maps estimation, then normal integration.




LIGHT CALIBRATION




“Panneau des Mammouths raclés”:
A white sphere is used for light calibration.

CHAUVET-PONT-D’ARC CAVE




From left to right: Zoom on three pictures of the “Panneau des Mammouths raclés”; estimated albedo and normal map; reconstructed depth in perspective view.


ZODIACAL TABLET



One of the input pictures.



Estimated albedo and normal map.



Zooms on the reconstructed depth in perspective view.

“DAME DE SAINT-SERNIN” STATUE-MENHIR



One of the input picture. Estimated albedo. Estimated normal map. Depth map details.

CONCLUSION

- Adapting PS to archeology.
- PS: 3D-models + Intrinsic color.
- Accuracy limited by the pixel size.

PERSPECTIVES

- Light calibration without sphere.
- Transforming RTI data into PS data.
- Multi-view photometric stereo.

REFERENCE

[1] Durou, J.-D., Falcone, M., Quéau, Y., Tozza, S. *A Comprehensive Introduction to Photometric 3D-reconstruction*, in *Advances in Photometric 3D-Reconstruction*, Springer, 2020.