



HAL
open science

Mechanisms of perineal tear during childbirth

Tiguida Kadiakhe, Marine Lallemand, Jérôme Chambert, Arnaud Lejeune,
Emmanuelle Jacquet

► **To cite this version:**

Tiguida Kadiakhe, Marine Lallemand, Jérôme Chambert, Arnaud Lejeune, Emmanuelle Jacquet.
Mechanisms of perineal tear during childbirth. Séminaire interne FEMTO 2022, Jun 2022, Besançon,
France. hal-03813290

HAL Id: hal-03813290

<https://hal.science/hal-03813290>

Submitted on 13 Oct 2022

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.

Introduction

The perineum is a multi-layered structure made of soft tissues whose mechanical properties ensure the integrity of the pelvic floor, particularly in women (Figure 1). During childbirth, the perineum undergoes very large deformations which often lead to tears going from the skin and vagina to the anus (1 to 4 in Figure 2).

In the long term, these tears cause urinary and anal incontinence as well as pelvic organs prolapse.




Figure 1. Organes pelviens et périnée (FitMumsBelgium, 2020)




Figure 2. Types of perineal tears (Perineal tears, Queensland clinical guidelines, August 2018)

Objectives

- Understand the mechanical behaviour of the perineum.
- Gather data and develop a patient specific model to evaluate the risk of perineal tear.

How can this research be useful?

This work can help develop a tool to assist medical practitioners in their decision making for high risk pregnancies.




Figure 3. Uniaxial tensile test on a vagina sample




Figure 4. Stereophotogrammetry of the perineum during childbirth (Zemcik, 2012)




Figure 5. 3D surfacic reconstruction of the female pelvic organs and perineal muscles (Jean Dit Gautier, 2018)




Figure 6. Pelvic system modelling and childbirth simulation (Jean Dit Gautier, 2018)

1. Behaviour law and material properties identification of the sow's perineal structures

- Design of an experimental protocol using sow perineum.
- Behaviour law identification of the different layers of the sow perineum: skin, vagina, anal sphincter muscles, anal mucosa.
- Study of the hyperelasticity, anisotropy, viscosity.

2. Design of a stereophotogrammetry system to evaluate in-vivo 3D deformations of the female perineum during childbirth

Camera choice and development of a synchronised recording program

3D digital image correlation (DIC) to compute deformation at the tissue surface

Clinical trial application to compute the deformation of the perineum during childbirth

3. 3D reconstruction of the perineal structures

- Geometrical model reconstruction of the pelvic organs and perineal muscles from MRI images.
- Patient specific model

4. Numerical simulation of childbirth

- Material definition of the geometric model elements (elastography obtained from the clinical trial).
- Integration of the deformation data obtained by the stereophotogrammetry as boundary conditions.
- Simulation of different delivery scenarios and determination of perineal tear severity and direction.

Contacts

Name Surname: Tiguida KADIAKHE
E-mail : tiguida.kadiakhe@femto-st.fr