



HAL
open science

Using bibliometrics to analyze the state of art of pesticide use in vineyard agrosystems: a review

Flor Regus, Isabelle Laffont-Schwob, Rayhane Hamrouni, Nathalie Dupuy, Anne Marie Farnet da Silva

► To cite this version:

Flor Regus, Isabelle Laffont-Schwob, Rayhane Hamrouni, Nathalie Dupuy, Anne Marie Farnet da Silva. Using bibliometrics to analyze the state of art of pesticide use in vineyard agrosystems: a review. *Environmental Science and Pollution Research*, 2022, 29, pp.80123-80136. <10.1007/s11356-022-23285-1>. <hal-03817640>

HAL Id: hal-03817640

<https://hal.science/hal-03817640v1>

Submitted on 17 Oct 2022

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.



HAL Authorization



Using bibliometrics to analyze the state of art of pesticide use in vineyard agrosystems: a review

Flor Regus^{1,2} · Isabelle Laffont-Schwob² · Rayhane Hamrouni¹ · Nathalie Dupuy¹ · Anne-Marie Farnet Da Silva¹

Received: 9 March 2022 / Accepted: 22 September 2022

2

3 **Using bibliometrics to analyze the state of art of pesticide use in vineyard agrosystems: A**
4 **review.**

5 Regus Flor ^{1,2}, Laffont-Schwob Isabelle ², Rayhane Hamrouni ¹, Dupuy Nathalie ¹, Farnet Da
6 Silva Anne-Marie ^{1*}.

7 ¹Aix Marseille Univ, CNRS, IRD, Avignon Université, IMBE, Marseille, France

8 ² Aix Marseille Univ, IRD, LPED, Marseille, France

9 *Corresponding Author:

10 **Anne-Marie Farnet Da Silva**

11 anne-marie.farnet@imbe.fr

12

13 **ABSTRACT:**

14 The production of wine dates to ancient civilization and has heavily influenced different
15 landscapes around the globe. Nowadays, wine is still an important sector in terms of land use
16 and income source in many countries, more specifically in the European Mediterranean region.
17 However, to control pests and regulate wine growth, the extensive use of pesticides is common.

18 The effects and persistence of agrochemicals in the environment is well known and defined in
19 scientific literature as well as the environmental and human health risks of these compounds.
20 The purpose of this review was to do a state of art of worldwide production of academic
21 literature using bibliometric principles and analysis to identify thematic areas of this type of
22 agriculture, and its challenges in a changing world. For this review the focus is on current
23 practices to see what may evolve for more sustainable viticulture. It was found that the three
24 main producers of wine i.e. Spain, France and Italy are also three top producers of scientific
25 literature on this topic. The use of bibliometric methodologies defined the main thematic areas
26 on this subject as following: soil-plant transfer of agrochemicals, heavy metal accumulation in
27 vineyard soils, management practices in viticulture, water pollution transport, effects of
28 viticulture on the living part of soil, sustainable alternatives to pesticides. We found that Spain,
29 France and Italy work the most on developing sustainable alternatives for agricultural practices,
30 however sustainable alternatives and practices were also the least developed thematic in
31 general.

32 **Keywords:** copper accumulation; soil pollution; sustainability; transfer of pollutants;
33 viticulture.

34

35

36 **DECLARATIONS**

37 ETHICAL APPROVAL: Not applicable

38 CONSENT TO PARTICIPATE: All authors have freely agreed and consented to participate in
39 the elaboration of this review.

40 CONSENT TO PUBLISH: All authors gave consent for the submission and publication of this
41 manuscript.

42 AUTHORS CONTRIBUTIONS: All authors contributed to this review and agreed on its
43 content. Idea for this review was presented by Nathalie Dupuy. Keywords were selected by
44 Anne-Marie Farnet Da Silva, Isabelle Laffont-Schwob and Flor Regus. Literature search,
45 analysis and draft elaboration were performed by Flor Regus. Critical reviews were performed
46 by Anne-Marie Farnet Da Silva, Flor Regus, Isabelle Laffont-Schwob, Nathalie Dupuy and
47 Rayhane Hamrouni.

48 FUNDING SOURCES: Funding for this manuscript was received by ITEM institute under the
49 project ALCOVE (AMX-19-IET-012).

50 COMPETING INTEREST: Authors have non relevant financial or non-financial interest to
51 disclose.

52 AVAILABILITY OF DATA AND MATERIALS: All the analyzed information for this
53 publication is included in the manuscript. Additional information could be provided upon
54 reasonable request to corresponding author.

55

56 INTRODUCTION

57 The incidence of extreme weather events such as of heat waves, intense rainfall and
58 agricultural drought is likely to increase within the next decade (IPCC 2021). Climate change
59 is troublesome for agriculture since it influences water stress, duration of growing season as
60 well as the intensity and frequency of heat waves (Aryal et al. 2020). Along with the effects
61 caused by climate change another issue in agriculture is the toll conventional agricultural
62 practices have in the environment. In order to meet the demand of agricultural goods,
63 agriculture leans on techniques such as tillage and the excessive use of agrochemicals to ensure
64 supply in an overpopulated world (Wezel et al. 2014; Meena et al. 2020). This unsustainable
65 use of agricultural land and resources creates an imbalance in the ecosystems in terms of
66 nutrient cycling, soil and water quality (Garini et al. 2017).

67 A culture particularly fragile to the effects of climate change is viticulture. Wine quality
68 strongly depends on climate and land (Fraga et al. 2012; Marín et al. 2021; Santos et al. 2020).
69 Most of the world's wine grapes production, and wine production, is located in Mediterranean
70 Europe between France, Spain and Italy (Jackson, 2016; OIV 2019). Viticulture is no strange
71 to the issue of unsustainable practices, and Mediterranean viticulture is highly dependent on the
72 use of agrochemicals (Prosdocimi et al. 2016). There are two factors that make viticulture in
73 the Mediterranean region highly dependent in agrochemicals. Mediterranean soils are
74 characterized by low organic matter and nutrient content and the *Vitis vinifera* plant is highly
75 sensitive to phytopathogens (such as *Plasmopara viticola* or *Botrytis cinerea*) (Serpa et al.
76 2017). Amongst agrochemicals used in viticulture, pesticides against phytopathogens, are
77 extensively used (Campbell et al. 2021). The use of pesticides has been extensively studied in
78 the scientific field because of their potential toxicity (Schreck et al. 2008). One example of the
79 risk for toxicity in humans is described in recent studies in developing countries showed that,

80 although this part of the world uses only 20 % of the world's agrochemicals, this region suffers
81 99 % of deaths induced by pesticide poisoning and victims are mostly farmers (Curl et al. 2020).

82 Many authors have identified the accumulation of pesticides in vineyard soils as a threat
83 (Komárek et al. 2010; Sánchez-Martín et al. 2000; Semhi et al. 2018). The accumulation of
84 pesticides also poses an environmental risk since there is a risk of diffusion of the parent
85 chemical compounds and their by-products (Sonoda et al. 2019; Zambito Marsala et al. 2020).
86 Copper-based compounds are amongst the most used pesticides to prevent fungal infections in
87 vineyards (Fernández-Calviño et al. 2010). Because of its accumulation in soils, copper tends
88 to reach toxic concentrations, affecting the living part of the soil (Campillo-Cora et al. 2019;
89 Mackie et al. 2013; Rusjan et al. 2007). Due to accumulation of copper on the environment, in
90 2009, the European Union regulated the use of agrochemicals and decided to list copper as a
91 candidate for substitution Regulation (EC) No.1107/2009. The decision to find a substitute for
92 copper was again ratified in 2018 with Regulation (EU) 2018/1981.)

93 Environmental affairs are a transverse issue covering different areas such as ecology,
94 human health and policy making. The transverse specificity of environmental issues is not new.
95 For example, in 2004, concept "One Health" was developed. This concept looks at ecosystem's
96 health, fauna, and human health at once (Destoumieux-Garzón et al. 2018). This new concept
97 highlights the need to have a holistic approach based on interdisciplinarity embracing all the
98 components of an ecosystem including living soil, plants, animals, and humans. Due to the
99 transverse properties of environmental affairs, analysis of scientific literature can be a complex
100 task, with bias linked to non-systematic requests on literature databases. The use of bibliometric
101 methods can help overcome this complex task. Bibliometric methods have been established in
102 the scientific field (specially applied sciences) to study different aspects of science (Ellegaard
103 et al. 2015) in order to establish a state of art. Bibliometric methods are used to analyze
104 scientific production, techniques and methodologies available by measuring and interpreting

105 the production metadata of scientific publications (Subramanyam 1983). For this review, a
106 bibliometric approach was used to create a state of art regarding the conventional practices in
107 viticulture that focuses on pesticides. The work consists of studying the evolution of annual
108 publications (between 1990-2020) and the different countries affiliated to each publication. This
109 later allowed the analysis of thematic areas by grouping keywords from the publications into
110 clusters. The-creation of clusters later allowed us to see the geographical distribution of thematic
111 areas.

112

113 **1. MATERIALS AND METHODS**

114 The scientific database Web of Science was used to obtain scientific publications that include
115 the studies of problematics in viticulture regarding the use of pesticides. On September 27,
116 2021, a search was done and the metadata were downloaded using the words (“viticulture” OR
117 “grape” OR “grapes” OR “wine” OR “wines” OR “vineyard” OR “vineyards”) AND
118 (“pesticide” OR “pesticides” OR “copper*”, “Cu”) AND (“phytopathogen” OR
119 “phytopathogens” OR “soil” OR “soils” OR “plant health”) were used as keywords. The star
120 symbol (*) was added to include the different forms of a word, for instance the word “copper*”
121 will also cover “copper based”. Time frame was set to 1990-2020 to observe the evolution of
122 this topic over time. For this search all fields available were used. This was done to maximize
123 the collected data since the analysis accounts for article subject and geographical affiliation. No
124 additional sub-databases or collections were used. The analyze citation tools from web of
125 science was used to assess the evolution of keywords over time, geographical distribution of
126 publications and authorship as well as the distribution of publications throughout journals.
127 Finally, this search does not account for grey literature or another scientific database. The
128 metadata of this bibliographical search was analyzed using the software Matheo Analyzer,
129 France. Keywords of each publication were extracted and grouped in clusters to reveal thematic

130 areas. Keyword clusters were created using K-means methods following Malechaux et al.
131 (2020). *K*-Means is an algorithm for data clustering. The keywords are grouped into *K* clusters
132 (user-determined number) based on a specific distance measurement, so that the sum of
133 distances between each keyword and its cluster centroid is minimized. The procedure consists
134 of the following three steps:

135 (i) The algorithm is initiated by creating *K* different clusters. The samples, included in
136 the analysis, are first randomly distributed between these *K* different clusters.

137 (ii) As a next step, the distance between each keyword and its respective cluster
138 centroid is calculated.

139 (iii) keywords are then attributed to the nearest cluster (K_1 or K_2) based on the sample-
140 cluster centroid distance.

141 The number of iterations is the number of times that the *K*-means algorithm is repeated to obtain
142 an optimal clustering solution, each time starting with random initial clusters. Keywords
143 occurring at least 15 times were used to build the clusters. The keywords used in the search
144 (viticulture, grape, pesticides, copper etc.) were left out of the data clustering to avoid bias and
145 high word co-occurrence on the analysis. These parameters were set to have quality clusters
146 with strong links between the keywords in each cluster. The results for this bibliometric review
147 are limited to Web of science since different citation collection methods from various databases
148 would have led to a set of data that are not compatible with software Matheo Analyzer.

149 **2. RESULTS AND DISCUSSION**

150 The use of these parameters resulted in a database of 1317 publications. This includes
151 1205 scientific articles, 114 proceeding papers, 37 review articles, 12 book chapters. Focusing
152 on a single scientific Database Web of Science provided a large range of results for this topic.

153 *3.1 Evolution of publications through time*

154 The development of new technologies allowing the rapid acquisition of data influences
155 the increase in publications over time. Figure 1 shows the number of publications over time
156 from 1990-2020. This figure also includes an exponential regression to reveal the inflection
157 point. The first period covered by this search, between 1990-1994, only six papers were
158 published. This number increased to 97 between 2000-2004, i.e. an increment of 16 times.
159 Together with technological and scientific developments, different political events could
160 explain this increase in publications. For example, in 2002, the European commission restricted
161 the use of copper, Regulation (EU) 2018/1981. Then in 2003, an EU commission study showed
162 that viticulture was the largest pesticide consumer per acre of all large-scale cultivated crops in
163 the European Union (Moneyron et al., 2017). Years 2005-2009 saw a pivotal change in the
164 number of publications.-During this time (2005-2009), publication numbers had almost doubled
165 compared to period 2000-2004. By 2009, the European Union listed copper as a compound that
166 should be substituted in agriculture. After 2009, the number of publication of articles doubled
167 every 4 years. This trend is likely to continue since there is more political pressure about this
168 problematic. The decision to look for alternatives to copper in agriculture was again rectified
169 in 2018 Regulation No. (EU) 2018/1981.

170 *3.2 Evolution of keywords over time*

171 The evolution of the selected keywords overtime was also analyzed. Figure 2 represents
172 the number of times a specific keyword was used in an article in each time frame. The words
173 copper, pesticide, and soil increased over time. Overall, this highlights how the focus on this
174 problematic lies mostly on the effects of pesticides and copper-based pesticides in soil. A
175 pivotal change after 2000-2004 can be observed. After 2004, soil indeed becomes the most used
176 keyword followed by copper and then pesticides. The last period, between 2015-2020,

177 illustrates how the effect of copper-based pesticides can be considered as an issue for soil
178 properties and fertility and thus for the sustainable production of grapes and wine.

179 *3.3 Geographical distribution of publications and authorship.*

180 From 1990 to 2020, there were 86 different countries working on this topic. When
181 observing the geographical distribution of scientific literature, it appears that research groups
182 are scattered around the globe. Some examples of this, are counties such as Australia (Ying et
183 al. 2000), Spain (Pose-Juan et al. 2015) and Slovenia (Al Nasir et al. 2001). For this section,
184 we will focus on the top10 publishing countries. These countries have contributed for more than
185 87% of total publications in this database. These countries were Spain (199), France (157), Italy
186 (183), China (138), USA (133), Brazil (101), Australia (88), India (50), Romania (47) and
187 Germany (44). First, it is not surprising that Spain, France, Italy appear within the top ten
188 countries publishing on that topic. Indeed, these countries are the main producers of wine
189 (millions of hectoliters) in the world according to the 2019 Statistical Report on World
190 Viticulture (OIV 2019).

191 Figure 3 shows two maps: map A shows the total number of articles published between
192 2014-2018 for the top-10-publishing countries and map B shows the total production of wine
193 (millions of hectoliters) according to the report by OIV (2019) for the same countries. All
194 countries in Figure 3, except for India, are considered major wine producers. Wine production
195 in India is low, though there is a large area in this country dedicated to the production of table
196 grapes.-In 2018, India had 151 thousand hectares of vineyards, accounting for 2% of vineyards
197 on the globe. Time frame for these maps is limited to 2014-2018 as these years are the only
198 ones reported to this date for wine production by the OIV.

199 Another descriptive parameter analyzed was the co-authors and their country of
200 affiliation. Authors with the highest number of publications on our search are presented in Table

201 1. Authors have a minimum of 18 articles (equivalent to approximately 1.4% of the total
202 publications). There is a link between collaborating authors and geographical areas. For
203 example, according to Table 1, Arias-Estévez (the author with the highest number of
204 publications) and Fernández-Calviño are co-authors and their country of affiliation, according
205 to the Web of Science, is Spain. This occurs again with authors such as Nicoloso and Tiecher
206 two co-authors from Brazil. Research collaborations about viticulture between wine-producing
207 countries are very limited. However, the country of affiliation of the authors does not provide
208 an accurate vision of how publications are scattered globally. In Table 1, the same high
209 publishing authors work together, limiting the number of countries of affiliation shown on the
210 table. Thus, this leaves other high publishing countries such as France and Italy out of this Table
211 because the same author does not publish as much on the same topic.

212 *3.4 Publication's categories & publishing journals*

213 There was a total of 55 categories identified on this database where the categories with
214 the most articles were: Environmental Sciences/ Ecology with 529 articles, Agriculture-438; ;
215 Chemistry, 250; ; Food Sciences Technology, 196; ; Plant sciences, 125. It is important to
216 mention that one publication can belong to more than one category. The categories before
217 mentioned represent the categories covered by most journals in this database, where a total of
218 461 publishing journals can be found. The journals with the highest number of publications are
219 shown in Table 2. Along with journal's categories, the Journal Impact Factor (JIF) is also
220 presented in Table 2. The JIF is an index based on the number of citations of publications during
221 a specific time. The JIF was created in 1955 as a way to source journals (Garfield, 2006). A
222 large range of JIF from 1.327 to 10.588 can be found in Table 2. This large range of JIF is not
223 surprising since it changes depending on the field (Althouse et al., 2009). For example, for
224 Environmental Sciences, JIF ranges from 0.323 to 38.532 according to the Web of Sciences'

225 Journal citation report (*Journal Citation Reports*, 2021). The total number of times an article
226 was cited is presented in Table 3. Citations on this table varies from 241 to 435.

227 Table 3 gives an idea of the readers' interest within this topic. For example, the most
228 cited article by Komárek et al. (2008) compiles studies regarding the contamination of vineyard
229 soil with organic and inorganic fungicides. It is followed by Wezel et al. (2014) where
230 agricultural practices are evaluated and compared. In this article, organic fertilization,
231 biological pest control, crop selection, reduce tillage and drip irrigation showed a high potential
232 for the future in agriculture. The third article by Štajnbaher et al. (2003) describes a
233 methodology to analyze different pesticides. The fourth article produced by Brun et al. (2001)
234 looks at the transfer of copper accumulation from soil to plants (specially the roots). Finally,
235 the last article by Giusquiani et al. (1995) in this table looks at the effect of soil amendments
236 on different parameters such as C, Cu and Pb. In this table, the main categories are
237 Environmental Science, Agronomy and Plant Sciences to mention a few.

238 3.5 Keyword Clusters

239 A total of six clusters were created. The clusters are presented in Figure 4, showing the
240 keywords associated to each cluster. To facilitate reading, only keywords that appear 16 times
241 or more are presented in the Figure. Due to cluster building parameters, not all publications
242 were included in these clusters. Each cluster is described below:

- 243 • Cluster 1(Soil-plant transfer of agrochemicals)

244 The main thematic present in this cluster is the effects of persistent compounds in a soil-
245 plant system. This cluster indeed contains words such as residue, sorption, dissipation, and
246 liquid chromatography.÷ These are all terms used to describe the behavior and transport of
247 persistent compounds from soil to plant as well as techniques like liquid chromatography used
248 to quantify such compounds. For exemple, Matei et al. (2015), and Vázquez-Vázquez et al.

249 (2016) look at the presence of heavy metals in a soil-plant interactions and the transport of
250 pollutants from soil to the plant. Another thematic of this cluster is the risk of exposure
251 associated with the transfer of persistent agrochemicals to the final product (wine or table
252 grapes). For instance, this topic regarding the risk of exposure is included in publications from
253 Wightwick et al. (2013a) or Guang-Guo et al (2000). For this cluster, China is affiliated to 62
254 publications and Spain is affiliated to 56 publications. The publications in this cluster account
255 for 20% of all the publications analyzed.

256 • Cluster 2 (Heavy metal accumulation in vineyard soils)

257 This cluster includes pollution and accumulation of heavy metals in soils, and ICP-MS
258 (Inductively coupled plasma - mass spectroscopy) as a technique for their analysis. The main
259 thematic here is soil inorganic pollution in vineyards due to heavy metals. This cluster focuses
260 on the occurrence of heavy metals and their persistence due to low degradation rates in vineyard
261 soils as described in Bălc et al. (2018). It also deals with the accumulation of copper in soil due
262 to the use of pesticides as highlighted by authors such as Wightwick et al. (2008) and Komárek
263 et al. (2008), and with the behavior of copper in soils (Blotevogel et al. 2018; Rusjan et al.
264 2007). Another theme discussed in this clusters is the bioavailability of heavy metals and more
265 precisely how bioavailability influences the toxicity and risk due to heavy metals (Mirlean et
266 al. 2007). The countries publishing the most articles here are Spain, Romania and France.
267 Publications in this cluster account for 19.8% of all the publications.

268 • Cluster 3 (Management practices in viticulture)

269 Cluster 3 includes keywords such as agrosiences. Contrary to the previous clusters,
270 here, a more global view at the agrosystem scale is considered. This cluster is related to the
271 practices and management within the field of viticulture for example weed control (Olmstead
272 et al. 2012). More importantly, this cluster deals with the response of the agroecosystem to

273 certain practices such as the application of copper-based pesticides (Brunetto et al. 2016), and
274 the effect of tillage and fertilizers on soil. This cluster also provides information about
275 alternative management techniques such as the use of amendments (Dobrei et al. 2016), and
276 how the use of amendments interacts with agrochemicals present in soil (Pinna et al. 2008).
277 Additionally, this cluster also looks at how alternative management techniques affect land with
278 authors such as Likar et al. (2015) and how to reduce the use of pesticides in viticulture
279 (Diaconu et al. 2017). Countries that had the higher number of articles were France, Spain, and
280 Italy. Publications in this cluster account for 12.6% of all the publications.

281 • Cluster 4 (Water pollution transport)

282 Keywords in this cluster include water, heavy metal, and trace element. The transfer and
283 diffusion of pollution from viticulture via water is described in this cluster. Water is the main
284 mode of transport of dissolved pollutants from soil particles as described by Oliveira et al.
285 (2015). Themes such as leaching of pesticides and heavy metals caused by rain (Meite et al.
286 2018), and downstream export of pollutants, such as copper, due to rainfall and runoff from
287 headwater watershed (Imfeld et al. 2020) are covered in this cluster. This cluster also looks at
288 the occurrence of pesticides in groundwater bodies because of pesticide use in viticulture
289 (Zambito Marsala et al. 2020; Suciu et al. 2020) as well as estimating ecotoxicity of pesticides
290 in freshwater using models such as Pest LCI 2.0 (Renaud-Gentié et al. 2015). In this cluster,
291 copper is listed as having the greatest toxicity potential for freshwater ecosystems (Peña et al.
292 2018). Here, the main publishing countries are France, Spain, and Italy. Publications in this
293 cluster account for 10.5% of all the publications.

294 • Cluster 5 (Effects of viticulture on the living part of soil)

295 Some of the keywords included in this cluster are toxicity and enzymatic activity. This
296 cluster covers different themes regarding the living part of soils in vineyards. The negative

297 effects of pesticides in soil resulting from viticulture as land use are described. Firstly, the
298 toxicity of different pesticides in soil is discussed in different articles for example Komárek et
299 al. (2010); and more precisely how the accumulation of pesticides, such as copper-based
300 fungicides, has an effect of soil's enzymatic activities (Fernández-Calviño et al. 2010;
301 Wightwick et al. 2013b). This clusters also includes the degradation of pesticides by soil
302 microbes (Hugo et al. 2014; Tykva et. al 1999). Additionally, this cluster lightly covers
303 ecotoxicological soil studies considering different soil invertebrates such as *Enchytraeus*
304 *aldibus* (Ruyters et al. 2013) and *Typhlodromus pyri* (Gadino et al. 2011). Finally, the effects
305 of different practices used in viticulture on soil microbes (Okur et al. 2009; Probst et al. 2008)
306 are also covered. Countries that published the most in this cluster are Brazil, France, and Spain.
307 Publications in this cluster account for 9.7% of all the publications.

308 • Cluster 6 (Sustainable alternatives to pesticides)

309 Keywords in this cluster include biological control and farming practices. Unlike cluster
310 3, this cluster describes alternatives that intend to make viticulture more sustainable, rather than
311 describing the management of vineyards, while focusing on alternatives to reduce pesticide use.
312 For example, it includes the use of i) more resistant vine varieties in order to manage fungal
313 infections (Pedneault et al. 2016), ii) cover crops to select beneficial arthropods while
314 decreasing antagonistic arthropods (Vogelweith et al. 2017), and lastly iii) amendment to
315 mitigate bioavailability of heavy metals (Cutillas-Barreiro et al. 2017). Moreover, the term
316 biocontrol is persistent within this cluster. Here, examples of biological control are either
317 considered in the form of microorganism such as *Bacillus ginsengihumi* (Calvo-Garrido et al.
318 2019), or of metabolites produced by microorganism (Billet et al. 2019; Zhihui et al. 2008).
319 This cluster has the least number of articles (it accounts for 7.6% of all the publications) and
320 France and Italy share the largest quantity of articles followed by Spain.

321 *Cluster distribution throughout Journals*

322 Currently, the published research on the topic of vineyards is evolving from techniques
323 and tools specific to agriculture to other objectives coming from different scientific domains of
324 environmental sciences. This can be appreciated by looking at the names of the journals that
325 publish articles within these clusters as presented in Figure 5. This Figure shows the top
326 publishing journals for each cluster. These journals also happened to be within the group of
327 journals that publish the most data on the selected topic (see Table 2). In here the journals with
328 the highest number of papers are those that published under the category of Environmental
329 Science, Agronomy, Biological Sciences to mention a few categories. These journals focus on
330 interdisciplinary sciences, such as Environmental Sciences, meaning they all publish in
331 interdisciplinary categories. For example, the Journal of Agricultural and Food chemistry
332 published within categories such as Agriculture, Applied Science and Food Science and
333 Technology.

334 *Geographical distribution of clusters*

335 The number of publications linked to a particular cluster is heterogenous. Publications
336 in clusters 1, 2 and 3 account for approximately 54% of all publications of this database.
337 Geographical distribution varies amongst clusters There is a large involvement of France,
338 Spain, and Italy in each cluster.

339 In cluster 1, France, Spain and Italy have participated in 46 % of the publications e.g. a
340 publication by Andrades et al. (2001), regarding the importance of soil properties in fungicide
341 mobility in vineyard soil, where Spain is the country of affiliation. For cluster 2, France, Spain
342 and Italy participated in 42% of the publications regarding the accumulation of pollutants in
343 soil e.g. Blotevogel et al. (2018) describing the fate of copper in vineyard soils. In this article
344 France is a contributing country. For cluster 3, Spain, France and Italy participated in 42% of
345 the publications. For example, the article from an Italian team, Pinna et al. (2008), described
346 the effect of practices in vineyards such as the use of amendments in an article.

347 When it comes to the other three clusters 4, 5 and 6, explaining the effects of viticulture,
348 these three countries have an even larger representation compared to other countries. These
349 three clusters account for a total of 27% of all the literature. In cluster 4, regarding the transfer
350 of pollution to water resources, these countries have contributed to approximately 42% of the
351 publications (for instance Italy with publications such as Suciu et al. 2020). In cluster 5
352 regarding the effects of these practices in soil microorganisms, these countries have contributed
353 to approximately 44% of the publications, e.g. Spain with the publication from Fernández-
354 Calviño et al. (2010) where the co-authors look at soil enzymatic activities to assess the
355 damages linked to the use of copper based fungicides. It is important to note that, particularly
356 for this cluster regarding ecotoxicity, most of the studies dealt with the effects of pollutants at
357 a molecular level (for example enzymatic activities) or using ecotoxicological models, while
358 studies assessing toxic effects on soil invertebrates are few. Finally in cluster 6, regarding
359 sustainable alternatives to pesticides, these countries (Spain, France, and Italy) participated in
360 at least 46% of the publications e.g. a publication from Calvo-Garrido et al. (2019), discussing
361 biocontrol against phytopathogens based on microbial antagonisms. Geographical
362 heterogeneity of the clusters indicates there is a consensus on the fact that there are high
363 pollutant concentrations in soil-plant systems as a product of conventional practices in
364 viticulture. The three main producers of wine, France, Spain and Italy are extensively present
365 in the thematics from clusters 4, 5 and 6 while other countries, such as China and Romania,
366 focus more on the present state of pollution, themes cover in clusters 1-3.

367 *Cluster evolution over time*

368 Figure 6 shows the evolution of clusters over time from 1990-2020. Increase in
369 publications for each cluster seems to double every four years. Cluster 1 and Cluster 2 had the
370 greater increase between years 2005-2009, suggesting that researchers focused on the
371 interactions between soil and plant since these clusters focus on the fate of pollutants in soil and

372 final products (i.e. wine and grapes). It was around this time that legislation started to regulate
373 agricultural practices that have a negative effect on soil. Clusters 3 and 4 have had an increase
374 since the period 2000-2004. This concerns management of viticulture as well as transfer of
375 pollution. During this time (2000-2004), the increase in cluster 5 was stronger. However, in
376 the time frame between 2015-2020, there was a drastic increment in articles for cluster 3 (Figure
377 6) and it is during this time period (2018), that the use of copper was restricted to 28kg/ha of
378 copper in a time frame of 7 years by the European Commission Regulation (EU) 2018/1981.
379 The decision making for this legislation could have been based on themes included in clusters
380 1, 2 and 4 since most legislation regarding environmental issues is based on scientific facts (Liu
381 et al. 2008). For cluster 6, the number of articles was not high until 2009, when European
382 legislation started to watch the concentrations of some pesticides. As seen in Figure 6, topics
383 regarding ecotoxicity and sustainability (clusters 4, 5, 6) have been on the rise. One example of
384 this change in trend is showed in the article by Droz et al. (2021), looking at the transport of
385 copper in soil as well as modeling of copper concentrations in soil.

386 **3. CONCLUSION**

387 In the last couple of years, publications regarding the effects of viticulture on the
388 environment have been on the rise, proving there is an increasing interest about the relationship
389 between the use of pesticides and soil health. The present bibliometric investigation from 1990
390 to 2020 on the conventional practices in viticulture that focuses on pesticides shows an increase
391 in publications overtime since 1990.

392 France, Spain and Italy were responsible for 15% of the total wine production globally
393 and of the production of 37% of all publication during period 2014-2018. This bibliometric
394 analysis puts the European Union as one of the leaders of research on this topic. The strong
395 European presence throughout this topic indicated the important economic, social, and political
396 influences besides the scientific and agricultural perspective. Since many European countries
397 have an ancient wine culture, viticulture has a vital socio-economical role in these countries.
398 However, co-authors' country of affiliation is not a proper indicator of geographical distribution
399 of literature since authors tend to collaborate more with peers within the same geographical
400 location.

401 The creation of keywords clusters allowed the observation of main research themes and
402 there is heterogeneous geographical distribution of a publication's country of affiliation in each
403 cluster. The two major themes were the presence of pesticides in a soil-plant systems and the
404 accumulation of pesticides in vineyard soils. The adverse effects of current agricultural
405 practices in viticulture have been extensively studied. However, there is a lack of
406 ecotoxicological studies targeting the effects of pesticides in macro or mesofauna communities
407 of the soil. Themes regarding ecotoxicity and sustainable alternative to pesticides are the least
408 developed.

409 **REFERENCES**

- 410 Al Nasir, F. M., Jiries, A. G., Batarseh, M. I., & Beese, F. (2001). Pesticides and trace metals
411 residue in grape and home made wine in Jordan. *Environmental Monitoring and*
412 *Assessment*, 66(3), 253–263. <https://doi.org/10.1023/A:1006356101118>
- 413 Almeida, C. M. R., & Vasconcelos, M. T. S. D. (2003). Multi element composition of wines
414 and their precursors including provenance soil and their potentialities as fingerprints of
415 wine origin. *Journal of Agricultural and Food Chemistry*, 51(16), 4788–4798.
416 <https://doi.org/10.1021/jf034145b>
- 417 Althouse, B. M., West, J. D., Bergstrom, C. T., & Bergstrom, T. (2009). Differences in impact
418 factor across fields and over time. *Journal of the American Society for Information*
419 *Science and Technology*, 60(1), 27–34. <https://doi.org/10.1002/asi.20936>
- 420 Andrades, M. S., Sánchez-Martín, M. J., & Sánchez-Camazano, M. (2001). Significance of Soil
421 properties in the adsorption and mobility of the fungicide metalaxyl in vineyard soils.
422 *Journal of Agricultural and Food Chemistry*, 49(5), 2363–2369.
423 <https://doi.org/10.1021/jf001233c>
- 424 Aryal, J. P., Sapkota, T. B., Khurana, R., Khatri-Chhetri, A., Rahut, D. B., & Jat, M. L. (2020).
425 Climate change and agriculture in South Asia: Adaptation options in smallholder
426 production systems. *Environment, Development and Sustainability*, 22(6), 5045–5075.
427 <https://doi.org/10.1007/s10668-019-00414-4>
- 428 Bălc, R., Tămaș, T., Popita, G.-E., Vasile, G., Bratu, M., Gligor, D., & Moldovan, C. (2018).
429 Assessment of chemical elements in soil, grapes and wine from two representative
430 vineyards in Romania. *Carpathian Journal of Earth and Environmental Sciences*, 13.
431 <https://doi.org/10.26471/cjees/2018/013/037>
- 432 Ballabio, C., Panagos, P., Lugato, E., Huang, J. H., Orgiazzi, A., Jones, A., Fernández-Ugalde,
433 O., Borrelli, P., & Montanarella, L. (2018). Copper distribution in European topsoils:

434 An assessment based on LUCAS soil survey. *Science of the Total Environment*, 636,
435 282–298. <https://doi.org/10.1016/j.scitotenv.2018.04.268>

436 Billet, K., Delanoue, G., Arnault, I., Besseau, S., Oudin, A., Courdavault, V., Marchand, P. A.,
437 Giglioli-Guivarc'h, N., Guérin, L., & Lanoue, A. (2019). Vineyard evaluation of
438 stilbenoid-rich grape cane extracts against downy mildew: A large-scale study. *Pest*
439 *Management Science*, 75(5), 1252–1257. <https://doi.org/10.1002/ps.5237>

440 Blotevogel, S., Oliva, P., Sobanska, S., Viers, J., Vezin, H., Audry, S., Prunier, J., Darrozes, J.,
441 Orgogozo, L., Courjault-Radé, P., & Schreck, E. (2018). The fate of Cu pesticides in
442 vineyard soils: A case study using $\delta^{65}\text{Cu}$ isotope ratios and EPR analysis. *Chemical*
443 *Geology*, 477, 35–46. <https://doi.org/10.1016/j.chemgeo.2017.11.032>

444 Brun, L. A., Maillet, J., Hinsinger, P., & Pépin, M. (2001). Evaluation of copper availability to
445 plants in copper-contaminated vineyard soils. *Environmental Pollution*, 111(2), 293–
446 302. [https://doi.org/10.1016/S0269-7491\(00\)00067-1](https://doi.org/10.1016/S0269-7491(00)00067-1)

447 Brunetto, G., Bastos de Melo, G. W., Terzano, R., Del Buono, D., Astolfi, S., Tomasi, N., Pii,
448 Y., Mimmo, T., & Cesco, S. (2016). Copper accumulation in vineyard soils:
449 Rhizosphere processes and agronomic practices to limit its toxicity. *Chemosphere*, 162,
450 293–307. <https://doi.org/10.1016/j.chemosphere.2016.07.104>

451 Calvo-Garrido, C., Roudet, J., Aveline, N., Davidou, L., Dupin, S., & Fermaud, M. (2019).
452 Microbial Antagonism Toward Botrytis Bunch Rot of Grapes in Multiple Field Tests
453 Using One *Bacillus ginsengihumi* Strain and Formulated Biological Control Products.
454 *Frontiers in Plant Science*, 10, 105. <https://doi.org/10.3389/fpls.2019.00105>

455 Campbell, S. E., Brannen, P. M., Scherm, H., Eason, N., & MacAllister, C. (2021). Efficacy of
456 fungicide treatments for *Plasmopara viticola* control and occurrence of strobilurin field
457 resistance in vineyards in Georgia, USA. *Crop Protection*, 139(May 2020), 105371.
458 <https://doi.org/10.1016/j.cropro.2020.105371>

459 Campillo-Cora, C., Fernández-Calviño, D., Pérez-Rodríguez, P., Fernández-Sanjurjo, M. J.,
460 Núñez-Delgado, A., Álvarez-Rodríguez, E., Arias-Estévez, M., & Nóvoa-Muñoz, J. C.
461 (2019). Copper and zinc in rhizospheric soil of wild plants growing in long-term acid
462 vineyard soils. Insights on availability and metal remediation. *Science of the Total*
463 *Environment*, 672, 389–399. <https://doi.org/10.1016/j.scitotenv.2019.03.301>

464 Curl, C. L., Spivak, M., Phinney, R., & Montrose, L. (2020). Synthetic pesticides and health in
465 vulnerable populations: Agricultural Workers. *Current Environmental Health Reports*,
466 7(1), 13–29. <https://doi.org/10.1007/s40572-020-00266-5>

467 Cutillas-Barreiro, L., Fernández-Calviño, D., Núñez-Delgado, A., Fernández-Sanjurjo, M. J.,
468 Álvarez-Rodríguez, E., Nóvoa-Muñoz, J. C., & Arias-Estévez, M. (2017). Pine bark
469 amendment to promote sustainability in Cu-polluted acid soils: effects on *Lolium*
470 *perenne* growth and Cu uptake. *Water, Air, & Soil Pollution*, 228(7), 260.
471 <https://doi.org/10.1007/s11270-017-3437-y>

472 Deluisa, A., Giandon, P., Aichner, M., Bortolami, P., Bruna, L., Lupetti, A., Nardelli, F., &
473 Stringari, G. (1996). Copper pollution in Italian vineyard soils. *Communications in Soil*
474 *Science and Plant Analysis*, 27(5–8), 1537–1548.
475 <https://doi.org/10.1080/00103629609369651>

476 Destoumieux-Garzón, D., Mavingui, P., Boetsch, G., Boissier, J., Darriet, F., Duboz, P., Fritsch,
477 C., Giraudoux, P., Le Roux, F., Morand, S., Paillard, C., Pontier, D., Sueur, C., &
478 Voituron, Y. (2018). The One Health concept: 10 years old and a long road ahead.
479 *Frontiers in Veterinary Science*, 5, 14. <https://doi.org/10.3389/fvets.2018.00014>

480 Diaconu, A., Țenu, I., Roșca, R., & Cârlescu, P. (2017). Researches regarding the reduction of
481 pesticide soil pollution in vineyards. *Process Safety and Environmental Protection*, 108,
482 135–143. <https://doi.org/10.1016/j.psep.2016.09.016>

483 Dobrei, A., Dobrei, A., Nistor, E., Dorin, C., & Sala, F. (2016). Improvement of soil physical
484 and chemical properties with green manure for healthy vine and wine by-products. 16th
485 International Multidisciplinary Scientific Geoconference (SGEM 2016), Albena,
486 Bulgaria. <https://sgem.org/sgemlib/spip.php?article7755>

487 Dong, F., Chen, X., Liu, X., Xu, J., Li, Y., Shan, W., & Zheng, Y. (2012). Simultaneous
488 determination of five pyrazole fungicides in cereals, vegetables and fruits using liquid
489 chromatography/tandem mass spectrometry. *Journal of Chromatography A*, 1262, 98–
490 106. <https://doi.org/10.1016/j.chroma.2012.08.100>

491 Droz, B., Payraudeau, S., Rodríguez Martín, J. A., Tóth, G., Panagos, P., Montanarella, L.,
492 Borrelli, P., & Imfeld, G. (2021). Copper content and export in European vineyard soils
493 influenced by climate and soil properties. *Environmental Science & Technology*,
494 55(11), 7327–7334. <https://doi.org/10.1021/acs.est.0c02093>

495 Ellegaard, O., & Wallin, J. A. (2015). The bibliometric analysis of scholarly production: how
496 great is the impact? *Scientometrics*, 105(3), 1809–1831.
497 <https://doi.org/10.1007/s11192-015-1645-z>

498 European Commission (EC), 2009, Regulation No.1107/2009 of the European Parliament and
499 the council of 21 October 2009 concerning the placing of plant protection products on
500 the market and repealing Council Directives 79/117/EEC and 91/414/EEC.

501 European Commission (EC),2018 Regulation (EU) 2018/1981 of 13 December 2018
502 renewing the approval of the active substances copper compounds, as candidates for
503 substitution, in accordance with Regulation (EC) No 1107/2009 of the European
504 Parliament and of the Council concerning the placing of plant protection products on
505 the market, and amending the Annex to Commission Implementing Regulation (EU) No
506 540/201

507 Fan, J., He, Z., Ma, L. Q., & Stoffella, P. J. (2011). Accumulation and availability of copper in
508 citrus grove soils as affected by fungicide application. *Journal of Soils and Sediments*,
509 11(4), 639–648. <https://doi.org/10.1007/s11368-011-0349-0>

510 Fernández-Calviño, D., Nóvoa-Muñoz, J. C., Díaz-Raviña, M., & Arias-Estévez, M. (2009).
511 Copper accumulation and fractionation in vineyard soils from temperate humid zone
512 (NW Iberian Peninsula). *Geoderma*, 153(1–2), 119–129.
513 <https://doi.org/10.1016/j.geoderma.2009.07.024>

514 Fernández-Calviño, D., Soler-Rovira, P., Polo, A., Díaz-Raviña, M., Arias-Estévez, M., &
515 Plaza, C. (2010). Enzyme activities in vineyard soils long-term treated with copper-
516 based fungicides. *Soil Biology and Biochemistry*, 42(12), 2119–2127.
517 <https://doi.org/10.1016/j.soilbio.2010.08.007>

518 Fraga, H., Malheiro, A. C., Moutinho-Pereira, J., & Santos, J. A. (2012). An overview of
519 climate change impacts on European viticulture. *Food and Energy Security*, 1(2), 94–
520 110. <https://doi.org/10.1002/fes3.14>

521 Gadino, A. N., Walton, V. M., & Dreves, A. J. (2011). Impact of vineyard pesticides on a
522 beneficial arthropod, *Typhlodromus pyri* (Acari: Phytoseiidae), in laboratory bioassays.
523 *Journal of Economic Entomology*, 104(3), 970–977. <https://doi.org/10.1603/EC10330>

524 Garfield, E. (2006). The history and meaning of the journal impact factor. *JAMA*, 295(1), 90.
525 <https://doi.org/10.1001/jama.295.1.90>

526 Garini, C. S., Vanwindekens, F., Scholberg, J. M. S., Wezel, A., & Groot, J. C. J. (2017).
527 Drivers of adoption of agroecological practices for winegrowers and influence from
528 policies in the province of Trento, Italy. *Land Use Policy*, 68(August), 200–211.
529 <https://doi.org/10.1016/j.landusepol.2017.07.048>

530 Giusquiani, P. L., Pagliai, M., Gigliotti, G., Businelli, D., & Benetti, A. (1995). Urban waste
531 compost: effects on physical, chemical, and biochemical soil properties. *Journal of*

532 Environmental Quality, 24(1), 175–182.
533 <https://doi.org/10.2134/jeq1995.00472425002400010024x>

534 Guang-Guo, Y., & Williams, B. (2000). Dissipation of herbicides in soil and grapes in a South
535 Australian vineyard—ScienceDirect. *Agriculture, Ecosystems & Environment*, 78(3).
536 <https://www-sciencedirect-com.lama.univ->
537 [amu.fr/science/article/pii/S0167880999001279?via%3Dihub](https://www-sciencedirect-com.lama.univ-amu.fr/science/article/pii/S0167880999001279?via%3Dihub)

538 Herrero-Hernández, E., Andrades, M. S., Marín-Benito, J. M., Sánchez-Martín, M. J., &
539 Rodríguez-Cruz, M. S. (2011). Field-scale dissipation of tebuconazole in a vineyard soil
540 amended with spent mushroom substrate and its potential environmental impact.
541 *Ecotoxicology and Environmental Safety*, 74(6), 1480–1488.
542 <https://doi.org/10.1016/j.ecoenv.2011.04.023>

543 Hindersmann, I., & Mansfeldt, T. (2014). Trace element solubility in a multimetal-
544 contaminated soil as affected by redox conditions. *Water, Air, & Soil Pollution*,
545 225(10), 2158. <https://doi.org/10.1007/s11270-014-2158-8>

546 Hugo, H., Mouton, C., & Malan, A. (2014). Accelerated microbial degradation of nematicides
547 in vineyard and orchard soils. *South African Journal of Enology and Viticulture*, 35,
548 157–167. <https://doi.org/10.21548/35-1-998>

549 Imfeld, G., Meite, F., Wiegert, C., Guyot, B., Masbou, J., & Payraudeau, S. (2020). Do rainfall
550 characteristics affect the export of copper, zinc and synthetic pesticides in surface runoff
551 from headwater catchments? *Science of The Total Environment*, 741, 140437.
552 <https://doi.org/10.1016/j.scitotenv.2020.140437>

553 IPCC. (2021). Summary for Policymakers. In: *Climate Change 2021: The Physical Science*
554 *Basis. Contribution of Working Group I to the Sixth Assessment Report of the*
555 *Intergovernmental Panel on Climate Change.*

556 [https://www.ipcc.ch/report/ar6/wg1/downloads/report/IPCC_AR6_WGI_Full_Report.](https://www.ipcc.ch/report/ar6/wg1/downloads/report/IPCC_AR6_WGI_Full_Report.pdf)
557 pdf

558 Jackson, R. (2016). Viticulture. Reference Module in Food Science, 1–14.
559 <https://doi.org/10.1016/b978-0-08-100596-5.02871-7>

560 Jacobson, A. R., Dousset, S., Guichard, N., Baveye, P., & Andreux, F. (2005). Diuron mobility
561 through vineyard soils contaminated with copper. *Environmental Pollution*, 138(2),
562 250–259. <https://doi.org/10.1016/j.envpol.2005.04.004>

563 Journal Citation Reports. (2021). [https://jcr-clarivate-com.lama.univ-](https://jcr-clarivate-com.lama.univ-amu.fr/jcr/home?app=jcr&referrer=target%3Dhttps%3A%2F%2Fjcr-clarivate-com.lama.univ-amu.fr%2Fjcr%2Fhome&Init=Yes&authCode=null&SrcApp=IC2LS)
564 [amu.fr/jcr/home?app=jcr&referrer=target%3Dhttps%3A%2F%2Fjcr-clarivate-](https://jcr-clarivate-com.lama.univ-amu.fr%2Fjcr%2Fhome&Init=Yes&authCode=null&SrcApp=IC2LS)
565 [com.lama.univ-amu.fr%2Fjcr%2Fhome&Init=Yes&authCode=null&SrcApp=IC2LS](https://jcr-clarivate-com.lama.univ-amu.fr%2Fjcr%2Fhome&Init=Yes&authCode=null&SrcApp=IC2LS)

566 Komárek, M., Čadková, E., Chrástný, V., Bordas, F., & Bollinger, J.-C. (2010). Contamination
567 of vineyard soils with fungicides: A review of environmental and toxicological aspects.
568 *Environment International*, 36(1), 138–151.
569 <https://doi.org/10.1016/j.envint.2009.10.005>

570 Komárek, M., Száková, J., Rohošková, M., Javorská, H., Chrástný, V., & Balík, J. (2008).
571 Copper contamination of vineyard soils from small wine producers: A case study from
572 the Czech Republic. *Geoderma*, 147(1–2), 16–22.
573 <https://doi.org/10.1016/j.geoderma.2008.07.001>

574 Likar, M., Vogel-Mikuš, K., Potisek, M., Hančević, K., Radić, T., Nečemer, M., & Regvar, M.
575 (2015). Importance of soil and vineyard management in the determination of grapevine
576 mineral composition. *Science of The Total Environment*, 505, 724–731.
577 <https://doi.org/10.1016/j.scitotenv.2014.10.057>

578 Liu, H., Wang, Y., Huang, W., & Lei, M. (2016). Response of wine grape growth, development
579 and the transfer of copper, lead, and cadmium in soil-fruit system to sludge compost

580 amendment. *Environmental Science and Pollution Research*, 23(23), 24230–24236.
581 <https://doi.org/10.1007/s11356-016-7676-z>

582 Liu, Y., Gupta, H., Springer, E., & Wagener, T. (2008). Linking science with environmental
583 decision making: Experiences from an integrated modeling approach to supporting
584 sustainable water resources management. *Environmental Modelling & Software*, 23(7),
585 846–858. <https://doi.org/10.1016/j.envsoft.2007.10.007>

586 Mackie, K. A., Müller, T., Zikeli, S., & Kandeler, E. (2013). Long-term copper application in
587 an organic vineyard modifies spatial distribution of soil micro-organisms. *Soil Biology
588 and Biochemistry*, 65, 245–253. <https://doi.org/10.1016/j.soilbio.2013.06.003>

589 Malechaux, A., Le Dréau, Y., Artaud, J., & Dupuy, N. (2020). Exploring the scientific interest
590 for olive oil origin: a bibliometric study from 1991 to 2018. *Foods*, 9, 556.
591 <https://doi.org/10.3390/foods9050556>

592 Marín, D., Armengol, J., Carbonell-Bejerano, P., Escalona, J. M., Gramaje, D., Hernández-
593 Montes, E., Intrigliolo, D. S., Martínez-Zapater, J. M., Medrano, H., Mirás-Avalos, J.
594 M., Palomares-Rius, J. E., Romero-Azorín, P., Savé, R., Santesteban, L. G., & de
595 Herralde, F. (2021). Challenges of viticulture adaptation to global change: Tackling the
596 issue from the roots. *Australian Journal of Grape and Wine Research*, 27(1), 8–25.
597 <https://doi.org/10.1111/ajgw.12463>

598 Matei, N., Popescu, A., Radu, G.-L., Artem, V., & Pavalache, G. (2015). Cadmium and lead
599 occurrence in soil and grape from Murfatlar vineyard. *Ovidius University Annals of
600 Chemistry*, 26(1), 37–40. <https://doi.org/10.1515/auoc-2015-0007>

601 Meena, R. S., Kumar, S., Datta, R., Lal, R., Vijayakumar, V., Brtnicky, M., Sharma, M. P.,
602 Yadav, G. S., Jhariya, M. K., Jangir, C. K., Pathan, S. I., Dokulilova, T., Pecina, V., &
603 Marfo, T. D. (2020). Impact of agrochemicals on soil microbiota and management: A
604 review. *Land*, 9(2). <https://doi.org/10.3390/land9020034>

605 Meite, F., Alvarez-Zaldívar, P., Crochet, A., Wiegert, C., Payraudeau, S., & Imfeld, G. (2018).
606 Impact of rainfall patterns and frequency on the export of pesticides and heavy-metals
607 from agricultural soils. *Science of The Total Environment*, 616–617, 500–509.
608 <https://doi.org/10.1016/j.scitotenv.2017.10.297>

609 Miotto, A., Ceretta, C. A., Brunetto, G., Nicoloso, F. T., Giroto, E., Farias, J. G., Tiecher, T.
610 L., De Conti, L., & Trentin, G. (2014). Copper uptake, accumulation and physiological
611 changes in adult grapevines in response to excess copper in soil. *Plant and Soil*, 374(1–
612 2), 593–610. <https://doi.org/10.1007/s11104-013-1886-7>

613 Mirlean, N., Roisenberg, A., & Chies, J. O. (2007). Metal contamination of vineyard soils in
614 wet subtropics (southern Brazil). *Environmental Pollution*, 149(1), 10–17.
615 <https://doi.org/10.1016/j.envpol.2006.12.024>

616 Monaci, E., Coppola, L., Casucci, C., & Vischetti, C. (2011). Losses and dissipation of
617 penconazole in vineyard soil as affected by mid-row management system. *Journal of*
618 *Environmental Science and Health. Part. B, Pesticides, Food Contaminants, and*
619 *Agricultural Wastes*, 46, 461–468. <https://doi.org/10.1080/03601234.2011.583844>

620 Moneyron, A., Lallemand, J. F., Schmitt, C., Perrin, M., Soustre-Gacougnolle, I., & Masson, J.
621 E. (2017). Linking the knowledge and reasoning of dissenting actors fosters a bottom-
622 up design of agroecological viticulture. *Agronomy for Sustainable Development*, 37(5).
623 <https://doi.org/10.1007/s13593-017-0449-3>

624 Nogueirol, R. C., Alleoni, L. R. F., Nachtigall, G. R., & de Melo, G. W. (2010). Sequential
625 extraction and availability of copper in Cu fungicide-amended vineyard soils from
626 Southern Brazil. *Journal of Hazardous Materials*, 181(1), 931–937.
627 <https://doi.org/10.1016/j.jhazmat.2010.05.102>

628 OIV. (2019). 2019 Statistical Report on World Vitiviniculture. *2019 Statistical Report on World*
629 *Vitiviniculture*, 23.

- 630 Okur, N., Altindişli, A., Çengel, M., Göçmez, S., & Kayıkçioğlu, H. H. (2009).
631 Microbial biomass and enzyme activity in vineyard soils under organic and conventional
632 farming systems. *Turk Tarim ve Ormancilik Dergisi/Turkish Journal of Agriculture and*
633 *Forestry* 33(4)
- 634 Oliveira, V. de S., Lima, A. M. N., Salviano, A. M., Bassoi, L. H., & Pereira, G. E. (2015).
635 Heavy metals and micronutrients in the soil and grapevine under different irrigation
636 strategies. *Brazilian society of soil science*, 39, 162–173.
637 <https://doi.org/10.1590/01000683rbc20150284>
- 638 Olmstead, M., Miller, T. W., Bolton, C. S., & Miles, C. A. (2012). Weed control in a newly
639 established organic vineyard. *HortTechnology*, 22(6), 757–765.
640 <https://doi.org/10.21273/HORTTECH.22.6.757>
- 641 Pedneault, K., & Provost, C. (2016). Fungus resistant grape varieties as a suitable alternative
642 for organic wine production: Benefits, limits, and challenges. *Scientia Horticulturae*,
643 208, 57–77. <https://doi.org/10.1016/j.scienta.2016.03.016>
- 644 Peña, N., Antón, A., Kamilaris, A., & Fantke, P. (2018). Modeling ecotoxicity impacts in
645 vineyard production: Addressing spatial differentiation for copper fungicides. *Science*
646 *of The Total Environment*, 616–617, 796–804.
647 <https://doi.org/10.1016/j.scitotenv.2017.10.243>
- 648 Pietrzak, U., & McPhail, D. C. (2004). Copper accumulation, distribution and fractionation in
649 vineyard soils of Victoria, Australia. *Geoderma*, 122(2-4 SPEC. IIS.), 151–166.
650 <https://doi.org/10.1016/j.geoderma.2004.01.005>
- 651 Pinna, M. V., Budroni, M., Farris, G. A., & Pusino, A. (2008). Fenhexamid Adsorption
652 Behavior on Soil Amended with Wine Lees. *Journal of Agricultural and Food*
653 *Chemistry*, 56(22), 10824–10828. <https://doi.org/10.1021/jf802377y>

- 654 Pose-Juan, E., Sánchez-Martín, M. J., Andrades, M. S., Rodríguez-Cruz, M. S., & Herrero-
655 Hernández, E. (2015). Pesticide residues in vineyard soils from Spain: Spatial and
656 temporal distributions. *Science of The Total Environment*, *514*, 351–358.
657 <https://doi.org/10.1016/j.scitotenv.2015.01.076>
- 658 Probst, B., Schüler, C., & Joergensen, R. G. (2008). Vineyard soils under organic and
659 conventional management—Microbial biomass and activity indices and their relation to
660 soil chemical properties. *Biology and Fertility of Soils*, *44*(3), 443–450.
661 <https://doi.org/10.1007/s00374-007-0225-7>
- 662 Prosdocimi, M., Cerdà, A., & Tarolli, P. (2016). Soil water erosion on Mediterranean vineyards:
663 A review. *Catena*, *141*, 1–21. <https://doi.org/10.1016/j.catena.2016.02.010>
- 664 Renaud-Gentié, C., Dijkman, T. J., Bjørn, A., & Birkved, M. (2015). Pesticide emission
665 modelling and freshwater ecotoxicity assessment for Grapevine LCA: Adaptation of
666 PestLCI 2.0 to viticulture. *The International Journal of Life Cycle Assessment*, *20*(11),
667 1528–1543. <https://doi.org/10.1007/s11367-015-0949-9>
- 668 Rusjan, D., Strlič, M., Pucko, D., & Korošec-Koruza, Z. (2007). Copper accumulation
669 regarding the soil characteristics in Sub-Mediterranean vineyards of Slovenia.
670 *Geoderma*, *141*(1–2), 111–118. <https://doi.org/10.1016/j.geoderma.2007.05.007>
- 671 Ruyters, S., Salaets, P., Oorts, K., & Smolders, E. (2013). Copper toxicity in soils under
672 established vineyards in Europe: A survey. *Science of the Total Environment*, *443*, 470–
673 477. <https://doi.org/10.1016/j.scitotenv.2012.11.001>
- 674 Sánchez-Martín, M., Andrades, M., & Sánchez-Camazano, M. (2000). Soil properties
675 influencing the adsorption and mobility of penconazole in vineyard soils. *Soil Science*,
676 *165*, 951–960. <https://doi.org/10.1097/00010694-200012000-00005>
- 677 Santos, J. A., Fraga, H., Malheiro, A. C., Moutinho-Pereira, J., Dinis, L. T., Correia, C.,
678 Moriondo, M., Leolini, L., Dibari, C., Costafreda-Aumedes, S., Kartschall, T., Menz,

679 C., Molitor, D., Junk, J., Beyer, M., & Schultz, H. R. (2020). A review of the potential
680 climate change impacts and adaptation options for European viticulture. *Applied*
681 *Sciences (Switzerland)*, 10(9), 1–28. <https://doi.org/10.3390/app10093092>

682 Schreck, E., Geret, F., Gontier, L., & Treilhou, M. (2008). Neurotoxic effect and metabolic
683 responses induced by a mixture of six pesticides on the earthworm *Aporrectodea*
684 *caliginosa nocturna*. *Chemosphere*, 71(10), 1832–1839.
685 <https://doi.org/10.1016/j.chemosphere.2008.02.003>

686 Semhi, K., Duplay, J., Imfeld, G., & Boutin, R. (2018). Chemical effect of pesticide application
687 on soils: Evidence from rare earth elements. *Arabian Journal of Geosciences*, 11(19),
688 590. <https://doi.org/10.1007/s12517-018-3925-4>

689 Serpa, D., Nunes, J. P., Keizer, J. J., & Abrantes, N. (2017). Impacts of climate and land use
690 changes on the water quality of a small Mediterranean catchment with intensive
691 viticulture. *Environmental Pollution*, 224, 454–465.
692 <https://doi.org/10.1016/j.envpol.2017.02.026>

693 Sonoda, K., Hashimoto, Y., Wang, S. L., & Ban, T. (2019). Copper and zinc in vineyard and
694 orchard soils at millimeter vertical resolution. *Science of the Total Environment*, 689,
695 958–962. <https://doi.org/10.1016/j.scitotenv.2019.06.486>

696 Štajnbaher, D., & Zupančič-Kralj, L. (2003). Multiresidue method for determination of 90
697 pesticides in fresh fruits and vegetables using solid-phase extraction and gas
698 chromatography-mass spectrometry. *Journal of Chromatography A*, 1015(1–2), 185–
699 198. [https://doi.org/10.1016/S0021-9673\(03\)01211-1](https://doi.org/10.1016/S0021-9673(03)01211-1)

700 Subramanyam, K. (1983). Bibliometric studies of research collaboration: A review. *Journal of*
701 *Information Science*, 6(1), 33–38. <https://doi.org/10.1177/016555158300600105>

702 Suci, N., Farolfi, C., Zambito Marsala, R., Russo, E., De Crema, M., Peroncini, E., Tomei, F.,
703 Antolini, G., Marcaccio, M., Marletto, V., Colla, R., Gallo, A., & Capri, E. (2020).

704 Evaluation of groundwater contamination sources by plant protection products in hilly
705 vineyards of Northern Italy. *Science of The Total Environment*, 749, 141495.
706 <https://doi.org/10.1016/j.scitotenv.2020.141495>

707 Sun, X., Ma, T., Yu, J., Huang, W., Fang, Y., & Zhan, J. (2018). Investigation of the copper
708 contents in vineyard soil, grape must and wine and the relationship among them in the
709 Huaizhuo Basin Region, China: A preliminary study. *Food Chemistry*, 241(August
710 2017), 40–50. <https://doi.org/10.1016/j.foodchem.2017.08.074>

711 Tiecher, T. L., Ceretta, C. A., Tiecher, T., Ferreira, P. A. A., Nicoloso, F. T., Soriani, H. H.,
712 Rossato, L. V., Mimmo, T., Cesco, S., Lourenzi, C. R., Giachini, A. J., & Brunetto, G.
713 (2016). Effects of zinc addition to a copper-contaminated vineyard soil on sorption of
714 Zn by soil and plant physiological responses. *Ecotoxicology and Environmental Safety*,
715 129, 109–119. <https://doi.org/10.1016/j.ecoenv.2016.03.016>

716 Tykva, R., & Morais, C. (1999). Metalaxyl biodegradation by bacterial and mold isolates from
717 Portuguese vineyard soils. *Human and Environmental Exposure to Xenobiotics*
718 *Proceedings of the XI Symposium Pesticide Chemistry*, Cremona, Italy, 11-15
719 September, 1999, 457–462.

720 Vázquez Vázquez, F. A., Pérez Cid, B., & Río Segade, S. (2016). Assessment of metal
721 bioavailability in the vineyard soil-grapevine system using different extraction methods.
722 *Food Chemistry*, 208, 199–208. <https://doi.org/10.1016/j.foodchem.2016.04.005>

723 Vogelweith, F., & Thiéry, D. (2017). Cover crop differentially affects arthropods, but not
724 diseases, occurring on grape leaves in vineyards. *Australian Journal of Grape and Wine*
725 *Research*, 23(3), 426–431. <https://doi.org/10.1111/ajgw.12290>

726 Wezel, A., Casagrande, M., Celette, F., Vian, J. F., Ferrer, A., & Peigné, J. (2014).
727 Agroecological practices for sustainable agriculture. A review. *Agronomy for*
728 *Sustainable Development*, 34(1), 1–20. <https://doi.org/10.1007/s13593-013-0180-7>

729 Wightwick, A. M., Mollah, M. R., Partington, D. L., & Allinson, G. (2008). Copper fungicide
730 residues in Australian vineyard soils. *Journal of Agricultural and Food Chemistry*,
731 56(7), 2457–2464. <https://doi.org/10.1021/jf0727950>

732 Wightwick, A. M., Reichman, S. M., Menzies, N. W., & Allinson, G. (2013a). Industry wide
733 risk assessment: a case study of Cu in Australian vineyard soils. *Water, Air, & Soil*
734 *Pollution*, 224(12), 1702. <https://doi.org/10.1007/s11270-013-1702-2>

735 Wightwick, A. M., Salzman, S. A., Reichman, S. M., Allinson, G., & Menzies, N. W. (2013b).
736 Effects of copper fungicide residues on the microbial function of vineyard soils.
737 *Environmental Science and Pollution Research*, 20(3), 1574–1585.
738 <https://doi.org/10.1007/s11356-012-1114-7>

739 Ying, G.-G., & Williams, B. (2000). Dissipation of herbicides in soil and grapes in a South
740 Australian vineyard. *Agriculture, Ecosystems & Environment*, 78(3), 283–289.
741 [https://doi.org/10.1016/S0167-8809\(99\)00127-9](https://doi.org/10.1016/S0167-8809(99)00127-9)

742 Zambito Marsala, R., Capri, E., Russo, E., Bisagni, M., Colla, R., Lucini, L., Gallo, A., & Suciù,
743 N. A. (2020). First evaluation of pesticides occurrence in groundwater of Tidone Valley,
744 an area with intensive viticulture. *Science of the Total Environment*, 736, 139730.
745 <https://doi.org/10.1016/j.scitotenv.2020.139730>

746 Zhihui, B. A. I., Bo, J. I. N., Yuejie, L. I., Jian, C., & Zuming, L. I. (2008). Utilization of winery
747 wastes for *Trichoderma viride* biocontrol agent production by solid state fermentation.
748 20, 353–358.

749

Table 1. Top 10 publishing authors, from 1990-2020, including the number of total publications on the topic, geographical affiliation of the authors, authors' total number of citations (without self-citations) and most cited articles. Total number of citations represents the total number of citations for the author. It is important to note that authors might not be the first author of the paper.

Name	Number of publications	Country of affiliation	Total citations	Most cited article
Arias-Estevez	49	Spain	696	(Fernández-Calviño et al. 2010)
Brunetto	44	Brazil	370	(Brunetto et al. 2016)
Fernández-Calviño	38	Spain	543	(Fernández-Calviño et al. 2010)
Novoa-Muñoz	28	Spain	370	(Fernández-Calviño et al. 2009)
Sanchez-Martin	26	Spain	378	(Herrero-Hernández et al. 2011)
Ceretta	25	Brazil	228	(Miotto et al. 2014)

Rodriguez- Cruz	23	Spain	319	(Herrero- Hernández et al. 2011)
Nicoloso	20	Brazil	178	(Miotto et al. 2014)
Tiecher	20	Brazil	219	(Miotto et al. 2014)
Dong	18	China	277	(Dong et al. 2012)
Zheng	18	China	275	(Dong et al. 2012)

Table 2. Top 15 publishing journals within this search including the total number of publications on the topic in the Web of Science database (1990-2020), journal's Impact factor (JIF₂₀₂₀) and Categories include their ranking for category. The most cited article on each journal of this search is listed as “the most cited article within search.”

Journal name	Total of articles within search	JIF ₂₀₂₀	Journal categories	Most cited article within this search
Science of the Total Environment	55	7.963	Environmental Sciences Q1	(Ballabio et al. 2018)
Environmental Sciences and Pollution Research	41	4.223	Environmental Sciences Q2	(Liu et al. 2016)
Journal of Agricultural and Food Chemistry	39	5.279	Agriculture, multidisciplinary Q1 Applied Chemistry Q1 Food science and Technology Q1	(Almeida and Vasconcelos 2003)
Chemosphere	29	7.086	Environmental Sciences Q1	(Brunetto et al. 2016)

Food Chemistry	26	7.514	Applied Chemistry Q1 Food Science & Technology Q1 Nutrition and Dietetics Q1	(Sun et al. 2018)
Journal of Environmental Science and Health part B Pesticides Food Contaminants and Agricultural Waste	26	1.99	Environmental Sciences Q4 Public, Environmental & Occupational Health Q3	(Monaci et al. 2011)
Ecotoxicology and Environmental Safety	25	6.291	Environmental Sciences Q1 Toxicology Q1	(Tiecher et al. 2016)
Environmental Monitoring and Assessment	25	2.153	Environmental Sciences Q3	(Al Nasir et al. 2001)
Environmental Pollution	25	8.071	Environmental Sciences Q1	(Jacobson et al. 2005)
Communication in Soil Sciences and Plant Analysis	21	1.327	Agronomy Q3 Analytical Chemistry Q4	(Deluisa et al. 1996)

			Plant Sciences Q3	
			Soil Sciences Q4	
Water Air and Soil Pollution	21	2.52	Environmental Sciences Q3 Meteorology Atmospheric Sciences Q3 Water Resources Q3	(Hindersmann et al. 2014)
Geoderma	20	6.114	Soil Sciences Q1	(Pietrzak and McPhail 2004)
Journal of Hazardous Material	19	10.588	Environmental Engineering Q1 Environmental Sciences Q1	(Nogueirol et al. 2010)
Journal of Soil and Sediment	18	3.308	Environnemental Sciences Q2 Soil Sciences Q2	(Fan et al. 2011)

Table 3. Most cited articles followed by the total number of citations, journal of publication of the article, journal impact factor (IF₂₀₂₀) and research categories of the journal.

Title	Number of citations	Journal of publication	JIF ₂₀₂₀	Journal's category	Reference
Contamination of vineyard soils with fungicides: A review of environmental and toxicological aspects.	423	Environment international	9.621	Environmental Science	(Komárek et al. 2010)
Agroecological practices for sustainable agriculture. A review	356	Agronomy for Sustainable Development	5.932	Agronomy Green sustainable Science & Technology	(Wezel et al. 2014)
Multiresidue method for determination of 90	249	Journal of Chromatography A	4.759	Biochemical Research Methods	(Štajnbaher and Zupančič-Kralj 2003)

pesticides in fresh fruits
and vegetables using
solid-phase extraction
and gas chromatography-
mass spectrometry.

Analytical Chemistry

Evaluation of copper 242
availability to plants in
copper-contaminated
vineyards soils

Environmental
Pollution

8.071

Environmental Sciences

(Brun et al. 2001)

Urban waste compost 241
effects on physical;
chemical, and
biochemical soil
properties

Journal of 2.751
Environmental Quality

Environmental Sciences

(Giusquiani et al. 1995)

Fig 1: Number of publications in the search over time (1990-2020), including an exponential regression line




Fig 2: Publications keywords in the search over time. Each bar represents the number of times a keyword was used between 1990-2020




Fig 3: Map A: “Total number of publications for the 10 countries that published articles between (2014-2018) according to “Web of Science” (2021).” Map B: “Total millions of hectoliters of wine produced between (2014-2018) by the same countries (OIV 2019).”




Fig 4: Graphical representation of keyword clusters. The number of articles is represented in the top right corner of every bubble containing the cluster number. The number of times a keyword appears in an article is represented by the number on the top right corner of each keyword. The grey line represents the link between a cluster and a keyword, the number in the middle of the grey line represents the amount a times a keyword appears in a cluster.”




Fig 5: Distribution of clusters by journal in the search (1990-2020)




Fig 6: Evolution of clusters in the search over time. Each bar represents the number of articles in a cluster from 1990-2020

