

Using bibliometrics to analyze the state of art of pesticide use in vineyard agrosystems: a review

Flor Regus, Isabelle Laffont-Schwob, Rayhane Hamrouni, Nathalie Dupuy, Anne Marie Farnet da Silva

▶ To cite this version:

Flor Regus, Isabelle Laffont-Schwob, Rayhane Hamrouni, Nathalie Dupuy, Anne Marie Farnet da Silva. Using bibliometrics to analyze the state of art of pesticide use in vineyard agrosystems: a review. Environmental Science and Pollution Research, 2022, 29, pp.80123-80136. 10.1007/s11356-022-23285-1. hal-03817640

HAL Id: hal-03817640 https://hal.science/hal-03817640v1

Submitted on 17 Oct 2022

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers. L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.

1 Pré-print

Environmental Science and Pollution Research https://doi.org/10.1007/s11356-022-23285-1 **REVIEW ARTICLE** Using bibliometrics to analyze the state of art of pesticide use in vineyard agrosystems: a review Flor Regus^{1,2} · Isabelle Laffont-Schwob² · Rayhane Hamrouni¹ · Nathalie Dupuy¹ · Anne-Marie Farnet Da Silva¹ Received: 9 March 2022 / Accepted: 22 September 2022 2 3 Using bibliometrics to analyze the state of art of pesticide use in vineyard agrosystems: A review. 4 Regus Flor^{1,2}, Laffont-Schwob Isabelle², Rayhane Hamrouni¹, Dupuy Nathalie¹, Farnet Da 5 Silva Anne-Marie^{1*}. 6 ¹Aix Marseille Univ, CNRS, IRD, Avignon Université, IMBE, Marseille, France 7 ² Aix Marseille Univ, IRD, LPED, Marseille, France 8 *Corresponding Author: 9 Anne-Marie Farnet Da Silva 10 anne-marie.farnet@imbe.fr 11 12 **ABSTRACT:** 13 The production of wine dates to ancient civilization and has heavily influenced different 14 landscapes around the globe. Nowadays, wine is still an important sector in terms of land use 15 and income source in many countries, more specifically in the European Mediterranean region. 16 However, to control pests and regulate wine growth, the extensive use of pesticides is common. 17

The effects and persistence of agrochemicals in the environment is well known and defined in 18 19 scientific literature as well as the environmental and human health risks of these compounds. The purpose of this review was to do a state of art of worldwide production of academic 20 literature using bibliometric principles and analysis to identify thematic areas of this type of 21 agriculture, and its challenges in a changing world. For this review the focus is on current 22 practices to see what may evolve for more sustainable viticulture. It was found that the three 23 24 main producers of wine i.e. Spain, France and Italy are also three top producers of scientific literature on this topic. The use of bibliometric methodologies defined the main thematic areas 25 on this subject as following: soil-plant transfer of agrochemicals, heavy metal accumulation in 26 vineyard soils, management practices in viticulture, water pollution transport, effects of 27 viticulture on the living part of soil, sustainable alternatives to pesticides. We found that Spain, 28 France and Italy work the most on developing sustainable alternatives for agricultural practices, 29 30 however sustainable alternatives and practices were also the least developed thematic in general. 31

32 Keywords: copper accumulation; soil pollution; sustainability; transfer of pollutants;
 33 viticulture.

34

35

36 DECLARATIONS

37 ETHICAL APPROVAL: Not applicable

38 CONSENT TO PARTICIPATE: All authors have freely agreed and consented to participate in39 the elaboration of this review.

40 CONSENT TO PUBLISH: All authors gave consent for the submission and publication of this41 manuscript.

42 AUTHORS CONTRIBUTIONS: All authors contributed to this review and agreed on its 43 content. Idea for this review was presented by Nathalie Dupuy. Keywords were selected by 44 Anne-Marie Farnet Da Silva, Isabelle Laffont-Schwob and Flor Regus. Literature search, 45 analysis and draft elaboration were performed by Flor Regus. Critical reviews were performed 46 by Anne-Marie Farnet Da Silva, Flor Regus, Isabelle Laffont-Schwob, Nathalie Dupuy and 47 Rayhane Hamrouni.

FUNDING SOURCES: Funding for this manuscript was received by ITEM institute under the
project ALCOVE (AMX-19-IET-012).

50 COMPETING INTEREST: Authors have non relevant financial or non-financial interest to51 disclose.

52 AVAILABILITY OF DATA AND MATERIALS: All the analyzed information for this 53 publication is included in the manuscript. Additional information could be provided upon 54 reasonable request to corresponding author.

55

56 INTRODUCTION

The incidence of extreme weather events such as of heat waves, intense rainfall and 57 agricultural drought is likely to increase within the next decade (IPCC 2021). Climate change 58 59 is troublesome for agriculture since it influences water stress, duration of growing season as well as the intensity and frequency of heat waves (Aryal et al. 2020). Along with the effects 60 caused by climate change another issue in agriculture is the toll conventional agricultural 61 practices have in the environment. In order to meet the demand of agricultural goods, 62 agriculture leans on techniques such as tillage and the excessive use of agrochemicals to ensure 63 supply in an overpopulated world (Wezel et al. 2014; Meena et al. 2020). This unsustainable 64 use of agricultural land and resources creates an imbalance in the ecosystems in terms of 65 nutrient cycling, soil and water quality (Garini et al. 2017). 66

A culture particularly fragile to the effects of climate change is viticulture. Wine quality 67 strongly depends on climate and land (Fraga et al. 2012; Marín et al. 2021; Santos et al. 2020). 68 Most of the world's wine grapes production, and wine production, is located in Mediterranean 69 70 Europe between France, Spain and Italy (Jackson, 2016; OIV 2019). Viticulture is no strange to the issue of unsustainable practices, and Mediterranean viticulture is highly dependent on the 71 use of agrochemicals (Prosdocimi et al. 2016). There are two factors that make viticulture in 72 the Mediterranean region highly dependent in agrochemicals. Mediterranean soils are 73 characterized by low organic matter and nutrient content and the Vitis vinifera plant is highly 74 sensitive to phytopathogens (such as *Plasmopara viticola* or *Botrytis cinerea*) (Serpa et al. 75 2017). Amongst agrochemicals used in viticulture, pesticides against phytopathogens, are 76 extensively used (Campbell et al. 2021). The use of pesticides has been extensively studied in 77 78 the scientific field because of their potential toxicity (Schreck et al. 2008). One example of the risk for toxicity in humans is described in recent studies in developing countries showed that, 79

although this part of the world uses only 20 % of the world's agrochemicals, this region suffers
99 % of deaths induced by pesticide poisoning and victims are mostly farmers (Curl et al. 2020).

Many authors have identified the accumulation of pesticides in vineyard soils as a threat 82 (Komárek et al. 2010; Sánchez-Martín et al. 2000; Semhi et al. 2018). The accumulation of 83 pesticides also poses an environmental risk since there is a risk of diffusion of the parent 84 chemical compounds and their by-products (Sonoda et al. 2019; Zambito Marsala et al. 2020). 85 Copper-based compounds are amongst the most used pesticides to prevent fungal infections in 86 vineyards (Fernández-Calviño et al. 2010). Because of its accumulation in soils, copper tends 87 to reach toxic concentrations, affecting the living part of the soil (Campillo-Cora et al. 2019; 88 89 Mackie et al. 2013; Rusjan et al. 2007). Due to accumulation of copper on the environment, in 2009, the European Union regulated the use of agrochemicals and decided to list copper as a 90 candidate for substitution Regulation (EC) No.1107/2009. The decision to find a substitute for 91 92 copper was again ratified in 2018 with Regulation (EU) 2018/1981.)

Environmental affairs are a transverse issue covering different areas such as ecology, 93 human health and policy making. The transverse specificity of environmental issues is not new. 94 For example, in 2004, concept "One Health" was developed. This concept looks at ecosystem's 95 health, fauna, and human health at once (Destoumieux-Garzón et al. 2018). This new concept 96 97 highlights the need to have a holistic approach based on interdisciplinarity embracing all the components of an ecosystem including living soil, plants, animals, and humans. Due to the 98 transverse properties of environmental affairs, analysis of scientific literature can be a complex 99 100 task, with bias linked to non-systematic requests on literature databases. The use of bibliometric methods can help overcome this complex task. Bibliometric methods have been established in 101 102 the scientific field (specially applied sciences) to study different aspects of science (Ellegaard et al. 2015) in order to establish a state of art. Bibliometric methods are used to analyze 103 scientific production, techniques and methodologies available by measuring and interpreting 104

the production metadata of scientific publications (Subramanyam 1983). For this review, a bibliometric approach was used to create a state of art regarding the conventional practices in viticulture that focuses on pesticides. The work consists of studying the evolution of annual publications (between 1990-2020) and the different countries affiliated to each publication. This later allowed the analysis of thematic areas by grouping keywords from the publications into clusters. The-creation of clusters later allowed us to see the geographical distribution of thematic areas.

- 112
- 113

1. MATERIALS AND METHODS

The scientific database Web of Science was used to obtain scientific publications that include 114 the studies of problematics in viticulture regarding the use of pesticides. On September 27, 115 2021, a search was done and the metadata were downloaded using the words ("viticulture" OR 116 "grape" OR "grapes" OR "wine" OR "wines" OR "vineyard" OR "vineyards") AND 117 ("pesticide" OR "pesticides" OR "copper*", "Cu") AND ("phytopathogen" OR 118 119 "phytopathogens" OR "soil" OR "soils" OR "plant health") were used as keywords. The star symbol (*) was added to include the different forms of a word, for instance the word "copper*" 120 will also cover "copper based". Time frame was set to 1990-2020 to observe the evolution of 121 this topic over time. For this search all fields available were used. This was done to maximize 122 the collected data since the analysis accounts for article subject and geographical affiliation. No 123 additional sub-databases or collections were used. The analyze citation tools from web of 124 science was used to assess the evolution of keywords over time, geographical distribution of 125 publications and authorship as well as the distribution of publications throughout journals. 126 127 Finally, this search does not account for grey literature or another scientific database. The metadata of this bibliographical search was analyzed using the software Matheo Analyzer, 128 France. Keywords of each publication were extracted and grouped in clusters to reveal thematic 129

areas. Keyword clusters were created using K-means methods following Malechaux et al.
(2020). *K*-Means is an algorithm for data clustering. The keywords are grouped into *K* clusters
(user-determined number) based on a specific distance measurement, so that the sum of
distances between each keyword and its cluster centroid is minimized. The procedure consists
of the following three steps:

- (i) The algorithm is initiated by creating *K* different clusters. The samples, included in
 the analysis, are first randomly distributed between these *K* different clusters.
- (ii) As a next step, the distance between each keyword and its respective clustercentroid is calculated.
- (iii) keywords are then attributed to the nearest cluster (*K*₁ or *K*₂) based on the samplecluster centroid distance.

The number of iterations is the number of times that the *K*-means algorithm is repeated to obtain 141 an optimal clustering solution, each time starting with random initial clusters. Keywords 142 occurring at least 15 times were used to build the clusters. The keywords used in the search 143 (viticulture, grape, pesticides, copper etc.) were left out of the data clustering to avoid bias and 144 145 high word co-occurrence on the analysis. These parameters were set to have quality clusters with strong links between the keywords in each cluster. The results for this bibliometric review 146 are limited to Web of science since different citation collection methods from various databases 147 would have led to a set of data that are not compatible with software Matheo Analyzer. 148

149

2. RESULTS AND DISCUSSION

The use of these parameters resulted in a database of 1317 publications. This includes
1205 scientific articles, 114 proceeding papers, 37 review articles, 12 book chapters. Focusing
on a single scientific Database Web of Science provided a large range of results for this topic.

153 *3.1 Evolution of publications through time*

The development of new technologies allowing the rapid acquisition of data influences 154 the increase in publications over time. Figure 1 shows the number of publications over time 155 156 from 1990-2020. This figure also includes an exponential regression to reveal the inflection point. The first period covered by this search, between 1990-1994, only six papers were 157 published. This number increased to 97 between 2000-2004, i.e. an increment of 16 times. 158 Together with technological and scientific developments, different political events could 159 explain this increase in publications. For example, in 2002, the European commission restricted 160 the use of copper, Regulation (EU) 2018/1981. Then in 2003, an EU commission study showed 161 that viticulture was the largest pesticide consumer per acre of all large-scale cultivated crops in 162 the European Union (Moneyron et al., 2017). Years 2005-2009 saw a pivotal change in the 163 number of publications.-During this time (2005-2009), publication numbers had almost doubled 164 compared to period 2000-2004. By 2009, the European Union listed copper as a compound that 165 should be substituted in agriculture. After 2009, the number of publication of articles doubled 166 every 4 years. This trend is likely to continue since there is more political pressure about this 167 problematic.: The decision to look for alternatives to copper in agriculture was again rectified 168 in 2018 Regulation No. (EU) 2018/1981. 169

170 *3.2 Evolution of keywords over time*

The evolution of the selected keywords overtime was also analyzed. Figure 2 represents the number of times a specific keyword was used in an article in each time frame. The words copper, pesticide, and soil increased over time. Overall, this highlights how the focus on this problematic lies mostly on the effects of pesticides and copper-based pesticides in soil. A pivotal change after 2000-2004 can be observed. After 2004, soil indeed becomes the most used keyword followed by copper and then pesticides. The last period, between 2015-2020, illustrates how the effect of copper-based pesticides can be considered as an issue for soilproperties and fertility and thus for the sustainable production of grapes and wine.

179 3.3 Geographical distribution of publications and authorship.

From 1990 to 2020, there were 86 different countries working on this topic. When 180 observing the geographical distribution of scientific literature, it appears that research groups 181 are scattered around the globe. Some examples of this, are counties such as Australia (Ying et 182 al. 2000), Spain (Pose-Juan et al. 2015) and Slovenia (Al Nasir et al. 2001). For this section, 183 we will focus on the top10 publishing countries. These countries have contributed for more than 184 185 87% of total publications in this database. These countries were Spain (199), France (157), Italy (183), China (138), USA (133), Brazil (101), Australia (88), India (50), Romania (47) and 186 Germany (44). First, it is not surprising that Spain, France, Italy appear within the top ten 187 countries publishing on that topic. Indeed, these countries are the main producers of wine 188 (millions of hectoliters) in the world according to the 2019 Statistical Report on World 189 190 Viticulture (OIV 2019).

Figure 3 shows two maps: map A shows the total number of articles published between 191 2014-2018 for the top-10-publishing countries and map B shows the total production of wine 192 (millions of hectoliters) according to the report by OIV (2019) for the same countries. All 193 countries in Figure 3, except for India, are considered major wine producers. Wine production 194 in India is low, though there is a large area in this country dedicated to the production of table 195 grapes.-In 2018, India had 151 thousand hectares of vineyards, accounting for 2% of vineyards 196 on the globe. Time frame for these maps is limited to 2014-2018 as these years are the only 197 ones reported to this date for wine production by the OIV. 198

199 Another descriptive parameter analyzed was the co-authors and their country of 200 affiliation. Authors with the highest number of publications on our search are presented in Table

9

1. Authors have a minimum of 18 articles (equivalent to approximately 1.4% of the total 201 202 publications). There is a link between collaborating authors and geographical areas. For example, according to Table 1, Arias-Estévez (the author with the highest number of 203 publications) and Fernández-Calviño are co-authors and their country of affiliation, according 204 to the Web of Science, is Spain. This occurs again with authors such as Nicoloso and Tiecher 205 two co-authors from Brazil. Research collaborations about viticulture between wine-producing 206 countries are very limited. However, the country of affiliation of the authors does not provide 207 an accurate vision of how publications are scattered globally. In Table 1, the same high 208 publishing authors work together, limiting the number of countries of affiliation shown on the 209 210 table. Thus, this leaves other high publishing countries such as France and Italy out of this Table 211 because the same author does not publish as much on the same topic.

212 3.4 Publication's categories & publishing journals

There was a total of 55 categories identified on this database where the categories with 213 the most articles were: Environmental Sciences/ Ecology with 529 articles, Agriculture-438; 214 Chemistry, 250; Food Sciences Technology, 196; Plant sciences, 125. It is important to 215 mention that one publication can belong to more than one category. The categories before 216 217 mentioned represent the categories covered by most journals in this database, where a total of 461 publishing journals can be found. The journals with the highest number of publications are 218 shown in Table 2. Along with journal's categories, the Journal Impact Factor (JIF) is also 219 presented in Table 2. The JIF is an index based on the number of citations of publications during 220 a specific time. The JIF was created in 1955 as a way to source journals (Garfield, 2006). A 221 large range of JIF from 1.327 to 10.588 can be found in Table 2. This large range of JIF is not 222 surprising since it changes depending on the field (Althouse et al., 2009). For example, for 223 Environmental Sciences, JIF ranges from 0.323 to 38.532 according to the Web of Sciences' 224

Journal citation report (*Journal Citation Reports*, 2021). The total number of times an article
was cited is presented in Table 3. Citations on this table varies from 241 to 435.

Table 3 gives an idea of the readers' interest within this topic. For example, the most 227 228 cited article by Komárek et al. (2008) compiles studies regarding the contamination of vineyard soil with organic and inorganic fungicides. It is followed by Wezel et al. (2014) where 229 agricultural practices are evaluated and compared. In this article, organic fertilization, 230 biological pest control, crop selection, reduce tillage and drip irrigation showed a high potential 231 for the future in agriculture. The third article by Štajnbaher et al. (2003) describes a 232 methodology to analyze different pesticides. The fourth article produced by Brun et al. (2001) 233 looks at the transfer of copper accumulation from soil to plants (specially the roots). Finally, 234 the last article by Giusquiani et al. (1995) in this table looks at the effect of soil amendments 235 on different parameters such as C, Cu and Pb. In this table, the main categories are 236 Environmental Science, Agronomy and Plant Sciences to mention a few. 237

238 3.5 Keyword Clusters

A total of six clusters were created. The clusters are presented in Figure 4, showing the keywords associated to each cluster. To facilitate reading, only keywords that appear 16 times or more are presented in the Figure. Due to cluster building parameters, not all publications were included in these clusters. Each cluster is described below:

243

• Cluster 1(Soil-plant transfer of agrochemicals)

The main thematic present in this cluster is the effects of persistent compounds in a soilplant system. This cluster indeed contains words such as residue, sorption, dissipation, and liquid chromatography.÷ These are all terms used to describe the behavior and transport of persistent compounds from soil to plant as well as techniques like liquid chromatography used to quantify such compounds. For exemple, Matei et al. (2015), and Vázquez-Vázquez et al. (2016) look at the presence of heavy metals in a soil-plant interactions and the transport of pollutants from soil to the plant. Another thematic of this cluster is the risk of exposure associated with the transfer of persistent agrochemicals to the final product (wine or table grapes). For instance, this topic regarding the risk of exposure is included in publications from Wightwick et al. (2013a) or Guang-Guo et al (2000). For this cluster, China is affiliated to 62 publications and Spain is affiliated to 56 publications. The publications in this cluster account for 20% of all the publications analyzed.

256

• Cluster 2 (Heavy metal accumulation in vineyard soils)

This cluster includes pollution and accumulation of heavy metals in soils, and ICP-MS 257 (Inductively coupled plasma - mass spectroscopy) as a technique for their analysis. The main 258 thematic here is soil inorganic pollution in vineyards due to heavy metals. This cluster focuses 259 260 on the occurrence of heavy metals and their persistence due to low degradation rates in vineyard soils as described in Bălc et al. (2018). It also deals with the accumulation of copper in soil due 261 to the use of pesticides as highlighted by authors such as Wightwick et al. (2008) and Komárek 262 et al. (2008), and with the behavior of copper in soils (Blotevogel et al. 2018; Rusjan et al. 263 2007). Another theme discussed in this clusters is the bioavailability of heavy metals and more 264 precisely how bioavailability influences the toxicity and risk due to heavy metals (Mirlean et 265 al. 2007). The countries publishing the most articles here are Spain, Romania and France. 266 Publications in this cluster account for 19.8% of all the publications. 267

268

• Cluster 3 (Management practices in viticulture)

Cluster 3 includes keywords such as agrosciences. Contrary to the previous clusters, here, a more global view at the agrosystem scale is considered. This cluster is related to the practices and management within the field of viticulture for example weed control (Olmstead et al. 2012). More importantly, this cluster deals with the response of the agroecosystem to

certain practices such as the application of copper-based pesticides (Brunetto et al. 2016), and 273 the effect of tillage and fertilizers on soil. This cluster also provides information about 274 alternative management techniques such as the use of amendments (Dobrei et al. 2016), and 275 how the use of amendments interacts with agrochemicals present in soil (Pinna et al. 2008). 276 Additionally, this cluster also looks at how alternative management techniques affect land with 277 authors such as Likar et al. (2015) and how to reduce the use of pesticides in viticulture 278 (Diaconu et al. 2017). Countries that had the higher number of articles were France, Spain, and 279 Italy. Publications in this cluster account for 12.6% of all the publications. 280

281

• Cluster 4 (Water pollution transport)

Keywords in this cluster include water, heavy metal, and trace element. The transfer and 282 diffusion of pollution from viticulture via water is described in this cluster. Water is the main 283 284 mode of transport of dissolved pollutants from soil particles as described by Oliveira et al. (2015). Themes such as leaching of pesticides and heavy metals caused by rain (Meite et al. 285 2018), and downstream export of pollutants, such as copper, due to rainfall and runoff from 286 headwater watershed (Imfeld et al. 2020) are covered in this cluster. This cluster also looks at 287 the occurrence of pesticides in groundwater bodies because of pesticide use in viticulture 288 (Zambito Marsala et al. 2020; Suciu et al. 2020) as well as estimating ecotoxicity of pesticides 289 in freshwater using models such as Pest LCI 2.0 (Renaud-Gentié et al. 2015). In this cluster, 290 copper is listed as having the greatest toxicity potential for freshwater ecosystems (Peña et al. 291 2018). Here, the main publishing countries are France, Spain, and Italy. Publications in this 292 cluster account for 10.5% of all the publications. 293

294

• Cluster 5 (Effects of viticulture on the living part of soil)

295 Some of the keywords included in this cluster are toxicity and enzymatic activity. This 296 cluster covers different themes regarding the living part of soils in vineyards. The negative

effects of pesticides in soil resulting from viticulture as land use are described. Firstly, the 297 toxicity of different pesticides in soil is discussed in different articles for example Komárek et 298 al. (2010); and more precisely how the accumulation of pesticides, such as copper-based 299 fungicides, has an effect of soil's enzymatic activities (Fernández-Calviño et al. 2010; 300 Wightwick et al. 2013b). This clusters also includes the degradation of pesticides by soil 301 microbes (Hugo et al. 2014; Tykva et. al 1999). Additionally, this cluster lightly covers 302 ecotoxicological soil studies considering different soil invertebrates such as Enchytraeus 303 aldibus (Ruyters et al. 2013) and Typhlodromus pyri (Gadino et al. 2011). Finally, the effects 304 of different practices used in viticulture on soil microbes (Okur et al. 2009; Probst et al. 2008) 305 306 are also covered. Countries that published the most in this cluster are Brazil, France, and Spain. 307 Publications in this cluster account for 9.7% of all the publications.

308

Cluster 6 (Sustainable alternatives to pesticides)

Keywords in this cluster include biological control and farming practices. Unlike cluster 309 3, this cluster describes alternatives that intend to make viticulture more sustainable, rather than 310 describing the management of vineyards, while focusing on alternatives to reduce pesticide use. 311 For example, it includes the use of i) more resistant vine varieties in order to manage fungal 312 infections (Pedneault et al. 2016), ii) cover crops to select beneficial arthropods while 313 decreasing antagonistic arthropods (Vogelweith et al. 2017), and lastly iii) amendment to 314 315 mitigate bioavailability of heavy metals (Cutillas-Barreiro et al. 2017). Moreover, the term 316 biocontrol is persistent within this cluster. Here, examples of biological control are either considered in the form of microorganism such as Bacillus ginsengihumi (Calvo-Garrido et al. 317 2019), or of metabolites produced by microorganism (Billet et al. 2019; Zhihui et al. 2008). 318 319 This cluster has the least number of articles (it accounts for 7.6% of all the publications) and France and Italy share the largest quantity of articles followed by Spain. 320

321 Cluster distribution throughout Journals

Currently, the published research on the topic of vineyards is evolving from techniques 322 and tools specific to agriculture to other objectives coming from different scientific domains of 323 environmental sciences. This can be appreciated by looking at the names of the journals that 324 publish articles within these clusters as presented in Figure 5. This Figure shows the top 325 publishing journals for each cluster. These journals also happened to be within the group of 326 journals that publish the most data on the selected topic (see Table 2). In here the journals with 327 the highest number of papers are those that published under the category of Environmental 328 Science, Agronomy, Biological Sciences to mention a few categories. These journals focus on 329 interdisciplinary sciences, such as Environmental Sciences, meaning they all publish in 330 331 interdisciplinary categories. For example, the Journal of Agricultural and Food chemistry published within categories such as Agriculture, Applied Science and Food Science and 332 Technology. 333

334 Geographical distribution of clusters

The number of publications linked to a particular cluster is heterogenous. Publications in clusters 1, 2 and 3 account for approximately 54% of all publications of this database. Geographical distribution varies amongst clusters There is a large involvement of France, Spain, and Italy in each cluster.

In cluster 1, France, Spain and Italy have participated in 46 % of the publications e.g. a 339 publication by Andrades et al. (2001), regarding the importance of soil properties in fungicide 340 mobility in vineyard soil, where Spain is the country of affiliation. For cluster 2, France, Spain 341 and Italy participated in 42% of the publications regarding the accumulation of pollutants in 342 343 soil e.g. Blotevogel et al. (2018) describing the fate of copper in vineyard soils. In this article France is a contributing country. For cluster 3, Spain, France and Italy participated in 42% of 344 the publications. For example, the article from an Italian team, Pinna et al. (2008), described 345 the effect of practices in vineyards such as the use of amendments in an article. 346

When it comes to the other three clusters 4, 5 and 6, explaining the effects of viticulture, 347 these three countries have an even larger representation compared to other countries. These 348 three clusters account for a total of 27% of all the literature. In cluster 4, regarding the transfer 349 of pollution to water resources, these countries have contributed to approximately 42% of the 350 publications (for instance Italy with publications such as Suciu et al. 2020). In cluster 5 351 regarding the effects of these practices in soil microorganisms, these countries have contributed 352 to approximately 44% of the publications, e.g. Spain with the publication from Fernández-353 Calviño et al. (2010) where the co-authors look at soil enzymatic activities to assess the 354 damages linked to the use of copper based fungicides. It is important to note that, particularly 355 356 for this cluster regarding ecotoxicity, most of the studies dealt with the effects of pollutants at a molecular level (for example enzymatic activities) or using ecotoxicological models, while 357 studies assessing toxic effects on soil invertebrates are few. Finally in cluster 6, regarding 358 359 sustainable alternatives to pesticides, these countries (Spain, France, and Italy) participated in at least 46% of the publications e.g. a publication from Calvo-Garrido et al. (2019), discussing 360 biocontrol against phytopathogens based on microbial antagonisms. Geographical 361 heterogeneity of the clusters indicates there is a consensus on the fact that there are high 362 pollutant concentrations in soil-plant systems as a product of conventional practices in 363 364 viticulture. The three main producers of wine, France, Spain and Italy are extensively present in the thematics from clusters 4, 5 and 6while other countries, such as China and Romania, 365 focus more on the present state of pollution, themes cover in clusters 1-3. 366

367

Cluster evolution over time

Figure 6 shows the evolution of clusters over time from 1990-2020. Increase in publications for each cluster seems to double every four years. Cluster 1 and Cluster 2 had the greater increase between years 2005-2009, suggesting that researchers focused on the interactions between soil and plant since these clusters focus on the fate of pollutants in soil and

final products (i.e. wine and grapes). It was around this time that legislation started to regulate 372 373 agricultural practices that have a negative effect on soil. Clusters 3 and 4 have had an increase since the period 2000-2004. This concerns management of viticulture as well as transfer of 374 pollution. During this time (2000-2004), the increase in cluster 5 was stronger. However, in 375 the time frame between 2015-2020, there was a drastic increment in articles for cluster 3 (Figure 376 6) and it is during this time period (2018), that the use of copper was restricted to 28kg/ha of 377 copper in a time frame of 7 years by the European Commission Regulation (EU) 2018/1981. 378 The decision making for this legislation could have been based on themes included in clusters 379 1, 2 and 4 since most legislation regarding environmental issues is based on scientific facts (Liu 380 381 et al. 2008). For cluster 6, the number of articles was not high until 2009, when European legislation started to watch the concentrations of some pesticides. As seen in Figure 6, topics 382 regarding ecotoxicity and sustainability (clusters 4, 5, 6) have been on the rise. One example of 383 384 this change in trend is showed in the article by Droz et al. (2021), looking at the transport of copper in soil as well as modeling of copper concentrations in soil. 385

386

3. CONCLUSION

In the last couple of years, publications regarding the effects of viticulture on the environment have been on the rise, proving there is an increasing interest about the relationship between the use of pesticides and soil health. The present bibliometric investigation from 1990 to 2020 on the conventional practices in viticulture that focuses on pesticides shows an increase in publications overtime since 1990.

France, Spain and Italy were responsible for 15% of the total wine production globally 392 and of the production of 37% of all publication during period 2014-2018. This bibliometric 393 394 analysis puts the European Union as one of the leaders of research on this topic. The strong European presence throughout this topic indicated the important economic, social, and political 395 influences besides the scientific and agricultural perspective. Since many European countries 396 have an ancient wine culture, viticulture has a vital socio-economical role in these countries. 397 However, co-authors' country of affiliation is not a proper indicator of geographical distribution 398 of literature since authors tend to collaborate more with peers within the same geographical 399 location. 400

The creation of keywords clusters allowed the observation of main research themes and 401 there is heterogeneous geographical distribution of a publication's country of affiliation in each 402 cluster. The two major themes were the presence of pesticides in a soil-plant systems and the 403 accumulation of pesticides in vineyard soils. The adverse effects of current agricultural 404 practices in viticulture have been extensively studied. However, there is a lack of 405 ecotoxicological studies targeting the effects of pesticides in macro or mesofauna communities 406 of the soil. Themes regarding ecotoxicity and sustainable alternative to pesticides are the least 407 developed. 408

409 **REFERENCES**

410	Al Nasir, F. M., Jiries, A. G., Batarseh, M. I., & Beese, F. (2001). Pesticides and trace metals
411	residue in grape and home made wine in Jordan. Environmental Monitoring and
412	Assessment, 66(3), 253–263. https://doi.org/10.1023/A:1006356101118
413	Almeida, C. M. R., & Vasconcelos, M. T. S. D. (2003). Multi element composition of wines
414	and their precursors including provenance soil and their potentialities as fingerprints of
415	wine origin. Journal of Agricultural and Food Chemistry, 51(16), 4788-4798.
416	https://doi.org/10.1021/jf034145b
417	Althouse, B. M., West, J. D., Bergstrom, C. T., & Bergstrom, T. (2009). Differences in impact
418	factor across fields and over time. Journal of the American Society for Information
419	Science and Technology, 60(1), 27-34. https://doi.org/10.1002/asi.20936
420	Andrades, M. S., Sánchez-Martín, M. J., & Sánchez-Camazano, M. (2001). Significance of Soil
421	properties in the adsorption and mobility of the fungicide metalaxyl in vineyard soils.

- Journal of Agricultural and Food Chemistry, 49(5), 2363–2369.
 https://doi.org/10.1021/jf001233c
- 424 Aryal, J. P., Sapkota, T. B., Khurana, R., Khatri-Chhetri, A., Rahut, D. B., & Jat, M. L. (2020).
- 425 Climate change and agriculture in South Asia: Adaptation options in smallholder
 426 production systems. Environment, Development and Sustainability, 22(6), 5045–5075.
 427 https://doi.org/10.1007/s10668-019-00414-4
- 428 Bălc, R., Tămaş, T., Popita, G.-E., Vasile, G., Bratu, M., Gligor, D., & Moldovan, C. (2018).
- Assessment of chemical elements in soil, grapes and wine from two representative
 vineyards in Romania. Carpathian Journal of Earth and Environmental Sciences, 13.
 https://doi.org/10.26471/cjees/2018/013/037
- Ballabio, C., Panagos, P., Lugato, E., Huang, J. H., Orgiazzi, A., Jones, A., Fernández-Ugalde,
 O., Borrelli, P., & Montanarella, L. (2018). Copper distribution in European topsoils:

- An assessment based on LUCAS soil survey. Science of the Total Environment, 636,
 282–298. https://doi.org/10.1016/j.scitotenv.2018.04.268
- Billet, K., Delanoue, G., Arnault, I., Besseau, S., Oudin, A., Courdavault, V., Marchand, P. A.,
 Giglioli-Guivarc'h, N., Guérin, L., & Lanoue, A. (2019). Vineyard evaluation of
 stilbenoid-rich grape cane extracts against downy mildew: A large-scale study. Pest
 Management Science, 75(5), 1252–1257. https://doi.org/10.1002/ps.5237
- Blotevogel, S., Oliva, P., Sobanska, S., Viers, J., Vezin, H., Audry, S., Prunier, J., Darrozes, J.,
 Orgogozo, L., Courjault-Radé, P., & Schreck, E. (2018). The fate of Cu pesticides in
 vineyard soils: A case study using δ65Cu isotope ratios and EPR analysis. Chemical
 Geology, 477, 35–46. https://doi.org/10.1016/j.chemgeo.2017.11.032
- Brun, L. A., Maillet, J., Hinsinger, P., & Pépin, M. (2001). Evaluation of copper availability to
 plants in copper-contaminated vineyard soils. Environmental Pollution, 111(2), 293–
 302. https://doi.org/10.1016/S0269-7491(00)00067-1
- Brunetto, G., Bastos de Melo, G. W., Terzano, R., Del Buono, D., Astolfi, S., Tomasi, N., Pii,
 Y., Mimmo, T., & Cesco, S. (2016). Copper accumulation in vineyard soils:
 Rhizosphere processes and agronomic practices to limit its toxicity. Chemosphere, 162,
 293–307. https://doi.org/10.1016/j.chemosphere.2016.07.104
- 451 Calvo-Garrido, C., Roudet, J., Aveline, N., Davidou, L., Dupin, S., & Fermaud, M. (2019).
 452 Microbial Antagonism Toward Botrytis Bunch Rot of Grapes in Multiple Field Tests
 453 Using One *Bacillus ginsengihumi* Strain and Formulated Biological Control Products.
- 454 Frontiers in Plant Science, 10, 105. https://doi.org/10.3389/fpls.2019.00105
- Campbell, S. E., Brannen, P. M., Scherm, H., Eason, N., & MacAllister, C. (2021). Efficacy of
 fungicide treatments for *Plasmopara viticola* control and occurrence of strobilurin field
 resistance in vineyards in Georgia, USA. Crop Protection, 139(May 2020), 105371.
- 458 https://doi.org/10.1016/j.cropro.2020.105371

- Campillo-Cora, C., Fernández-Calviño, D., Pérez-Rodríguez, P., Fernández-Sanjurjo, M. J.,
 Núñez-Delgado, A., Álvarez-Rodríguez, E., Arias-Estévez, M., & Nóvoa-Muñoz, J. C.
 (2019). Copper and zinc in rhizospheric soil of wild plants growing in long-term acid
 vineyard soils. Insights on availability and metal remediation. Science of the Total
 Environment, 672, 389–399. https://doi.org/10.1016/j.scitotenv.2019.03.301
- Curl, C. L., Spivak, M., Phinney, R., & Montrose, L. (2020). Synthetic pesticides and health in
 vulnerable populations: Agricultural Workers. Current Environmental Health Reports,
 7(1), 13–29. https://doi.org/10.1007/s40572-020-00266-5
- 467 Cutillas-Barreiro, L., Fernández-Calviño, D., Núñez-Delgado, A., Fernández-Sanjurjo, M. J.,
- Álvarez-Rodríguez, E., Nóvoa-Muñoz, J. C., & Arias-Estévez, M. (2017). Pine bark
 amendment to promote sustainability in Cu-polluted acid soils: effects on *Lolium perenne* growth and Cu uptake. Water, Air, & Soil Pollution, 228(7), 260.
 https://doi.org/10.1007/s11270-017-3437-y
- Deluisa, A., Giandon, P., Aichner, M., Bortolami, P., Bruna, L., Lupetti, A., Nardelli, F., &
 Stringari, G. (1996). Copper pollution in Italian vineyard soils. Communications in Soil
 Science and Plant Analysis, 27(5–8), 1537–1548.
 https://doi.org/10.1080/00103629609369651
- 476 Destoumieux-Garzón, D., Mavingui, P., Boetsch, G., Boissier, J., Darriet, F., Duboz, P., Fritsch,
 477 C., Giraudoux, P., Le Roux, F., Morand, S., Paillard, C., Pontier, D., Sueur, C., &
 478 Voituron, Y. (2018). The One Health concept: 10 years old and a long road ahead.
- 479 Frontiers in Veterinary Science, 5, 14. https://doi.org/10.3389/fvets.2018.00014
- 480 Diaconu, A., Ţenu, I., Roşca, R., & Cârlescu, P. (2017). Researches regarding the reduction of
 481 pesticide soil pollution in vineyards. Process Safety and Environmental Protection, 108,
- 482 135–143. https://doi.org/10.1016/j.psep.2016.09.016

- 483 Dobrei, A., Dobrei, A., Nistor, E., Dorin, C., & Sala, F. (2016). Improvement of soil physical
 484 and chemical properties with green manure for healthy vine and wine by-products. 16th
 485 International Multidisciplinary Scientific Geoconference (SGEM 2016), Albena,
 486 Bulgaria. https://sgem.org/sgemlib/spip.php?article7755
- 487 Dong, F., Chen, X., Liu, X., Xu, J., Li, Y., Shan, W., & Zheng, Y. (2012). Simultaneous
 488 determination of five pyrazole fungicides in cereals, vegetables and fruits using liquid
 489 chromatography/tandem mass spectrometry. Journal of Chromatography A, 1262, 98–
 490 106. https://doi.org/10.1016/j.chroma.2012.08.100
- Droz, B., Payraudeau, S., Rodríguez Martín, J. A., Tóth, G., Panagos, P., Montanarella, L.,
 Borrelli, P., & Imfeld, G. (2021). Copper content and export in European vineyard soils
 influenced by climate and soil properties. Environmental Science & Technology,
 55(11), 7327–7334. https://doi.org/10.1021/acs.est.0c02093
- Ellegaard, O., & Wallin, J. A. (2015). The bibliometric analysis of scholarly production: how
 great is the impact? Scientometrics, 105(3), 1809–1831.
 https://doi.org/10.1007/s11192-015-1645-z
- European Comission (EC), 2009, Regulation No.1107/2009 of the European Parliament and
 the council of 21 October 2009 concerning the placing of plant protection products on
 the market and repealing Council Directives 79/117/EEC and 91/414/EEC.
- 501 European Commission (EC),2018 Regulation (EU) 2018/1981 of 13 December 2018
- renewing the approval of the active substances copper compounds, as candidates for
 substitution, in accordance with Regulation (EC) No 1107/2009 of the European
 Parliament and of the Council concerning the placing of plant protection products on
 the market, and amending the Annex to Commission Implementing Regulation (EU) No
 506 540/201

- Fan, J., He, Z., Ma, L. Q., & Stoffella, P. J. (2011). Accumulation and availability of copper in
 citrus grove soils as affected by fungicide application. Journal of Soils and Sediments,
 11(4), 639–648. https://doi.org/10.1007/s11368-011-0349-0
- 510 Fernández-Calviño, D., Nóvoa-Muñoz, J. C., Díaz-Raviña, M., & Arias-Estévez, M. (2009).
- 511 Copper accumulation and fractionation in vineyard soils from temperate humid zone
- 512 (NW Iberian Peninsula). Geoderma, 153(1–2), 119–129.
 513 https://doi.org/10.1016/j.geoderma.2009.07.024
- 514 Fernández-Calviño, D., Soler-Rovira, P., Polo, A., Díaz-Raviña, M., Arias-Estévez, M., &
- Plaza, C. (2010). Enzyme activities in vineyard soils long-term treated with copperbased fungicides. Soil Biology and Biochemistry, 42(12), 2119–2127.
 https://doi.org/10.1016/j.soilbio.2010.08.007
- Fraga, H., Malheiro, A. C., Moutinho-Pereira, J., & Santos, J. A. (2012). An overview of
 climate change impacts on European viticulture. Food and Energy Security, 1(2), 94–
 110. https://doi.org/10.1002/fes3.14
- 521 Gadino, A. N., Walton, V. M., & Dreves, A. J. (2011). Impact of vineyard pesticides on a
 522 beneficial arthropod, *Typhlodromus pyri* (Acari: Phytoseiidae), in laboratory bioassays.
- 523 Journal of Economic Entomology, 104(3), 970–977. https://doi.org/10.1603/EC10330
- Garfield, E. (2006). The history and meaning of the journal impact factor. JAMA, 295(1), 90.
 https://doi.org/10.1001/jama.295.1.90
- Garini, C. S., Vanwindekens, F., Scholberg, J. M. S., Wezel, A., & Groot, J. C. J. (2017).
 Drivers of adoption of agroecological practices for winegrowers and influence from
 policies in the province of Trento, Italy. Land Use Policy, 68(August), 200–211.
 https://doi.org/10.1016/j.landusepol.2017.07.048
- Giusquiani, P. L., Pagliai, M., Gigliotti, G., Businelli, D., & Benetti, A. (1995). Urban waste
 compost: effects on physical, chemical, and biochemical soil properties. Journal of

532

Environmental

Quality,

24(1),

175–182.

533 https://doi.org/10.2134/jeq1995.00472425002400010024x

- Guang-Guo, Y., & Williams, B. (2000). Dissipation of herbicides in soil and grapes in a South
 Australian vineyard—ScienceDirect. Agriculture, Ecosystems & Environment, 78(3).
 https://www-sciencedirect-com.lama.univ-
- 537 amu.fr/science/article/pii/S0167880999001279?via%3Dihub
- Herrero-Hernández, E., Andrades, M. S., Marín-Benito, J. M., Sánchez-Martín, M. J., &
 Rodríguez-Cruz, M. S. (2011). Field-scale dissipation of tebuconazole in a vineyard soil
 amended with spent mushroom substrate and its potential environmental impact.
 Ecotoxicology and Environmental Safety, 74(6), 1480–1488.
 https://doi.org/10.1016/j.ecoenv.2011.04.023
- Hindersmann, I., & Mansfeldt, T. (2014). Trace element solubility in a multimetalcontaminated soil as affected by redox conditions. Water, Air, & Soil Pollution,
 225(10), 2158. https://doi.org/10.1007/s11270-014-2158-8
- Hugo, H., Mouton, C., & Malan, A. (2014). Accelerated microbial degradation of nematicides
 in vineyard and orchard soils. South African Journal of Enology and Viticulture, 35,
 157–167. https://doi.org/10.21548/35-1-998
- Imfeld, G., Meite, F., Wiegert, C., Guyot, B., Masbou, J., & Payraudeau, S. (2020). Do rainfall
 characteristics affect the export of copper, zinc and synthetic pesticides in surface runoff
 from headwater catchments? Science of The Total Environment, 741, 140437.
 https://doi.org/10.1016/j.scitotenv.2020.140437
- IPCC. (2021). Summary for Policymakers. In: Climate Change 2021: The Physical Science
 Basis. Contribution of Working Group I to the Sixth Assessment Report of the
 Intergovernmental Panel on Climate Change.

- 556 https://www.ipcc.ch/report/ar6/wg1/downloads/report/IPCC_AR6_WGI_Full_Report.
 557 pdf
- Jackson, R. (2016). Viticulture. Reference Module in Food Science, 1–14.
 https://doi.org/10.1016/b978-0-08-100596-5.02871-7
- Jacobson, A. R., Dousset, S., Guichard, N., Baveye, P., & Andreux, F. (2005). Diuron mobility
 through vineyard soils contaminated with copper. Environmental Pollution, *138*(2),
 250–259. https://doi.org/10.1016/j.envpol.2005.04.004
- 563JournalCitationReports.(2021).https://jcr-clarivate-com.lama.univ-564amu.fr/jcr/home?app=jcr&referrer=target%3Dhttps:%2F%2Fjcr-clarivate-
- 565 com.lama.univ-amu.fr%2Fjcr%2Fhome&Init=Yes&authCode=null&SrcApp=IC2LS
- 566 Komárek, M., Čadková, E., Chrastný, V., Bordas, F., & Bollinger, J.-C. (2010). Contamination
- 567of vineyard soils with fungicides: A review of environmental and toxicological aspects.568EnvironmentInternational,36(1),138–151.569https://doi.org/10.1016/j.envint.2009.10.005
- Komárek, M., Száková, J., Rohošková, M., Javorská, H., Chrastný, V., & Balík, J. (2008).
 Copper contamination of vineyard soils from small wine producers: A case study from
 the Czech Republic. Geoderma, 147(1–2), 16–22.
 https://doi.org/10.1016/j.geoderma.2008.07.001
- Likar, M., Vogel-Mikuš, K., Potisek, M., Hančević, K., Radić, T., Nečemer, M., & Regvar, M.
 (2015). Importance of soil and vineyard management in the determination of grapevine
 mineral composition. Science of The Total Environment, 505, 724–731.
 https://doi.org/10.1016/j.scitotenv.2014.10.057
- Liu, H., Wang, Y., Huang, W., & Lei, M. (2016). Response of wine grape growth, development
 and the transfer of copper, lead, and cadmium in soil-fruit system to sludge compost

amendment. Environmental Science and Pollution Research, 23(23), 24230–24236.
 https://doi.org/10.1007/s11356-016-7676-z

- Liu, Y., Gupta, H., Springer, E., & Wagener, T. (2008). Linking science with environmental
 decision making: Experiences from an integrated modeling approach to supporting
 sustainable water resources management. Environmental Modelling & Software, 23(7),
 846–858. https://doi.org/10.1016/j.envsoft.2007.10.007
- Mackie, K. A., Müller, T., Zikeli, S., & Kandeler, E. (2013). Long-term copper application in
 an organic vineyard modifies spatial distribution of soil micro-organisms. Soil Biology
 and Biochemistry, 65, 245–253. https://doi.org/10.1016/j.soilbio.2013.06.003
- Malechaux, A., Le Dréau, Y., Artaud, J., & Dupuy, N. (2020). Exploring the scientific interest
 for olive oil origin: a bibliometric study from 1991 to 2018. Foods, 9, 556.
 https://doi.org/10.3390/foods9050556
- 592 Marín, D., Armengol, J., Carbonell-Bejerano, P., Escalona, J. M., Gramaje, D., Hernández-
- 593 Montes, E., Intrigliolo, D. S., Martínez-Zapater, J. M., Medrano, H., Mirás-Avalos, J.
- 594 M., Palomares-Rius, J. E., Romero-Azorín, P., Savé, R., Santesteban, L. G., & de
- 595 Herralde, F. (2021). Challenges of viticulture adaptation to global change: Tackling the
- issue from the roots. Australian Journal of Grape and Wine Research, 27(1), 8–25.
 https://doi.org/10.1111/ajgw.12463
- Matei, N., Popescu, A., Radu, G.-L., Artem, V., & Pavalache, G. (2015). Cadmium and lead
 occurrence in soil and grape from Murfatlar vineyard. Ovidius University Annals of
 Chemistry, 26(1), 37–40. https://doi.org/10.1515/auoc-2015-0007
- Meena, R. S., Kumar, S., Datta, R., Lal, R., Vijayakumar, V., Brtnicky, M., Sharma, M. P.,
 Yadav, G. S., Jhariya, M. K., Jangir, C. K., Pathan, S. I., Dokulilova, T., Pecina, V., &
 Marfo, T. D. (2020). Impact of agrochemicals on soil microbiota and management: A
- 604 review. Land, 9(2). https://doi.org/10.3390/land9020034

26

- Meite, F., Alvarez-Zaldívar, P., Crochet, A., Wiegert, C., Payraudeau, S., & Imfeld, G. (2018).
 Impact of rainfall patterns and frequency on the export of pesticides and heavy-metals
 from agricultural soils. Science of The Total Environment, 616–617, 500–509.
 https://doi.org/10.1016/j.scitotenv.2017.10.297
- 609 Miotto, A., Ceretta, C. A., Brunetto, G., Nicoloso, F. T., Girotto, E., Farias, J. G., Tiecher, T.
- L., De Conti, L., & Trentin, G. (2014). Copper uptake, accumulation and physiological
 changes in adult grapevines in response to excess copper in soil. Plant and Soil, 374(1–
- 612 2), 593–610. https://doi.org/10.1007/s11104-013-1886-7
- Mirlean, N., Roisenberg, A., & Chies, J. O. (2007). Metal contamination of vineyard soils in
 wet subtropics (southern Brazil). Environmental Pollution, 149(1), 10–17.
 https://doi.org/10.1016/j.envpol.2006.12.024
- Monaci, E., Coppola, L., Casucci, C., & Vischetti, C. (2011). Losses and dissipation of
 penconazole in vineyard soil as affected by mid-row management system. Journal of
 Environmental Science and Health. Part. B, Pesticides, Food Contaminants, and
 Agricultural Wastes, 46, 461–468. https://doi.org/10.1080/03601234.2011.583844
- 620 Moneyron, A., Lallemand, J. F., Schmitt, C., Perrin, M., Soustre-Gacougnolle, I., & Masson, J.
- E. (2017). Linking the knowledge and reasoning of dissenting actors fosters a bottomup design of agroecological viticulture. Agronomy for Sustainable Development, 37(5).
 https://doi.org/10.1007/s13593-017-0449-3
- Nogueirol, R. C., Alleoni, L. R. F., Nachtigall, G. R., & de Melo, G. W. (2010). Sequential
 extraction and availability of copper in Cu fungicide-amended vineyard soils from
 Southern Brazil. Journal of Hazardous Materials, 181(1), 931–937.
 https://doi.org/10.1016/j.jhazmat.2010.05.102
- 628 OIV. (2019). 2019 Statistical Report on World Vitiviniculture. *2019* Statistical Report on World
 629 Vitiviniculture, 23.

630	Okur, N., AltindiŞli, A., Çengel, M., Göçmez, S., & Kayikçioğlu, H. H. (2009).							
631	Microbial biomass and enzyme activity in vineyard soils under organic and conventional							
632	farming systems. Turk Tarim ve Ormancilik Dergisi/Turkish Journal of Agriculture and							
633	Forestry 33(4)							
634	Oliveira, V. de S., Lima, A. M. N., Salviano, A. M., Bassoi, L. H., & Pereira, G. E. (2015).							
635	Heavy metals and micronutrients in the soil and grapevine under different irrigation							
636	strategies. Brazilian society of soil science, 39, 162–173.							
637	https://doi.org/10.1590/01000683rbcs20150284							
638	Olmstead, M., Miller, T. W., Bolton, C. S., & Miles, C. A. (2012). Weed control in a newly							
639	established organic vineyard. HortTechnology, 22(6), 757–765.							

Pedneault, K., & Provost, C. (2016). Fungus resistant grape varieties as a suitable alternative
for organic wine production: Benefits, limits, and challenges. Scientia Horticulturae,
208, 57–77. https://doi.org/10.1016/j.scienta.2016.03.016

https://doi.org/10.21273/HORTTECH.22.6.757

640

- Peña, N., Antón, A., Kamilaris, A., & Fantke, P. (2018). Modeling ecotoxicity impacts in
 vineyard production: Addressing spatial differentiation for copper fungicides. Science
 of The Total Environment, 616–617, 796–804.
 https://doi.org/10.1016/j.scitotenv.2017.10.243
- Pietrzak, U., & McPhail, D. C. (2004). Copper accumulation, distribution and fractionation in
 vineyard soils of Victoria, Australia. Geoderma, 122(2-4 SPEC. IIS.), 151–166.
 https://doi.org/10.1016/j.geoderma.2004.01.005
- Pinna, M. V., Budroni, M., Farris, G. A., & Pusino, A. (2008). Fenhexamid Adsorption
 Behavior on Soil Amended with Wine Lees. Journal of Agricultural and Food
 Chemistry, 56(22), 10824–10828. https://doi.org/10.1021/jf802377y

- Pose-Juan, E., Sánchez-Martín, M. J., Andrades, M. S., Rodríguez-Cruz, M. S., & HerreroHernández, E. (2015). Pesticide residues in vineyard soils from Spain: Spatial and
 temporal distributions. Science of The Total Environment, *514*, 351–358.
 https://doi.org/10.1016/j.scitotenv.2015.01.076
- Probst, B., Schüler, C., & Joergensen, R. G. (2008). Vineyard soils under organic and
 conventional management—Microbial biomass and activity indices and their relation to
 soil chemical properties. Biology and Fertility of Soils, 44(3), 443–450.
 https://doi.org/10.1007/s00374-007-0225-7
- Prosdocimi, M., Cerdà, A., & Tarolli, P. (2016). Soil water erosion on Mediterranean vineyards:
 A review. Catena, *141*, 1–21. https://doi.org/10.1016/j.catena.2016.02.010
- Renaud-Gentié, C., Dijkman, T. J., Bjørn, A., & Birkved, M. (2015). Pesticide emission
 modelling and freshwater ecotoxicity assessment for Grapevine LCA: Adaptation of
 PestLCI 2.0 to viticulture. The International Journal of Life Cycle Assessment, 20(11),
 1528–1543. https://doi.org/10.1007/s11367-015-0949-9
- Rusjan, D., Strlič, M., Pucko, D., & Korošec-Koruza, Z. (2007). Copper accumulation
 regarding the soil characteristics in Sub-Mediterranean vineyards of Slovenia. *Geoderma*, 141(1-2), 111–118. https://doi.org/10.1016/j.geoderma.2007.05.007
- Ruyters, S., Salaets, P., Oorts, K., & Smolders, E. (2013). Copper toxicity in soils under
 established vineyards in Europe: A survey. Science of the Total Environment, 443, 470–
 477. https://doi.org/10.1016/j.scitotenv.2012.11.001
- Sánchez-Martín, M., Andrades, M., & Sánchez-Camazano, M. (2000). Soil properties
 influencing the adsorption and mobility of penconazole in vineyard soils. Soil Science,
 165, 951–960. https://doi.org/10.1097/00010694-200012000-00005
- Santos, J. A., Fraga, H., Malheiro, A. C., Moutinho-Pereira, J., Dinis, L. T., Correia, C.,
 Moriondo, M., Leolini, L., Dibari, C., Costafreda-Aumedes, S., Kartschall, T., Menz,

- C., Molitor, D., Junk, J., Beyer, M., & Schultz, H. R. (2020). A review of the potential
 climate change impacts and adaptation options for European viticulture. Applied
 Sciences (Switzerland), 10(9), 1–28. https://doi.org/10.3390/app10093092
- Schreck, E., Geret, F., Gontier, L., & Treilhou, M. (2008). Neurotoxic effect and metabolic
 responses induced by a mixture of six pesticides on the earthworm *Aporrectodea caliginosa nocturna*. Chemosphere, 71(10), 1832–1839.
 https://doi.org/10.1016/j.chemosphere.2008.02.003
- Semhi, K., Duplay, J., Imfeld, G., & Boutin, R. (2018). Chemical effect of pesticide application
 on soils: Evidence from rare earth elements. Arabian Journal of Geosciences, 11(19),
 590. https://doi.org/10.1007/s12517-018-3925-4
- Serpa, D., Nunes, J. P., Keizer, J. J., & Abrantes, N. (2017). Impacts of climate and land use
 changes on the water quality of a small Mediterranean catchment with intensive
 viticulture. Environmental Pollution, 224, 454–465.
 https://doi.org/10.1016/j.envpol.2017.02.026
- Sonoda, K., Hashimoto, Y., Wang, S. L., & Ban, T. (2019). Copper and zinc in vineyard and
 orchard soils at millimeter vertical resolution. Science of the Total Environment, 689,
 958–962. https://doi.org/10.1016/j.scitotenv.2019.06.486
- Štajnbaher, D., & Zupančič-Kralj, L. (2003). Multiresidue method for determination of 90
 pesticides in fresh fruits and vegetables using solid-phase extraction and gas
 chromatography-mass spectrometry. Journal of Chromatography A, 1015(1–2), 185–
- 699 198. https://doi.org/10.1016/S0021-9673(03)01211-1
- Subramanyam, K. (1983). Bibliometric studies of research collaboration: A review. Journal of
 Information Science, 6(1), 33–38. https://doi.org/10.1177/016555158300600105
- Suciu, N., Farolfi, C., Zambito Marsala, R., Russo, E., De Crema, M., Peroncini, E., Tomei, F.,
- 703 Antolini, G., Marcaccio, M., Marletto, V., Colla, R., Gallo, A., & Capri, E. (2020).

- Evaluation of groundwater contamination sources by plant protection products in hilly
 vineyards of Northern Italy. Science of The Total Environment, *749*, 141495.
 https://doi.org/10.1016/j.scitotenv.2020.141495
- Sun, X., Ma, T., Yu, J., Huang, W., Fang, Y., & Zhan, J. (2018). Investigation of the copper
 contents in vineyard soil, grape must and wine and the relationship among them in the
 Huaizhuo Basin Region, China: A preliminary study. Food Chemistry, 241(August
 2017), 40–50. https://doi.org/10.1016/j.foodchem.2017.08.074
- 711 Tiecher, T. L., Ceretta, C. A., Tiecher, T., Ferreira, P. A. A., Nicoloso, F. T., Soriani, H. H.,
 712 Rossato, L. V., Mimmo, T., Cesco, S., Lourenzi, C. R., Giachini, A. J., & Brunetto, G.
- 713 (2016). Effects of zinc addition to a copper-contaminated vineyard soil on sorption of
- 714 Zn by soil and plant physiological responses. Ecotoxicology and Environmental Safety,

715 129, 109–119. https://doi.org/10.1016/j.ecoenv.2016.03.016

- Tykva, R., & Morais, C. (1999). Metalaxyl biodegradation by bacterial and mold isolates from
 Portuguese vineyard soils. Human and Environmental Exposure to Xenobiotics
 Proceedings of the XI Symposium Pesticide Chemistry, Cremona, Italy, 11-15
 September, 1999, 457–462.
- Vázquez Vázquez, F. A., Pérez Cid, B., & Río Segade, S. (2016). Assessment of metal
 bioavailability in the vineyard soil-grapevine system using different extraction methods.
- Food Chemistry, 208, 199–208. https://doi.org/10.1016/j.foodchem.2016.04.005
- Vogelweith, F., & Thiéry, D. (2017). Cover crop differentially affects arthropods, but not
 diseases, occurring on grape leaves in vineyards. Australian Journal of Grape and Wine
 Research, 23(3), 426–431. https://doi.org/10.1111/ajgw.12290
- Wezel, A., Casagrande, M., Celette, F., Vian, J. F., Ferrer, A., & Peigné, J. (2014).
 Agroecological practices for sustainable agriculture. A review. Agronomy for
 Sustainable Development, 34(1), 1–20. https://doi.org/10.1007/s13593-013-0180-7

- Wightwick, A. M., Mollah, M. R., Partington, D. L., & Allinson, G. (2008). Copper fungicide
 residues in Australian vineyard soils. Journal of Agricultural and Food Chemistry,
 56(7), 2457–2464. https://doi.org/10.1021/jf0727950
- Wightwick, A. M., Reichman, S. M., Menzies, N. W., & Allinson, G. (2013a). Industry wide
 risk assessment: a case study of Cu in Australian vineyard soils. Water, Air, & Soil
 Pollution, 224(12), 1702. https://doi.org/10.1007/s11270-013-1702-2
- Wightwick, A. M., Salzman, S. A., Reichman, S. M., Allinson, G., & Menzies, N. W. (2013b).
 Effects of copper fungicide residues on the microbial function of vineyard soils.
 Environmental Science and Pollution Research, 20(3), 1574–1585.
 https://doi.org/10.1007/s11356-012-1114-7
- Ying, G.-G., & Williams, B. (2000). Dissipation of herbicides in soil and grapes in a South
 Australian vineyard. Agriculture, Ecosystems & Environment, 78(3), 283–289.
 https://doi.org/10.1016/S0167-8809(99)00127-9
- 742 Zambito Marsala, R., Capri, E., Russo, E., Bisagni, M., Colla, R., Lucini, L., Gallo, A., & Suciu,
- N. A. (2020). First evaluation of pesticides occurrence in groundwater of Tidone Valley,
 an area with intensive viticulture. Science of the Total Environment, 736, 139730.
 https://doi.org/10.1016/j.scitotenv.2020.139730
- Zhihui, B. A. I., Bo, J. I. N., Yuejie, L. I., Jian, C., & Zuming, L. I. (2008). Utilization of winery
 wastes for *Trichoderma viride* biocontrol agent production by solid state fermentation.
 20, 353–358.
- 749

Table 1. Top 10 publishing authors, from 1990-2020, including the number of total publications on the topic, geographical affiliation of the authors, authors' total number of citations (without self-citations) and most cited articles. Total number of citations represents the total number of citations for the author. It is important to note that authors might not be the first author of the paper.

Name	Number of	Country of	Total citations	Most cited
	publications	affiliation		article
Arias- Estevez Brunetto	49 44	Spain Brazil	696 370	(Fernández- Calviño et al. 2010) (Brunetto et al. 2016)
Fernández -Calviño	38	Spain	543	(Fernández- Calviño et al. 2010)
Novoa- Muñoz	28	Spain	370	(Fernández- Calviño et al. 2009)
Sanchez- Martin	26	Spain	378	(Herrero- Hernández et al. 2011)
Ceretta	25	Brazil	228	(Miotto et al. 2014)

Rodriguez-	23	Spain	319	(Herrero-
Cruz				Hernández et al.
				2011)
Nicoloso	20	Brazil	178	(Miotto et al.
				2014)
Tiecher	20	Brazil	219	(Miotto et al.
				2014)
Dong	18	China	277	(Dong et al.
				2012)
Zheng	18	China	275	(Dong et al.
				2012)

Table 2. Top 15 publishing journals within this search including the total number of publications on the topic in the Web of Science database (1990-2020), journal's Impact factor (JIF₂₀₂₀) and Categories include their ranking for category. The most cited article on each journal of this search is listed as "the most cited article within search."

Journal name	Total of articles within search	JIF ₂₀₂₀	Journal categories	Most cited article within this search
Science of the Total Environment	55	7.963	Environmental Sciences Q1	(Ballabio et al. 2018)
Environmental Sciences and Pollution Research	41	4.223	Environmental Sciences Q2	(Liu et al. 2016)
Journal of Agricultural and Food Chemistry	39	5.279	Agriculture, multidisciplinary Q1	(Almeida and Vasconcelos 2003)
· · · · · · · · · · · · · · · · · · ·			Applied Chemistry Q1	()
			Food science and Technology Q1	
Chemosphere	29	7.086	Environmental Sciences Q1	(Brunetto et al. 2016)

Food Chemistry	26	7.514	Applied Chemistry Q1	(Sun et al. 2018)
			Food Science & Technology Q1	
			Nutrition and Dietetics Q1	
Journal of Environmental Science and Health	26	1.99	Environmental Sciences Q4	(Monaci et al. 2011)
part B Pesticides Food Contaminants and			Public, Environmental &	
Agricultural Waste			Occupational Health Q3	
Ecotoxicology and Environmental Safety	25	6.291	Environmental Sciences Q1	(Tiecher et al. 2016)
			Toxicology Q1	
Environmental Monitoring and Assessment	25	2.153	Environmental Sciences Q3	(Al Nasir et al. 2001)
Littioninentai tionitoring and rissessment	25	2.135	Environmental Selences Q5	(111110511 01 01. 2001)
Environmental Pollution	25	8.071	Environmental Sciences Q1	(Jacobson et al. 2005)
Environmental Fondion	25	0.071	Environmental Sciences Q1	(Jacobsoli et al. 2003)
Communication in Soil Sciences and Plant	21	1.327	Agronomy Q3	(Deluisa et al. 1996)
Analysis			Analytical Chemistry Q4	

Plant Sciences Q3

Soil SciencesQ4

Water Air and Soil Pollution	21	2.52	Environmental Sciences Q3	(Hindersmann et al. 2014)
			Meteorology Atmospheric Sciences	
			Q3	
			Water Resources Q3	
Geoderma	20	6.114	Soil Sciences Q1	(Pietrzak and McPhail 2004)
Journal of Hazardous Material	19	10.588	Environmental Engineering Q1	(Nogueirol et al. 2010)
			Environmental Sciences Q1	
Journal of Soil and Sediment	18	3.308	Environnemental Sciences Q2	(Fan et al. 2011)
			Soil Sciences Q2	

Table 3. Most cited articles followed by the total number of citations, journal of publication of the article, journal impact factor (IF_{2020}) and research categories of the journal.

Title	Number of citations	Journal of publication	JIF ₂₀₂₀	Journal's category	Reference
Contamination of	423	Environment	9.621	Environmental Science	(Komárek et al. 2010)
vineyard soils with		international			
fungicides: A review of					
environmental and					
toxicological aspects.					
Agroecological practices	356	Agronomy for	5.932	Agronomy	(Wezel et al. 2014)
for sustainable		Sustainable			
agriculture. A review		Development		Green sustainable Science &	
				Technology	
Multiresidue method for	249	Journal of	4.759	Biochemical Research Methods	(Štajnbaher and Zupančič-Kralj
determination of 90		Chromatography A			2003)

pesticides in fresh fruits			Analytical Chemistry	
and vegetables using				
solid-phase extraction				
and gas chromatography-				
mass spectrometry.				
Evaluation of copper 242	Environmental	8.071	Environmental Sciences	(Brun et al. 2001)
availability to plants in	Pollution			
coper-contaminated				
vineyards soils				
Urban waste compost 241	Journal of	2.751	Environmental Sciences	(Giusquiani et al. 1995)
effects on physical;	Environmental Quality			
chemical, and				
biochemical soil				

properties





Fig 1: Number of publications in the search over time (1990-2020), including an exponential

regression line

Fig 2: Publications keywords in the search over time. Each bar represents the number of times a keyword was used between 1990-2020



40

Fig 3: Map A: "Total number of publications for the 10 countries that published articles between (2014-2018) according to "Web of Science" (2021)." Map B: "Total millions of hectoliters of wine produced between (2014-2018) by the same countries (OIV 2019)."





Fig 4: Graphical representation of keyword clusters. The number of articles is represented in the top right corner of every bubble containing the cluster number. The number of times a keyword appears in an article is represented by the number on the top right corner of each keyword. The grey line represents the link between a cluster and a keyword, the number in the middle of the grey line represents the amount a times a keyword appears in a cluster."






Fig 5: Distribution of clusters by journal in the search (1990-2020)

Fig 6: Evolution of clusters in the search over time. Each bar represents the number of articles in a cluster from 1990-2020

