

Using bibliometrics to analyze the state of art of pesticide use in vineyard agrosystems: a review

Flor Regus, Isabelle Laffont-Schwob, Rayhane Hamrouni, Nathalie Dupuy, Anne-Marie Farnet da Silva

▶ To cite this version:

Flor Regus, Isabelle Laffont-Schwob, Rayhane Hamrouni, Nathalie Dupuy, Anne-Marie Farnet da Silva. Using bibliometrics to analyze the state of art of pesticide use in vineyard agrosystems: a review. Environmental Science and Pollution Research, 2022, 10.1007/s11356-022-23285-1. hal-03817640

HAL Id: hal-03817640

https://hal.science/hal-03817640

Submitted on 17 Oct 2022

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.

1 Pré-print

Environmental Science and Pollution Research https://doi.org/10.1007/s11356-022-23285-1

REVIEW ARTICLE



Using bibliometrics to analyze the state of art of pesticide use in vineyard agrosystems: a review

Flor Regus^{1,2} · Isabelle Laffont-Schwob² · Rayhane Hamrouni¹ · Nathalie Dupuy¹ · Anne-Marie Farnet Da Silva¹

- Received: 9 March 2022 / Accepted: 22 September 2022
- 3 Using bibliometrics to analyze the state of art of pesticide use in vineyard agrosystems: A
- 4 review.
- 5 Regus Flor ^{1,2}, Laffont-Schwob Isabelle ², Rayhane Hamrouni ¹, Dupuy Nathalie ¹, Farnet Da
- 6 Silva Anne-Marie ^{1*}.
- ¹Aix Marseille Univ, CNRS, IRD, Avignon Université, IMBE, Marseille, France
- 8 ² Aix Marseille Univ, IRD, LPED, Marseille, France
- 9 *Corresponding Author:
- 10 Anne-Marie Farnet Da Silva
- 11 anne-marie.farnet@imbe.fr

13 ABSTRACT:

12

- The production of wine dates to ancient civilization and has heavily influenced different
- landscapes around the globe. Nowadays, wine is still an important sector in terms of land use
- and income source in many countries, more specifically in the European Mediterranean region.
- However, to control pests and regulate wine growth, the extensive use of pesticides is common.

The effects and persistence of agrochemicals in the environment is well known and defined in scientific literature as well as the environmental and human health risks of these compounds. The purpose of this review was to do a state of art of worldwide production of academic literature using bibliometric principles and analysis to identify thematic areas of this type of agriculture, and its challenges in a changing world. For this review the focus is on current practices to see what may evolve for more sustainable viticulture. It was found that the three main producers of wine i.e. Spain, France and Italy are also three top producers of scientific literature on this topic. The use of bibliometric methodologies defined the main thematic areas on this subject as following: soil-plant transfer of agrochemicals, heavy metal accumulation in vineyard soils, management practices in viticulture, water pollution transport, effects of viticulture on the living part of soil, sustainable alternatives to pesticides. We found that Spain, France and Italy work the most on developing sustainable alternatives for agricultural practices, however sustainable alternatives and practices were also the least developed thematic in general.

33 viticulture.

Keywords: copper accumulation; soil pollution; sustainability; transfer of pollutants;

36 DECLARATIONS

- 37 ETHICAL APPROVAL: Not applicable
- 38 CONSENT TO PARTICIPATE: All authors have freely agreed and consented to participate in
- 39 the elaboration of this review.
- 40 CONSENT TO PUBLISH: All authors gave consent for the submission and publication of this
- 41 manuscript.
- 42 AUTHORS CONTRIBUTIONS: All authors contributed to this review and agreed on its
- content. Idea for this review was presented by Nathalie Dupuy. Keywords were selected by
- 44 Anne-Marie Farnet Da Silva, Isabelle Laffont-Schwob and Flor Regus. Literature search,
- analysis and draft elaboration were performed by Flor Regus. Critical reviews were performed
- by Anne-Marie Farnet Da Silva, Flor Regus, Isabelle Laffont-Schwob, Nathalie Dupuy and
- 47 Rayhane Hamrouni.
- 48 FUNDING SOURCES: Funding for this manuscript was received by ITEM institute under the
- 49 project ALCOVE (AMX-19-IET-012).
- 50 COMPETING INTEREST: Authors have non relevant financial or non-financial interest to
- 51 disclose.
- 52 AVAILABILITY OF DATA AND MATERIALS: All the analyzed information for this
- 53 publication is included in the manuscript. Additional information could be provided upon
- reasonable request to corresponding author.

INTRODUCTION

The incidence of extreme weather events such as of heat waves, intense rainfall and agricultural drought is likely to increase within the next decade (IPCC 2021). Climate change is troublesome for agriculture since it influences water stress, duration of growing season as well as the intensity and frequency of heat waves (Aryal et al. 2020). Along with the effects caused by climate change another issue in agriculture is the toll conventional agricultural practices have in the environment. In order to meet the demand of agricultural goods, agriculture leans on techniques such as tillage and the excessive use of agrochemicals to ensure supply in an overpopulated world (Wezel et al. 2014; Meena et al. 2020). This unsustainable use of agricultural land and resources creates an imbalance in the ecosystems in terms of nutrient cycling, soil and water quality (Garini et al. 2017).

A culture particularly fragile to the effects of climate change is viticulture. Wine quality strongly depends on climate and land (Fraga et al. 2012; Marín et al. 2021; Santos et al. 2020). Most of the world's wine grapes production, and wine production, is located in Mediterranean Europe between France, Spain and Italy (Jackson, 2016; OIV 2019). Viticulture is no strange to the issue of unsustainable practices, and Mediterranean viticulture is highly dependent on the use of agrochemicals (Prosdocimi et al. 2016). There are two factors that make viticulture in the Mediterranean region highly dependent in agrochemicals. Mediterranean soils are characterized by low organic matter and nutrient content and the *Vitis vinifera* plant is highly sensitive to phytopathogens (such as *Plasmopara viticola* or *Botrytis cinerea*) (Serpa et al. 2017). Amongst agrochemicals used in viticulture, pesticides against phytopathogens, are extensively used (Campbell et al. 2021). The use of pesticides has been extensively studied in the scientific field because of their potential toxicity (Schreck et al. 2008). One example of the risk for toxicity in humans is described in recent studies in developing countries showed that,

although this part of the world uses only 20 % of the world's agrochemicals, this region suffers 99 % of deaths induced by pesticide poisoning and victims are mostly farmers (Curl et al. 2020).

Many authors have identified the accumulation of pesticides in vineyard soils as a threat (Komárek et al. 2010; Sánchez-Martín et al. 2000; Semhi et al. 2018). The accumulation of pesticides also poses an environmental risk since there is a risk of diffusion of the parent chemical compounds and their by-products (Sonoda et al. 2019; Zambito Marsala et al. 2020). Copper-based compounds are amongst the most used pesticides to prevent fungal infections in vineyards (Fernández-Calviño et al. 2010). Because of its accumulation in soils, copper tends to reach toxic concentrations, affecting the living part of the soil (Campillo-Cora et al. 2019; Mackie et al. 2013; Rusjan et al. 2007). Due to accumulation of copper on the environment, in 2009, the European Union regulated the use of agrochemicals and decided to list copper as a candidate for substitution Regulation (EC) No.1107/2009. The decision to find a substitute for copper was again ratified in 2018 with Regulation (EU) 2018/1981.)

Environmental affairs are a transverse issue covering different areas such as ecology, human health and policy making. The transverse specificity of environmental issues is not new. For example, in 2004, concept "One Health" was developed. This concept looks at ecosystem's health, fauna, and human health at once (Destoumieux-Garzón et al. 2018). This new concept highlights the need to have a holistic approach based on interdisciplinarity embracing all the components of an ecosystem including living soil, plants, animals, and humans. Due to the transverse properties of environmental affairs, analysis of scientific literature can be a complex task, with bias linked to non-systematic requests on literature databases. The use of bibliometric methods can help overcome this complex task. Bibliometric methods have been established in the scientific field (specially applied sciences) to study different aspects of science (Ellegaard et al. 2015) in order to establish a state of art. Bibliometric methods are used to analyze scientific production, techniques and methodologies available by measuring and interpreting

the production metadata of scientific publications (Subramanyam 1983). For this review, a bibliometric approach was used to create a state of art regarding the conventional practices in viticulture that focuses on pesticides. The work consists of studying the evolution of annual publications (between 1990-2020) and the different countries affiliated to each publication. This later allowed the analysis of thematic areas by grouping keywords from the publications into clusters. The-creation of clusters later allowed us to see the geographical distribution of thematic areas.

112

113

114

115

116

117

118

119

120

121

122

123

124

125

126

127

128

129

105

106

107

108

109

110

111

1. MATERIALS AND METHODS

The scientific database Web of Science was used to obtain scientific publications that include the studies of problematics in viticulture regarding the use of pesticides. On September 27, 2021, a search was done and the metadata were downloaded using the words ("viticulture" OR "grape" OR "grapes" OR "wine" OR "wines" OR "vineyard" OR "vineyards") AND ("pesticide" OR "pesticides" OR "copper*", "Cu") AND ("phytopathogen" OR "phytopathogens" OR "soil" OR "soils" OR "plant health") were used as keywords. The star symbol (*) was added to include the different forms of a word, for instance the word "copper*" will also cover "copper based". Time frame was set to 1990-2020 to observe the evolution of this topic over time. For this search all fields available were used. This was done to maximize the collected data since the analysis accounts for article subject and geographical affiliation. No additional sub-databases or collections were used. The analyze citation tools from web of science was used to assess the evolution of keywords over time, geographical distribution of publications and authorship as well as the distribution of publications throughout journals. Finally, this search does not account for grey literature or another scientific database. The metadata of this bibliographical search was analyzed using the software Matheo Analyzer, France. Keywords of each publication were extracted and grouped in clusters to reveal thematic

areas. Keyword clusters were created using K-means methods following Malechaux et al. (2020). *K*-Means is an algorithm for data clustering. The keywords are grouped into *K* clusters (user-determined number) based on a specific distance measurement, so that the sum of distances between each keyword and its cluster centroid is minimized. The procedure consists of the following three steps:

- (i) The algorithm is initiated by creating K different clusters. The samples, included in the analysis, are first randomly distributed between these K different clusters.
- (ii) As a next step, the distance between each keyword and its respective cluster centroid is calculated.
- (iii) keywords are then attributed to the nearest cluster (K_1 or K_2) based on the sample-cluster centroid distance.

The number of iterations is the number of times that the *K*-means algorithm is repeated to obtain an optimal clustering solution, each time starting with random initial clusters. Keywords occurring at least 15 times were used to build the clusters. The keywords used in the search (viticulture, grape, pesticides, copper etc.) were left out of the data clustering to avoid bias and high word co-occurrence on the analysis. These parameters were set to have quality clusters with strong links between the keywords in each cluster. The results for this bibliometric review are limited to Web of science since different citation collection methods from various databases would have led to a set of data that are not compatible with software Matheo Analyzer.

2. RESULTS AND DISCUSSION

The use of these parameters resulted in a database of 1317 publications. This includes 1205 scientific articles, 114 proceeding papers, 37 review articles, 12 book chapters. Focusing on a single scientific Database Web of Science provided a large range of results for this topic.

3.1 Evolution of publications through time

153

154

155

156

157

158

159

160

161

162

163

164

165

166

167

168

169

170

171

172

173

174

175

176

The development of new technologies allowing the rapid acquisition of data influences the increase in publications over time. Figure 1 shows the number of publications over time from 1990-2020. This figure also includes an exponential regression to reveal the inflection point. The first period covered by this search, between 1990-1994, only six papers were published. This number increased to 97 between 2000-2004, i.e. an increment of 16 times. Together with technological and scientific developments, different political events could explain this increase in publications. For example, in 2002, the European commission restricted the use of copper, Regulation (EU) 2018/1981. Then in 2003, an EU commission study showed that viticulture was the largest pesticide consumer per acre of all large-scale cultivated crops in the European Union (Moneyron et al., 2017). Years 2005-2009 saw a pivotal change in the number of publications.-During this time (2005-2009), publication numbers had almost doubled compared to period 2000-2004. By 2009, the European Union listed copper as a compound that should be substituted in agriculture. After 2009, the number of publication of articles doubled every 4 years. This trend is likely to continue since there is more political pressure about this problematic.: The decision to look for alternatives to copper in agriculture was again rectified in 2018 Regulation No. (EU) 2018/1981.

3.2 Evolution of keywords over time

The evolution of the selected keywords overtime was also analyzed. Figure 2 represents the number of times a specific keyword was used in an article in each time frame. The words copper, pesticide, and soil increased over time. Overall, this highlights how the focus on this problematic lies mostly on the effects of pesticides and copper-based pesticides in soil. A pivotal change after 2000-2004 can be observed. After 2004, soil indeed becomes the most used keyword followed by copper and then pesticides. The last period, between 2015-2020,

illustrates how the effect of copper-based pesticides can be considered as an issue for soil properties and fertility and thus for the sustainable production of grapes and wine.

3.3 Geographical distribution of publications and authorship.

From 1990 to 2020, there were 86 different countries working on this topic. When observing the geographical distribution of scientific literature, it appears that research groups are scattered around the globe. Some examples of this, are counties such as Australia (Ying et al. 2000), Spain (Pose-Juan et al. 2015) and Slovenia (Al Nasir et al. 2001). For this section, we will focus on the top10 publishing countries. These countries have contributed for more than 87% of total publications in this database. These countries were Spain (199), France (157), Italy (183), China (138), USA (133), Brazil (101), Australia (88), India (50), Romania (47) and Germany (44). First, it is not surprising that Spain, France, Italy appear within the top ten countries publishing on that topic. Indeed, these countries are the main producers of wine (millions of hectoliters) in the world according to the 2019 Statistical Report on World Viticulture (OIV 2019).

Figure 3 shows two maps: map A shows the total number of articles published between 2014-2018 for the top-10-publishing countries and map B shows the total production of wine (millions of hectoliters) according to the report by OIV (2019) for the same countries. All countries in Figure 3, except for India, are considered major wine producers. Wine production in India is low, though there is a large area in this country dedicated to the production of table grapes.-In 2018, India had 151 thousand hectares of vineyards, accounting for 2% of vineyards on the globe. Time frame for these maps is limited to 2014-2018 as these years are the only ones reported to this date for wine production by the OIV.

Another descriptive parameter analyzed was the co-authors and their country of affiliation. Authors with the highest number of publications on our search are presented in Table

1. Authors have a minimum of 18 articles (equivalent to approximately 1.4% of the total publications). There is a link between collaborating authors and geographical areas. For example, according to Table 1, Arias-Estévez (the author with the highest number of publications) and Fernández-Calviño are co-authors and their country of affiliation, according to the Web of Science, is Spain. This occurs again with authors such as Nicoloso and Tiecher two co-authors from Brazil. Research collaborations about viticulture between wine-producing countries are very limited. However, the country of affiliation of the authors does not provide an accurate vision of how publications are scattered globally. In Table 1, the same high publishing authors work together, limiting the number of countries of affiliation shown on the table. Thus, this leaves other high publishing countries such as France and Italy out of this Table because the same author does not publish as much on the same topic.

3.4 Publication's categories & publishing journals

There was a total of 55 categories identified on this database where the categories with the most articles were: Environmental Sciences/ Ecology with 529 articles, Agriculture-438;; Chemistry; 250;,—Food Sciences Technology; 196;; Plant sciences; 125. It is important to mention that one publication can belong to more than one category. The categories before mentioned represent the categories covered by most journals in this database, where a total of 461 publishing journals can be found. The journals with the highest number of publications are shown in Table 2. Along with journal's categories, the Journal Impact Factor (JIF) is also presented in Table 2. The JIF is an index based on the number of citations of publications during a specific time. The JIF was created in 1955 as a way to source journals (Garfield, 2006). A large range of JIF from 1.327 to 10.588 can be found in Table 2. This large range of JIF is not surprising since it changes depending on the field (Althouse et al., 2009). For example, for Environmental Sciences, JIF ranges from 0.323 to 38.532 according to the Web of Sciences'

Journal citation report (*Journal Citation Reports*, 2021). The total number of times an article was cited is presented in Table 3. Citations on this table varies from 241 to 435.

Table 3 gives an idea of the readers' interest within this topic. For example, the most cited article by Komárek et al. (2008) compiles studies regarding the contamination of vineyard soil with organic and inorganic fungicides. It is followed by Wezel et al. (2014) where agricultural practices are evaluated and compared. In this article, organic fertilization, biological pest control, crop selection, reduce tillage and drip irrigation showed a high potential for the future in agriculture. The third article by Štajnbaher et al. (2003) describes a methodology to analyze different pesticides. The fourth article produced by Brun et al. (2001) looks at the transfer of copper accumulation from soil to plants (specially the roots). Finally, the last article by Giusquiani et al. (1995) in this table looks at the effect of soil amendments on different parameters such as C, Cu and Pb. In this table, the main categories are Environmental Science, Agronomy and Plant Sciences to mention a few.

3.5 Keyword Clusters

A total of six clusters were created. The clusters are presented in Figure 4, showing the keywords associated to each cluster. To facilitate reading, only keywords that appear 16 times or more are presented in the Figure. Due to cluster building parameters, not all publications were included in these clusters. Each cluster is described below:

• Cluster 1(Soil-plant transfer of agrochemicals)

The main thematic present in this cluster is the effects of persistent compounds in a soil-plant system. This cluster indeed contains words such as residue, sorption, dissipation, and liquid chromatography.÷ These are all terms used to describe the behavior and transport of persistent compounds from soil to plant as well as techniques like liquid chromatography used to quantify such compounds. For exemple, Matei et al. (2015), and Vázquez-Vázquez et al.

(2016) look at the presence of heavy metals in a soil-plant interactions and the transport of pollutants from soil to the plant. Another thematic of this cluster is the risk of exposure associated with the transfer of persistent agrochemicals to the final product (wine or table grapes). For instance, this topic regarding the risk of exposure is included in publications from Wightwick et al. (2013a) or Guang-Guo et al (2000). For this cluster, China is affiliated to 62 publications and Spain is affiliated to 56 publications. The publications in this cluster account for 20% of all the publications analyzed.

• Cluster 2 (Heavy metal accumulation in vineyard soils)

This cluster includes pollution and accumulation of heavy metals in soils, and ICP-MS (Inductively coupled plasma - mass spectroscopy) as a technique for their analysis. The main thematic here is soil inorganic pollution in vineyards due to heavy metals. This cluster focuses on the occurrence of heavy metals and their persistence due to low degradation rates in vineyard soils as described in Bălc et al. (2018). It also deals with the accumulation of copper in soil due to the use of pesticides as highlighted by authors such as Wightwick et al. (2008) and Komárek et al. (2008), and with the behavior of copper in soils (Blotevogel et al. 2018; Rusjan et al. 2007). Another theme discussed in this clusters is the bioavailability of heavy metals and more precisely how bioavailability influences the toxicity and risk due to heavy metals (Mirlean et al. 2007). The countries publishing the most articles here are Spain, Romania and France. Publications in this cluster account for 19.8% of all the publications.

• Cluster 3 (Management practices in viticulture)

Cluster 3 includes keywords such as agrosciences. Contrary to the previous clusters, here, a more global view at the agrosystem scale is considered. This cluster is related to the practices and management within the field of viticulture for example weed control (Olmstead et al. 2012). More importantly, this cluster deals with the response of the agroecosystem to

certain practices such as the application of copper-based pesticides (Brunetto et al. 2016), and the effect of tillage and fertilizers on soil. This cluster also provides information about alternative management techniques such as the use of amendments (Dobrei et al. 2016), and how the use of amendments interacts with agrochemicals present in soil (Pinna et al. 2008). Additionally, this cluster also looks at how alternative management techniques affect land with authors such as Likar et al. (2015) and how to reduce the use of pesticides in viticulture (Diaconu et al. 2017). Countries that had the higher number of articles were France, Spain, and Italy. Publications in this cluster account for 12.6% of all the publications.

• Cluster 4 (Water pollution transport)

Keywords in this cluster include water, heavy metal, and trace element. The transfer and diffusion of pollution from viticulture via water is described in this cluster. Water is the main mode of transport of dissolved pollutants from soil particles as described by Oliveira et al. (2015). Themes such as leaching of pesticides and heavy metals caused by rain (Meite et al. 2018), and downstream export of pollutants, such as copper, due to rainfall and runoff from headwater watershed (Imfeld et al. 2020) are covered in this cluster. This cluster also looks at the occurrence of pesticides in groundwater bodies because of pesticide use in viticulture (Zambito Marsala et al. 2020; Suciu et al. 2020) as well as estimating ecotoxicity of pesticides in freshwater using models such as Pest LCI 2.0 (Renaud-Gentié et al. 2015). In this cluster, copper is listed as having the greatest toxicity potential for freshwater ecosystems (Peña et al. 2018). Here, the main publishing countries are France, Spain, and Italy. Publications in this cluster account for 10.5% of all the publications.

• Cluster 5 (Effects of viticulture on the living part of soil)

Some of the keywords included in this cluster are toxicity and enzymatic activity. This cluster covers different themes regarding the living part of soils in vineyards. The negative

effects of pesticides in soil resulting from viticulture as land use are described. Firstly, the toxicity of different pesticides in soil is discussed in different articles for example Komárek et al. (2010); and more precisely how the accumulation of pesticides, such as copper-based fungicides, has an effect of soil's enzymatic activities (Fernández-Calviño et al. 2010; Wightwick et al. 2013b). This clusters also includes the degradation of pesticides by soil microbes (Hugo et al. 2014; Tykva et. al 1999). Additionally, this cluster lightly covers ecotoxicological soil studies considering different soil invertebrates such as *Enchytraeus aldibus* (Ruyters et al. 2013) and *Typhlodromus pyri* (Gadino et al. 2011). Finally, the effects of different practices used in viticulture on soil microbes (Okur et al. 2009; Probst et al. 2008) are also covered. Countries that published the most in this cluster are Brazil, France, and Spain. Publications in this cluster account for 9.7% of all the publications.

• Cluster 6 (Sustainable alternatives to pesticides)

Keywords in this cluster include biological control and farming practices. Unlike cluster 3, this cluster describes alternatives that intend to make viticulture more sustainable, rather than describing the management of vineyards, while focusing on alternatives to reduce pesticide use. For example, it includes the use of i) more resistant vine varieties in order to manage fungal infections (Pedneault et al. 2016), ii) cover crops to select beneficial arthropods while decreasing antagonistic arthropods (Vogelweith et al. 2017), and lastly iii) amendment to mitigate bioavailability of heavy metals (Cutillas-Barreiro et al. 2017). Moreover, the term biocontrol is persistent within this cluster. Here, examples of biological control are either considered in the form of microorganism such as *Bacillus ginsengihumi* (Calvo-Garrido et al. 2019), or of metabolites produced by microorganism (Billet et al. 2019; Zhihui et al. 2008). This cluster has the least number of articles (it accounts for 7.6% of all the publications) and France and Italy share the largest quantity of articles followed by Spain.

Cluster distribution throughout Journals

Currently, the published research on the topic of vineyards is evolving from techniques and tools specific to agriculture to other objectives coming from different scientific domains of environmental sciences. This can be appreciated by looking at the names of the journals that publish articles within these clusters as presented in Figure 5. This Figure shows the top publishing journals for each cluster. These journals also happened to be within the group of journals that publish the most data on the selected topic (see Table 2). In here the journals with the highest number of papers are those that published under the category of Environmental Science, Agronomy, Biological Sciences to mention a few categories. These journals focus on interdisciplinary sciences, such as Environmental Sciences, meaning they all publish in interdisciplinary categories. For example, the Journal of Agricultural and Food chemistry published within categories such as Agriculture, Applied Science and Food Science and Technology.

Geographical distribution of clusters

The number of publications linked to a particular cluster is heterogenous. Publications in clusters 1, 2 and 3 account for approximately 54% of all publications of this database. Geographical distribution varies amongst clusters There is a large involvement of France, Spain, and Italy in each cluster.

In cluster 1, France, Spain and Italy have participated in 46 % of the publications e.g. a publication by Andrades et al. (2001), regarding the importance of soil properties in fungicide mobility in vineyard soil, where Spain is the country of affiliation. For cluster 2, France, Spain and Italy participated in 42% of the publications regarding the accumulation of pollutants in soil e.g. Blotevogel et al. (2018) describing the fate of copper in vineyard soils. In this article France is a contributing country. For cluster 3, Spain, France and Italy participated in 42% of the publications. For example, the article from an Italian team, Pinna et al. (2008), described the effect of practices in vineyards such as the use of amendments in an article.

When it comes to the other three clusters 4, 5 and 6, explaining the effects of viticulture, these three countries have an even larger representation compared to other countries. These three clusters account for a total of 27% of all the literature. In cluster 4, regarding the transfer of pollution to water resources, these countries have contributed to approximately 42% of the publications (for instance Italy with publications such as Suciu et al. 2020). In cluster 5 regarding the effects of these practices in soil microorganisms, these countries have contributed to approximately 44% of the publications, e.g. Spain with the publication from Fernández-Calviño et al. (2010) where the co-authors look at soil enzymatic activities to assess the damages linked to the use of copper based fungicides. It is important to note that, particularly for this cluster regarding ecotoxicity, most of the studies dealt with the effects of pollutants at a molecular level (for example enzymatic activities) or using ecotoxicological models, while studies assessing toxic effects on soil invertebrates are few. Finally in cluster 6, regarding sustainable alternatives to pesticides, these countries (Spain, France, and Italy) participated in at least 46% of the publications e.g. a publication from Calvo-Garrido et al. (2019), discussing biocontrol against phytopathogens based on microbial antagonisms. Geographical heterogeneity of the clusters indicates there is a consensus on the fact that there are high pollutant concentrations in soil-plant systems as a product of conventional practices in viticulture. The three main producers of wine, France, Spain and Italy are extensively present in the thematics from clusters 4, 5 and 6while other countries, such as China and Romania, focus more on the present state of pollution, themes cover in clusters 1-3.

Cluster evolution over time

347

348

349

350

351

352

353

354

355

356

357

358

359

360

361

362

363

364

365

366

367

368

369

370

371

Figure 6 shows the evolution of clusters over time from 1990-2020. Increase in publications for each cluster seems to double every four years. Cluster 1 and Cluster 2 had the greater increase between years 2005-2009, suggesting that researchers focused on the interactions between soil and plant since these clusters focus on the fate of pollutants in soil and

final products (i.e. wine and grapes). It was around this time that legislation started to regulate agricultural practices that have a negative effect on soil. Clusters 3 and 4 have had an increase since the period 2000-2004. This concerns management of viticulture as well as transfer of pollution. During this time (2000-2004), the increase in cluster 5 was stronger. However, in the time frame between 2015-2020, there was a drastic increment in articles for cluster 3 (Figure 6) and it is during this time period (2018), that the use of copper was restricted to 28kg/ha of copper in a time frame of 7 years by the European Commission Regulation (EU) 2018/1981. The decision making for this legislation could have been based on themes included in clusters 1, 2 and 4 since most legislation regarding environmental issues is based on scientific facts (Liu et al. 2008). For cluster 6, the number of articles was not high until 2009, when European legislation started to watch the concentrations of some pesticides. As seen in Figure 6, topics regarding ecotoxicity and sustainability (clusters 4, 5, 6) have been on the rise. One example of this change in trend is showed in the article by Droz et al. (2021), looking at the transport of copper in soil as well as modeling of copper concentrations in soil.

3. CONCLUSION

In the last couple of years, publications regarding the effects of viticulture on the environment have been on the rise, proving there is an increasing interest about the relationship between the use of pesticides and soil health. The present bibliometric investigation from 1990 to 2020 on the conventional practices in viticulture that focuses on pesticides shows an increase in publications overtime since 1990.

France, Spain and Italy were responsible for 15% of the total wine production globally and of the production of 37% of all publication during period 2014-2018. This bibliometric analysis puts the European Union as one of the leaders of research on this topic. The strong European presence throughout this topic indicated the important economic, social, and political influences besides the scientific and agricultural perspective. Since many European countries have an ancient wine culture, viticulture has a vital socio-economical role in these countries. However, co-authors' country of affiliation is not a proper indicator of geographical distribution of literature since authors tend to collaborate more with peers within the same geographical location.

The creation of keywords clusters allowed the observation of main research themes and there is heterogeneous geographical distribution of a publication's country of affiliation in each cluster. The two major themes were the presence of pesticides in a soil-plant systems and the accumulation of pesticides in vineyard soils. The adverse effects of current agricultural practices in viticulture have been extensively studied. However, there is a lack of ecotoxicological studies targeting the effects of pesticides in macro or mesofauna communities of the soil. Themes regarding ecotoxicity and sustainable alternative to pesticides are the least developed.

REFERENCES

409

410 Al Nasir, F. M., Jiries, A. G., Batarseh, M. I., & Beese, F. (2001). Pesticides and trace metals residue in grape and home made wine in Jordan. Environmental Monitoring and 411 412 Assessment, 66(3), 253–263. https://doi.org/10.1023/A:1006356101118 Almeida, C. M. R., & Vasconcelos, M. T. S. D. (2003). Multi element composition of wines 413 and their precursors including provenance soil and their potentialities as fingerprints of 414 wine origin. Journal of Agricultural and Food Chemistry, 51(16), 4788-4798. 415 https://doi.org/10.1021/jf034145b 416 Althouse, B. M., West, J. D., Bergstrom, C. T., & Bergstrom, T. (2009). Differences in impact 417 factor across fields and over time. Journal of the American Society for Information 418 Science and Technology, 60(1), 27–34. https://doi.org/10.1002/asi.20936 419 Andrades, M. S., Sánchez-Martín, M. J., & Sánchez-Camazano, M. (2001). Significance of Soil 420 properties in the adsorption and mobility of the fungicide metalaxyl in vineyard soils. 421 Journal of Agricultural and Food Chemistry, 49(5), 2363-2369. 422 https://doi.org/10.1021/jf001233c 423 Aryal, J. P., Sapkota, T. B., Khurana, R., Khatri-Chhetri, A., Rahut, D. B., & Jat, M. L. (2020). 424 Climate change and agriculture in South Asia: Adaptation options in smallholder 425 production systems. Environment, Development and Sustainability, 22(6), 5045–5075. 426 https://doi.org/10.1007/s10668-019-00414-4 427 Bălc, R., Tămaş, T., Popita, G.-E., Vasile, G., Bratu, M., Gligor, D., & Moldovan, C. (2018). 428 Assessment of chemical elements in soil, grapes and wine from two representative 429 vineyards in Romania. Carpathian Journal of Earth and Environmental Sciences, 13. 430 431 https://doi.org/10.26471/cjees/2018/013/037 Ballabio, C., Panagos, P., Lugato, E., Huang, J. H., Orgiazzi, A., Jones, A., Fernández-Ugalde, 432 O., Borrelli, P., & Montanarella, L. (2018). Copper distribution in European topsoils: 433

434	An assessment based on LUCAS soil survey. Science of the Total Environment, 636,
435	282-298. https://doi.org/10.1016/j.scitotenv.2018.04.268
436	Billet, K., Delanoue, G., Arnault, I., Besseau, S., Oudin, A., Courdavault, V., Marchand, P. A.,
437	Giglioli-Guivarc'h, N., Guérin, L., & Lanoue, A. (2019). Vineyard evaluation of
438	stilbenoid-rich grape cane extracts against downy mildew: A large-scale study. Pest
439	Management Science, 75(5), 1252–1257. https://doi.org/10.1002/ps.5237
440	Blotevogel, S., Oliva, P., Sobanska, S., Viers, J., Vezin, H., Audry, S., Prunier, J., Darrozes, J.,
441	Orgogozo, L., Courjault-Radé, P., & Schreck, E. (2018). The fate of Cu pesticides in
442	vineyard soils: A case study using $\delta65$ Cu isotope ratios and EPR analysis. Chemical
443	Geology, 477, 35–46. https://doi.org/10.1016/j.chemgeo.2017.11.032
444	Brun, L. A., Maillet, J., Hinsinger, P., & Pépin, M. (2001). Evaluation of copper availability to
445	plants in copper-contaminated vineyard soils. Environmental Pollution, 111(2), 293-
446	302. https://doi.org/10.1016/S0269-7491(00)00067-1
447	Brunetto, G., Bastos de Melo, G. W., Terzano, R., Del Buono, D., Astolfi, S., Tomasi, N., Pii,
448	Y., Mimmo, T., & Cesco, S. (2016). Copper accumulation in vineyard soils:
449	Rhizosphere processes and agronomic practices to limit its toxicity. Chemosphere, 162,
450	293-307. https://doi.org/10.1016/j.chemosphere.2016.07.104
451	Calvo-Garrido, C., Roudet, J., Aveline, N., Davidou, L., Dupin, S., & Fermaud, M. (2019).
452	Microbial Antagonism Toward Botrytis Bunch Rot of Grapes in Multiple Field Tests
453	Using One Bacillus ginsengihumi Strain and Formulated Biological Control Products.
454	Frontiers in Plant Science, 10, 105. https://doi.org/10.3389/fpls.2019.00105
455	Campbell, S. E., Brannen, P. M., Scherm, H., Eason, N., & MacAllister, C. (2021). Efficacy of
456	fungicide treatments for Plasmopara viticola control and occurrence of strobilurin field
457	resistance in vineyards in Georgia, USA. Crop Protection, 139(May 2020), 105371.
458	https://doi.org/10.1016/j.cropro.2020.105371

Campillo-Cora, C., Fernández-Calviño, D., Pérez-Rodríguez, P., Fernández-Sanjurjo, M. J., 459 Núñez-Delgado, A., Álvarez-Rodríguez, E., Arias-Estévez, M., & Nóvoa-Muñoz, J. C. 460 (2019). Copper and zinc in rhizospheric soil of wild plants growing in long-term acid 461 vineyard soils. Insights on availability and metal remediation. Science of the Total 462 Environment, 672, 389–399. https://doi.org/10.1016/j.scitotenv.2019.03.301 463 Curl, C. L., Spivak, M., Phinney, R., & Montrose, L. (2020). Synthetic pesticides and health in 464 vulnerable populations: Agricultural Workers. Current Environmental Health Reports, 465 7(1), 13–29. https://doi.org/10.1007/s40572-020-00266-5 466 Cutillas-Barreiro, L., Fernández-Calviño, D., Núñez-Delgado, A., Fernández-Sanjurjo, M. J., 467 468 Álvarez-Rodríguez, E., Nóvoa-Muñoz, J. C., & Arias-Estévez, M. (2017). Pine bark amendment to promote sustainability in Cu-polluted acid soils: effects on Lolium 469 perenne growth and Cu uptake. Water, Air, & Soil Pollution, 228(7), 260. 470 471 https://doi.org/10.1007/s11270-017-3437-y Deluisa, A., Giandon, P., Aichner, M., Bortolami, P., Bruna, L., Lupetti, A., Nardelli, F., & 472 473 Stringari, G. (1996). Copper pollution in Italian vineyard soils. Communications in Soil Science Plant 27(5-8),474 and Analysis, 1537–1548. https://doi.org/10.1080/00103629609369651 475 476 Destoumieux-Garzón, D., Mavingui, P., Boetsch, G., Boissier, J., Darriet, F., Duboz, P., Fritsch, C., Giraudoux, P., Le Roux, F., Morand, S., Paillard, C., Pontier, D., Sueur, C., & 477 Voituron, Y. (2018). The One Health concept: 10 years old and a long road ahead. 478 Frontiers in Veterinary Science, 5, 14. https://doi.org/10.3389/fvets.2018.00014 479 Diaconu, A., Tenu, I., Roşca, R., & Cârlescu, P. (2017). Researches regarding the reduction of 480 481 pesticide soil pollution in vineyards. Process Safety and Environmental Protection, 108, 135–143. https://doi.org/10.1016/j.psep.2016.09.016 482

483	Dobrei, A., Dobrei, A., Nistor, E., Dorin, C., & Sala, F. (2016). Improvement of soil physical
484	and chemical properties with green manure for healthy vine and wine by-products. 16th
485	International Multidisciplinary Scientific Geoconference (SGEM 2016), Albena,
486	Bulgaria. https://sgem.org/sgemlib/spip.php?article7755
487	Dong, F., Chen, X., Liu, X., Xu, J., Li, Y., Shan, W., & Zheng, Y. (2012). Simultaneous
488	determination of five pyrazole fungicides in cereals, vegetables and fruits using liquid
489	chromatography/tandem mass spectrometry. Journal of Chromatography A, 1262, 98-
490	106. https://doi.org/10.1016/j.chroma.2012.08.100
491	Droz, B., Payraudeau, S., Rodríguez Martín, J. A., Tóth, G., Panagos, P., Montanarella, L.,
492	Borrelli, P., & Imfeld, G. (2021). Copper content and export in European vineyard soils
493	influenced by climate and soil properties. Environmental Science & Technology,
494	55(11), 7327–7334. https://doi.org/10.1021/acs.est.0c02093
495	Ellegaard, O., & Wallin, J. A. (2015). The bibliometric analysis of scholarly production: how
496	great is the impact? Scientometrics, 105(3), 1809–1831.
497	https://doi.org/10.1007/s11192-015-1645-z
498	European Comission (EC), 2009, Regulation No.1107/2009 of the European Parliament and
499	the council of 21 October 2009 concerning the placing of plant protection products on
500	the market and repealing Council Directives 79/117/EEC and 91/414/EEC.
501	European Commission (EC),2018 Regulation (EU) 2018/1981 of 13 December 2018
502	renewing the approval of the active substances copper compounds, as candidates for
503	substitution, in accordance with Regulation (EC) No 1107/2009 of the European
504	Parliament and of the Council concerning the placing of plant protection products on
505	the market, and amending the Annex to Commission Implementing Regulation (EU) No
506	540/201

- Fan, J., He, Z., Ma, L. Q., & Stoffella, P. J. (2011). Accumulation and availability of copper in
- citrus grove soils as affected by fungicide application. Journal of Soils and Sediments,
- 509 11(4), 639–648. https://doi.org/10.1007/s11368-011-0349-0
- 510 Fernández-Calviño, D., Nóvoa-Muñoz, J. C., Díaz-Raviña, M., & Arias-Estévez, M. (2009).
- Copper accumulation and fractionation in vineyard soils from temperate humid zone
- 512 (NW Iberian Peninsula). Geoderma, 153(1–2), 119–129.
- 513 https://doi.org/10.1016/j.geoderma.2009.07.024
- 514 Fernández-Calviño, D., Soler-Rovira, P., Polo, A., Díaz-Raviña, M., Arias-Estévez, M., &
- Plaza, C. (2010). Enzyme activities in vineyard soils long-term treated with copper-
- based fungicides. Soil Biology and Biochemistry, 42(12), 2119–2127.
- 517 https://doi.org/10.1016/j.soilbio.2010.08.007
- 518 Fraga, H., Malheiro, A. C., Moutinho-Pereira, J., & Santos, J. A. (2012). An overview of
- climate change impacts on European viticulture. Food and Energy Security, 1(2), 94–
- 520 110. https://doi.org/10.1002/fes3.14
- 521 Gadino, A. N., Walton, V. M., & Dreves, A. J. (2011). Impact of vineyard pesticides on a
- beneficial arthropod, *Typhlodromus pyri* (Acari: Phytoseiidae), in laboratory bioassays.
- Journal of Economic Entomology, 104(3), 970–977. https://doi.org/10.1603/EC10330
- Garfield, E. (2006). The history and meaning of the journal impact factor. JAMA, 295(1), 90.
- 525 https://doi.org/10.1001/jama.295.1.90
- Garini, C. S., Vanwindekens, F., Scholberg, J. M. S., Wezel, A., & Groot, J. C. J. (2017).
- Drivers of adoption of agroecological practices for winegrowers and influence from
- policies in the province of Trento, Italy. Land Use Policy, 68(August), 200–211.
- 529 https://doi.org/10.1016/j.landusepol.2017.07.048
- Giusquiani, P. L., Pagliai, M., Gigliotti, G., Businelli, D., & Benetti, A. (1995). Urban waste
- compost: effects on physical, chemical, and biochemical soil properties. Journal of

532	Environmental	Quality,	24(1	175–	-182.
533	https://doi.org/10.2134/je	q1995.0047242	25002400010024x		
534	Guang-Guo, Y., & Williams, B.	(2000). Dissipa	tion of herbicides i	n soil and grapes in a S	outh
535	Australian vineyard—Sc	ienceDirect. Ag	griculture, Ecosyste	ems & Environment, 7	8(3).
536	https://www-sciencedirec	ct-com.lama.uni	V-		
537	amu.fr/science/article/pii	/S01678809990	01279?via%3Dihu	b	
538	Herrero-Hernández, E., Andrad	es, M. S., Ma	rín-Benito, J. M.,	Sánchez-Martín, M. J	·., &
539	Rodríguez-Cruz, M. S. (2	011). Field-scal	e dissipation of teb	uconazole in a vineyard	l soil
540	amended with spent mo	ushroom substi	rate and its poten	tial environmental im	pact.
541	Ecotoxicology and	Environme	ental Safety,	74(6), 1480–1	488.
542	https://doi.org/10.1016/j.	ecoenv.2011.04	.023		
543	Hindersmann, I., & Mansfeld	t, T. (2014).	Trace element so	olubility in a multim	etal-
544	contaminated soil as af	fected by redo	x conditions. Wat	er, Air, & Soil Pollu	tion,
545	225(10), 2158. https://doi	i.org/10.1007/s	11270-014-2158-8		
546	Hugo, H., Mouton, C., & Malan,	, A. (2014). Acc	celerated microbial	degradation of nematic	cides
547	in vineyard and orchard	soils. South At	rican Journal of E	nology and Viticulture	, 35,
548	157–167. https://doi.org/	10.21548/35-1-	998		
549	Imfeld, G., Meite, F., Wiegert, C	., Guyot, B., M	asbou, J., & Payrat	deau, S. (2020). Do rai	nfall
550	characteristics affect the	export of copper	, zinc and synthetic	pesticides in surface ru	ınoff
551	from headwater catchm	nents? Science	of The Total E	nvironment, 741, 140	437.
552	https://doi.org/10.1016/j.	scitotenv.2020.	140437		
553	IPCC. (2021). Summary for Po	licymakers. In:	Climate Change 2	021: The Physical Sci	ence
554	Basis. Contribution of	Working Grou	p I to the Sixth	Assessment Report of	f the
555	Intergovernmental	Panel	on	Climate Cha	inge.

https://www.ipcc.ch/report/ar6/wg1/downloads/report/IPCC AR6 WGI Full Report. 556 557 pdf Viticulture. Reference Jackson, R. (2016).Module in Food Science, 1-14.558 https://doi.org/10.1016/b978-0-08-100596-5.02871-7 559 Jacobson, A. R., Dousset, S., Guichard, N., Baveye, P., & Andreux, F. (2005). Diuron mobility 560 through vineyard soils contaminated with copper. Environmental Pollution, 138(2), 561 250–259. https://doi.org/10.1016/j.envpol.2005.04.004 562 Journal Citation Reports. (2021).https://jcr-clarivate-com.lama.univ-563 amu.fr/jcr/home?app=jcr&referrer=target%3Dhttps:%2F%2Fjcr-clarivate-564 565 com.lama.univ-amu.fr%2Fjcr%2Fhome&Init=Yes&authCode=null&SrcApp=IC2LS Komárek, M., Čadková, E., Chrastný, V., Bordas, F., & Bollinger, J.-C. (2010). Contamination 566 of vineyard soils with fungicides: A review of environmental and toxicological aspects. 567 568 Environment International, 36(1), 138–151. https://doi.org/10.1016/j.envint.2009.10.005 569 Komárek, M., Száková, J., Rohošková, M., Javorská, H., Chrastný, V., & Balík, J. (2008). 570 Copper contamination of vineyard soils from small wine producers: A case study from 571 Geoderma, 16-22. 572 the Czech Republic. 147(1-2), 573 https://doi.org/10.1016/j.geoderma.2008.07.001 Likar, M., Vogel-Mikuš, K., Potisek, M., Hančević, K., Radić, T., Nečemer, M., & Regvar, M. 574 (2015). Importance of soil and vineyard management in the determination of grapevine 575 mineral composition. Science of The Total Environment, 505, 576 724–731. https://doi.org/10.1016/j.scitotenv.2014.10.057 577 Liu, H., Wang, Y., Huang, W., & Lei, M. (2016). Response of wine grape growth, development 578 and the transfer of copper, lead, and cadmium in soil-fruit system to sludge compost 579

amendment. Environmental Science and Pollution Research, 23(23), 24230-24236. 580 https://doi.org/10.1007/s11356-016-7676-z 581 Liu, Y., Gupta, H., Springer, E., & Wagener, T. (2008). Linking science with environmental 582 decision making: Experiences from an integrated modeling approach to supporting 583 sustainable water resources management. Environmental Modelling & Software, 23(7), 584 846–858. https://doi.org/10.1016/j.envsoft.2007.10.007 585 Mackie, K. A., Müller, T., Zikeli, S., & Kandeler, E. (2013). Long-term copper application in 586 an organic vineyard modifies spatial distribution of soil micro-organisms. Soil Biology 587 and Biochemistry, 65, 245–253. https://doi.org/10.1016/j.soilbio.2013.06.003 588 589 Malechaux, A., Le Dréau, Y., Artaud, J., & Dupuy, N. (2020). Exploring the scientific interest for olive oil origin: a bibliometric study from 1991 to 2018. Foods, 9, 556. 590 https://doi.org/10.3390/foods9050556 591 592 Marín, D., Armengol, J., Carbonell-Bejerano, P., Escalona, J. M., Gramaje, D., Hernández-Montes, E., Intrigliolo, D. S., Martínez-Zapater, J. M., Medrano, H., Mirás-Avalos, J. 593 M., Palomares-Rius, J. E., Romero-Azorín, P., Savé, R., Santesteban, L. G., & de 594 Herralde, F. (2021). Challenges of viticulture adaptation to global change: Tackling the 595 issue from the roots. Australian Journal of Grape and Wine Research, 27(1), 8-25. 596 597 https://doi.org/10.1111/ajgw.12463 Matei, N., Popescu, A., Radu, G.-L., Artem, V., & Pavalache, G. (2015). Cadmium and lead 598 occurrence in soil and grape from Murfatlar vineyard. Ovidius University Annals of 599 Chemistry, 26(1), 37–40. https://doi.org/10.1515/auoc-2015-0007 600 Meena, R. S., Kumar, S., Datta, R., Lal, R., Vijayakumar, V., Brtnicky, M., Sharma, M. P., 601 Yadav, G. S., Jhariya, M. K., Jangir, C. K., Pathan, S. I., Dokulilova, T., Pecina, V., & 602 Marfo, T. D. (2020). Impact of agrochemicals on soil microbiota and management: A 603 review. Land, 9(2). https://doi.org/10.3390/land9020034 604

- Meite, F., Alvarez-Zaldívar, P., Crochet, A., Wiegert, C., Payraudeau, S., & Imfeld, G. (2018).
- Impact of rainfall patterns and frequency on the export of pesticides and heavy-metals
- from agricultural soils. Science of The Total Environment, 616–617, 500–509.
- https://doi.org/10.1016/j.scitotenv.2017.10.297
- Miotto, A., Ceretta, C. A., Brunetto, G., Nicoloso, F. T., Girotto, E., Farias, J. G., Tiecher, T.
- 610 L., De Conti, L., & Trentin, G. (2014). Copper uptake, accumulation and physiological
- changes in adult grapevines in response to excess copper in soil. Plant and Soil, 374(1–
- 612 2), 593–610. https://doi.org/10.1007/s11104-013-1886-7
- Mirlean, N., Roisenberg, A., & Chies, J. O. (2007). Metal contamination of vineyard soils in
- wet subtropics (southern Brazil). Environmental Pollution, 149(1), 10–17.
- https://doi.org/10.1016/j.envpol.2006.12.024
- Monaci, E., Coppola, L., Casucci, C., & Vischetti, C. (2011). Losses and dissipation of
- penconazole in vineyard soil as affected by mid-row management system. Journal of
- Environmental Science and Health. Part. B, Pesticides, Food Contaminants, and
- 619 Agricultural Wastes, 46, 461–468. https://doi.org/10.1080/03601234.2011.583844
- Moneyron, A., Lallemand, J. F., Schmitt, C., Perrin, M., Soustre-Gacougnolle, I., & Masson, J.
- E. (2017). Linking the knowledge and reasoning of dissenting actors fosters a bottom-
- 622 up design of agroecological viticulture. Agronomy for Sustainable Development, 37(5).
- 623 https://doi.org/10.1007/s13593-017-0449-3
- Nogueirol, R. C., Alleoni, L. R. F., Nachtigall, G. R., & de Melo, G. W. (2010). Sequential
- extraction and availability of copper in Cu fungicide-amended vineyard soils from
- Southern Brazil. Journal of Hazardous Materials, 181(1), 931–937.
- 627 https://doi.org/10.1016/j.jhazmat.2010.05.102
- 628 OIV. (2019). 2019 Statistical Report on World Vitiviniculture. 2019 Statistical Report on World
- Vitiviniculture, 23.

- Okur, N., AltindiŞli, A., Çengel, M., Göçmez, S., & Kayikçioğlu, H. H. (2009).
- Microbial biomass and enzyme activity in vineyard soils under organic and conventional
- farming systems. Turk Tarim ve Ormancilik Dergisi/Turkish Journal of Agriculture and
- 633 Forestry 33(4)
- Oliveira, V. de S., Lima, A. M. N., Salviano, A. M., Bassoi, L. H., & Pereira, G. E. (2015).
- Heavy metals and micronutrients in the soil and grapevine under different irrigation
- strategies. Brazilian society of soil science, 39, 162–173.
- https://doi.org/10.1590/01000683rbcs20150284
- Olmstead, M., Miller, T. W., Bolton, C. S., & Miles, C. A. (2012). Weed control in a newly
- established organic vineyard. HortTechnology, 22(6), 757–765.
- 640 https://doi.org/10.21273/HORTTECH.22.6.757
- Pedneault, K., & Provost, C. (2016). Fungus resistant grape varieties as a suitable alternative
- for organic wine production: Benefits, limits, and challenges. Scientia Horticulturae,
- 643 208, 57–77. https://doi.org/10.1016/j.scienta.2016.03.016
- Peña, N., Antón, A., Kamilaris, A., & Fantke, P. (2018). Modeling ecotoxicity impacts in
- vineyard production: Addressing spatial differentiation for copper fungicides. Science
- 646 of The Total Environment, 616–617, 796–804.
- https://doi.org/10.1016/j.scitotenv.2017.10.243
- Pietrzak, U., & McPhail, D. C. (2004). Copper accumulation, distribution and fractionation in
- vineyard soils of Victoria, Australia. Geoderma, 122(2-4 SPEC. IIS.), 151–166.
- https://doi.org/10.1016/j.geoderma.2004.01.005
- Pinna, M. V., Budroni, M., Farris, G. A., & Pusino, A. (2008). Fenhexamid Adsorption
- Behavior on Soil Amended with Wine Lees. Journal of Agricultural and Food
- 653 Chemistry, 56(22), 10824–10828. https://doi.org/10.1021/jf802377y

- Pose-Juan, E., Sánchez-Martín, M. J., Andrades, M. S., Rodríguez-Cruz, M. S., & Herrero-
- Hernández, E. (2015). Pesticide residues in vineyard soils from Spain: Spatial and
- temporal distributions. Science of The Total Environment, 514, 351–358.
- https://doi.org/10.1016/j.scitotenv.2015.01.076
- Probst, B., Schüler, C., & Joergensen, R. G. (2008). Vineyard soils under organic and
- conventional management—Microbial biomass and activity indices and their relation to
- soil chemical properties. Biology and Fertility of Soils, 44(3), 443–450.
- https://doi.org/10.1007/s00374-007-0225-7
- Prosdocimi, M., Cerdà, A., & Tarolli, P. (2016). Soil water erosion on Mediterranean vineyards:
- A review. Catena, 141, 1–21. https://doi.org/10.1016/j.catena.2016.02.010
- Renaud-Gentié, C., Dijkman, T. J., Bjørn, A., & Birkved, M. (2015). Pesticide emission
- modelling and freshwater ecotoxicity assessment for Grapevine LCA: Adaptation of
- PestLCI 2.0 to viticulture. The International Journal of Life Cycle Assessment, 20(11),
- 667 1528–1543. https://doi.org/10.1007/s11367-015-0949-9
- Rusjan, D., Strlič, M., Pucko, D., & Korošec-Koruza, Z. (2007). Copper accumulation
- regarding the soil characteristics in Sub-Mediterranean vineyards of Slovenia.
- 670 Geoderma, 141(1–2), 111–118. https://doi.org/10.1016/j.geoderma.2007.05.007
- Ruyters, S., Salaets, P., Oorts, K., & Smolders, E. (2013). Copper toxicity in soils under
- established vineyards in Europe: A survey. Science of the Total Environment, 443, 470–
- 673 477. https://doi.org/10.1016/j.scitotenv.2012.11.001
- 674 Sánchez-Martín, M., Andrades, M., & Sánchez-Camazano, M. (2000). Soil properties
- influencing the adsorption and mobility of penconazole in vineyard soils. Soil Science,
- 676 165, 951–960. https://doi.org/10.1097/00010694-200012000-00005
- Santos, J. A., Fraga, H., Malheiro, A. C., Moutinho-Pereira, J., Dinis, L. T., Correia, C.,
- Moriondo, M., Leolini, L., Dibari, C., Costafreda-Aumedes, S., Kartschall, T., Menz,

679	C., Molitor, D., Junk, J., Beyer, M., & Schultz, H. R. (2020). A review of the potential					
680	climate change impacts and adaptation options for European viticulture. Applied					
681	Sciences (Switzerland), 10(9), 1–28. https://doi.org/10.3390/app10093092					
682	Schreck, E., Geret, F., Gontier, L., & Treilhou, M. (2008). Neurotoxic effect and metabolic					
683	responses induced by a mixture of six pesticides on the earthworm Aporrectodea					
684	caliginosa nocturna. Chemosphere, 71(10), 1832–1839.					
685	https://doi.org/10.1016/j.chemosphere.2008.02.003					
686	Semhi, K., Duplay, J., Imfeld, G., & Boutin, R. (2018). Chemical effect of pesticide application					
687	on soils: Evidence from rare earth elements. Arabian Journal of Geosciences, 11(19),					
688	590. https://doi.org/10.1007/s12517-018-3925-4					
689	Serpa, D., Nunes, J. P., Keizer, J. J., & Abrantes, N. (2017). Impacts of climate and land use					
690	changes on the water quality of a small Mediterranean catchment with intensive					
691	viticulture. Environmental Pollution, 224, 454–465.					
692	https://doi.org/10.1016/j.envpol.2017.02.026					
693	Sonoda, K., Hashimoto, Y., Wang, S. L., & Ban, T. (2019). Copper and zinc in vineyard and					
694	orchard soils at millimeter vertical resolution. Science of the Total Environment, 689,					
695	958–962. https://doi.org/10.1016/j.scitotenv.2019.06.486					
696	Štajnbaher, D., & Zupančič-Kralj, L. (2003). Multiresidue method for determination of 90					
697	pesticides in fresh fruits and vegetables using solid-phase extraction and gas					
698	chromatography-mass spectrometry. Journal of Chromatography A, 1015(1-2), 185-					
699	198. https://doi.org/10.1016/S0021-9673(03)01211-1					
700	Subramanyam, K. (1983). Bibliometric studies of research collaboration: A review. Journal of					
701	Information Science, 6(1), 33–38. https://doi.org/10.1177/016555158300600105					
702	Suciu, N., Farolfi, C., Zambito Marsala, R., Russo, E., De Crema, M., Peroncini, E., Tomei, F.,					
703	Antolini, G., Marcaccio, M., Marletto, V., Colla, R., Gallo, A., & Capri, E. (2020).					

- Evaluation of groundwater contamination sources by plant protection products in hilly
- vineyards of Northern Italy. Science of The Total Environment, 749, 141495.
- 706 https://doi.org/10.1016/j.scitotenv.2020.141495
- Sun, X., Ma, T., Yu, J., Huang, W., Fang, Y., & Zhan, J. (2018). Investigation of the copper
- contents in vineyard soil, grape must and wine and the relationship among them in the
- Huaizhuo Basin Region, China: A preliminary study. Food Chemistry, 241(August
- 710 2017), 40–50. https://doi.org/10.1016/j.foodchem.2017.08.074
- 711 Tiecher, T. L., Ceretta, C. A., Tiecher, T., Ferreira, P. A. A., Nicoloso, F. T., Soriani, H. H.,
- Rossato, L. V., Mimmo, T., Cesco, S., Lourenzi, C. R., Giachini, A. J., & Brunetto, G.
- 713 (2016). Effects of zinc addition to a copper-contaminated vineyard soil on sorption of
- Zn by soil and plant physiological responses. Ecotoxicology and Environmental Safety,
- 715 129, 109–119. https://doi.org/10.1016/j.ecoenv.2016.03.016
- 716 Tykva, R., & Morais, C. (1999). Metalaxyl biodegradation by bacterial and mold isolates from
- Portuguese vineyard soils. Human and Environmental Exposure to Xenobiotics
- Proceedings of the XI Symposium Pesticide Chemistry, Cremona, Italy, 11-15
- 719 September, 1999, 457–462.
- 720 Vázquez Vázquez, F. A., Pérez Cid, B., & Río Segade, S. (2016). Assessment of metal
- bioavailability in the vineyard soil-grapevine system using different extraction methods.
- Food Chemistry, 208, 199–208. https://doi.org/10.1016/j.foodchem.2016.04.005
- Vogelweith, F., & Thiéry, D. (2017). Cover crop differentially affects arthropods, but not
- diseases, occurring on grape leaves in vineyards. Australian Journal of Grape and Wine
- 725 Research, 23(3), 426–431. https://doi.org/10.1111/ajgw.12290
- Wezel, A., Casagrande, M., Celette, F., Vian, J. F., Ferrer, A., & Peigné, J. (2014).
- Agroecological practices for sustainable agriculture. A review. Agronomy for
- 728 Sustainable Development, 34(1), 1–20. https://doi.org/10.1007/s13593-013-0180-7

Wightwick, A. M., Mollah, M. R., Partington, D. L., & Allinson, G. (2008). Copper fungicide 729 730 residues in Australian vineyard soils. Journal of Agricultural and Food Chemistry, 56(7), 2457–2464. https://doi.org/10.1021/jf0727950 731 Wightwick, A. M., Reichman, S. M., Menzies, N. W., & Allinson, G. (2013a). Industry wide 732 risk assessment: a case study of Cu in Australian vineyard soils. Water, Air, & Soil 733 Pollution, 224(12), 1702. https://doi.org/10.1007/s11270-013-1702-2 734 Wightwick, A. M., Salzman, S. A., Reichman, S. M., Allinson, G., & Menzies, N. W. (2013b). 735 Effects of copper fungicide residues on the microbial function of vineyard soils. 736 Environmental Science and Pollution Research, 20(3),1574–1585. 737 738 https://doi.org/10.1007/s11356-012-1114-7 Ying, G.-G., & Williams, B. (2000). Dissipation of herbicides in soil and grapes in a South 739 Australian vineyard. Agriculture, Ecosystems & Environment, 78(3), 283-289. 740 741 https://doi.org/10.1016/S0167-8809(99)00127-9 Zambito Marsala, R., Capri, E., Russo, E., Bisagni, M., Colla, R., Lucini, L., Gallo, A., & Suciu, 742 N. A. (2020). First evaluation of pesticides occurrence in groundwater of Tidone Valley, 743 an area with intensive viticulture. Science of the Total Environment, 736, 139730. 744 https://doi.org/10.1016/j.scitotenv.2020.139730 745 Zhihui, B. A. I., Bo, J. I. N., Yuejie, L. I., Jian, C., & Zuming, L. I. (2008). Utilization of winery 746

wastes for *Trichoderma viride* biocontrol agent production by solid state fermentation.

747

748

749

20, 353–358.

Table 1. Top 10 publishing authors, from 1990-2020, including the number of total publications on the topic, geographical affiliation of the authors, authors' total number of citations (without self-citations) and most cited articles. Total number of citations represents the total number of citations for the author. It is important to note that authors might not be the first author of the paper.

Name	Number of	Country of	Total citations	Most cited
	publications	affiliation		article
Arias-	49	Spain	696	(Fernández-
Estevez				Calviño et al.
				2010)
				2010)
Brunetto	44	Brazil	370	(Brunetto et al.
				2016)
Fernández	38	Spain	543	
-Calviño				(Fernández-
				Calviño et al.
				2010)
Nama	20	C i.	270	
Novoa-	28	Spain	370	(Fernández-
Muñoz				Calviño et al.
				2009)
Sanchez-	26	Spain	378	(Herrero-
Martin				Hernández et al.
				2011)
Ceretta	25	Brazil	228	(Miotto et al.
				2014)

Rodriguez-	23	Spain	319	(Herrero-
Cruz				Hernández et al.
				2011)
Nicoloso	20	Brazil	178	(Miotto et al.
				(Miono et al.
				2014)
Tiecher	20	Brazil	219	(Miotto et al.
				2014)
Dong	18	China	277	(Dong et al.
				2012)
Zheng	18	China	275	(Dong et al.
				2012)

Table 2. Top 15 publishing journals within this search including the total number of publications on the topic in the Web of Science database (1990-2020), journal's Impact factor (JIF₂₀₂₀) and Categories include their ranking for category. The most cited article on each journal of this search is listed as "the most cited article within search."

Journal name	Total of articles within search	JIF ₂₀₂₀	Journal categories	Most cited article within this search
Science of the Total Environment	55	7.963	Environmental Sciences Q1	(Ballabio et al. 2018)
Environmental Sciences and Pollution	41	4.223	Environmental Sciences Q2	(Liu et al. 2016)
Research				
Journal of Agricultural and Food Chemistry	39	5.279	Agriculture, multidisciplinary Q1	(Almeida and Vasconcelos 2003)
			Applied Chemistry Q1	
			Food science and Technology Q1	
Chemosphere	29	7.086	Environmental Sciences Q1	(Brunetto et al. 2016)

Food Chemistry	26	7.514	Applied Chemistry Q1 Food Science & Technology Q1 Nutrition and Dietetics Q1	(Sun et al. 2018)
Journal of Environmental Science and Health part B Pesticides Food Contaminants and	26	1.99	Environmental Sciences Q4 Public, Environmental &	(Monaci et al. 2011)
Agricultural Waste Ecotoxicology and Environmental Safety	25	6.291	Occupational Health Q3 Environmental Sciences Q1 Toxicology Q1	(Tiecher et al. 2016)
Environmental Monitoring and Assessment	25	2.153	Environmental Sciences Q3	(Al Nasir et al. 2001)
Environmental Pollution	25	8.071	Environmental Sciences Q1	(Jacobson et al. 2005)
Communication in Soil Sciences and Plant Analysis	21	1.327	Agronomy Q3 Analytical Chemistry Q4	(Deluisa et al. 1996)

Plant Sciences Q3

Soil SciencesQ4

Water Air and Soil Pollution	21	2.52	Environmental Sciences Q3 Meteorology Atmospheric Sciences Q3 Water Resources Q3	(Hindersmann et al. 2014)
Geoderma	20	6.114	Soil Sciences Q1	(Pietrzak and McPhail 2004)
Journal of Hazardous Material	19	10.588	Environmental Engineering Q1 Environmental Sciences Q1	(Nogueirol et al. 2010)
Journal of Soil and Sediment	18	3.308	Environnemental Sciences Q2 Soil Sciences Q2	(Fan et al. 2011)

Table 3. Most cited articles followed by the total number of citations, journal of publication of the article, journal impact factor (IF $_{2020}$) and research categories of the journal.

Title	Number of citations	Journal of publication	JIF ₂₀₂₀	Journal's category	Reference
Contamination of	423	Environment	9.621	Environmental Science	(Komárek et al. 2010)
vineyard soils with		international			
fungicides: A review of					
environmental and					
toxicological aspects.					
Agroecological practices	356	Agronomy for	5.932	Agronomy	(Wezel et al. 2014)
for sustainable		Sustainable			
agriculture. A review		Development		Green sustainable Science &	
				Technology	
Multiresidue method for	249	Journal of	4.759	Biochemical Research Methods	(Štajnbaher and Zupančič-Kralj
determination of 90		Chromatography A			2003)

pesticides in fresh fruits Analytical Chemistry and vegetables using solid-phase extraction and gas chromatographymass spectrometry. Evaluation of copper 242 Environmental 8.071 **Environmental Sciences** (Brun et al. 2001) availability to plants in Pollution coper-contaminated vineyards soils Urban waste compost 241 of 2.751 **Environmental Sciences** (Giusquiani et al. 1995) Journal **Environmental Quality** effects on physical; chemical, and biochemical soil properties

Fig 1: Number of publications in the search over time (1990-2020), including an exponential regression line




Fig 2: Publications keywords in the search over time. Each bar represents the number of times a keyword was used between 1990-2020




Fig 3: Map A: "Total number of publications for the 10 countries that published articles between (2014-2018) according to "Web of Science" (2021)." Map B: "Total millions of hectoliters of wine produced between (2014-2018) by the same countries (OIV 2019)."




Fig 4: Graphical representation of keyword clusters. The number of articles is represented in the top right corner of every bubble containing the cluster number. The number of times a keyword appears in an article is represented by the number on the top right corner of each keyword. The grey line represents the link between a cluster and a keyword, the number in the middle of the grey line represents the amount a times a keyword appears in a cluster."




Fig 5: Distribution of clusters by journal in the search (1990-2020)




Fig 6: Evolution of clusters in the search over time. Each bar represents the number of articles in a cluster from 1990-2020

