1 2	The bene and mido	efits and trade-offs of agricultural diversity for food security in low- lle-income countries: A review of existing knowledge and evidence.
3		
4 5 6 7	Katharina Wa Domingues ² , Francesco Tao	ha ¹ , Francesco Accatino ² , Cecile Godde ¹ , Cyrille Rigolot ³ , Jessica Bogard ¹ , Joao Pedro Elisabetta Gotor ⁴ , Mario Herrero ^{1,5} , Guillaume Martin ⁶ , Daniel Mason-D'Croz ¹ , cconi ^{1,7} , Mark van Wijk ⁸
<pre> 8 9 10 11 12 13 14 15 16 17</pre>	1 CSIRO, Agric AgroParisTecl Université Cle Genès Champ Development Cornell Unive INRAE, AGIR, Sandy Bay Car (ILRI), Nairobi	culture & Food, 306 Carmody Rd, St Lucia, QLD, Australia 2 UMR SADAPT, INRAE, h, Université Paris-Saclay, 16 rue Claude Bernard, 75005 Paris, France 3 INRAE, ermont Auvergne, AgroParisTech, Irstea, Vetagrosup, UMR Territoires, 63122 Saint- banelle, France 4 Bioversity International, Rome, Italy 5 Department of Global college of Agricultural and Lifesciences and Cornell Atkinson Centre for Sustainability, rsity, Warren Hall, Ithaca, NY 14853 USA 6 Université de Toulouse, INPT, INP-PURPAN, 81320 Auzeville, France 7 Tasmanian Institute of Agriculture, University of Tasmania, mpus, Hobart, Tasmania 7005, Australia 8 International Livestock Research Institute 6 00100, Kenya
18	* Correspond	ence and requests for materials should be addressed to <u>katharina.waha@csiro.au</u>
19		
20 21 22	Keywords:	food security, farming diversity, production diversity, agrobiodiversity, agricultural biodiversity, literature review, low-income countries, middle income countries
23		
24		
25		
26		
27		
28		
29		
30		
31		
32	Abstract	

- 33 Diversity in agricultural systems is often presented as having benefits for multiple purposes like food
- and nutrition security in low- and middle-income countries. Our review aims to give an overview of
- 35 the strength and direction of the diversity-food security relationship as presented in research

- 37 comprehensive search in Web of Science. We present an overview and synthesize results for
- 38 different spatial scales and units of observation, from individual to global and for the four
- dimensions of food security: availability, access, stability and utilisation. Eighty-eight of the 924
- 40 surveyed publications meet the inclusion criteria and report the direction and magnitude of 314
- 41 individual diversity-food security relationships. In almost two thirds of all cases, agricultural diversity
- 42 had a positive effect on food security. In about one third of the relationships there was no effect of
- 43 agricultural diversity on food security, or the results were mixed. These numbers hold for the
- 44 availability, access and utilisation dimensions of food security and at individual, household and farm
- 45 scales, but the number of studies was too small to draw robust conclusions on the stability
- dimension and at global scale. Diversity can be an important driver of food security, but the
- 47 magnitude of the contribution depends on the broader socio-economic and biophysical
- 48 characteristics of the local farming system. We conclude that diversification can be a potential
- 49 strategy to improve food and nutrition security. Yet, it is not a necessary characteristic of all
- agricultural systems at all costs especially in the presence of other strategies that can potentially
- achieve similar outcomes. We make several recommendations to strengthen future studies that can
- 52 help identify how strongly related agricultural diversity and food security are.

53

54 Table of Contents

55	Abst	ract	1
56	1.	Introduction	4
57	2.	Search criteria and methods	5
58	3.	Indicators of agricultural diversity and food security	6
59	4.	Previous reviews and meta-analysis	10
60	5.	Diversity and food availability	13
61	6.	Diversity and stability of food security	19
62	7.	Diversity and food access	21
63	8.	Diversity and food utilisation	34
64	9.	Diversity and food security at the global scale	43
65	10.	Synthesis and Recommendations	44
66	Refe	rences	48

69 1. Introduction

- 70 Diversification, the process of becoming more diverse, is studied in many scientific disciplines. At its
- core it is opposed to specialization, uniformity, and homogeneity and as such it is often seen as
- beneficial for the stability and productivity of any natural or human-made system (Gaba et al., 2015;
- T3 Lin, 2011; Markowitz, 1952; Naeem and Li, 1997; Yachi and Loreau, 1999).
- 74 In food systems, diversification, defined often as an increase in crop, livestock, production or farming
- diversity (i.e. agrobiodiversity), has been considered as a key strategy for improving the productivity
- and stability of many socio-economic and ecological aspects of agricultural systems. It is a central
- 77 element for example in three areas. Firstly, in sustainable intensification (Foley et al., 2011; Tilman
- et al., 2011), ecological intensification (Bommarco et al., 2013; Cassman, 1999), conservation
 agriculture (FAO, 2002) and more recently regenerative agriculture (Schreefel et al., 2020). For
- 80 example, mixed farming and crop rotations can support pest, nutrient and water management (Gaba
- 81 et al., 2015), reduce external inputs and improve soil biodiversity. Secondly, in rural development
- and sustainable livelihoods (Chambers and Conway, 1992; Ellis, 1998) as livelihood diversification
- has often been highlighted as contributing to reduced poverty. And thirdly, in nutrition-sensitive
- 84 agriculture describing pathways from agriculture to nutrition security where diversification can
- 85 increase the diversity of foods produced and of potential income sources (De Jager et al., 2018;
- 86 Herforth and Harris, 2014; Ruel and Alderman, 2013).
- 87 While diversification is often presented by the scientific and policy community as socially and
- 88 environmentally beneficial, evidence from the literature warns about too broad generalizations. The
- 89 outcomes of agricultural diversity can vary across spatial scales, from the genetic and species level to
- 90 the ecosystem, landscape, national and global levels. While, for example, food security in
- 91 subsistence farming can be achieved at the farm scale by producing a wide variety of foods, the
- same can be achieved at the landscape scale by having a number of specialised farms producing a
- 93 single food type and trading the surplus with others (Renard et al., 2016). However, a subsistence
- 94 farming system that produces large variety of food types that are nutritionally similar for own
- 95 consumption will not ensure a balanced and healthy diet for the household, so a consideration of
- 96 the functions added to the system along with the species is important (Remans et al., 2011).
- Another potential limitation of agricultural diversification as a key leverage for food security is that
 diversity can be difficult to manage and can increase the workload for members of the household
- (Bendahan et al., 2018). Specialization, on the other hand, can reduce costs, increase efficiency
- 100 through economies of scale and give farmers a comparative advantage for selling their produce at
- 101 markets (Govereh and Jayne, 2003; Kurosaki, 2003). Moreover, diversification is not the only
- 102 strategy to increase resilience, as farmers might favour other risk management strategies. While
- 103 diversification can be an agricultural intervention for improved nutrition and health outcomes, other
- 104 pathways can be as effective. For example, bio-fortification to increase nutritional quality of existing
- 105 crops or increasing incomes through improvements to cash crop production if the income is spent on
- 106 purchasing healthy foods. The latter, however, depends on appropriate market access and requires
- 107 that the household prioritises the purchase of healthy foods over other competing food or non-food
- 108 purchases (Fiorella et al., 2016).
- 109 In this review, we aim at synthesising the evidence on the relationship between agricultural diversity
- and all four dimensions of food security as defined in the FAO's conceptual framework availability,
- stability, access, and utilisation. Food security is a major concern in low- and middle-income
- 112 countries and has been enacted as one of the United Nations Sustainable Development Goals. Our

- review also explores the interactions at different spatial scales. While many measures of food
- security relate to individuals, such as meeting dietary energy needs, the challenge to secure healthy
- and diverse diets is also global in its extent and in that scale often analysed with respect to food
- availability and stability. A final section provides a synthesis and conclusions.

117 2. Search criteria and methods

118 The review is based on an exhaustive, comprehensive search in Web of Science (v.5.32). We

- searched with the objective of presenting evidence from original scientific studies, define eligibility
- 120 criteria and attempt to identify all studies meeting them. We assess the validity of findings in the
- reviewed studies and present the results in a systematic way (Moher et al., 2015). We include
- articles and reviews that use at least one measure of both agricultural diversity and food security,
- were written in English and were published between 2010 and February 2020. Key words used in the
- search included a combination of terms associated with agricultural diversity (e.g. crop, farming or
- production diversity, agricultural biodiversity) and food security (e.g. child nutrition, dietary
- diversity, food availability, food access, stability, food production, income). The search on 25
- 127 February 2020 resulted in 924 articles. The Web of Science search syntax is:
- 128 (TS=((on-farm OR "on farm" OR crop OR farming OR production) near/1 divers*) AND TS=("food
- security" OR "food and nutrition security" OR "child nutrition" OR "diet* diversity" OR "food
- 130 availab*" OR "food access*" or "food product*" OR "income")) OR (TS=("agricultural biodivers*" OR
- 131 "agro-biological divers*") AND TS=("food security" OR "food and nutrition security" OR "child
- 132 nutrition" OR "diet* diversity" OR "food availab*" OR "food access*" or "food product*" OR
- 133 "income"))

134 In the next step the abstracts of these articles were screened on whether they: (1) used a study area 135 in a low- to middle income country as per the World Bank 2021 country classification; (2) evaluated 136 at least one metric of diversity at farm-, regional-, or global-level as specified within the search 137 terms; (3) evaluated at least one measure of a food security dimension, and (4) presented original 138 work quantifying the diversity-food security relationship which goes beyond qualitatively describing 139 drivers and trends in agricultural diversity. Articles describing theoretical frameworks were also 140 included to inform the broader context and to link to existing literature. We excluded studies on 141 nonfarm diversification although we are aware that they can be critical strategies to increasing food 142 security (e.g. Ampaw et al., 2017; Barrett et al., 2001) but we consider studies on agricultural 143 activities that increase farmer's income as a component of food access. We also exclude studies that 144 discuss benefits of specific crops without also clearly stating that agricultural diversity increases 145 overall, for example high-value or wild crops (Mavengahama et al., 2013) or crops perceived as being 146 underutilized or neglected (Kahane et al., 2015; Mabhaudhi et al., 2017, 2016). Applying these 147 criteria in the abstract screening leads to a shorter list of 272 publications to which we added 13 148 publications that were cross-referenced or otherwise known to the authors (Figure 1). After reading 149 the full manuscripts, 110 publications were identified as relevant to the purpose of our study, 88 150 articles and 26 reviews. In terms of geographical spread, about two thirds of all publications have a 151 study area in sub-Saharan Africa, and the remaining in Asia or South America. Some African countries are studied more than others, for example Malawi (14 publications) and Kenya (10 152 153 publications) while other countries with high levels of food insecurity were not found in the 154 literature search, for example Chad and Madagascar.



155

156 **Figure 1** Publication selection process used in this review.

157 Articles were grouped by unit of observation and level of analysis into individual, household, farm,

158 landscape, national or global scale. The landscape scale publications focused on discussing

159 interaction of multiple farming households with each other or a local market that in turn influences

160 individuals and landscape environmental or economic indicators. An example of a national scale

analysis is one that uses a nationally representative agricultural and nutrition census or survey, even

162 with households as the unit of observation. A large sample size alone is not necessarily indicative of

163 representativeness at the national scale. Finally, the global scale publications include multi-countries

studies and studies analysing global data sets such as those collated by the Food and Agriculture

165 Organization, the World Bank or the World Health Organization.

166 The relationship between agricultural diversity and food security was categorized in a synthesis table

according to two dimensions: the direction, i.e. positive, negative or neutral and the level of

agreement, i.e. high, medium or low agreement. The synthesis table allows to put together relevant

169 quantitative figures which helps to identify knowledge gaps and controversies.

170 3. Indicators of agricultural diversity and food security

171 3.1 Agricultural diversity

172 Diversity can be defined for different types of agricultural commodities, plant species for food or

173 fodder, or domesticated animals raised for food or for labour. The categories used here follow a

174 hierarchy from including 1) cultivated plant species (crop diversity), 2) raised livestock species

175 (livestock diversity), 3) cultivated plant and raised livestock species (farming diversity), 4) food

176 products derived from plant and animal species (production diversity), to 5) the full diversity of

177 organisms living in landscapes that are under agricultural management, beyond cultivated species

and foods produced (agrobiodiversity or agricultural biodiversity).

- 179 Production diversity refers to the different food products, while farming diversity refers to the plant
- and animal species. For example, a farm raising chickens for meat and eggs and cultivating maize for
- 181 corn would have a production diversity of three (chicken meat, chicken eggs, corn) and a farming
- 182 diversity of two (chickens, maize) if measured as richness. Crop diversity can sometimes be
- 183 measured as "crop group diversity" where crops are grouped together by similar characteristics, for
- example ecological functions in the agricultural system, nutrient content or importance for creatingincome from crop sales. Agricultural biodiversity is a broader characterisation that encompasses for
- example genetic resources, edible plants and crops including traditional varieties, and other genetic
- 187 material, livestock and freshwater fish, soil organism vital to soil fertility, naturally occurring insects,
- 188 bacteria and fungi that control insect pests and diseases, and wild resources or natural habitats
- 189 which can provide ecosystem functions and services (Thrupp, 2000). Throughout the paper
- 190 agricultural biodiversity and agrobiodiversity are used interchangeably.
- 191 Several indicators can be used to measure agricultural diversity, integrating different aspects of
- diversity, richness and evenness. Richness is the number of species or agricultural products in a
- 193 sample. Some studies express this by comparing characteristics of cropping systems with different
- 194 numbers of crops cultivated or creating a binary variable to distinguish between adopters and non-
- adopters of diversification (Birthal et al., 2015; Boedecker et al., 2014). Measures of evenness
- 196 consider relative dominance or concentration of species or products in the sample by measuring also
- 197 the abundance of each species (Whittaker, 1972). Examples of measures of evenness are the
- 198 Simpson diversity index (SDI) and the Shannon diversity index (H'). They differ slightly by expressing
- dominance of the first few species in the sample (Simpson index) or relative evenness across the
- 200 whole sample (Shannon diversity index) (Whittaker, 1972). Abundance can be measured as area
- used for each species, weight of produce, nutrient or energy content of each product or monetary
 value of products. Using area can be challenging when including livestock (Sibhatu and Qaim,
- 203 2018a), as livestock can source feed from outside the farm, graze on public land or be fed purchased
- 2018a), as investock can source reed norm outside the farm, graze on public fand of be red purchased 204 feed.





Figure 2 Number of studies using different measures of diversity (left) and different food security
 indicators (right) used in reviewed publications (N=88). Studies that use multiple metrics are counted
 multiple times accordingly.

209 3.2 Food security

- 210 The FAO's conceptual framework for food security distinguishes between four dimensions, physical
- 211 availability to food, economic and physical access to food, food utilization and stability. This
- 212 framework, and national level indicators to measure progress on each dimension, are used in the

- annual reports on the 'The State of Food Security and Nutrition in the World' published since 1999
- by FAO, IFAD, UNICEF, WFP and WHO (until 2015 as 'The State of Food Insecurity in the World')
- 215 (FAO, 2019). In addition to these national level indicators, this literature review identified indicators
- to measure food security status of an individual or a household. The full list of indicators considered
- 217 in this review is shown in Table 1.
 - Utilization Availability Access Stability Food production and Financial access and Individual consumption Crop yield skewness, affordability temporal yield variability, food supply measures spatial yield variability Crop yield, livestock Income from Infant and Young Child production, agriculture, wealth, Dietary Diversity (IYCDDS), household food poverty status of a Minimum Dietary Diversity supply adequacy, household for Women (MDD-W), crop production, Women's Dietary Diversity productivity Score (WDDS), Infant and Child Feeding Index (IFCI), Individual Dietary Diversity Score (IDDS), Mean Probability of Adequacy of Micronutrient Intake (MPA), Nutrient Adequacy Ratio (NAR), Dietary Species Richness (DSR) Household consumption Anthropometric measures measures and biomarkers Household dietary Vitamin A deficiency, diversity score (HDDS), haemoglobin status, food consumption score prevalence of anaemia (FSC), food variety score among women, weight-for-(FVS), food expenditure, age z-score (WAZ), heighthousehold per capita for-age z-score (HAZ), energy intake, weight-for-height z score household per capita (WHZ), prevalence of protein intake, stunting, prevalence of household food selfwasting, body mass index sufficiency, household (BMI), middle upper arm food quantity intake, circumference for age z household nutrient score (MUAC) intake, household nutrient adequacy
- 218 **Table 1** Indicators of food security used in the reviewed literature.

Experience-based scales and index scores

Household Food Insecurity Access Scale (HFIAS), Household Hunger Scale (HHS), Coping Strategies Index (CSI), Months of Adequate Household Food Provisioning (MAHFP) For food availability, yield is a frequently used indicator. A special case is nutritional yield when yield expressed in weight is multiplied with the content of a certain nutrient or converted to calories. The unit change is not to be confused with a change in the food security dimension. It is still a measure of availability and it is unclear how the product is used, for self-consumption, markets, or livestock feed and if consumed within the household who is eating what. An example of a household food supply adequacy indicator is the food availability indicator used in some studies and calculated as a

- ratio of energy produced and bought to the physiological requirements for energy (Douxchamps et
- al., 2016; Frelat et al., 2016; Paul et al., 2017; Rufino et al., 2013; Waha et al., 2018).

227 Food access indicators are very diverse, but some standard indicators have been developed by the 228 Food and Agriculture Organization of the United Nations (FAO), the Food and Nutrition Technical 229 Assistance Project (FANTA) and the World Food Programme (WFP). Within the food access domain, 230 we identify two groups of indicators. The first group are indicators reflecting the financial dimension 231 and affordability of food access and the second group are indicators pertaining to consumption 232 patterns measured at the household level. The household dietary diversity score (HDDS) is the most 233 frequently used indicator to measure food access. HDDS is constructed based on consumption of 12 234 food groups and ranges from 0 (no food group consumed) to 12 (all 12 food groups consumed) with 235 a recall period of 24 hours (FAO, 2013) but many studies reviewed here modified the recall period to 236 be seven days. The food consumption score (FSC) is a similar, but composite score ranging between 237 0 (food insecure) and 16 (food secure) and measures the frequency of consumption of different food 238 groups by a household during the seven days before the survey. HDDS has been validated as a good 239 indicator of diet quantity i.e. energy consumption (Hoddinott and Yohannes, 2002) but not of diet 240 quality i.e nutrient adequacy (Leroy et al., 2015). One reason for that is that HDDS measures also the 241 consumption of three food groups (sweets; oils and fats; spices, condiments and beverages) that do 242 not necessarily contribute positively micronutrient intake which weakens any potential association 243 with micronutrient adequacy and diet quality.

244 Food utilization is commonly measured as individual dietary consumption or nutritional status based 245 on anthropometry or biomarkers. It therefore describes a dimension of food security as well as the 246 outcome linked to nutritional status (Coates, 2013). Around 8% of all studies reviewed use a 247 measure of anthropometric status such as height-for-age, weight-for-height and weight-for-age. 248 Height-for-age below two standard deviations of the mean for healthy children indicates stunting 249 which implies insufficient nutrient intake and/or poor health over a longer time period. Weight-for-250 height indicates wasting which implies acute significant food shortage and/or disease. Weight-for-251 age indicates underweight which implies both acute and chronic malnutrition (WHO, 1995). All three 252 are sometimes used as validation measures for indicators of food utilisation. This can however result 253 in mixed conclusions as anthropometric status is not only evidence for nutrient or energy deficits but 254 also for the occurrence of diseases that lead to impaired nutrient absorption or increased rate of 255 nutrient utilization (WHO, 1995). We group food consumption indicators within the utilisation 256 domain when measured at the individual level, and within the food access domain when measured 257 at the household level. This is consistent with the evidence that various individual consumption 258 indicators such as Infant and Young Child Dietary Diversity (IYCDDS), Minimum Dietary Diversity for 259 Women (MDD-W) and Women's Dietary Diversity Score (WDDS) are validated measures of nutrient 260 adequacy (Jones, 2017a; Leroy et al., 2015; Martin-Prevel et al., 2015; Working Group on Infant and 261 Young Child Feeding Indicators, 2007). IYCDDS and WDDS include seven and nine food groups, 262 respectively that are directly related to micronutrient intake. WDDS has been further developed to 263 the MDD-W indicator, sometimes also referred to as the 10-food group women's dietary diversity

- indicator, which is used to define women as having an adequate diet diversity if consuming at leastfive of the ten food groups included.
- 266 Stability includes the time aspect of the other three dimensions. Stability has several meanings and 267 is often related to the concepts of resilience, robustness, resistance, vulnerability, and variability.
- 268 While a natural ecosystem might be considered stable if the system variables return to the initial
- 269 equilibrium after a perturbation (Pimm, 1984), a more useful definition for agricultural systems
- 270 might be related to low fluctuation or constancy in a system faced with perturbations as the
- definition of equilibrium state as such is more difficult. Perturbations are then shocks external to the
- system and ranging from short-term to long-term or chronic (Bullock et al., 2017). In the reviewed
- 273 literature, stability is often measured as the spatial or temporal variability of production or income.
- 274 Experience-based indicators such as the Household Food Insecurity Access Scale (HFIAS), the
- 275 Household Hunger Scale (HHS), Coping Strategies Index (CSI) and Months of Adequate Household
- 276 Food Provisioning (MAHFP) are grouped separately in Table 1 because they are composite scores
- 277 based on information that span the four dimensions of food security. For example, the CSI reflects all
- 278 possible answers to one single question, namely "what do you do when you do not have enough
- food and don't have the money to buy?" (Maxwell and Caldwell, 2008). This is in contrast to some
- 280 studies which consider HFIAS to be an indicator of food access (Leroy et al., 2015), food stability
- 281 (Coates, 2013) or food availability (Lele et al., 2016). HFIAS can be seen as a good measure of both
- quantity and quality, in that there is no need to adopt coping strategies that lead to cheaper, less
- appealing and less micronutrient dense foods (Leroy et al., 2015) but not in the sense of
- 284 micronutrient adequacy. We group experience-based indicators together with food access indicators
- in the respective results section.

286 4. Previous reviews and meta-analysis

- 287 Previous reviews and meta-analyses are listed here for completeness and as reference. They can
- 288 provide a systematic overview of a specific group of literature that is outside the scope of this
- 289 review, such as intercropping systems or agroforestry. Some reviews were considering both
- 290 indicators of food access and utilisation, so they are described here together in one section.

291 4.1 Food availability

292 In the context of food availability, eight review articles and meta-analyses discuss the benefits of 293 crop and agrobiodiversity for productivity (Delaquis et al., 2018; Droppelmann et al., 2017; Frison et 294 al., 2011; Gaba et al., 2015; Kremen and Miles, 2012; Nagothu and Tesfai, 2018; Ponisio et al., 2015; 295 Schroth and Ruf, 2014). For cassava intercropping, Delaquis et al. (2018) found a positive 296 relationship between intercropping and system productivity in most studies reviewed which was 297 evidenced by land equivalent ratios above 1. Other reviews for specific crops are provided in 298 Nagothu and Tesfai (2018) for pulses-millet crop diversification and Schroth and Ruf (2014) for tree 299 crop diversification in the humid tropics. In another review based on 17 studies on sustainable 300 intensification practices in maize small-scale farms in sub-Saharan Africa, Droppelmann et al. (2017) 301 show that the addition of a grain legume increased maize response to fertilizer but reduced 302 annualized maize grain yields. Other benefits of intercropping and multiple cropping include 303 improved soil and water regulation, reduced consumption of fertilizers and pesticide, reduced soil 304 erosion and nitrate leaching, increased biodiversity and pest and disease suppression (Frison et al., 305 2011; Gaba et al., 2015). In a meta-analysis using 115 studies, Ponisio et al. (2014) find that multi306 cropping and crop rotations can improve yields in organic systems. According to Gaba et al. (2015)

the co-existence of multiple species can be beneficial if the species are carefully selected to provide

308 resources for one another or to use a resource in different forms or at different times or in different

309 places. Otherwise resource competition can result in lower system yields compared to monocultures

310 (Gaba et al., 2015). Kremen and Miles (2012) compared ecosystem services such as food production

and environmental performance in biologically diversified, including organic, versus chemically
 based simplified farming systems, relying on monoculture, inorganic fertilizers, and synthetic

- 313 pesticide input. They found that conclusions on yield gaps varied widely in previously published
- 314 articles.

315 4.2 Food access and utilisation

316 We find four previous literature reviews published between 2011 and 2015 that give a systematic 317 overview of agricultural diversity, dietary intake and consumption associations (Jones, 2017a; 318 Penafiel et al., 2011; Powell et al., 2015; Sibhatu and Qaim, 2018b). On the basis of a meta-analysis 319 reviewing 45 studies from 26 countries, Sibhatu and Qaim, (2018b) found that farming diversity is 320 positively associated with dietary diversity and nutritional status in some but not in all cases and that 321 this association depended on the indicator used to measure dietary quality and nutrition outcomes 322 and the level of production diversity. Twenty-nine studies had mixed results with positive association 323 in some cases and insignificant or negative associations in others, eleven studies found no 324 association and five studies found only positive associations between production and dietary diversity or nutrition. The mean marginal effect of increasing farming diversity by one crop or 325 326 livestock species increases the number of food groups consumed by 0.062 (N observations = 160, 327 standard error 0.027) and the number of foods consumed by 0.716 (N observations = 25, standard 328 error = 0.327) (Sibhatu and Qaim, 2018b). Reasons for small effects include production diversity 329 being already high with further diversification efforts hindering development opportunities through 330 other pathways. In a previous literature review with 23 studies, of which 21 were also later included 331 in Sibhatu and Qaim (2018b), Jones (2017b) found a consistent, but small, positive relationship 332 between production diversity and dietary diversity and in addition, a very small positive relationship 333 between production diversity and nutritional status in least developed countries. Interestingly, the 334 conclusions are different in both reviews. While Sibhatu and Qaim (2018b) conclude that there is 335 little evidence to support policies for increasing production diversity as a strategy for improved 336 smallholder diets and nutrition, Jones (2017b) concludes that agricultural diversification may 337 contribute to diversified diets and may be an important strategy for improving nutrition outcomes. 338 Similarly to Jones 2017b, Powell et al. (2015) concluded that the relationship between crop diversity 339 or agrobiodiversity and dietary diversity or nutrition outcomes is overall positive in most of the 12 340 reviewed studies. Altogether, Powell et al. (2015), Jones (2017b) and Sibhatu and Qaim (2018b) 341 reviewed 50 studies, of which 19 are included in our review as well as the remaining did not match 342 our selection criteria. Publications were excluded because of publication year, or because they are 343 not peer-reviewed research articles or review articles or because of a lack of a measure of 344 agricultural diversity as defined in this study.

345 4.3 Stability

A meta-analysis of 37 studies showed that cereal-grain legume intercropping significantly increased temporal and spatial yield stability (CV =22.1) compared with the respective grain legume sole crops (CV= 31.7). Temporal yield variability in cereal-grain legume intercropping was 58% lower than for

- 349 grain legume sole crop but not significantly lower than for the cereal sole crop. Spatial yield
- variability in cereal-grain legume intercropping was 14-19% lower than grain legume and cereal sole
- 351 crops (Raseduzzaman and Jensen, 2017). Hansen et al. (2019) reviewed 12 articles that describe
- 352 benefits of diversified farming systems including agroforestry. They concluded that interventions
- 353 that encouraged diversification showed moderately positive effects on stabilizing production and
- 354 consumption, as well as improving livelihoods and welfare. Crop diversification can also contribute
- to stabilizing income, because some crops like rubber and oil palm can provide revenue throughout
- the year and the mix of perennial with annual crops can secure a more regular income from harvests
- 357 in different months (Schroth and Ruf, 2014)
- Five qualitative reviews give examples of studies that present empirical evidence on differences in stability and resilience between diversified and non-diversified agricultural systems (Altieri et al.,
- 2015; Di Falco, 2012; Frison et al., 2011; Lin, 2011; Urruty et al., 2016). Between them they cite 31
- 361 studies but none of them provide a systematic overview of the empirical evidence which we attempt
- to show in Table 2. We select the 11 studies for low- and middle-income countries that were cited
- before and published as research articles or peer-reviewed book sections, written in English and
- reporting original data on a relevant measure of stability and summarise their main findings in Table
- 365 2. The most common measure of stability in the cited studies was variability of crop yield and
- income and resistance. For resistance there are two types of studies, one that attempts to assess the
- 367 resistance of a diversified vs non-diversified system after a major perturbation, a hurricane or a
- 368 drought, and one that assesses resistance to pest infestation, or heat and water stress without
- 369 studying the system variables before or after an external shock.
- 370 **Table 2** Summary of studies on agricultural diversity and stability cited in previous reviews.

Measure of stability	Finding	Reference*
Variability of crop yield and income	Crop variety richness reduces the within-household variance of yields above a certain diversity level	Di Falco et al. 2007 (Ethiopia), Di Falco & Chavas 2009 (Ethiopia), Smale et al. 1998 (Pakistan), Widawsky & Rozelle 1998 (China) cited in Di Falco 2012
Resistance to water stress after a short-term external shock (water shortage)	Landraces yield higher than modern cultivars in water stress conditions and have less yield variability between stress and no stress conditions; Grain yield decrease in stress condition was smaller in replacement intercropping system than in sole crops	Ceccarelli 1996 (Syria) cited in Frison et al. 2011; Natarajan and Willey 1996 (India) cited in Altieri et al. 2015
Resistance to erosion after a short-term external shock (hurricane)	Fewer arable land loss due to landslides in agroecological plots compared to conventionally managed plots	Holt-Giménez 2002 (Nicaragua), Philpott et al. 2009 (Mexico) cited in Altieri et al. 2015

Resistance to pest infestation through biological control	Within-field crop genetic diversity reduces pest infestation and disease severity	Zhu et al. 2000 (China), Kahn et al. 1998 (Kenya) cited in Altieri et al. 2015					
Resistance to heat and water stress through shade control	Shade trees in agroforestry reduce water stress for coffee plants compared to systems with fewer shade trees.	Lin 2007 (Mexico) cited in Altieri et al. 2015					
* These are selected references fulfilling the criteria of this literature review except for year of publication							

* These are selected references fulfilling the criteria of this literature review except for year of publication and cited in section 6 in Altieri et al. 2015 on agrobiodiversity and vulnerability, section 2 in Frison et al.
2011 on productivity and stability, Table 1 in Di Falco 2012 and Table 1 in Lin 2011.

371

372 5. Diversity and food availability

373 Of the 88 studies evaluated, 19 studies reported 26 separate diversity-food security relationships 374 using a measure of food availability. Most relationships were positive (17 cases, 65%) and only a few 375 were negative (2 cases, 8%), neutral or ambiguous (7 cases, 27%) (Table 3). Most of the studies on 376 food availability conducted field experiments to measure the effect of crop diversity on crop yield or 377 crop production. The field experiments include growing crops in intercropping or rotation systems 378 without making any other changes or embedding crop diversity as one strategy of alternative land 379 use management systems such as agroforestry or conservation agriculture. The second experimental 380 design makes it more difficult to assess the effect of diversification separately from other changes 381 but also highlights the linkages between crop and soil management. In any case, the effect of crop 382 diversity tends to be positive when an additional crop adds an additional function to the system, for 383 example because it is a nitrogen-fixing crop, provides shade for the companion crop, can be 384 commercialised as an additional product or adds specific nutrients to a household's diet. The 385 direction of the relationship between diversity and food availability often depends on the crop

386 studied, the row arrangement in intercropping and the type of crop mix.

For example, Isaacs et al. (2016) report that when grown as sole crop, beans exhibited yields that were often more than twice that of beans intercropped with maize in Rwanda which can be related to reduced resource competition for light and nutrients in the monoculture. In another experiment in Bangladesh Islam et al. (2018) found that a four crop pattern performed better than a three crop pattern which is mostly related to the introduction of maize as a relay crop for onion. In a countrywide trial in Malawi with 991 observations, Snapp et al. (2010) found a positive effect on crop yield when diversifying maize with legumes when compared with an unfertilized maize monoculture.

394 All three conservation agriculture studies included here found a positive effect of crop diversity on 395 crop yield in India and Bangladesh (Ladha et al., 2016; Pradhan et al., 2018; Samal et al., 2017). In 396 the context of agroforestry systems, we find four publications for rubber, cocoa and coffee 397 cultivation (Hondrade et al., 2017; Jessy et al., 2017; Schneider et al., 2017; Souza et al., 2010). The 398 results are mixed and depend on the year of the experiment, resource competition between crops, 399 the amount of mutual benefits created by the crop mix and the method for measuring benefits. For 400 example, the results from a 13- year experiment comparing three agroforestry systems with 401 traditional rubber cultivation in India indicate that a range of crops can be integrated with rubber

- without any adverse effect on growth and yield of rubber. Crop diversification increased rubber yield
 but only in the first year, after which the effect was not significant (Jessy et al., 2017). In Brazil, a
 diversified agroforestry system for coffee cultivation allowed more products from a larger range of
 food crops to be harvested and commercialized leading to a lower cost/benefit ratio than in the
- 406 coffee monoculture (Souza et al., 2010).

407 Other data sources used are surveys and farmer interviews which also allows studying effects on 408 farm or household scale (Douxchamps et al., 2016; Dzanku and Sarpong, 2011; Makate et al., 2016). 409 We cannot compare the studies to each other but each of them highlights the context in which 410 diversity can be beneficial. For example, Douxchamps et al. (2016) found that crop diversity 411 positively influenced land productivity in Burkina Faso, Senegal and Ghana, but only for a specific 412 type of household practicing intensified farming with strong market orientation and a high 413 proportion of income from growing pulses. Dzanku and Sarpong (2013) find a positive relationship 414 between more diverse non-staple crop production and household food supply in one region only 415 and the authors suggest that this is due to regional differences associated with better market 416 conditions rather than crop diversity. They concluded that a more diverse crop portfolio did not 417 necessarily lead to a higher probability of household level food security, with other important 418 predictors being household composition, education, wealth, age, and other non-farm sources of 419 income. In a multi-country study with 28,000 farming households in sub-Saharan Africa, Waha et al. 420 (2018) found that median food availability increased with farming diversity. The farming households 421 with highest farming diversity also had significantly more cropland than others, which partly explains 422 this result. This study also find that increasing farming diversity can result in diminished returns, with 423 food availability increasing until diversity levels reach seven species per hectare cropland, and then 424 decreasing beyond this level.

Table 3 Summary of studies examining the association between diversity and food availability.

Reference	Country	Sample size	Method	Indicator of diversity	Indicator of food availability	Description of relationship*					
	Cropping system, farm or household scale										
Chimonyo et al., 2019	Chimonyo et Malawi al., 2019		Field experiments	Crop diversity (SC) – maize intercropped compared to maize sole crop	Crop yield (maize grown in sequence with soybeans, peanut or peanut-pigeon pea) Crop yield (maize intercropped	Positive Negative					
		systems			with pigeonpea)						
Douxchamps et al., 2016	Burkina Faso, Ghana, Senegal	600 hh	Stepwise multiple linear regression	Crop diversity (SC)	Land productivity (type IV intensified farming)	Positive (β=0.812)					
					Land productivity (type I subsistence farming)	Neutral (ns)					
					Land productivity (type II diversified farming)	Neutral (ns)					
					Land productivity (type III extensive farming)	Neutral (ns)					
Dzanku and Sarpong, 2011	Ghana	416 hh	Random effects model	Crop diversity (SID)	Household food supply adequacy	Neutral (ns)					
Hondrade et al., 2017	Philippines	6 farmers' fields in 3 seasons and 8 cropping treatments	Field experiments	Crop diversity (SC) - rice- mungbean intercropping compared to rice monoculture	Crop yield	Mixed depending on year and proportion of intercropped rows					
Isaacs et al., 2016	Rwanda	2 cropping systems planted by 13 farmers association	Field experiments	Crop diversity (SC) - maize- bean intercropping compared to sole bean crop	Crop yield	Negative (d = 0.9-1.7 t/ha)					
Islam et al.,	Bangladesh	2 seasons, 4	Field experiment	Crop diversity (SC) - tour crops	Crop yield	Positive (d =					

Reference	Country	Sample size	Method	Indicator of diversity	Indicator of food availability	Description of
						relationship*
2018		crops in 2 crop		intercropping compared to		7.45-8.94
		patterns		three crops intercropping		t/ha)
				maize/rice systems		
Jessy et al.,	India	4 years	Field experiment	Crop diversity (SC) –	Crop yield	Positive in first
2017				agroforestry system with		year (d=6.8
				rubber		g/tree/tap),
						not significant
						in subsequent
						years
Kassie et al.,	Malawi	1,925 hh	Multinomial	Crop diversity (SC) – maize-	Crop yield	Positive (ATT =
2015			endogenous	legume rotation or		505 kg/ha)
			switching	intercropping compared to no		
			treatment	diversification		
			regression using			
Ladha at al	India Bangladach	A locations 6	Survey data	Crop diversity (CI)	Cropyield	Docitivo (d -
2016	inuia, Bangiauesn	4 IOCALIONS, 6	Field experiment	Crop diversity (Ci)	crop yield	Positive ($u = 72 C (h_2)$
2010	Tanzania	Evogotablo	Field experiment	Production diversity (SC)	Not viold of fich	
2017	Talizallia	o vegetable	Field experiment	integrated fich vegetable	Net yield of fish	POSITIVE (u = 0.12 + /ba)
2017		piots, 4 fish		system compared to pop-		9.15 (/lld)
		ponus		integrated system		
				Production diversity (SC) -	Net yield of yegetables	Positive (d -
				integrated fish-vegetable	Net yield of vegetables	3.95 t/ha
				system compared to non-		5.55 (114)
				integrated system		
Makate et	Zimbabwe	~600 hh	Multiple linear	Crop diversity (SDI-b)	Crop yield (cereals)	Positive
al., 2016			regression			(β=1.181)
					Crop yield (legumes)	Neutral (ns)
Perdoná and	Brazil	4 cropping	Field experiment	Crop diversity (coffee	Crop production (hulled	Positive
Soratto,		systems, 5 years		monoculture vs coffee-	green-bean, rainfed)	(difference =
2015				macadamia intercropping)		15 - 196 g per

Reference	Country	Sample size	Method	Indicator of diversity	Indicator of food availability	Description of
						relationship*
						plant)
					Crop production (irrigated)	Neutral (ns)
Pradhan et	India	3 years	Field experiment	Crop diversity (SC) - additive	Crop yield	Positive (d =
al., 2018		experiment		crop rotation design		6,550-7,098 kg/ha)
Samal et al	India	7 vears	Field experiment	Crop diversity (SC) –	Crop vield	Positive (d =
2017		experiment		introduction of a third crop in		5.4-6.1 t/ha)
				wheat-rice rotation		. ,
Schneider et	Bolivia	6 cropping	Field experiment	Crop diversity (SC) -	Crop yield (all marketable	Positive (d =
al., 2017		systems, 3 years		agroforestry system	crops)	7,471 kg/ha)
				compared to cocoa	Crop yield (cocoa)	Negative (d = -
				monoculture		414 kg/ha)
Souza et al.,	Brazil	Trials on 17	Field experiment	Crop diversity (SC) –	Cost/benefit ratio	Positive
2010		family farms		agroforestry system		(d=0.32 %)
				compared to coffee		
				monoculture		
			Landscape	to national scale		
Löw et al.,	Uzbekistan,	~54,000 fields	Remote sensing,	Crop diversity (SDI)	Crop yield (spatial variability,	Positive
2017	Kyrgyzstan,	covering an area	Conditional		rotation diversity)	(variable
	Tajikistan	of ~ 400,000 ha	Random Forests			importance
						rank = 1-6 for
						cotton and
						wheat, 1-9 for
						rice out of 23)
Snapp et al.,	Malawi	> 1,000 farm	Field experiment	Crop diversity (SC) - maize-	Crop yield	Positive (d =
2010		sites		legume rotation compared to		1.014-1.21
				unfertilized maize		t/ha)
				monoculture		
Waha et al.,	Ethiopia, Tanzania,	28,361 hh	Kruskal-Wallis test	Farming diversity (C)	Household food supply	Positive (d =
2018	Niger, Uganda,		for difference in		adequacy (supply / required)	1.2)

Reference	Country	Sample size	Method	Indicator of diversity	Indicator of food availability	Description of			
						relationship*			
	Kenya, Burkina		medians						
	Faso, Ghana, Mali,								
	Malawi, Rwanda,								
	Zambia, Senegal,								
	Mozambique, DR								
	Congo, Congo,								
	Nigeria, Zimbabwe								
* The magnitu	de of the relationships	s cannot be compare	ed directly across studi	ies as the methods and indicators	s used differ. Some indicators such	as the			
Shannon dive	rsity index cannot be co	ompared across diffe	erent locations as they	depend on the total number of s	species. The type of regression mo	odel, number			
and types of c	rops and livestock spec	cies for example will	all influence the resul	t. The table shows selected resul	ts from each study as assumed rel	evant to the			
topic of this re	eview.								
C = count, SC	C = count, SC = cropping system or farming typology, CI = multiple cropping index in %, SDI = Simpson diversity index, SDI-b = Simpson diversity index converted								
to binary varia	able, d = difference in n	neans or medians, n	s = not significant (p-v	alue > 0.05); β = regression coeff	icient; ATT = adoption effect				

426 6. Diversity and stability of food security

427 We found only 3 studies focusing on this dimension of food security, reporting 7 separate diversity-428 stability relationships. Of these, 4 relationships were positive, 2 were negative and 1 mixed (Table 4). 429 All three studies are for Malawi, two on the farm scale and one on the landscape scale (Chimonyo et 430 al., 2019; Kassie et al., 2015; Snapp et al., 2010). They measure the magnitude of fluctuation in a 431 cropping systems as spatial crop yield variability or inter-site crop yield variability, rather than 432 temporal variability. Crop yield stability is a function of environment and crop. For example, crop 433 yield variability in a maize-legume system compared to a fertilized sole crop was lower when maize 434 was grown in rotation with soybean and peanut/pigeon pea intercropped, but not when grown in 435 rotation with peanut or intercropped with pigeon pea only (Chimonyo et al., 2019). This is only partly 436 confirmed by an extensive field experiment with more than 1,000 farm sites where crop yield 437 variability of maize was lower compared to an unfertilized sole maize when grown in rotation with 438 peanut but not when intercropped with pigeon pea (Snapp et al., 2010).

439 We also found an alternative method for understanding how agricultural diversity and stability of 440 agricultural production are related in the literature we reviewed. Farm-scale adaptation strategies 441 often include diversification and we identified six publications researching if farmers use 442 diversification to mitigate risks from perceived changes in weather or climate (Antwi-Agyei et al., 443 2014a; Chengappa et al., 2017; Eludoyin et al., 2017; Fadina and Barjolle, 2018; Mavhura et al., 2015; 444 Sanogo et al., 2017). These 'perception studies' rarely discuss the relationship to food security 445 directly thus are not included in the summary table below but can help to understand farmer's 446 coping or adaptation strategies when faced with short- or long-term environmental changes. The 447 sample size is often small. The number of farmers interviewed in the six studies reviewed ranged 448 from 120 to 400 farmers and it is mostly unclear to what extent the chosen adaptation strategy was 449 effective. For example, if it increased production or stability over time. Also, it is not always clear if 450 diversification was a hypothetically preferred or a practised adaptation strategy, to what extent 451 farmers already practiced diversification in general and in response to perturbations. Although 452 households might claim that they have diversified their cropping patterns in response to climate 453 variability, such patterns might have been partly influenced by non-climatic factors such as economic 454 shocks and opportunities (Antwi-Agyei et al., 2014b). However, this method can reveal farmer's 455 motivation to adapt and preferring a specific strategy over others. The conclusions from the six 456 studies suggest that diversification is practiced as a risk management strategy (Chengappa et al., 457 2017; Eludoyin et al., 2017; Fadina and Barjolle, 2018), to cope with climate shocks (Sanogo et al., 458 2017) and to take advantage of multiple growing seasons (Eludoyin et al., 2017). One perception 459 study found that on-farm diversification was not an option for farmers in Zimbabwe faced with 460 lower than average rainfall, and that they instead relied on food aid, income diversification and 461 collecting wild food (Mavhura et al., 2015). This is perhaps an indication that major shocks cannot be 462 compensated by diversifying as every agricultural activity is impacted severely.

To our knowledge no study has measured the relationship between diversification and stability of any food security indicator on the national scale. However, an interesting contribution is Sardos et al. (2016) who discuss changes to the agricultural systems and its resilience in Vanuatu since the introduction of root and tree crops such as white and Indian yam, cocoyam, cassava and sweet potato during European settlement in the 19th century. This seems to have neither compromised agricultural diversity nor changed the systems drastically which before consisted of local or naturalized root and tree crops such as wild yam and taro. Farmers instead used the new crops to

- 470 increase the resilience of the system through increasing the farmer's ability to switch to alternative
- 471 crops when facing an unforeseen change.

Reference	Country	Sample size	Method	Indicator of	Indicator	Description of
				diversity	of stability	relationship*
Chimonyo	Malawi	6 field	Field	Crop	Inter-site	Positive (d = -
et al., 2019		experiments,	experiments	diversity (SC)	CV of crop	0.98-4.87%
		5 seasons, 6		–fertilized	yield: (1)	compared to
		cropping		sole maize		fertilized sole
		systems with		compared to		maize)
		6 maize		(1) rotation	Inter-site	Negative (d =
		cropping		with soybean	CV of crop	+3.4%
		systems		and peanut-	yield: (2)	compared to
				pigeon pea,		fertilized sole
				(2) rotation		maize)
				with peanut,	Inter-site	Negative (d =
				(3)	CV of crop	+6% compared
				intercropped	yield: (3)	to fertilized
				with pigeon		sole maize)
				реа		
Kassie et	Malawi	1,925 hh	Multinomial	Crop	Crop yield	Positive
al., 2015		with 2,937	endogenous	diversity (SC)	skewness	(adoption
		maize plots	switching	– maize-	as a proxy	effect = 0.67
			treatment	legume	for risk	
			regression	rotation or	exposure	
			using	intercropping		
Snapp et	Malawi	> 1,000 farm	Field	Crop	Inter-site	Positive (d = -1-
al. 2010		sites	experiment	diversity (SC)	variability	2%)
				– unfertilized	of system	
				sole maize	grain yield	
				compared to	(CV): (1)	
				(1) rotation	Inter-site	Positive (d = -8-
				with peanut,	variability	14% compared
				(2) rotation	of system	to unfertilized
				with annual	grain yield	sole maize)
				and semi-	(CV): (2)	
				perenniai	Inter-site	Mixed
				legumes, (3)	variability	
				with pigoon	or system	
				with pigeon	grain yield	
				pea	(CV): (3)	

472 **Table 4** Summary of studies examining the association between diversity and stability.

* The magnitude of the relationships cannot be compared directly across studies as the methods and indicators used differ. The type of regression model, number and types of crops and livestock species for example will all influence the result. The table shows selected results from each study as assumed relevant to the topic of this review.

d = difference, SC =cropping system, CV = Coefficient of variation

473 7. Diversity and food access

Fifty-two studies reported 148 separate diversity-food security relationships used a measure of food
access. Of these, the authors reported positive relationships in 96 cases (65%), no or ambiguous
relationships in 47 cases (32%) and negative relationships in only 5 cases (3%) (Table 5). Most of the
studies reviewed used at least one indicator of food access, either to describe household dietary
diversity, average household energy and nutrient intake, household food consumption or financial
constraints to food security. We here include studies using measures for coping strategies at times
of food shortage or self-reported food insecurity using experience-based scales.

481 By far the most common indicators of food access were household consumption measures, for 482 example HDDS. Thirty-three studies used household dietary diversity as a measure for food access, 483 sometimes modified by changing the recall period or number and types of food groups (M-HDDS). 484 Where the relationship between a measure of agricultural diversity and HDDS or M-HDDS is positive 485 the regression coefficients differ between different statistical methods (e.g. Ayenew et al., 2018; 486 Huluka and Wondimagegnhu, 2019; Jones, 2017b; Kissoly et al., 2018; Koppmair et al., 2017; Kumar 487 et al., 2015; Makate et al., 2016; Murendo et al., 2018; Romeo et al., 2016; Sibhatu et al., 2015a; 488 Sibhatu and Qaim, 2018a; Somé and Jones, 2018; Tesfaye and Tirivayi, 2020; Traoré et al., 2018). 489 Sibhatu and Qaim (2018a) find that increasing agricultural diversity by one crop or livestock species 490 slightly increases the number of food groups consumed by 0.05-0.07 in Kenya, 0.16 in Indonesia and 491 0.2-0.33 in Uganda. Other explaining factors such as cultivated land area and educational level of the 492 household head also have a positive effect on M-HDDS but to a smaller extent than agricultural 493 diversity. Murendo et al. (2018) also find a relatively small effect of increasing agricultural diversity. 494 Producing one additional crop or livestock species leads to a 3% increase in M-HDDS whereas market 495 participation results in a 6% increase in M-HDDS which indicates a reliance on purchased food. Other 496 studies found much larger effects of increased agricultural diversity on HDDS and M-HDDS (Makate 497 et al., 2016; Tesfaye and Tirivayi, 2020) where crop diversity was strongly associated with HDDS and 498 M-HDDS. A few studies also measure mean household nutrient and/or energy intake or adequacy 499 and found positive associations with agricultural diversity for some indicators (Brüssow et al., 2017; 500 De Jager et al., 2018; Sibhatu and Qaim, 2018a).

501 Some studies examine the diversity-food access relationship differentiated by type of household. For 502 example, while the crop diversity and HDDS relationship was positive overall, it was not significant or 503 very weak for poorer households which depend more on income growth for increasing dietary 504 diversity (Ecker, 2018). Somé and Jones (2018) found that in Burkina Faso seasonal differences 505 between post-harvest, lean and harvest period in household dietary diversity was greater among 506 households with greater crop production and value of crop sales but not with greater crop diversity.

507 Nine of the twelve studies on the association between agricultural diversity and economic access 508 found a positive association (Bellon et al., 2020; Das and Ganesh-Kumar, 2018; Kasem and Thapa, 509 2011; Ladha et al., 2003; Limbu et al., 2017; Makate et al., 2016; Mofya-Mukuka and Hichaambwa, 510 2018; Pradhan et al., 2018; Thapa et al., 2018). For example, in Thailand, diversifying rice mono-511 cropping systems by including asparagus and okra for international markets lead to an increase in 512 net income (Kasem and Thapa, 2011). Crop diversification by adding high-value crops in Nepal 513 reduced the probability of being poor (Thapa et al., 2018). However, marginal households must 514 diversify more than one third of total agricultural production value into high-value crops to move

above the poverty line. Also agricultural income was significantly higher if households shifted their

516 crop portfolio by substituting certain crops or cultivars for others instead of diversifying it by adding517 crops (Brüssow et al., 2017).

518 Six of the ten studies using experience-based food insecurity scales or measuring the extent of 519 coping strategies find a positive association with diversity at least for one indicator studied (Brüssow 520 et al., 2017; KC et al., 2016; M'Kaibi et al., 2017, 2015; Nkomoki et al., 2018; Vanek et al., 2016). For 521 example, HFIAS, the Household Food Insecurity Access Scale was lower at higher levels of agricultural diversity (M'Kaibi et al., 2017, 2015; Vanek et al., 2016). However, when HFIAS was 522 523 converted into a binary variable ("food secure" and "not food secure" households), the relationship 524 between HFIAS and agricultural diversity was not statistically significant (Bezner Kerr et al., 2019; 525 Makate et al., 2016). The results also differ between studies using the same indicator, for example 526 HHS, the Household Hunger Scale. Whereas Ng'Endo et al. (2015) find no association between HHS 527 and agrobiodiversity, Nkomoki et al. (2018) report that 82% of the households reporting to

528 experience little to no hunger practiced crop diversification.

529 Some studies used national agricultural, livelihoods or household surveys that present results across 530 a representative national sample including both diversified and non-diversified farming households. 531 For example, both Snapp and Fisher (2015) and Jones et al. (2014) use data from the 2010/11 532 Malawi Integrated Household Survey. For the same measures of diversity and food access, both 533 studies find a positive effect. Jones et al. (2014) highlight that the relationship may be further 534 influenced by gender and wealth as the effect of farming diversity on household dietary diversity 535 was stronger in women-headed households and in wealthier households. Snapp and Fisher (2015) 536 find a small positive effect on food security as growing one additional crop increased HDDS by only 537 2%. Similarly, in Nigeria the positive effect of agricultural diversity on HDDS is significant but small. A 538 10 per cent increase in agricultural diversity results in a 0.16-2.4 per cent increase in HDDS (Ayenew 539 et al., 2018; Dillon et al., 2015) which is still a larger effect then that from increasing agricultural 540 revenue by 10 per cent (Dillon et al., 2015). In some multi-country studies it was possible to compare 541 the results across countries and geographies (Fraval et al., 2019; Passarelli et al., 2018; Ritzema et 542 al., 2019; Sibhatu et al., 2015; Sibhatu and Qaim, 2018a; Tesfaye and Tirivayi, 2020) and some results 543 suggest that the association depends on geographic locations. In sub-Saharan Africa for example, the 544 effect of production diversity is positive in semi-arid zones but negative in the humid/sub-humid 545 zones (Fraval et al., 2019). In Malawi, HDDS increased with production diversity but in Ethiopia, with 546 almost double the average production diversity of Malawi, there is no association with household 547 dietary diversity (Sibhatu et al., 2015).

548 Five studies on food access have attempted to test whether the diversity-food access relationship is 549 linear or rather follows an inverted U-shape and to estimate an optimal level of agricultural diversity. 550 Sibhatu et al. (2015b) for example find that HDDS increases with production diversity initially, but 551 then declines with further increases in production diversity. This was evident from a negative 552 regression coefficient for squared production diversity which indicates that the effect on dietary 553 diversity declines. Similarly Parvathi (2018) and Das and Ganesh-Kumar (2018), find that the positive 554 effect of production diversity on FCS and agricultural income declines as household diversify more. 555 Das and Ganesh-Kumar (2018) find that most household already engage in the optimal number of 556 crops, two, but not in the optimal number of animal husbandry and non-farm activities. This is 557 confirmed by other studies (Islam et al., 2018; Mofya-Mukuka and Hichaambwa, 2018) that find that HDDS, HDDS and FSC tended to decline with increasing diversification after a peak point which was 558 559 not further quantified in the studies.

560

Reference	Country	Sample size	Method	Indicator of diversity [£]	Indicator of access §	Description of relationship *
			<u>Vii</u>	llage to regional scale		
Akerele and Shittu, 2017	Nigeria	1,148 hh	Fixed effects model	Farming diversity (C, BI, RE)	Share of expenditure of food item in the total food budget (BI)	Positive (β=0.0423-0.1187)
				Farming diversity (C, BI, RE)	Share of expenditure of food item in the total food budget (RE)	Positive (β=0.0541-0.2354)
KC et al., 2016	Nepal	1,466 hh	Probit model	Crop diversity (C)	More than or less/equal 12 mths food sufficiency	Positive (β=0.0525)
				Livestock diversity (C)	More than or less/equal 12 mths food sufficiency	Positive (β=0.0910
Brüssow et al.,	Tanzania	900 farms	Propensity Score	Crop diversity (C)	FCS	Positive (ATT=3.51)
2017			(nearest neighbour) matching		Household per capita protein intake	Positive (ATT=103.3g)
					MAHFP	Negative (ATT= -1.48)
					CSI	Neutral (ns)
					Household per capita energy intake	Neutral (ns)
					Household net income from crop production	Neutral (ns)
De Jager et al.,	Ghana	329 hh	Poisson regression	Crop diversity (C)	Household self-	Positive (β=0.1)
2018			model	Crop diversity (H')	sufficiency (no. food groups)	Positive (β=0.7)
			Linear mixed model	Crop diversity (C)	Household self-	Positive (β=6.2-6.4)
				Crop diversity (H')	sufficiency (quantity	Positive (β=23.4-26.4)

Reference	Country	Sample size	Method	Indicator of diversity [£]	Indicator of access §	Description of relationship *
					nutrients)	
Jones, 2017b	Malawi	2,526 hh	Generalized estimating equations	Crop diversity (C)	HDDS	Positive (β= 0.08-0.13)
Kasem and Thapa, 2011	Thailand	245 hh	Interviews, calculated income from farm gate prices and input prices	Crop diversity (SC) - diversified rice cropping system compared to rice monoculture	Net income from agriculture per hh	Positive (d = 55,447 Baht/year)
Kissoly et al., 2018	Tanzania	899 hh	Poisson regression model	Production diversity (C)	M-HDDS	Positive (β=0.022-0.030)
Koppmair et al., 2017	Malawi	408 hh	Simple linear regression	Production diversity (C)	HDDS	Positive (β=0.124)
			Linear regression with Poisson estimator	Crop diversity (C)	HDDS	Neutral (ns)
Kumar et al., 2015	Zambia	3,340 hh	Ordered logit model	Production diversity (C)	M-HDDS	Positive (β=0.387)
2013				Crop diversity (C)	M-HDDS	Positive (β=0.250)
				Farming diversity (C)	M-HDDS	Positive (β=0.451)
Ladha et al., 2016	India, Bangladesh	4 locations, six seasons, 2 years	Field experiment	Crop diversity (multiple cropping index in %)	Income from crop sales	Positive (d = 1,029 US\$/ha)
Limbu et al., 2017	Tanzania	6 vegetable plots, 4 fish ponds	Field experiment	Production diversity (SC) – integrated fish- vegetable system compared to non- integrated system	Annual net cash flow	Positive (d = 57.43 USD)
		1		Production diversity (SC)		Neutral (ns)

Reference	Country	Sample size	Method	Indicator of diversity [£]	Indicator of access §	Description of relationship *
				 integrated vegetable 		
				system compared to		
				non-integrated system		
M'Kaibi et al.,	Kenya	525 hh	Spearman rank	Agricultural biodiversity	HDDS	Positive (F = 14.791)
2017			correlation, ANOVA	(C)	HFIAS	Positive (rho= -0.136)
M'Kaibi et al., 2015	Kenya	525 hh	Spearman rank order correlations	Agricultural biodiversity (C)	HFIAS	Positive (rho= -0.10)
Makate et al.,	Zimbabwe	~600 hh	Multiple linear	Crop diversity (SID-	Income from agriculture	Positive (β=3.498)
2016			regression	binary)	FSC	Positive (β=0.638)
					HDDS	Positive (β=3.545)
			Probit regression model		HFIAS (Binary)	Neutral (ns)
Murendo et al., 2018	Zimbabwe	2,815 hh	Multiple linear	Farming diversity (C)	M-HDDS	Positive (IRR=1.03)
2010				Crop diversity (C)	M-HDDS	Positive (IRR=1.04)
				Livestock diversity (C)	M-HDDS	Positive (IRR=1.03)
N'Danikou et al., 2017	Mali	180 hh	Correlation analysis	Agricultural biodiversity (C)	Food insecurity index based on CSI	Negative (r = - 0.22)
Ng'endo et al.,	Kenya	30 hh	Spearman rank order	Farming diversity (C)	HDDS	Neutral (ns)
2016	-		correlation	Farming diversity (H')		Neutral (ns)
				Farming diversity (SID)		Neutral (ns)
				Farming diversity (NFD)		Neutral (ns)
				Farming diversity (C)	FSC	Neutral (ns)
				Farming diversity (H')]	Neutral (ns)
				Farming diversity (SID)	7	Neutral (ns)
				Farming diversity (NFD)]	Neutral (ns)
Ng'Endo et al.,	Kenya	30 hh	Pearson correlation	Agrobiodiversity (C)	HHS	Neutral (ns)

Reference	Country	Sample size	Method	Indicator of diversity $^{\text{f}}$	Indicator of access §	Description of relationship *
2015				Agrobiodiversity (H')		Neutral (ns)
				Agrobiodiversity (SID)		Neutral (ns)
Nkomoki et al.,	Zambia	400 hh	Correlation analysis	Crop diversity (Binary)	FCS	Positive
2018					HHS	Positive
Parvathi, 2018	Laos	556 hh	Fixed effects regression	Farming diversity (C)	FSC	Mixed: Positive (β=6.59);
			model			Negative (β =0.145) for squared
						farm diversity
Passarelli et al.,	Ethiopia	373 hh	Simultaneous equation	Production diversity (C)	HDDS	Neutral (ns)
2018			models		Income from agriculture	Negative (β=-0.838)
	Tanzania	402 hh			HDDS	Neutral (ns)
					Income from agriculture	Neutral (ns)
Pradhan et al.,	India	3 years	Field experiment	Crop diversity (SC) -	Profit	Positive (d = 359-527 USD/ha)
2018		experiment		Additive crop rotation		
				design with maize		
Romeo et al.,	Kenya	1,353 hh	Ordinary Least Squares	Farming diversity, incl.	M-HDDS	Positive (β=0.195-0.317)
2016			multivariate regression	purchased and gifted	Share of food	Positive (β=0.006-0.01)
				food (C)	expenditure (SID)	
					Share of food	Positive (β=0.025-0.039)
					expenditure (H')	
Sibhatu et al.,	Indonesia	674 hh	Multivariate regression	Farming diversity (C)	M-HDDS	Positive (β=0.054)
2015a	Kenya	397 hh	with Poisson estimator			Neutral (ns)
Sibhatu and	Indonesia	672 hh	Regression model with	Production diversity (C)	M-HDDS	Neutral (ns)
Qaim, 2018a			Probit estimator for M-		Household per capita	Neutral (ns)
			HDDS, regression model		energy consumption	
			with ordinary least		Household	Neutral (ns)
			squares for others		micronutrient	
					adequacy-mean, zinc,	
					iron, VitA	

Reference	Country	Sample size	Method	Indicator of diversity [£]	Indicator of access §	Description of relationship *
				Farming diversity (C)	M-HDDS	Positive (ME=0.155)
					Household per capita	Positive (ME=300.4)
					energy consumption,	
					Household calorie	Positive (ME=0.078)
					adequacy	
					Household	Positive (ME=0.067)
					micronutrient	
					adequacy-mean	
					Household nutrient	Positive (ME=0.065)
					adequacy - zinc	
					Household nutrient	Positive (ME=0.065)
					adequacy - iron	
					Household nutrient	Positive (ME=0.071)
					adequacy - VitA	
	Kenya	393 hh		Production diversity (C)	M-HDDS	Positive (ME=0.067-0.070)
					Household per capita	Neutral (ns)
					energy consumption,	
					Household	Neutral (ns)
					micronutrient	
					adequacy-mean, zinc,	
					iron, VitA	
				Farming diversity (C)	M-HDDS	Positive (ME=0.045)
					Household per capita	Neutral (ns)
					energy consumption	
					Household	Neutral (ns)
					micronutrient adequacy	
	Uganda	417 hh		Production diversity (C)	HDDS	Positive (ME=0.316-0.334)
					Household per capita	Neutral (ns)

Reference	Country	Sample size	Method	Indicator of diversity [£]	Indicator of access §	Description of relationship *
					energy consumption	
					Household	Neutral (ns)
					micronutrient	
					adequacy-mean, zinc,	
					iron, VitA	
				Farming diversity (C)	HDDS	Positive (ME=0.194-0.198)
					Household per capita	Positive (ME=83.035)
					energy consumption	
					Household calorie	Positive (ME=0.030)
					adequacy	
					Household mean	Positive (ME=0.025)
					nutrient adequacy	
					Household zinc	Positive (ME=0.024)
					adequacy	
					Household - VitA	Positive (ME=0.030)
					adequacy	
					Household - iron	Neutral (ns)
					adequacy	
Traoré et al.,	Mali	258 hh	Linear mixed model	Crop diversity (C)	FSC	Positive (β=1.47)
2018					HDDS	Positive (β=0.29)
Valencia et al., 2019	Brazil	75 farmers	Correlation analysis	Farming diversity (C)	HDDS	Positive (r2=0.06)
Vanek et al.,	Bolivia	297 hh	Stepwise multiple linear	Crop diversity (C)	HFIAS	Positive (β= -0.584)
2016			regression		HDDS	Neutral (ns)
Whitney et al.,	Uganda	102 hh	Projection to Latent	Agrobiodiversity (H')	HDDS	Neutral (uncorrelated)

Reference	Country	Sample size	Method	Indicator of diversity [£]	Indicator of access §	Description of relationship *
2018			Structures (PLS) regression analysis	Agrobiodiversity (C)		Positively correlated
Williams et al., 2018	Sri Lanka	50 hh	Bivariate tests	Agrobiodiversity (H')	FCS	Neutral (ns)
Ritzema et al.,	Cambodia	631 hh	Multivariate stepwise	Crop diversity (C)	M-HDDS	Neutral (ns)
2019			regression	Livestock diversity (C)		Neutral (ns)
	Lao	365 hh		Crop diversity (C)		Neutral (ns)
				Livestock diversity (C)		Positive (β=0.049)
	Vietnam	310 hh		Crop diversity (C)		Neutral (ns)
				Livestock diversity (C)		Positive (β=0.068)
Bellon et al.,	Ghana	637 hh	Linear regression	Crop diversity (SID)	Income from agriculture	Positive (β=0.425)
2020					Value of products for	Positive (β=0.175)
					own consumption	
Tesfaye and	Uganda	4,523 hh	Fixed-effects	Crop diversity (C)	M-HDDS	Positive (β=0.153-0.158,
Tirivayi, 2020			instrumental variable			IRR=1.008)
			regressions, Fixed-	Crop diversity (H')		Positive (β=0.619-1.317,
			effects Poisson model,			IRR=1.051)
			Ordinary least squares	Crop diversity (CE)		Positive (β=1.195-4.682,
			regression			IRR=1.135)
				Crop diversity (BP)		Positive (β=0.162-0.648,
						IRR=1.012)
Bezner Kerr et	Malawi	425 hh	Multivariate regression	Crop diversity (C)	HFIAS (binary)	Neutral (ns)
al., 2019					M-HDDS	Neutral (ns)
Huluka and Wondimagegnhu, 2019	Ethiopia	306 hh	Probit and simple linear regression	Crop diversity (C)	HDDS	Positive (β=0.2921-0.3132)

Reference	Country	Sample size	Method	Indicator of diversity f	Indicator of access §	Description of relationship *
				<u>National scale</u>		
Asfaw et al., 2018	Niger	3,344 hh	Quantile regression	Crop diversity (C)	Household per capita energy intake	Positive (β=0.0209-0.0337)
				Crop diversity (BP)	Household per capita energy intake	Positive (β=0.0504-0.0263)
				Crop diversity (H')	Household per capita energy intake	Positive (β=0.0604-0.0249)
Ayenew et al., 2018	Nigeria	6,089 hh	Fixed effect model (FE), Random effect model (RE)	Farming diversity (C)	M-HDDS	Positive (β=0.016 for FE and 0.025 for RE)
Birthal et al., 2015	India	51,770 h	Multiple linear regression, Instrumental variable (IV) regression	Crop diversity (SC) – system with or without high-value crops	Likelihood of being under the poverty line	Negative (β= -0.0691 - 0.0282)
Das and Ganesh- Kumar, 2018	India	26,951 hh	Multivariate regression	Crop diversity (C)	Income from agriculture	Positive (β=0.290-0.293); Negative for squared counts (β=-0.07)
				Livestock diversity (C)	Income from agriculture	Positive (β =1.232); Negative for squared counts (β =-0.27)
Dillon et al., 2015	Nigeria	~5,000 hh	Ordinary least squares (OLS) regression and Instrumental variables (IV) regression	Crop diversity (C)	M-HDDS	Positive (β =0.037 for OLS and β =0.24 for IV)
Ecker, 2018	Ghana	11,217 hh	Fixed effect model	Crop diversity (C)	M-HDDS	Mixed: Positive (β =0.111-0.178 for all hh, β =0.148 for non-poor hh); Neutral (ns) for poor hh
				Crop diversity (SID)		Mixed: Positive (β =0.309-0.551 for all hh, β =0.396 for non-poor

Reference	Country	Sample size	Method	Indicator of diversity f	Indicator of access §	Description of relationship *
						hh); Neutral (ns) for poor hh
Islam et al., 2018	Bangladesh	6,040 hh	Pooled and random effects model, Poisson regression	Crop diversity (C)	HDDS	Positive (β=0.019)
Jones et al., 2014	Malawi	6,623 hh	Multiple linear	Crop diversity (C)	M-HDDS	Positive (β=0.23)
			regression		FSC	Positive ($\beta = 0.81$)
				Crop diversity (SID)	M-HDDS	Positive (β=0.68)
					FSC	Neutral (ns)
				Farming diversity (C)	M-HDDS	Positive (β=0.20)
					FSC	Positive (β=0.71)
Mofya-Mukuka	Zambia	14,212 hh	Poisson regression and	Crop diversity (SID)	Farm income	Positive (β=0.9142)
and			Ordinary least squares		FSC	Positive (β=0.646-0.702)
Hichaambwa,			regression		MAHFP	Positive (β=0.727-0.741)
2018			Poisson regression		HDDS	Positive (β=0.284)
Sauer et al., 2018	Zambia	5,381 hh	Two-stage least squares	Crop diversity (SC) –	MAHFP	Neutral (ns)
			regression	cereal-legume intercropping yes/no	HDDS	Positive (β=9.918)
Sibhatu et al., 2015a	Indonesia, Kenya, Ethiopia, Malawi	8,230 hh	Multivariate regression with Poisson estimator	Farming diversity (C)	M-HDDS	Positive (β=0.009)
	Ethiopia	2,045 hh				Neutral (ns)
	Malawi	5,114 hh				Positive (β =0.015); Negative (β =- 3.2e-04) for squared C
Snapp and Fisher,	Malawi	9,291 hh	Poisson regression,	Crop diversity (C) –	M-HDDS	Positive (IRR=1.019)
2015			Ordinary least squares regression	crops intercropped with maize	FSC	Negative(β=-0.189)
				Crop diversity (C) – non-	M-HDDS	Positive (IRR=1.019)

			maize crops	FSC	Positive (β=0.333)
3urkina ⁻ aso	10,860 hh	Mixed linear regression model	Crop diversity (C)	HDDS	Positive (β=0.085)
√epal	8,066 hh	Ordinary least squares regression, two-stage least squares regression	Crop diversity (value share of high-value crops cultivated)	Probability of being poor	Positive (β=-0.002 – -0.004)
			Crop diversity (binary) - growers and non- growers of high-value crops	Poverty head-count ratio	Positive (d = 9.18 %)
3urkina ⁻ aso;	7,708 hh	Logistic regression model	Crop production diversity (C)	M-HFIAP	Positive (β=0.10)
Democratic Republic of	atic c of		Livestock production diversity (C)		Positive (β=0.32)
Congo Ethiopia; Kenya;		Negative binomial regression	Crop production diversity (C)	M-HDDS	Mixed: Positive (β=0.03); Neutral for M-HDDS and crop diversity in best period (ns)
∕lalawi; ⁄lali; ⁻anzania; Jganda; Zambia			Livestock production diversity (C)		Positive (β=0.05)
\fghanistan	14,079 hh	Ordinary least squares	Crop diversity (C)	FSC	Positive (β=0.862-1.852)
		(OLS) regression, Instrumental variable (IV) regression	Livestock diversity (C)		Positive (β=2.322-3.144)
	urkina aso epal urkina aso; emocratic epublic of ongo thiopia; enya; Aalawi; Aalawi; Aalawi; Aalawi; Jganda; ambia fghanistan	urkina 10,860 hh aso epal 8,066 hh urkina 7,708 hh aso; emocratic epublic of ongo thiopia; enya; Aalawi; Aalawi; Aalawi; Iganda; ambia 14,079 hh	urkina aso10,860 hhMixed linear regression modelepal8,066 hhOrdinary least squares regression, two-stage least squares regressionurkina aso; remocratic epublic of ongo thiopia; enya; Alawi; Alai; anzania; lganda; ambia7,708 hhLogistic regression modelNegative binomial regressionNegative binomial regressionfghanistan14,079 hhOrdinary least squares (OLS) regression, Instrumental variable (IV) regression	urkina aso 2000 10,860 hh Mixed linear regression model 2000 2000 2000 2000 2000 2000 2000 20	urkina aso10,860 hhMixed linear regression modelCrop diversity (C)HDDSepal8,066 hhOrdinary least squares regression, two-stage least squares regressionCrop diversity (value share of high-value crops cultivated)Probability of being poorurkina aso; eemocratic epublic of ongo thiopia; enya; falawi; falawi; fali; ambia7,708 hhLogistic regression modelCrop production diversity (C)Poverty head-count ratiourkina aso; eemocratic epublic of ongo thiopia; enya; falawi; fali; amznia; lganda; ambia14,079 hhLogiant provident squares (DLS) regression, Instrumental variable (IV) regressionCrop diversity (C) tivestock diversity (C)M-HDDSUrkina aso; eemocratic epublic of ongo thiopia; enya; falawi; fali; amznia; lganda; ambia14,079 hhOrdinary least squares (OLS) regression, Instrumental variable (IV) regressionCrop diversity (C) tivestock diversity (C)FSC

Reference	Country	Sample	Method	Indicator of diversity $^{\text{f}}$	Indicator of access §	Description of relationship *	
		size					
§ CSI = Coping Strategy Index, DSR = Dietary Species Richness, FCS = Food consumption score, FVS = Food Variety Score, HDDS = Household Dietary Diversity Score, HFIAS = Household Food Insecurity Access Scale, HHS = Household Hunger Scale, MAHFP = Months of Adequate Household Food Provisioning, M-HDDS = Modified Household Dietary Diversity Score (recall period and/or number and type of food groups modified), M-HFIAP = Modified Household Food Insecurity of Access Prevalence.							
* ATT = average tra projection statistic Spearman rank ord cannot be compar- across different loo example will all inf	eatment effect ; DID = differen der correlation ed directly acro cations as they fluence the res	, ns = not sign nce-in-differen coefficient, F oss studies as t depend on th ult. The table s	ificant (p-value > 0.05); β = ace estimator, OR = Odds ra = ANOVA F statistic, ME = n the methods and indicators e total number of species. shows selected results from	regression coefficient; IRR = tio, d = difference in means narginal effects, ns = not sig used differ. Some indicator The type of regression mode each study as assumed rele	= incidence rate ratios; VIP s or median, r/r2 = Pearson mificant at the 95% level. T rs such as the Shannon dive el, number and types of cro evant to the topic of this re	= variable importance in correlation coefficient, rho = he magnitude of the relationships ersity index cannot be compared ops and livestock species for view.	

561 8. Diversity and food utilisation

Finally, 29 studies reported 125 separate diversity-food security relationships focused on food
utilisation. Of these, the authors reported, positive relationships in 65 cases (52%), no or ambiguous
relationships in 49 cases (40%) and negative relationships in 11 cases (8%) (Table 6).

565 There are mixed results for different measures of food utilisation and for different age groups. The 566 indicators either measure individual food consumption or anthropometric status. We found eleven 567 studies that assess the association between agricultural diversity and anthropometric status of 568 children and/or their mothers. The results differ for different age groups, for example between 569 children aged 2 years or younger and 3 years or older (Gelli et al., 2018). Even if the same age group 570 is studied, there are mixed results for different countries. For example, crop diversity measured as 571 species richness and HAZ of children aged 6-24 months has a positive relationship in Malawi (Gelli et 572 al., 2018) but a negative relationship in Zambia (Kumar et al. 2015). The negative relationship with 573 HAZ of children in Zambia is strongest for children with HAZ scores 0 or higher. The relationship 574 between crop diversity and HAZ and crop diversity and WAZ of children aged 6-60 months is neutral 575 in Guatemala (Luna-González and Sorensen, 2018) but positive in Ethiopia (Yigrem et al., 2015). 576 Where there is no significant association between diversity and nutritional status of children, other 577 explanatory variables associated with nutritional status are socio-economic status such as housing 578 conditions, assets ownership, household wealth and income, water, sanitation and hygiene, access 579 to clean drinking water, maternal education, maternal age and child morbidity which indicates that 580 improved nutrition can be achieved through multiple pathways in addition to diets (Luna-González 581 and Sorensen, 2018; M'Kaibi et al., 2017).

582 The results depend also on the anthropometric measure used. Malapit et al. (2015), analysing data 583 from three agro-ecological zones in Nepal, found a positive relationship between production 584 diversity and some anthropometric scores but not all. While production diversity is positively 585 correlated with WHZ, it is not with maternal body mass index and HAZ. While stunting and wasting 586 indicated by low HAZ and WHZ scores share common risk factors, and both indicate impaired growth 587 and development from poor nutrition it is possible that only one of them (stunting) is associated 588 with production diversity. This is because stunting indicates chronic malnutrition and wasting 589 indicates acute malnutrition and is moderated by the age of the child (Saaka et al., 2017).

590 Another twenty-three studies measured nutrient intake or a validated proxy for nutrient intake or 591 adequacy, MDD-W or WDDS for women and IYCDDS, IDDS or MDD-C for children. Fifteen studies 592 used adequacy of diet diversity of children as a measure of nutrient intake, and nine of them find a 593 positive association with agricultural diversity (e.g. Gelli et al., 2018; Koppmair et al., 2017; Malapit 594 et al., 2015; Saaka et al., 2017). The results differ by age group (Mulmi et al., 2017), the measure of 595 agricultural diversity used, and are mediated by other fators such as access to nutrition education on 596 child feeding and care practices market participation (Murendo et al., 2018) and other 597 characteristics such as household size and wealth (Saaka et al., 2017). Another consideration is that 598 instead of having to increase the number of food groups a child consumes it is important to reach a 599 certain cut off point when their diet can be considered adequately diverse, i.e. consuming four or 600 more different food groups according to the World Health Organization (2008). The prevalence of 601 children aged 6-23 months with MDD-C, minimum dietary diversity was found to be positively 602 (Kumar et al., 2015; Mitchodigni et al., 2017) or not (Mulmi et al., 2017) associated with agricultural 603 diversity. However, diet quality of children older than 18 months improved with diversification of

- farm production whereas other strategies such as improved market access to purchase
 complementary foods may benefit younger children (Mulmi et al., 2017).
- Positive associations between agricultural diversity and MDD-W or WDDS were found in seven
 studies (Adubra et al., 2019; Bellon et al., 2016; Bellows et al., 2020; Boedecker et al., 2014; Jones et
 al., 2018; Murendo et al., 2018; Whitney et al., 2018). For MDD-W the regression coefficients are
 0.036-0.23 with odds ratios of 1.08-1.38. For WDDS the regression coefficients are smaller, 0.10 in a
- 610 logistic regression and odds ratio of 1.03-1.05 in a multiple linear regression. In Mali, Adubra et al.
- 611 (2019) evaluate the impact of a 3 years nutrition-sensitive intervention targeting women and their
- 612 children during the first 1000 days of each child's life. In a large sample with more than 5,000
- 613 women they found a positive relationship between production diversity and MDD-W and WDDS,
- regardless of household's overall food security and wealth status. Specifically, one more food crop or
- 615 livestock group on the farm resulted in a 10% increase in WDDS-10 and a better chance of attaining
- the minimally needed MDD-W score. In contrast, Gitagia et al. (2019) find no relationship between
- agrobiodiversity and the quality of women's diets in central Kenya but an important relationship
- between education and diet quality.
- 619 Four studies used household data from nationally representative surveys for single country or multi-
- 620 country studies (Hirvonen and Hoddinott, 2017; Islam et al., 2018; Lovo and Veronesi, 2019; Tobin et
- al., 2019) (Table 6). The association between agricultural diversity and food utilization was mostly
- 622 positive irrespective of the food utilization and diversity indicator, except for some associations
- 623 presented in Tobin et al. 2019. In this study, the authors find a positive association between the
- 624 Simpson diversity index and HAZ but a small negative association between crop species richness and
- 625 HAZ. This indicates that crop diversity has a benefit only if proportional presence is considered in
- addition to total number of species (Tobin et al., 2019). HAZ increased by 0.26-0.30 with each one-
- 627 unit increase in the Simpson diversity index but decreased by 0.015 with each one-unit increase in
- 628 crop richness.

Table 6 Summary of studies examining the association between diversity and utilization.

Reference	Country	Sample size	Method	Indicator of diversity [£]	Indicator of utilization §	Description of relationship *
			<u>v</u>	'illage to regional scale		
Adubra et al., 2019	Mali	4,790 hh, 5,046 mother- child pairs	Logistic regression, simple linear regression	Production diversity (C)	MDD-W WDDS-10	Positive (OR = 1.12) Positive (β=0.10)
Azupogo et al., 2019	Ghana	642 children aged 6-17 vears	Multiple linear regression	Farming diversity (C)	Haemoglobin concentration (6-9 yrs) Haemoglobin concentration (6-17 yrs)	Positive (β=0.59) Neutral (ns)
Bellon et al., 2016	Benin	880 hh	Generalized method of moments for parameter estimation	Agrobiodiversity (C)	MDD-W	Positive (β=0.036)
Boedecker et al., 2014	Benin	120 women	ANOVA	Agrobiodiversity (Binary)	WDDS Individual's nutrient consumption	Positive (d=0.6) Neutral (ns)
De Jager et al., 2018	Ghana	329 hh	Linear mixed model, quasi-binomial regression	Crop diversity (C)	IYCDDS MPA	Neutral (ns) Neutral (ns)
				Crop diversity (H')	IYCDDS MPA	Neutral (ns) Neutral (ns)
Gelli et al., 2018	Malawi	1,199 hh, 304 children	Multilevel regression models using difference- in-difference estimator	Crop diversity (C)	HAZ (6-24 mths) Prevalence of stunting (6- 24 mths)	Positive (DID=0.44) Negative (DID=-17%)
		aged 6-24 mths, 1,248 children 36-72 mths)			10 other relationships with HAZ, WHZ, WAZ, prevalence of stunting, prevalence of wasting, prevalence of underweight	Neutral (ns)

Reference	Country	Sample	Method	Indicator of diversity [£]	Indicator of utilization [§]	Description of relationship *
		size				
				Production diversity (C)	Food quantity intake	Positive (DID=153 g)
					Energy intake	Positive (DID=294 kcal)
					Protein intake	Positive (DID=8.12 g)
					Iron intake	Positive (DID=1.64 mg)
					Zinc intake	Positive (DID=1.09 mg)
					VitB12 intake	Positive (DID=0.21 μg)
					VitB6 intake	Positive (DID=0.26 mg)
					IDDS (children)	Positive (DID=0.36)
					VitA intake	Neutral (ns)
Gitagia et	Kenya	384 women	Logistic regression model	Crop diversity (C)	MDD-W	Neutral (ns)
al., 2019				Crop diversity (H')		Neutral (ns)
				Production diversity (C)		Neutral (ns)
Jones, 2015	Bolivia	331 hh	Multivariate regression	Crop diversity (C)	IFCI	Positive (β=0.25-0.46) for high
		with				elevation
		children		Livestock diversity (C)		Positive (β=0.02-0.03)
		aged 0-23				
		mths				
Jones et al.,	Peru	600 hh	Poisson regression	Crop diversity (C)	WDDS-10	Positive (IRR=1.03)
2018			Logistic regression		MDD-W	Positive (OR=1.17)
			Poisson regression		DSR	Neutral (ns)
			Ordinary least squares		MPA	Mixed; Positive (OR=1.21 for MPA
			regression			> 60%), Neutral (ns) for all MPA
			Poisson regression	Farming diversity (C)	WDDS-10	Neutral (ns)
			Logistic regression		MDD-W	Positive (OR=1.08)
			Poisson regression		DSR	Neutral (ns)
			Ordinary least squares		MPA	Mixed; Positive (OR=1.16= for
			regression			MPA > 60%, Neutral (ns) for all
						MPA
Koppmair	Malawi	408 hh, 519	Simple linear regression	Production diversity (C)	IDDS (children)	Positive (β=0.168)
et al., 2017		children			IDDS (mother)	Positive (β=0.144)

Reference	Country	Sample	Method	Indicator of diversity f	Indicator of utilization §	Description of relationship *
		size				
		aged 6	Linear regression with	Crop diversity (C)	IDDS (children)	Positive (β=0.073)
		mths to 5	Poisson estimator		IDDS (mother)	Neutral (ns)
		yrs				
Kumar et	Zambia	3,340 hh,	Marginal probit model	Production diversity (C)	Prevalence of wasting (6-	Negative (β =-0.011)
al., 2015		1,153			23 mths)	
		children		Production diversity (C)	Prevalence of stunting	Negative (β=-0.015)
		aged 6-23			(24-59 mths)	
		mths, 2,385		Crop diversity (C)	Prevalence of wasting (6-	Negative (β=-0.010)
		children			23 mths)	
		aged 24-59		Farming diversity (C)	Prevalence of stunting	Negative (β=-0.022)
		mtns			(24-59 mths)	
			Ordinary least squares	Crop diversity (C)	HAZ (6-23 mths)	Negative (β =-0.083)
			regression	Farming diversity (C)	HAZ (6-23 mths)	Negative (β =-0.097)
				Farming diversity (C)	HAZ (24-59 mths)	Positive (β=0.084)
			Marginal probit model for	Production diversity,	17 other relationships	Neutral (ns)
			stunting and wasting,	farming diversity, crop	with HAZ, WHZ,	
			Ordinary least squares	diversity (C)	prevalence of stunting,	
			regression		prevalence of wasting	
			Ordered logit model	Production diversity (C)	IDDS (children)	Positive (β=0.263)
					MDD-C	Positive (β=0.067)
				Crop diversity (C)	IDDS (children)	Positive (β=0.217)
					MDD-C	Positive (β=0.053)
				Farming diversity (C)	IDDS (children)	Positive (β=0.294)
					MDD-C	Positive (β=0.075)
Luna-	Guatemala	154	Pearson correlation	Crop diversity (C)	HAZ	Neutral (ns)
González		children			WAZ	Neutral (ns)
and		aged 6-60			IYCDDS	Positive (r2=0.26)
Sorensen,		mths			IDDS (children)	Positive (r2=0.39)
2018				Crop diversity (NFD)	IYCDDS	Neutral (ns)
					IDDS (children)	Positive (r2=0.32)

Reference	Country	Sample size	Method	Indicator of diversity ^f	Indicator of utilization [§]	Description of relationship *
M'Kaibi et	Kenya	525	Correlation analysis	Agricultural biodiversity	WHZ	Neutral (ns)
al., 2017	-	children		(C)	HAZ	Neutral (ns)
		aged 24-59 mths			WAZ	Neutral (ns)
M'Kaibi et	Kenya	525 hh	Spearman rank order	Agricultural biodiversity	NAR-mean	Positive (rho=0.194)
al., 2015			correlations	(C)	NAR-protein, iron, zinc, vit B12, vit B6, vit C, folate, riboflavin	Positive (rho=0.091-0.193)
					NAR-energy	Neutral (ns)
Malapit et	Nepal	3,332 hh	Ordinary least squares	Production diversity (C)	WAZ	Positive (β=0.033)
al., 2015		with	regression		WHZ	Positive (β=0.034)
		children			Maternal BMI, HAZ	Neutral (ns)
		aged 6-59			IDDS (children)	Positive (β=0.058-0.059)
		mths			IDDS (mother)	Positive (β=0.089-0.096)
Mitchodign i et al., 2017	Benin	1,225 hh, 1,182 children aged 6-23 mths	Multilevel logistic regression	Production diversity (C)	MDD-C	Positive (β=0.16, OR=1.17)
Mulmi et	Nepal	5,978 hh,	Logit regression models	Production diversity (C)	MDD-C, 6-11 mths	Neutral (ns)
al., 2017		2,989			MDD-C, 12-17 mth	Neutral (ns)
		children			MDD-C, 18-23 mths	Positive (β=0.43)
		aged 6-59			MDD-C, 6-23 mths	Neutral (ns)
		mths)			MDD-C, 25-59 mths	Positive (β=0.253)
Murendo	Zimbabwe	2,815 hh,	Multiple linear regression	Farming diversity (C)	WDDS	Positive (IRR=1.04)
et al., 2018		499 children aged 6-23 mths			IDDS (children)	Neutral (ns)
				Crop diversity (C)	WDDS	Positive (IRR=1.05)
					IDDS (children)	Neutral (ns)
				Livestock diversity (C)	WDDS	Positive (IRR=1.03)
					IDDS (children)	Positive (IRR=1.04)

Reference	Country	Sample size	Method	Indicator of diversity [£]	Indicator of utilization [§]	Description of relationship *
Rammohan et al., 2018	Myanmar	1,037 children aged 7-60	Ordered probit model	Farming diversity (Categorical)	Prevalence of stunting, prevalence of underweight	Neutral (ns)
		mths			Prevalence of wasting	Mixed; negative (β=-0.041) only for hh with highest farming diversity score and children 7-18 mths
Saaka et al., 2017	Ghana	1,200 children aged 6-36 mths	Correlation analysis, Three-step moderated hierarchical multiple regression	Farming diversity (C)	IDDS (children)	Positive (β=0.09-0.10, rho=0.12)
Termote et	DR Congo	184 hh and	ANOVA for difference in	Agricultural biodiversity	Total carbohydrate intake	Neutral (ns)
al., 2012		129 women	means	(Binary) – consumers and	Thiamine intake	Neutral (ns)
				non-consumers of wild	Niacin intake	Neutral (ns)
				edible plants	Folate intake	Neutral (ns)
					VitB12 intake	Neutral (ns)
					Iron intake	Neutral (ns)
					Zinc intake	Neutral (ns)
					Dietary intake	Positive (d = 125 g)
					Energy intake	Positive (d = 214 kcal)
					Fibre intake	Positive (d = 6.1 g)
					VitA intake	Positive (d = 64 μg RE)
					VitC intake	Positive (d = 28.7mg)
					VitB6 intake	Positive (d = 0.45mg)
					Calcium intake	Positive (d = 141.3 mg)
					Riboflavin intake	Negative (d = -0.36 mg)
Vanek et	Bolivia	297 hh	Stepwise multiple linear	Crop diversity (C)	HAZ	Positive (β=0.102)
al., 2016		with children < 2 yrs	regression		ICFI	Neutral (ns)

Reference	Country	Sample	Method	Indicator of diversity $^{\text{f}}$	Indicator of utilization §	Description of relationship *
		size				
Whitney et	Uganda	102 hh, 325	Projection to Latent	Production diversity (H')	WHZ	Positive (VIP>1) for WHZ
al., 2018		individuals,	Structures (PLS)		BMI, HAZ, % underweight	Neutral (VIP<1)
		children	regression analysis	Production diversity (C)	HAZ	Positive (VIP>1)
		aged 2-5.9			BMI, HAZ, % underweight	Neutral (VIP < 1)
		yrs		Agrobiodiversity (H')	MDD-W	Neutral (uncorrelated)
					IDDS (children)	Neutral (uncorrelated)
					IDDS (toddler)	Neutral (uncorrelated)
				Agrobiodiversity (C)	MDD-W	Positively correlated
					IDDS (children)	Neutral (uncorrelated)
					IDDS (toddler)	Negatively correlated
Yigrem et	Ethiopia	270 hh, 225	Canonical correlation	Crop diversity (C)	WAZ	Positive (CC=0.2601, β=0.320)
al., 2015		children	analysis		HAZ	Positive (CC=0.0940)
		aged 6-60			MUAC	Positive (CC=0.0308)
		mths			WHZ	Negative for WHZ (CC=0.0111)
Bellows et	Tanzania	1,006 hh	Generalized linear mixed	Production diversity (C)	MDD-W	Positive (β=0.16-0.23, OR=1.24-
al., 2020			effects models			1.38)
				Crop diversity		Neutral (ns)
National scale						
Hirvonen and Hoddinott, 2017	Ethiopia	7,011 hh, 3,448 children aged 6-59 mths	Regression models (OLS, Poisson, Linear)	Crop diversity (C)	IDDS (children)	Positive (β=0.092-0.62)
Islam et al., 2018	Bangladesh	6,040 hh	Pooled and random effects model, Poisson regression	Crop diversity (C)	WDDS	Positive (β=0.009)
Lovo and Veronesi, 2019	Tanzania	6,361 hh, 2,771 children	Endogenous regressor models	Crop diversity (C)	HAZ	Positive (β=0.023-0.025)

Reference	Country	Sample	Method	Indicator of diversity [£]	Indicator of utilization [§]	Description of relationship *
Tobin et al., 2019	Benin,36,542BurkinachildrenFaso,aged ≤ 36Cameroonmths	Ordinary least squares regression	Crop diversity (SID)	HAZ	Positive (β=0.260-0.2921)	
			Crop diversity (C)	HAZ	Negative (β=-0.015)	
	Ethiopia, Ghana,	Ethiopia, Shana, Guinea, Malawi, Nigeria,	Poisson regression	Crop diversity (SID)	IDDS (children)	Mixed: Positive (β=9.061-0.139) for SID; Neutral for high-protein crops
	Malawi, Nigeria,			Crop diversity (C)		Neutral (ns)
	Tanzania,					
	Uganda, Zimbabwe					

£ C = count; H' = Shannon diversity index, SID = Simpson diversity index, β = regression coefficient

§ WAZ = weight-for-age z-score, HAZ = height-for-age z-score, WHZ = weight-for-height z score, MUAC= middle upper arm circumference for age z score, BMI = Body mass index, IDDS = Individual Dietary Diversity Score, IFCI = Infant and Child Feeding Index, IYCDDS = Infant and Young Child Dietary Diversity, MDD = Minimum dietary diversity, MDD-C=Minimum Dietary Diversity of Children, MDD-W = Minimum Dietary Diversity for Women, MPA = Mean Probability of Adequacy of Micronutrient Intake, NAR = Nutrient Adequacy Ratio, NAR-mean = mean nutrient adequacy ratio, WDDS = Women's Dietary Diversity Score, WDDS-10 = 10-Food Group Women's Dietary Diversity Score. Prevalence of stunting and wasting is defined as the percentage of children with HAZ and WHZ, respectively, of more than 2 standard deviations below median. IDDS (children) differs from IYCDDS in the number of food groups used and/or the age group which is 6-23 months for IYCDDS. MDD-C differs from IYCDDS in that it measures the prevalence of children consuming at least four of the seven food groups included. IDDS (mother) differs from WDDS in the number of food groups considered

* CC = Canonical correlation coefficient, β = regression coefficient, DID = difference-in-difference estimator, VIP = variable importance in the projection. The magnitude of the relationships cannot be compared directly across studies as the methods and indicators used differ. Some indicators such as the Shannon diversity index cannot be compared across different locations as they depend on the total number of species. The type of regression model, number and types of crops and livestock species for example will all influence the result. The table shows selected results from each study as assumed relevant to the topic of this review.

1 9. Diversity and food security at the global scale

2 We found five studies study the relation of agricultural diversity to food security on the global scale. 3 Because of the low sample size, results are summarized in this separate section for all four food 4 security dimensions together. Since 1961, global crop diversity increased which may have influenced 5 national food supply overall. Crop diversity (H') increased by about 20% between 1961 and 2016 and 6 crop species richness increased more strongly than evenness in two studies using different national 7 agricultural data (Aizen et al., 2019; Khoury et al., 2014). In contrast to species richness, the results 8 for evenness were mixed between different world regions with Europe being the only region with a 9 decline in evenness but increase in richness. Dominance of the most abundant crop commodities 10 declined and agricultural production is increasingly homogeneous (Aizen et al., 2019; Khoury et al., 2014). Going back even further in time, Nabhan et al. (2012) analysed how agrobiodiversity has 11 changed over time by comparing late 19th-c. to early 20th-c. records with their own fieldwork in 2005 12 13 in three regions of Tajikistan, Egypt, and the United States. They find that farmers adopt and 14 abandon crop varieties for different reasons in the three locations and that local and global factors 15 influence the conservation of agrobiodiversity. While for example diversity in the Tajikistan study 16 area remained roughly the same over time and only certain species changed their distribution in 17 space or time, diversity declined in the study area in the United States (northern Arizona). The 18 reason is that water scarcity led to a loss of varieties, and livelihoods shifted away from farming. 19 To our knowledge, only one study relates national food supply diversity with food utilisation and 20 finds a negative relationship between national food supply diversity (H') and the national prevalence 21 of child stunting (β = -3.1), wasting (β = -1.15) and being underweight (β = -2.39) across 113 22 countries (Remans et al., 2014). Functional diversity (MFAD) has a significant relation only to the 23 prevalence of wasting (β = -1.90) and being underweight (β = -3.10). Income per capita has a strong 24 influence on nutritional outcomes too (Remans et al. 2014, Table 2). For low-income countries, 25 agrobiodiversity was a good predictor of national food diversity, because their national food supply 26 tends to be that which they produce. Middle- to high income countries are less dependent on own 27 production and have greater access to international markets to increase and diversify their food 28 supply. 29 The diversity-stability hypothesis was tested for national crop yield between 1961 and 2010 across 30 the 100 most populous countries (Renard and Tilman, 2019). Crop diversity at the national level 31 (exp(H')) is statistically associated with increased temporal stability of crop yield, irrespective of

- 32 aggregation to crop groups (R2 = 0.32 0.37), and this stabilizing effect is similar in magnitude than
- 33 the destabilizing effect of rainfall variability. The study did not find any crop group contributing more
- 34 to yield stability than others. Troell et al. (2014) shows price indices for individual food sectors and
- for food in the aggregate during the period 1990–2013. Cereal and oilseed prices have shown much
- 36 stronger variation than have price indices for meat, aquaculture, and capture fisheries. The
- 37 coefficient of variation for food in the aggregate is 0.33 over the entire period substantially higher
- than that of aquaculture (0.16), fisheries, and meat (0.21) but below that of grains and oils (0.4).
- 39 Lower volatility in the meat and fish sectors suggests a significant share of substitution possibilities
- 40 between various animal protein products and various feed ingredients.

41 10. Synthesis and Recommendations

42 We performed a survey of 924 studies that yielded 88 studies meeting the inclusion requirements

- 43 and giving 314 individual diversity-food security relationships across low- and middle-income
- 44 countries. In almost two thirds of all cases, agricultural diversity had a positive effect on food
- 45 security (Table 7). In about one third of the relationships there was no effect of agricultural diversity
- 46 on food security, or the results were mixed. In very few cases food security declined when
- 47 agricultural diversity increased (6%). Food access was the dimension of food security most assessed
- 48 with 59% of all studies and 47% of all relationships. Thirty-three studies used household dietary
- 49 diversity as a measure of food access and twenty-two studies used at least one food utilisation
- indicator validated as a proxy for nutrient adequacy. Studies for food utilization are more common
 than for food availability, 34% and 22% respectively and for both dimensions agricultural diversity
- than for food availability, 34% and 22% respectively and for both dimensions agricultural diversity
 had a positive effect in about 55% to 65% of all cases. For food utilization, of the 47 neutral or mixed
- 53 relationships, 13 times a measure of anthropometric and nutritional status is used and 34 times a
- 54 measure of individual consumption is used. The most common spatial scale of the analysis was the
- 55 household and farm scale. Crop species richness was the most common indicator of agricultural
- 56 diversity.

57 **Table 7** Synthesis table summarizing the diversity-food security relationships found in literature on 58 three levels of data collection.

		Food security dimension				
		Availability	Access	Stability	Utilisation	
	Household / Farm	++	++	<	++	
	/ Village / Region	16 studies with	35 studies with	2 studies with	25 studies with 118	
n		23 relationships:	109 relationships:	4	relationships: 61	
ctic		14 positive, 7	65 positive, 41	relationships:	positive, 47 neutral	
olle		neutral or mixed,	neutral or mixed,	2 positive, 2	or mixed, 10	
e of data co		2 negatives	3 negatives	negatives	negatives	
	National	<	++	<	<	
		3 studies with 3	17 studies with	1 study with 3	4 studies with 7	
cal		positive	40 relationships:	relationships:	relationships: 4	
al s		relationships	31 positive, 6	2 positive, 1	positive, 1	
ati			neutral or mixed,	mixed	negative, 2 neutral	
Sp			3 negatives		or mixed	
	Global	/	/	<	<	
		No studies found	No studies found	1 study with 1	1 study with 6	
				positive	relationships: 5	
				relationship	positive, 1 neutral	

- -

Code for symbols: ++ more than half of relationships are positive; < small sample size

59

61 Common reasons for positive and negative relationships

62 There is no food security dimension that would primarily have a negative or neutral relationship with 63 agricultural diversity. However, for each food security dimension studied there is a considerable 64 number of relationships that are found to be neutral or ambiguous. An often-stated reason for a 65 neutral relationship between agricultural diversity and food security is that households sourced 66 significant proportions of their food from markets. Hence, a positive relationship between 67 agricultural diversity at the farm scale and food security is plausible, particularly when farming 68 households produce most of what they consume. The direction of the relationship between diversity 69 and food availability often depends on the crop studied, the row arrangement in intercropping and 70 the type of crop mix. The effect of crop diversity tends to be positive when a crop has an additional 71 function for the system, for example because it is a nitrogen-fixing crop, provides shade for the 72 companion crop or contain specific nutrients. Functional diversity can also exist in a different 73 context, for example where a new crop or animal type increases farm income or nutrition. On the 74 other hand, a simple coexistence of species might benefit income or nutrition but not ecosystem 75 functioning. Other factors cited to have had a stronger influence on food security are socio-76 economic status such as housing conditions, assets ownership, income and education, farm 77 characteristics such as access to improved management strategies and farmland size, and other 78 characteristics such as household composition and size, sanitation and hygiene, access to clean 79 drinking water, and child morbidity (Dzanku and Sarpong, 2011; Luna-González and Sorensen, 2018; 80 M'Kaibi et al., 2017; Passarelli et al., 2018; Saaka et al., 2017; Yigrem et al., 2015). Also, the benefits 81 of diversification are context specific and there exist potentially other solutions to improve food 82 security. Sometimes diversity is only beneficial in conjunction with other changes in the system, for 83 example increasing market participation or soil conservation systems. In other situations, it might be

the primary coping strategy, for example, when due to limited market access households are morereliant on own food production.

86 The different branches of literature

87 The articles reviewed can be broadly grouped into three clusters, similar to Glamann's clusters of

- 88 literature analysing the food security-biodiversity association (Glamann et al., 2017). Each cluster
- tends to be more closely related to one of the food security dimensions. One cluster is dominated by
- 90 the natural sciences focusing on the production and ecological aspects of food security (e.g. Samal et
- 91 al., 2017; Snapp et al., 2010). A second cluster is dominated by the social sciences and emphasize for
- 92 example economic dimensions of food security (Das and Ganesh-Kumar, 2018; Parvathi, 2018). Less
- studies consider broader aspects of sustainability, social-ecological development and empowerment
 (Jones et al., 2014; Malapit et al., 2015). A third cluster is dominated by nutrient science emphasizing
- 95 human nutrition and health aspects of food security (Gelli et al., 2018; Tobin et al., 2019). As
- 96 Glamann et al. (2017) explained, each group has specific approaches and conceptual basis for
- 97 investigating the relationship, using specific measures of food security and including or excluding
- 98 particular themes.

99 Recommendations for future research on diversity and food security

Based on our observations from the literature review, some methodological recommendations forfuture research can be made.

- The food dimension and indicators representing that dimension should be clearly stated and
 explained. Where possible researchers should use established indicators. They have often been
- 104 tested or validated in several case studies and were developed and discussed by a commission of

- experts. If new indicators are introduced, they should be validated and compared with existingones.
- Some studies speak of "diversifying into" and it is important to clarify the nature of diversification studied in this case. A new crop can be an addition to the existing crop portfolio or a replacement for another crop. Specific crops such as cash crops can have benefits to farmers also in the absence of overall diversification of the system.
- When measuring the diversity-stability relationship, future studies should consider that the
 relationship might be always positive for some measures of stability, but not for others. From a
 statistical point of view the mean of variables is more stable as more variables and their
 fluctuations are averaged (Doak et al., 1998).
- When choosing a measure of diversity, consider that evenness in the distribution of different
 food items or food groups is not necessarily desired from a nutritional perspective. A high score
 only indicates health benefits if calculated from a list of healthy foods. Even then it is not
 necessary to consume equal quantities of everything, but the amount required for a specific age
 and sex group.
- An element of scale-dependency should be introduced into diversity frameworks. Conclusions
 on the benefits of agricultural diversity on the national or global scale might not be scalable to
 the field scale and vice versa. The effect might be explained by a certain combination of
 production / agroecological zones on a larger scale that cannot be reproduced on the field scale
 and vice versa.
- Several alternative strategies for increasing food security should be studied along with
 diversification to compare the relative importance of each strategy for similar outcomes.
- Several research questions are understudied in the reviewed literature and constitute interestingchallenges for future research.
- 129 An interesting question is related to thresholds in achieving benefits from diversification. There 130 are three considerations here. Firstly, such a threshold is a probably a relative, rather than 131 absolute threshold, depending on the ecological and economic context of the farm and potential 132 benefits from diversification. High diversity in one context might be average in another. Secondly, there might be a minimum requirement to achieve gains from diversification. 133 134 Achieving minimum dietary diversity of children through increasing agricultural diversity is a good example. Thirdly, from a certain point, the benefits of diversity might diminish, which 135 136 suggests a challenge of "optimal" level of diversity.
- 137 The relationship between diversity, a characteristic of a farming system, and diversification, the 138 process of increasing diversity in a farming system, should be explored further. Existing diversity 139 can limit or enable further diversification. Already diversified systems might have characteristics 140 such as high level of flexibility in allocating resources, that enable even more diversification. On 141 the other hand, at already high levels of diversity there might be no further benefit from 142 diversification, or only at high costs, that may be diminishing returns. In some reviewed articles 143 80% of the farmers already practiced diversification so further diversification might not be their 144 priority.
- The question of complementarity and redundancy between several species of crops for example
 is understudied. This means that the benefits of diversification are not necessarily proportional

- to the increase in diversity and relevant functions can on the other hand be maintained at lower
 levels of diversity. Drought resilience for example can be achieved through the right species
 composition irrespective of diversity (Dardonville et al., 2020).
- Apart from modelling and quantifying the diversity-food security relationships, more focus on the pathways from diversification to food security should be researched. The most researched pathway is perhaps through consumption of own production but there might also be marketbased agricultural diversification (Bellon et al., 2020). Consumption versus income-generating pathways are for example discussed for India in Gillespie et al. (2012).
- There are noticeable gaps in understanding the relationship between diversity and food security;
 on the national / global scale. On a national scale for example it would be interesting to know if
 the prevalence of mal- or undernutrition change when the country decreased the number of
 commodities produced nationally?
- 159 In conclusion agricultural diversity can be beneficial for food security, but it is not the only available
- 160 strategy to promote food security. Where diversification is also the cheapest strategy in terms of
- 161 monetary and labour costs it can be an appealing and effective option to improve agricultural
- 162 practices and profits. Therefore, holistic study designs considering the natural, social and economic
- aspects of agricultural and food systems are best suited to represent interactions between them and
- 164 understand the complex effects of diversification.

165 Author contribution and acknowledgements

- 166 KW, FA, CG and CR had the idea for this review article and were supported by the CSIRO-INRA
- 167 Linkage scheme. KW designed the search syntax and pre-selected publications based on the initial
- abstract screening. All authors either reviewed the pre-selected publications, extracted data from
- the included publications and/or wrote parts of the manuscript with KW. KW and JPD reviewed and
- 170 cleaned data for the synthesis tables describing the magnitude of the observed effects and details of
- 171 methods. All authors read and reviewed the full articles included in the review after initial screening
- to assess their relevance and contributed to revising the manuscript multiple times before
- submission.

174

175 References

- Adubra, L., Savy, M., Fortin, S., Kameli, Y., Kodjo, N.E., Fainke, K., Mahamadou, T., Le Port, A., Martin Prevel, Y., 2019. The Minimum Dietary Diversity for Women of Reproductive Age (MDD-W)
 Indicator Is Related to Household Food Insecurity and Farm Production Diversity: Evidence
 from Rural Mali. Curr. Dev. Nutr. 3, 1–9. https://doi.org/10.1093/cdn/nzz002
- Aizen, M.A., Aguiar, S., Biesmeijer, J.C., Garibaldi, L.A., Inouye, D.W., Jung, C., Martins, D.J., Medel,
- 181 R., Morales, C.L., Ngo, H., Pauw, A., Paxton, R.J., Sáez, A., Seymour, C.L., 2019. Global
- agricultural productivity is threatened by increasing pollinator dependence without a parallel
 increase in crop diversification. Glob. Chang. Biol. 25, 3516–3527.
- 184 https://doi.org/10.1111/gcb.14736
- Akerele, D., Shittu, A.M., 2017. Can food production diversity influence farm households' f dietary
 diversity? An appraisal from two-dimensional food diversity measures. Int. J. Soc. Econ. 44,
 1597–1608. https://doi.org/10.1108/IJSE-03-2016-0080
- Altieri, M.A., Nicholls, C.I., Henao, A., Lana, M.A., 2015. Agroecology and the design of climate
 change-resilient farming systems. Agron. Sustain. Dev. 35, 869–890.
 https://doi.org/10.1007/s13593-015-0285-2
- Ampaw, S., Nketiah-Amponsah, E., Senadza, B., 2017. Urban Farm-Nonfarm Diversification,
 Household Income and Food Expenditure in Ghana. Stud. Bus. Econ. 12, 6–19.
 https://doi.org/10.1515/sbe-2017-0017
- Antwi-Agyei, P., Stringer, L.C., Dougill, A.J., 2014a. Livelihood adaptations to climate variability:
 insights from farming households in Ghana. Reg. Environ. Chang. 14, 1615–1626.
 https://doi.org/10.1007/s10113-014-0597-9
- Antwi-Agyei, P., Stringer, L.C., Dougill, A.J., 2014b. Livelihood adaptations to climate variability:
 insights from farming households in Ghana. Reg. Environ. Chang. 14, 1615–1626.
 https://doi.org/10.1007/s10113-014-0597-9
- Asfaw, S., Pallante, G., Palma, A., 2018. Diversification Strategies and Adaptation Deficit: Evidence
 from Rural Communities in Niger. World Dev. 101, 219–234.
 https://doi.org/10.1016/j.worlddev.2017.09.004
- Ayenew, H.Y., Biadigilign, S., Schickramm, L., Abate-Kassa, G., Sauer, J., 2018. Production
 diversification, dietary diversity and consumption seasonality: Panel data evidence from
 Nigeria. BMC Public Health 18, 1–9. https://doi.org/10.1186/s12889-018-5887-6
- Azupogo, F., Aurino, E., Gelli, A., Bosompem, K.M., Ayi, I., Osendarp, S.J.M., Brouwer, I.D., Folson, G.,
 2019. Agro-ecological zone and farm diversity are factors associated with haemoglobin and
 anaemia among rural school-aged children and adolescents in Ghana. Matern. Child Nutr. 15,
 1–11. https://doi.org/10.1111/mcn.12643
- Barrett, C.B., Reardon, T., Webb, P., 2001. Nonfarm income diversification and household livelihood
 strategies in rural Africa : concepts , dynamics , and policy implications. Food Policy 26, 315–
 331.
- Bellon, M.R., Kotu, B.H., Azzarri, C., Caracciolo, F., 2020. To diversify or not to diversify, that is the
 question. Pursuing agricultural development for smallholder farmers in marginal areas of
 Ghana. World Dev. 125, 104682. https://doi.org/10.1016/j.worlddev.2019.104682
- Bellon, M.R., Ntandou-Bouzitou, G.D., Caracciolo, F., 2016. On-Farm Diversity and Market
 Participation Are Positively Associated with Dietary Diversity of Rural Mothers in Southern

- 218 Benin, West Africa. PLoS One 11, e0162535. https://doi.org/10.1371/journal.pone.0162535
- Bellows, A.L., Canavan, C.R., Blakstad, M.M., Mosha, D., Noor, R.A., Webb, P., Kinabo, J., Masanja, H.,
 Fawzi, W.W., 2020. The Relationship Between Dietary Diversity Among Women of
 Reproductive Age and Agricultural Diversity in Rural Tanzania. Food Nutr. Bull. 41, 50–60.
 https://doi.org/10.1177/0379572119892405
- Bendahan, A.B., Poccard-Chapuis, R., De Medeiros, R.D., De Lucena Costa, N., Tourrand, J.F., 2018.
 Management and labour in an integrated crop-livestock-forestry system in Roraima, Brazilian
 Amazonia. Cah. Agric. 27. https://doi.org/10.1051/cagri/2018014
- Bezner Kerr, R., Kangmennaang, J., Dakishoni, L., Nyantakyi-Frimpong, H., Lupafya, E., Shumba, L.,
 Msachi, R., Boateng, G.O., Snapp, S.S., Chitaya, A., Maona, E., Gondwe, T., Nkhonjera, P.,
 Luginaah, I., 2019. Participatory agroecological research on climate change adaptation
 improves smallholder farmer household food security and dietary diversity in Malawi. Agric.
 Ecosyst. Environ. 279, 109–121. https://doi.org/10.1016/j.agee.2019.04.004
- Birthal, P.S., Roy, D., Negi, D.S., 2015. Assessing the impact of crop diversification on farm poverty in
 India. World Dev. 72, 70–92. https://doi.org/10.1016/j.worlddev.2015.02.015
- Boedecker, J., Termote, C., Assogbadjo, A.E., Van Damme, P., Lachat, C., 2014. Dietary contribution
 of Wild Edible Plants to women's diets in the buffer zone around the Lama forest, Benin an
 underutilized potential. Food Secur. 6, 833–849. https://doi.org/10.1007/s12571-014-0396-7
- Bommarco, R., Kleijn, D., Potts, S.G., 2013. Ecological intensification: Harnessing ecosystem services
 for food security. Trends Ecol. Evol. 28, 230–238. https://doi.org/10.1016/j.tree.2012.10.012
- Brüssow, K., Faße, A., Grote, U., 2017. Implications of climate-smart strategy adoption by farm
 households for food security in Tanzania. Food Secur. 9, 1203–1218.
 https://doi.org/10.1007/s12571-017-0694-y
- Bullock, J.M., Dhanjal-Adams, K.L., Milne, A., Oliver, T.H., Todman, L.C., Whitmore, A.P., Pywell, R.F.,
 2017. Resilience and food security: rethinking an ecological concept. J. Ecol. 105, 880–884.
 https://doi.org/10.1111/1365-2745.12791
- Cassman, K.G., 1999. Ecological intensification of cereal production systems: Yield potential, soil
 quality, and precision agriculture. Proc. Natl. Acad. Sci. U. S. A. 96, 5952–5959.
 https://doi.org/10.1073/pnas.96.11.5952
- Chambers, R., Conway, G.R., 1992. Sustainable rural livelihoods: practical concepts for the 21st
 century. IDS Discuss. Pap. 296.
- Chengappa, P.G., Devika, C.M., Rudragouda, C.S., 2017. Climate variability and mitigation:
 perceptions and strategies adopted by traditional coffee growers in India. Clim. Dev. 9, 593–
 604. https://doi.org/10.1080/17565529.2017.1318740
- Chimonyo, V.G.P., Snapp, S.S., Chikowo, R., 2019. Grain Legumes Increase Yield Stability in Maize
 Based Cropping Systems. Crop Sci. 59, 1222–1235.
 https://doi.org/10.2135/cropsci2018.09.0532
- Coates, J., 2013. Build it back better: Deconstructing food security for improved measurement and
 action. Glob. Food Sec. 2, 188–194. https://doi.org/10.1016/j.gfs.2013.05.002
- Dardonville, M., Urruty, N., Bockstaller, C., Therond, O., 2020. Influence of diversity and
 intensification level on vulnerability, resilience and robustness of agricultural systems. Agric.
 Syst. 184. https://doi.org/10.1016/j.agsy.2020.102913
- 260 Das, V.K., Ganesh-Kumar, A., 2018. Farm size, livelihood diversification and farmer's income in

- 261 India. DECISION 45, 185–201. https://doi.org/10.1007/s40622-018-0177-9
- De Jager, I., Giller, K.E., Brouwer, I.D., 2018. Food and nutrient gaps in rural Northern Ghana: Does
 production of smallholder farming households support adoption of food-based dietary
 guidelines? PLoS One 13, 1–26. https://doi.org/10.1371/journal.pone.0204014
- Delaquis, E., de Haan, S., Wyckhuys, K.A.G., 2018. On-farm diversity offsets environmental pressures
 in tropical agro-ecosystems: A synthetic review for cassava-based systems. Agric. Ecosyst.
 Environ. 251, 226–235. https://doi.org/10.1016/j.agee.2017.09.037
- Di Falco, S., 2012. On the Value of Agricultural Biodiversity. Annu. Rev. Resour. Econ. 4, 207–223.
 https://doi.org/10.1146/annurev-resource-110811-114543
- Dillon, A., McGee, K., Oseni, G., 2015. Agricultural Production, Dietary Diversity and Climate
 Variability. J. Dev. Stud. 51, 976–995. https://doi.org/10.1080/00220388.2015.1018902
- Doak, D.F., Bigger, D., Harding, E.K., Marvier, M.A., O'Malley, R.E., Thomson, D., 1998. The Statistical
 Inevitability of Stability-Diversity Relationships in Community Ecology. Am. Nat. 151, 264–276.
 https://doi.org/10.1086/286117
- Douxchamps, S., Van Wijk, M.T., Silvestri, S., Moussa, A.S., Quiros, C., Ndour, N.Y.B., Buah, S., Somé,
 L., Herrero, M., Kristjanson, P., Ouedraogo, M., Thornton, P.K., Van Asten, P., Zougmoré, R.,
 Rufino, M.C., 2016. Linking agricultural adaptation strategies, food security and vulnerability:
 evidence from West Africa. Reg. Environ. Chang. 16, 1305–1317.
 https://doi.org/10.1007/s10113-015-0838-6
- Droppelmann, K.J., Snapp, S.S., Waddington, S.R., 2017. Sustainable intensification options for
 smallholder maize-based farming systems in sub-Saharan Africa. Food Secur. 9, 133–150.
 https://doi.org/10.1007/s12571-016-0636-0
- Dzanku, F.M., Sarpong, D.B., 2011. Agricultural diversification , food self-sufficiency and food
 security in Ghana : The role of infrastructure and institutions, in: Djurfeldt, G., Aryeetey, E.,
 Isinika, A.C. (Eds.), African Smallholders: Food Crops, Markets and Policy. CAB International,
 Wallingford, UK, pp. 189–213.
- Ecker, O., 2018. Agricultural transformation and food and nutrition security in Ghana: Does farm
 production diversity (still) matter for household dietary diversity? Food Policy 79, 271–282.
 https://doi.org/10.1016/j.foodpol.2018.08.002
- Ellis, F., 1998. Household strategies and rural livelihood diversification. J. Dev. Stud. 35, 1–38.
 https://doi.org/10.1080/00220389808422553
- Eludoyin, A.O., Nevo, A.O., Abuloye, P.A., Eludoyin, O.M., Awotoye, O.O., 2017. Climate events and
 impact on cropping activities of small-scale farmers in a part of Southwest Nigeria. Weather.
 Clim. Soc. 9, 235–253. https://doi.org/10.1175/WCAS-D-16-0032.1
- Fadina, A.M.R., Barjolle, D., 2018. Farmers' Adaptation Strategies to Climate Change and Their
 Implications in the Zou Department of South Benin. Environments 5, 15.
 https://doi.org/10.3390/environments5010015
- FAO, 2019. Food security indicators [WWW Document]. URL http://www.fao.org/economic/ess/ess fs/ess-fadata
- FAO, 2013. Guidelines for measuring household and individual dietary diversity, Fao.
 https://doi.org/613.2KEN
- 302 FAO, 2002. Conservation agriculture. Case studies in Latin America and Africa.

- Foley, J. a, Ramankutty, N., Brauman, K. a, Cassidy, E.S., Gerber, J.S., Johnston, M., Mueller, N.D.,
 O'Connell, C., Ray, D.K., West, P.C., Balzer, C., Bennett, E.M., Carpenter, S.R., Hill, J., Monfreda,
 C., Polasky, S., Rockström, J., Sheehan, J., Siebert, S., Tilman, D., Zaks, D.P.M., 2011. Solutions
 for a cultivated planet. Nature 478, 337–42. https://doi.org/10.1038/nature10452
- 307 Fraval, S., Hammond, J., Bogard, J.R., Ng'endo, M., van Etten, J., Herrero, M., Oosting, S.J., de Boer,
- 308 I.J.M., Lannerstad, M., Teufel, N., Lamanna, C., Rosenstock, T.S., Pagella, T., Vanlauwe, B.,
- 309 Dontsop-Nguezet, P.M., Baines, D., Carpena, P., Njingulula, P., Okafor, C., Wichern, J.,
 310 Ayantunde, A., Bosire, C., Chesterman, S., Kihoro, E., Rao, E.J.O., Skirrow, T., Steinke, J., Stirli
- Ayantunde, A., Bosire, C., Chesterman, S., Kihoro, E., Rao, E.J.O., Skirrow, T., Steinke, J., Stirling,
 C.M., Yameogo, V., van Wijk, M.T., 2019. Food Access Deficiencies in Sub-saharan Africa:
- Prevalence and Implications for Agricultural Interventions. Front. Sustain. Food Syst. 3.
 https://doi.org/10.2000/fb.fc.2010.00104
- 313 https://doi.org/10.3389/fsufs.2019.00104
- Frelat, R., Lopez-Ridaura, S., Giller, K.E., Herrero, M., Douxchamps, S., Djurfeldt, A.A., Erenstein, O.,
 Henderson, B., Kassie, M., Paul, B.K., Rigolot, C., Ritzema, R.S., Rodriguez, D., van Asten, P.J. a,
 van Wijk, M.T., 2016. Drivers of household food availability in sub-Saharan Africa based on big
 data from small farms. Proc. Natl. Acad. Sci. U. S. A. 113, 458–463.
 https://doi.org/10.1073/pnas.1518384112
- Frison, E.A., Cherfas, J., Hodgkin, T., 2011. Agricultural Biodiversity Is Essential for a Sustainable
 Improvement in Food and Nutrition Security. Sustainability 3, 238–253.
 https://doi.org/10.3390/su3010238
- Gaba, S., Lescourret, F., Boudsocq, S., Enjalbert, J., Hinsinger, P., Journet, E.P., Navas, M.L., Wery, J.,
 Louarn, G., Malézieux, E., Pelzer, E., Prudent, M., Ozier-Lafontaine, H., 2015. Multiple cropping
 systems as drivers for providing multiple ecosystem services: from concepts to design. Agron.
 Sustain. Dev. 35, 607–623. https://doi.org/10.1007/s13593-014-0272-z
- Gelli, A., Margolies, A., Santacroce, M., Roschnik, N., Twalibu, A., Katundu, M., Moestue, H.,
 Alderman, H., Ruel, M., 2018. Using a Community-Based Early Childhood Development Center
 as a Platform to Promote Production and Consumption Diversity Increases Children's Dietary
 Intake and Reduces Stunting in Malawi: A Cluster-Randomized Trial. J. Nutr. 148, 1587–1597.
 https://doi.org/10.1093/jn/nxy148
- Gillespie, S., Harris, J., Kadiyala, S., 2012. The Agriculture-Nutrition Disconnect in India What Do We
 Know? IFPRI Discuss. Pap. 1187 1–56.
- Gitagia, M.W., Ramkat, R.C., Mituki, D.M., Termote, C., Covic, N., Cheserek, M.J., 2019. Determinants
 of dietary diversity among women of reproductive age in two different agro-ecological zones of
 rongai sub-county, nakuru, Kenya. Food Nutr. Res. 63, 1–12.
 https://doi.org/10.29219/fnr.v63.1553
- Glamann, J., Hanspach, J., Abson, D.J., Collier, N., 2017. The intersection of food security and
 biodiversity conservation : a review. Reg. Environ. Chang. 17, 1303–1313.
 https://doi.org/10.1007/s10113-015-0873-3
- Govereh, J., Jayne, T.S., 2003. Cash cropping and food crop productivity: Synergies or trade-offs?
 Agric. Econ. 28, 39–50. https://doi.org/10.1016/S0169-5150(02)00066-X
- Hansen, J., Hellin, J., Rosenstock, T., Fisher, E., Cairns, J., Stirling, C., Lamanna, C., van Etten, J., Rose,
 A., Campbell, B., 2019. Climate risk management and rural poverty reduction. Agric. Syst. 172,
 28–46. https://doi.org/10.1016/j.agsy.2018.01.019
- Herforth, A., Harris, J., 2014. Linking Agriculture and Nutrition: Understanding and Applying Primary
 Pathways and Principles. Br. #1. Improv. Nutr. through Agric. Tech. Br. Ser.

- Hirvonen, K., Hoddinott, J., 2017. Agricultural production and children's diets: evidence from rural
 Ethiopia. Agric. Econ. 48, 469–480. https://doi.org/10.1111/agec.12348
- Hoddinott, J., Yohannes, Y., 2002. Dietary Diversity as a Household Food Security Indicator.
 Washington D.C.
- Hondrade, R.F., Hondrade, E., Zheng, L., Elazegui, F., Duque, J.A.L.J.E., Mundt, C.C., Vera Cruz, C.M.,
 Garrett, K.A., 2017. Cropping system diversification for food production in Mindanao rubber
 plantations: A rice cultivar mixture and rice intercropped with mungbean. PeerJ 2017, 1–20.
 https://doi.org/10.7717/peerj.2975
- Huluka, A.T., Wondimagegnhu, B.A., 2019. Determinants of household dietary diversity in the Yayo
 biosphere reserve of Ethiopia: An empirical analysis using sustainable livelihood framework.
 Cogent Food Agric. 5, 1–29. https://doi.org/10.1080/23311932.2019.1690829
- Isaacs, K.B., Snapp, S.S., Kelly, J.D., Chung, K.R., 2016. Farmer knowledge identifies a competitive
 bean ideotype for maize-bean intercrop systems in Rwanda. Agric. Food Secur. 5, 1–18.
 https://doi.org/10.1186/s40066-016-0062-8
- Islam, A.H.M.S., von Braun, J., Thorne-Lyman, A.L., Ahmed, A.U., 2018. Farm diversification and food
 and nutrition security in Bangladesh: empirical evidence from nationally representative
 household panel data. Food Secur. 10, 701–720. https://doi.org/10.1007/s12571-018-0806-3
- Islam, M.A., Islam, M.J., Akkas Ali, M., Mahbubur Rahman Khan, A.S.M., Faruque Hossain, M.,
 Moniruzzaman, M., 2018. Transforming Triple Cropping System to Four Crops Pattern : An
 Approach of Enhancing System Productivity through Intensifying Land Use System in
 Bangladesh. Hindawi Int. J. Agron. 2018, 1–7.
- Jessy, M.D., Joseph, P., George, S., 2017. Possibilities of diverse rubber based agroforestry systems
 for smallholdings in India. Agrofor. Syst. 91, 515–526. https://doi.org/10.1007/s10457-0169953-8
- Jones, A.D., 2017a. Critical review of the emerging research evidence on agricultural biodiversity ,
 diet diversity, and nutritional status in low- and middle-income countries. Nutr. Rev. 75, 769–
 782. https://doi.org/10.1093/nutrit/nux040
- Jones, A.D., 2017b. On-Farm Crop Species Richness Is Associated with Household Diet Diversity and
 Quality in Subsistence- and Market-Oriented Farming Households in Malawi 1 3. J. Nutr.
 https://doi.org/10.3945/jn.116.235879.substituting
- Jones, A.D., 2015. The production diversity of subsistence farms in the Bolivian Andes is associated
 with the quality of child feeding practices as measured by a validated summary feeding index.
 Public Health Nutr. 18, 329–342. https://doi.org/10.1017/S1368980014000123
- Jones, A.D., Creed-Kanashiro, H., Zimmerer, K.S., De Haan, S., Carrasco, M., Meza, K., Cruz-Garcia,
 G.S., Tello, M., Plasencia Amaya, F., Marin, R.M., Ganoza, L., 2018. Farm-Level Agricultural
 Biodiversity in the Peruvian Andes Is Associated with Greater Odds of Women Achieving a
 Minimally Diverse and Micronutrient Adequate Diet. J. Nutr. 148, 1625–1637.
 https://doi.org/10.1093/jn/nxy166
- Jones, A.D., Shrinivas, A., Bezner-kerr, R., 2014. Farm production diversity is associated with greater
 household dietary diversity in Malawi : Findings from nationally representative data. J. FOOD
 POLICY 46, 1–12. https://doi.org/10.1016/j.foodpol.2014.02.001
- Kahane, R., Hodgkin, T., Jaenicke, H., Hoogendoorn, C., Hermann, M., Keatinge, J., Hughes, J.D.,
 Looney, N., Kahane, R., Hodgkin, T., Jaenicke, H., Hoogendoorn, C., Hermann, M., Kahane, R.,
 Hodgkin, T., Jaenicke, H., 2015. Agrobiodiversity for food security , health and income To cite

- 391 this version : HAL Id : hal-01201396. Agron. Sustain. Dev. 33, 671–693.
- 392 https://doi.org/10.1007/s13593-013-0147-8
- Kasem, S., Thapa, G.B., 2011. Crop diversification in Thailand: Status, determinants, and effects on
 income and use of inputs. Land use policy 28, 618–628.
 https://doi.org/10.1016/j.landusepol.2010.12.001
- Kassie, M., Teklewold, H., Marenya, P., Jaleta, M., Erenstein, O., 2015. Production Risks and Food
 Security under Alternative Technology Choices in Malawi: Application of a Multinomial
 Endogenous Switching Regression. J. Agric. Econ. 66, 640–659. https://doi.org/10.1111/14779552.12099
- 400 KC, K.B., Pant, L.P., Fraser, E.D.G., Shrestha, P.K., Shrestha, D., Lama, A., 2016. Assessing links
 401 between crop diversity and food self-sufficiency in three agroecological regions of Nepal. Reg.
 402 Environ. Chang. 16, 1239–1251. https://doi.org/10.1007/s10113-015-0851-9
- Khoury, C.K., Bjorkman, A.D., Dempewolf, H., Ramirez-villegas, J., Guarino, L., 2014. Increasing
 homogeneity in global food supplies and the implications for food security. PNAS 111, 4001–
 4006. https://doi.org/10.1073/pnas.1313490111
- Kissoly, L., Faße, A., Grote, U., 2018. Implications of smallholder farm production diversity for
 household food consumption diversity: Insights from diverse agro-ecological and market access
 contexts in rural tanzania. Horticulturae 4, 7–11.
 https://doi.org/10.3390/horticulturae4030014
- Koppmair, S., Kassie, M., Qaim, M., 2017. Farm production, market access and dietary diversity in
 Malawi. Public Health Nutr. 20, 325–335. https://doi.org/10.1017/S1368980016002135
- Kremen, C., Miles, A., 2012. Ecosystem Services in Biologically Diversified versus Conventional
 Farming Systems : Benefits , Externalities , and Trade-Offs. Ecol. Soc. 17, 40.
- Kumar, N., Harris, J., Rawat, R., 2015. If They Grow It, Will They Eat and Grow? Evidence from Zambia
 on Agricultural Diversity and Child Undernutrition. J. Dev. Stud. 51, 1060–1077.
 https://doi.org/10.1080/00220388.2015.1018901
- Kurosaki, T., 2003. Specialization and Diversification in Agricultural Transformation: The Case of West
 Punjab, 1903–92. Am. J. Agric. Econ. 85, 372–386. https://doi.org/10.1111/1467-8276.00126
- Ladha, J.K., Dawe, D., Pathak, H., Padre, A.T., Yadav, R.L., Singh, B., Singh, Yadvinder, Singh, Y., Singh,
 P., Kundu, A.L., Sakal, R., Ram, N., Regmi, A.P., Gami, S.K., Bhandari, A.L., Amin, R., Yadav, C.R.,
 Bhattarai, E.M., Das, S., Aggarwal, H.P., Gupta, R.K., Hobbs, P.R., 2003. How extensive are yield
 declines in long-term rice-wheat experiments in Asia? F. Crop. Res. 81, 159–180.
 https://doi.org/10.1016/S0378-4290(02)00219-8
- Ladha, J.K., Rao, A.N., Raman, A.K., Padre, A.T., Dobermann, A., Gathala, M., Kumar, V., Saharawat,
 Y., Sharma, S., Piepho, H.P., Alam, M.M., Liak, R., Rajendran, R., Reddy, C.K., Parsad, R., Sharma,
 P.C., Singh, S.S., Saha, A., Noor, S., 2016. Agronomic improvements can make future cereal
 systems in South Asia far more productive and result in a lower environmental footprint. Glob.
 Chang. Biol. 22, 1054–1074. https://doi.org/10.1111/gcb.13143
- Lele, U., Masters, W.A., Kinabo, J., Meenakshi, J. V, Ramaswami, B., Tagwireyi, J., Goswami, S., 2016.
 Measuring Food and Nutrition Security: An Independent Technical Assessment and User's
 Guide for Existing Indicators, Measuring Food and Nutrition Security: An Independent Technical
 Assessment and User's Guide for Existing Indicators. Rome, Italy.
- Leroy, J.L., Ruel, M., Frongillo, E.A., Harris, J., Ballard, T.J., 2015. Measuring the Food Access
 Dimension of Food Security : A Critical Review and Mapping of Indicators. Food Nutr. Bull. 36,

- 435 167–195. https://doi.org/10.1177/0379572115587274
- Limbu, S.M., Shoko, A.P., Lamtane, H.A., Kishe-Machumu, M.A., Joram, M.C., Mbonde, A.S., Mgana,
 H.F., Mgaya, Y.D., 2017. Fish polyculture system integrated with vegetable farming improves
 yield and economic benefits of small-scale farmers. Aquac. Res. 48, 3631–3644.
 https://doi.org/10.1111/are.13188
- Lin, B.B., 2011. Resilience in Agriculture through Crop Diversification: Adaptive Management for
 Environmental Change. Bioscience 61, 183–193. https://doi.org/10.1525/bio.2011.61.3.4
- Lovo, S., Veronesi, M., 2019. Crop Diversification and Child Health: Empirical Evidence From
 Tanzania. Ecol. Econ. 158, 168–179. https://doi.org/10.1016/j.ecolecon.2019.01.005
- Löw, F., Biradar, C., Fliemann, E., Lamers, J.P.A., Conrad, C., 2017. Assessing gaps in irrigated
 agricultural productivity through satellite earth observations—A case study of the Fergana
 Valley, Central Asia. Int. J. Appl. Earth Obs. Geoinf. 59, 118–134.
 https://doi.org/10.1016/j.jag.2017.02.014
- 448 Luna-González, D. V., Sorensen, M., 2018. Higher agrobiodiversity is associated with improved
 449 dietary diversity, but not child anthropometric status, of mayan achí people of Guatemala.
 450 Public Health Nutr. 21, 2128–2141. https://doi.org/10.1017/S1368980018000617
- M'Kaibi, F.K., Steyn, N.P., Ochola, S., Du Plessis, L., 2015. Effects of agricultural biodiversity and
 seasonal rain on dietary adequacy and household food security in rural areas of Kenya. BMC
 Public Health 15, 1–11. https://doi.org/10.1186/s12889-015-1755-9
- M'Kaibi, F.K., Steyn, N.P., Ochola, S.A., Du Plessis, L., 2017. The relationship between agricultural
 biodiversity, dietary diversity, household food security, and stunting of children in rural Kenya.
 Food Sci. Nutr. 5, 243–254. https://doi.org/10.1002/fsn3.387
- Mabhaudhi, T., Chimonyo, V.G.P., Modi, A.T., 2017. Status of underutilised crops in South Africa:
 Opportunities for developing research capacity. Sustain. 9. https://doi.org/10.3390/su9091569
- Mabhaudhi, T., O'Reilly, P., Walker, S., Mwale, S., 2016. Opportunities for underutilised crops in
 Southern Africa's post-2015 development agenda. Sustain. 8, 1–16.
 https://doi.org/10.3390/su8040302
- Makate, C., Wang, R., Makate, M., Mango, N., 2016. Crop diversification and livelihoods of
 smallholder farmers in Zimbabwe : adaptive management for environmental change.
 Springerplus 5, 18. https://doi.org/10.1186/s40064-016-2802-4
- Malapit, H.J.L., Kadiyala, S., Quisumbing, A.R., Cunningham, K., Tyagi, P., 2015. Women's
 Empowerment Mitigates the Negative Effects of Low Production Diversity on Maternal and
 Child Nutrition in Nepal. J. Dev. Stud. 51, 1097–1123.
 https://doi.org/10.1080/00220388.2015.1018904
- 469 Markowitz, H., 1952. Portfolio selection. J. Finance 7, 77–91. https://doi.org/10.1111/j.1540 470 6261.1952.tb01525.x
- 471 Martin-Prevel, Y., Allemand, P., Wiesmann, D., Arimond, M., Ballard, T., Deitchler, M., Dop, M.-C.,
 472 Kennedy, G., Lee, W.T.K., Moursi, M., 2015. Moving forward. On choosing a standard
 473 operational indicator of women's dietary diversity. Rome, Italy.
- 474 Mavengahama, S., McLachlan, M., de Clercq, W., 2013. The role of wild vegetable species in
 475 household food security in maize based subsistence cropping systems. Food Secur. 5, 227–233.
 476 https://doi.org/10.1007/s12571-013-0243-2
- 477 Mavhura, E., Manatsa, D., Mushore, T., 2015. Adaptation to drought in arid and semi-arid

- 478 environments: Case of the Zambezi Valley, Zimbabwe. Jàmbá J. Disaster Risk Stud. 7.
 479 https://doi.org/10.4102/jamba.v7i1.144
- Maxwell, D., Caldwell, R., 2008. The Coping Strategies Index. A tool for rapid measurement of
 household food security and the impact of food aid programs in humanitarian emergency.,
 Educational and Psychological Measurement. https://doi.org/10.1177/0013164412465875
- 483 Mitchodigni, I.M., Amoussa Hounkpatin, W., Ntandou-Bouzitou, G., Avohou, H., Termote, C.,
 484 Kennedy, G., Hounhouigan, D.J., 2017. Complementary feeding practices: determinants of
 485 dietary diversity and meal frequency among children aged 6–23 months in Southern Benin.
 486 Food Secur. 9, 1117–1130. https://doi.org/10.1007/s12571-017-0722-y
- 487 Mofya-Mukuka, R., Hichaambwa, M., 2018. Livelihood effects of crop diversification: a panel data
 488 analysis of rural farm households in Zambia. Food Secur. 10, 1449–1462.
 489 https://doi.org/10.1007/s12571-018-0872-6
- Moher, D., Shamseer, L., Clarke, M., Ghersi, D., Liberati, A., Petticrew, M., Shekelle, P., Stewart, L.A.,
 Group, P., 2015. Preferred reporting items for systematic review and meta-analysis protocols (
 PRISMA-P) 2015 statement. Syst. Rev. 4, 1–9.
- Mulmi, P., Masters, W.A., Ghosh, S., Namirembe, G., Rajbhandary, R., Manohar, S., Shrestha, B.,
 West, K.P., Webb, P., 2017. Household food production is positively associated with dietary
 diversity and intake of nutrient-dense foods for older preschool children in poorer families:
 Results from a nationally-representative survey in Nepal. PLoS One 12, 1–23.
 https://doi.org/10.1371/journal.pone.0186765
- Murendo, C., Nhau, B., Mazvimavi, K., Khanye, T., Gwara, S., 2018. Nutrition education, farm
 production diversity, and commercialization on household and individual dietary diversity in
 Zimbabwe. Food Nutr. Res. 62. https://doi.org/10.29219/fnr.v62.1276
- N'Danikou, S., Vodouhe, R.S., Bellon, M.R., Sidibé, A., Coulibaly, H., 2017. Foraging is determinant to
 improve smallholders' food security in rural areas in Mali, West Africa. Sustain. 9.
 https://doi.org/10.3390/su9112074
- Nabhan, G.P., Wilson, K., Aknazarov, O., Kassam, K., Monti, L., Cavagnaro, D., Kelly, S., Johnson, T.,
 Sekacucu, F., 2012. Agrobiodiversity Shifts on Three Continents Since Vavilov and Harlan :
 Assessing Causes, Processes, and Implications for Food Security, in: Gepts, P., Famula, T.R.,
 Bettinger, R.L., Brush, S.B., Damania, A.B., McGuire, P.E., Qualset, C.O. (Eds.), Biodiversity in
 Agriculture: Domestication, Evolution, and Sustainability. Cambridge University Press, pp. 407–
 435.
- 510 Naeem, S., Li, S., 1997. Biodiversity enhances ecosystem reliability. Nature 390, 507–509.
- Nagothu, U.S., Tesfai, M., 2018. Pulses-millets crop diversification by smallholders and their
 potential for sustainable food and nutrition security. Agric. Dev. Sustain. Intensif. 136–161.
 https://doi.org/10.4324/9780203733301-6
- Ng'endo, M., Bhagwat, S., Keding, G.B., 2016. Influence of Seasonal On-Farm Diversity on Dietary
 Diversity: A Case Study of Smallholder Farming Households in Western Kenya. Ecol. Food Nutr.
 55, 403–427. https://doi.org/10.1080/03670244.2016.1200037
- Ng'Endo, M., Keding, G.B., Bhagwat, S., Kehlenbeck, K., 2015. Variability of on-farm food plant
 diversity and its contribution to food security: A case study of smallholder farming households
 in western Kenya. Agroecol. Sustain. Food Syst. 39, 1071–1103.
- 520 https://doi.org/10.1080/21683565.2015.1073206
- 521 Nkomoki, W., Bavorová, M., Banout, J., 2018. Adoption of sustainable agricultural practices and food

- 522 security threats: Effects of land tenure in Zambia. Land use policy 78, 532–538.
- 523 https://doi.org/10.1016/j.landusepol.2018.07.021
- Parvathi, P., 2018. Does mixed crop-livestock farming lead to less diversified diets among
 smallholders? Evidence from Laos. Agric. Econ. (United Kingdom) 49, 497–509.
 https://doi.org/10.1111/agec.12431

Passarelli, S., Mekonnen, D., Bryan, E., Ringler, C., 2018. Evaluating the pathways from small-scale
irrigation to dietary diversity: evidence from Ethiopia and Tanzania. Food Secur. 10, 981–997.
https://doi.org/10.1007/s12571-018-0812-5

- Paul, B.K., Frelat, R., Birnholz, C., Ebong, C., Gahigi, A., Groot, J.C.J., Herrero, M., Kagabo, D.M.,
 Notenbaert, A., Vanlauwe, B., Wijk, M.T. Van, 2017. Agricultural intensification scenarios ,
 household food availability and greenhouse gas emissions in Rwanda: Ex-ante impacts and
 trade-offs. Agric. Syst. in press. https://doi.org/10.1016/j.agsy.2017.02.007
- Penafiel, D., Lachat, C., Espinel, R., Van Damme, P., Kolsteren, P., 2011. A Systematic Review on the
 Contributions of Edible Plant and Animal Biodiversity to Human Diets. Ecohealth 8, 381–399.
 https://doi.org/10.1007/s10393-011-0700-3
- Perdoná, M.J., Soratto, R.P., 2015. Irrigation and intercropping with macadamia increase initial
 arabica coffee yield and profitability. Agron. J. 107, 615–626.
 https://doi.org/10.2134/agronj14.0246
- 540 Pimm, S.L., 1984. The complexity and stability of ecosystems.
- Ponisio, L.C., M'Gonigle, L.K., Mace, K.C., Palomino, J., de Valpine, P., Kremen, C., 2015.
 Diversification practices reduce organic to conventional yield gap. Proc. R. Soc. B Biol. Sci. 282,
 20141396. https://doi.org/10.1098/rspb.2014.1396
- Ponisio, L.C., M'Gonigle, L.K., Mace, K.C., Palomino, J., de Valpine, P., Kremen, C., 2014.
 Diversification practices reduce organic to conventional yield gap. Proc. R. Soc. B Biol. Sci. 282,
 20141396. https://doi.org/10.1098/rspb.2014.1396
- Powell, B., Thilsted, S.H., Ickowitz, A., Termote, C., Sunderland, T., Herforth, A., 2015. Improving
 diets with wild and cultivated biodiversity from across the landscape. Food Secur. 7, 535–554.
 https://doi.org/10.1007/s12571-015-0466-5
- Pradhan, A., Chan, C., Roul, P.K., Halbrendt, J., Sipes, B., 2018. Potential of conservation agriculture
 (CA) for climate change adaptation and food security under rainfed uplands of India: A
 transdisciplinary approach. Agric. Syst. 163, 27–35. https://doi.org/10.1016/j.agsy.2017.01.002
- Rammohan, A., Pritchard, B., Dibley, M., Vicol, M., 2018. The links between agricultural production
 and the nutritional status of children in rural Myanmar. Food Secur. 10, 1603–1614.
 https://doi.org/10.1007/s12571-018-0864-6
- Raseduzzaman, M., Jensen, E.S., 2017. Does intercropping enhance yield stability in arable crop
 production? A meta-analysis. Eur. J. Agron. 91, 25–33.
 https://doi.org/10.1016/j.eja.2017.09.009
- Remans, R., Flynn, D.F.B., DeClerck, F., Diru, W., Fanzo, J., Gaynor, K., Lambrecht, I., Mudiope, J.,
 Mutuo, P.K., Nkhoma, P., Siriri, D., Sullivan, C., Palm, C. a, 2011. Assessing nutritional diversity
 of cropping systems in African villages. PLoS One 6, e21235.
 https://doi.org/10.1371/journal.pone.0021235
- Remans, R., Wood, S.A., Saha, N., Anderman, T.L., DeFries, R.S., 2014. Measuring nutritional diversity
 of national food supplies. Glob. Food Sec. 3, 174–182.

- 565 https://doi.org/10.1016/j.gfs.2014.07.001
- Renard, D., Bennett, E.M., Rhemtulla, J.M., 2016. Agro-biodiversity has increased over a 95 year
 period at sub-regional and regional scales in southern Quebec, Canada. Environ. Res. Lett. 11.

Renard, D., Tilman, D., 2019. National food production stabilized by crop diversity. Nature 571, 257–
260. https://doi.org/10.1038/s41586-019-1316-y

- Ritzema, R.S., Douxchamps, S., Fraval, S., Bolliger, A., Hok, L., Phengsavanh, P., Long, C.T.M.,
 Hammond, J., van Wijk, M.T., 2019. Household-level drivers of dietary diversity in transitioning
 agricultural systems: Evidence from the Greater Mekong Subregion. Agric. Syst. 176, 102657.
 https://doi.org/10.1016/j.agsy.2019.102657
- Romeo, A., Meerman, J., Demeke, M., Scognamillo, A., Asfaw, S., 2016. Linking farm diversification to
 household diet diversification: evidence from a sample of Kenyan ultra-poor farmers. Food
 Secur. 8, 1069–1085. https://doi.org/10.1007/s12571-016-0617-3
- 577 Ruel, M.T., Alderman, H., 2013. Nutrition-sensitive interventions and programmes: How can they
 578 help to accelerate progress in improving maternal and child nutrition? Lancet 382, 536–551.
 579 https://doi.org/10.1016/S0140-6736(13)60843-0
- Rufino, M.C., Thornton, P.K., Ng'ang'a, S.K., Mutie, I., Jones, P.G., van Wijk, M.T., Herrero, M., 2013.
 Transitions in agro-pastoralist systems of East Africa: Impacts on food security and poverty.
 Agric. Ecosyst. Environ. 179, 215–230. https://doi.org/10.1016/j.agee.2013.08.019
- Saaka, M., Osman, S.M., Hoeschle-Zeledon, I., 2017. Relationship between agricultural biodiversity
 and dietary diversity of children aged 6-36 months in rural areas of northern Ghana. Food Nutr.
 Res. 61. https://doi.org/10.1080/16546628.2017.1391668
- Samal, S.K., Rao, K.K., Poonia, S.P., Kumar, R., Mishra, J.S., Prakash, V., Mondal, S., Dwivedi, S.K.,
 Bhatt, B.P., Naik, S.K., Choubey, A.K., Kumar, V., Malik, R.K., Mc Donald, A., 2017. Evaluation of
 long-term conservation agriculture and crop intensification in rice-wheat rotation of IndoGangetic Plains of South Asia: Carbon dynamics and productivity. Eur. J. Agron. 90, 198–208.
 https://doi.org/10.1016/j.eja.2017.08.006
- Sanogo, K., Binam, J., Bayala, J., Villamor, G.B., Kalinganire, A., Dodiomon, S., 2017. Farmers'
 perceptions of climate change impacts on ecosystem services delivery of parklands in southern
 Mali. Agrofor. Syst. 91, 345–361. https://doi.org/10.1007/s10457-016-9933-z
- Sardos, J., Muller, S., Duval, M.F., Noyer, J.L., Lebot, V., 2016. Root crops diversity and agricultural
 resilience: a case study of traditional agrosystems in Vanuatu (Oceania). Agric. Human Values
 33, 721–736. https://doi.org/10.1007/s10460-015-9657-0
- Sauer, C.M., Mason, N.M., Maredia, M.K., Mofya-Mukuka, R., 2018. Does adopting legume-based
 cropping practices improve the food security of small-scale farm households? Panel survey
 evidence from Zambia. Food Secur. 10, 1463–1478. https://doi.org/10.1007/s12571-018-0859 3
- Schneider, M., Andres, C., Trujillo, G., Alcon, F., Amurrio, P., Perez, E., Weibel, F., Milz, J., 2017.
 Cocoa and total system yields of organic and conventional agroforestry vs. monoculture
 systems in a long-term field trial in Bolivia. Exp. Agric. 53, 351–374.
 https://doi.org/10.1017/S0014479716000417
- Schreefel, L., Schulte, R.P.O., de Boer, I.J.M., Schrijver, A.P., van Zanten, H.H.E., 2020. Regenerative
 agriculture the soil is the base. Glob. Food Sec. 26, 100404.
 https://doi.org/10.1016/j.gfs.2020.100404

- Schroth, G., Ruf, F., 2014. Farmer strategies for tree crop diversification in the humid tropics. A
 review. Agron. Sustain. Dev. 34, 139–154. https://doi.org/10.1007/s13593-013-0175-4
- Sibhatu, K.T., Krishna, V. V, Qaim, M., 2015. Production diversity and dietary diversity in smallholder
 farm households. Proc. Natl. Acad. Sci. U. S. A. 112, 10657–10662.
 https://doi.org/10.1073/pnas.1510982112
- Sibhatu, K.T., Qaim, M., 2018a. Farm production diversity and dietary quality: linkages and
 measurement issues. Food Secur. 10, 47–59. https://doi.org/10.1007/s12571-017-0762-3
- Sibhatu, K.T., Qaim, M., 2018b. Review: The association between production diversity, diets, and
 nutrition in smallholder farm households. Food Policy 77, 1–18.
 https://doi.org/10.1016/j.foodpol.2018.04.013
- Snapp, S.S., Blackie, M.J., Gilbert, R.A., Bezner-Kerr, R., Kanyama-Phiri, G.Y., 2010. Biodiversity can
 support a greener revolution in Africa. Proc. Natl. Acad. Sci. U. S. A. 107, 20840–20845.
 https://doi.org/10.1073/pnas.1007199107
- Snapp, S.S., Fisher, M., 2015. "Filling the maize basket" supports crop diversity and quality of
 household diet in Malawi. Food Secur. 7, 83–96. https://doi.org/10.1007/s12571-014-0410-0
- Somé, J.W., Jones, A.D., 2018. The influence of crop production and socioeconomic factors on
 seasonal household dietary diversity in Burkina Faso. PLoS One 13, 1–16.
 https://doi.org/10.1371/journal.pone.0195685
- Souza, H.N., Cardoso, I.M., Fernandes, J.M., Garcia, F.C.P., Bonfim, V.R., Santos, A.C., Carvalho, A.F.,
 Mendonça, E.S., 2010. Selection of native trees for intercropping with coffee in the Atlantic
 Rainforest biome. Agrofor. Syst. 80, 1–16. https://doi.org/10.1007/s10457-010-9340-9
- Termote, C., Bwama Meyi, M., Dhed'a Djailo, B., Huybregts, L., Lachat, C., Kolsteren, P., van Damme,
 P., 2012. A biodiverse rich environment does not contribute to a better diet: A case study from
 DR Congo. PLoS One 7. https://doi.org/10.1371/journal.pone.0030533
- Tesfaye, W., Tirivayi, N., 2020. Crop diversity, household welfare and consumption smoothing under
 risk: Evidence from rural Uganda. World Dev. 125, 104686.
 https://doi.org/10.1016/j.worlddev.2019.104686
- Thapa, G., Kumar, A., Roy, D., Joshi, P.K., 2018. Impact of Crop Diversification on Rural Poverty in
 Nepal. Can. J. Agric. Econ. Can. d'agroeconomie 66, 379–413.
 https://doi.org/10.1111/cjag.12160
- Thrupp, L.A.L.A., 2000. Linking Agricultural Biodiversity and Food Security : The Valuable Role of
 Sustainable Agriculture Lori Ann Thrupp International Affairs. Int. Aff. 76, 265–281.
- Tilman, D., Balzer, C., Hill, J., Befort, B.L., 2011. Global food demand and the sustainable
 intensification of agriculture. Proc. Natl. Acad. Sci. U. S. A. 108, 20260–20264.
 https://doi.org/10.1073/pnas.1116437108
- Tobin, D., Jones, K., Thiede, B.C., 2019. Does crop diversity at the village level influence child
 nutrition security? Evidence from 11 sub-Saharan African countries. Popul. Environ. 41, 74–97.
 https://doi.org/10.1007/s1111-019-00327-4
- Traoré, S.A., Reiber, C., Megersa, B., Zárate, A.V., 2018. Contribution of cattle of different breeds to
 household food security in southern Mali. Food Secur. 10, 549–560.
 https://doi.org/10.1007/s12571-018-0795-2
- Troell, M., Naylor, R.L., Metian, M., Beveridge, M., Tyedmers, P.H., Folke, C., Arrow, K.J., Barrett, S.,
 Crépin, A.-S., Ehrlich, P.R., Gren, Å., Kautsky, N., Levin, S.A., Nyborg, K., Österblom, H., Polasky,

- S., Scheffer, M., Walker, B.H., Xepapadeas, T., de Zeeuw, A., 2014. Does aquaculture add
 resilience to the global food system? Proc. Natl. Acad. Sci. 111, 13257–13263.
 https://doi.org/10.1073/pnas.1404067111
- 654 Urruty, N., Tailliez-lefebvre, D., Huyghe, C., Tailliez-lefebvre, D., 2016. Stability, robustness,
 655 vulnerability and resilience of agricultural systems. A review. Agron. Sustain. Dev.
 656 https://doi.org/10.1007/s13593-015-0347-5
- Valencia, V., Wittman, H., Blesh, J., 2019. Structuring Markets for Resilient Farming Systems. Agron.
 Sustain. Dev. 39, 1–14. https://doi.org/10.1007/s13593-019-0572-4
- Vanek, S.J., Jones, A.D., Drinkwater, L.E., 2016. Coupling of soil regeneration, food security, and
 nutrition outcomes in Andean subsistence agroecosystems. Food Secur. 8, 727–742.
 https://doi.org/10.1007/s12571-016-0598-2
- Waha, K., van Wijk, M.T.M.T., Fritz, S., See, L., Thornton, P.K.P.K., Wichern, J., Herrero, M., 2018.
 Agricultural diversification as an important strategy for achieving food security in Africa. Glob.
 Chang. Biol. 24, 3390–3400. https://doi.org/10.1111/gcb.14158
- Whitney, C.W., Luedeling, E., Hensel, O., Tabuti, J.R.S., Krawinkel, M., Gebauer, J., Kehlenbeck, K.,
 2018. The Role of Homegardens for Food and Nutrition Security in Uganda. Hum. Ecol. 46, 497–
 514. https://doi.org/10.1007/s10745-018-0008-9
- 668 Whittaker, R.H., 1972. Evolution and Measurement of Species Diversity. Taxon 21, 213–251.
 669 https://doi.org/10.2307/1218190
- 670 WHO, 1995. Physical status: the use and interpretation of anthropometry.
- Williams, N.E., Carrico, A.R., Edirisinghe, I., Jayamini Champika, P.A., 2018. Assessing the Impacts of
 Agrobiodiversity Maintenance on Food Security Among Farming Households in Sri Lanka's Dry
 Zone. Econ. Bot. 72, 196–206. https://doi.org/10.1007/s12231-018-9418-2
- 674 Working Group on Infant and Young Child Feeding Indicators, 2007. Developing and Validating
 675 Simple Indicators of Dietary Quality of Infants and Young Children in Developing Countries :
 676 Additional Analysis of 10 Data Sets. Washington D.C.
- World Health Organization, 2008. Indicators for assessing infant and young child feeding practices.
 Part 1 Definitions. Geneva, Switzerland.
- Yachi, S., Loreau, M., 1999. Biodiversity and ecosystem productivity in a fluctuating environment:
 The insurance hypothesis. Proc. Natl. Acad. Sci. 96, 1463–1468.
 https://doi.org/10.1073/pnas.96.4.1463
- Yigrem, S., Markemann, A., Abebe, G., Ogutu, J.O., Piepho, H.-P., Zárate, A.V., 2015. Assessing the
 relative importance of dairy products to family nutrition in mixed crop-livestock production
 systems of Ethiopia. Food Secur. 7, 1003–1015. https://doi.org/10.1007/s12571-015-0487-0
- Zanello, G., Shankar, B., Poole, N., 2019. Buy or make? Agricultural production diversity, markets and
 dietary diversity in Afghanistan. Food Policy 87, 101731.
- 687 https://doi.org/10.1016/j.foodpol.2019.101731

688