



Laboratoire Ampère
Unité Mixte de Recherche CNRS
Génie Électrique, Automatique et Bio-Ingénierie

Design and realisation of a test system for two-dimensional magnetic testing including temperature influence

Clémentine Delaunay - PhD Student

Fabien Sixdenier & Charles Joubert



**UNIVERSITÉ
DE LYON**



Université Claude Bernard  Lyon 1

 ÉCOLE
CENTRALE LYON


INSA | INSTITUT NATIONAL
DES SCIENCES
APPLIQUÉES
LYON



Introduction & context



Adapted from : R.M. Bozorth (1993). Ferromagnetism (p. 517)




Schematics adapted from : S. Zurek (2017). Characterisation of Soft Magnetic Materials Under Rotational Magnetisation.




Context : Temperature dependant magnetic properties

$T \nearrow \Rightarrow$ Thermal agitation


$W_{th} \nearrow \Rightarrow \vec{m}$ organisation \searrow
 $B_s \searrow, H_c \searrow, \dots$ $\rho \nearrow \Rightarrow Loss \searrow$



Adapted from : F. Sixdenier et al. (2014). *Caractérisation et modélisation de matériaux et composants magnétiques sous contrainte thermique.*





Adapted from : J. Chen et al. (2017), *Influence of temperature on magnetic properties of silicon steel lamination*



?

Phenomenon
=
Toward
material
improvement

Data
=
Toward industrial
applications
&
Modelling



Adapted from : D. Zhang et al. (2022), *Measurement of Stress and Temperature Dependent Vector Magnetic Properties of Electrical Steel Sheet.*

Objective
Temperature dependant 2D characterisations → 20-200°C

1.

Presentation
of the RSST



2.


Adaptation with
an heating system

3.

Early results &
perspectives

Presentation of the rotational sheet tester





Measurement area

B coils

Positioning notches

Numerical iterative feedback

Noise filtering, averaging, synchronisation to ref.

Arbitrary Waveform Generator


Power Amplifiers
72V 6A

2-phase induction motor core


Numerical oscilloscope

High bandwidth In-Amp based card


B : Through-hole coil (1 coil/axe)
H : PCB Coil, with linear gradient compensation (2 coils/axe)




$\hat{B} = 1.5T$





$\hat{B} = 2.0T$



$\hat{B} = 2.2T$



— U - - - Stator



Temperature control

Adaptation of RSST

No EM interference




No solid metallic part



Caution :
temperature stability



Expected capabilities



Target =
homogeneity






The quicker the
better

Choice of an heating system





Method Constraints	 Resistive	 Oven	 Blown hot-air
No solid metallic part	-	++	++
No EM interference	-	++	++
Target = homogeneity	+	++	-
Caution : temperature stability	+	--	+
The quicker the better	+	--	+






Hot elements :
Sample, inner part of tooth

« Cool » elements :
As close as PCB Coil
Outer part of the stator





Hot air pump

Systeme (- stand)


IR camera






$\Delta T, STD, \dots$



Hot air - $T_{air} = 100^\circ C$




Assessment of temperature homogeneity



● Air ● R







T gradient




Insufficient homogeneity
($STD \approx 9^\circ C @ T_{sample} = 200^\circ C$)




Need for T_{air} , v_{air}
homogeneous across the
measurement zone



Example of results



→ « Isotropic » material




→ Widening of cycles (// 1D skewing)

Perspectives

Bench design & assembly ✓

Control & Software ✓

Heating : Improvement in progress ↻



➡ Remaining : Study of temperature dependency of magnetic anisotropy

Material samples

FeSi	GO and NO
FeCo	Motor core grade
FeNi	High μ
	Low T_c

Test conditions

<i>B</i>	Material operating point
<i>f</i>	Around 50 Hz
<i>T</i>	Across 25 – 200 °C

→ Before September 2023.



Laboratoire Ampère
Unité Mixte de Recherche CNRS
Génie Électrique, Automatique et Bio-Ingénierie

Thank you for your kind attention !
Questions ?

Clémentine Delaunay



**UNIVERSITÉ
DE LYON**

Université Claude Bernard  Lyon 1

 ÉCOLE
CENTRALE LYON

INSA | INSTITUT NATIONAL
DES SCIENCES
APPLIQUÉES
LYON

