



A miniature airlock system to aid the cryo-cooling of protein crystals grown under anoxic conditions

Peter van der Linden, Sylvain Engilberge, Mohamed Atta, Philippe Carpentier

► To cite this version:

Peter van der Linden, Sylvain Engilberge, Mohamed Atta, Philippe Carpentier. A miniature airlock system to aid the cryo-cooling of protein crystals grown under anoxic conditions. *Journal of Applied Crystallography*, 2022, 55 (5), pp.1212-1218. 10.1107/S1600576722007580 . hal-03833689

HAL Id: hal-03833689

<https://hal.science/hal-03833689>

Submitted on 25 Nov 2022

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.



JOURNAL OF
APPLIED
CRYSTALLOGRAPHY

Volume 55 (2022)

Supporting information for article:

A miniature airlock system to aid the cryo-cooling of protein crystals grown under anoxic conditions

Peter van der Linden, Sylvain Engilberge, Mohamed Atta and Philippe Carpentier

Supplementary Material

A miniature airlock system to aid the cryo-cooling of protein crystals grown under anoxic conditions

Authors

Peter van der Linden^a, Sylvain Engilberge^b, Mohamed Atta^{cd*} and Philippe Carpentier^{cb*}

^aESRF, PSCM (Partnership for Soft Condensed Matter), 71 Avenue des Martyrs, Grenoble, 38000, France

^bESRF, the European Synchrotron, 71 Avenue des Martyrs, Grenoble, 38000, France

^cUniversité Grenoble Alpes CEA CNRS, IRIG-LCBM UMR 5249, 17 avenue des martyrs, Grenoble, 38000, France

^dLaboratoire de Chimie des Processus Biologiques, UMR CNRS 8229, Collège de France-CNRS-Sorbonne Université, PSL Research University, 11 Place Marcelin Berthelot, Paris, 75005, France

Correspondence email: mohamed.att@cea.fr; philippe.carpentier@esrf.fr




Figure S1: Connectable “MX-HP-Cool Sample Support” from MiTeGen (Ithaca USA). A) Pin and base disconnected. B) Crystal fishing in crystallization tray. C) Schematic view of a crystal inside a capillary. D) Pin and base connection. E) MX-HP-Cool Sample Support spine-standard.




Figure S2: Magnetic system to capture the sample-holders in LN₂. A) Overview of the magnetic block in the foam-made Dewar. B) Close view of the magnetic block with a pin captured by the magnet. C) Three-dimensional drawing of the system.




Figure S3: Diffraction of crystals of HEWL-HRs. A) Crystals of HEWL-HRs flash-cooled in a capillary. B) Close view and focus on the HEWL-HRs crystal aligned in the X-ray, with typical morphology of 250 μm length. C) Diffraction image showing spots at 1.6 \AA .




Figure S4: Diffraction of anoxic crystals of MiaE. A) Anoxic crystals of MiaE flash-cooled in a capillary. Sample 1 is a crystal form with a diamond shape of 250 μm length, sample 2 is a crystal form with a needle shape of 500 μm length. B) X-ray mapping of the capillary showing the best diffraction area (red arrow) on the crystal 1. C) Diffraction image of the diamond crystal revealing spots at 1.59 \AA .




Figure S5: Comparison between aerobic and anoxic structures of MiaE. A) Aerobic structure of MiaE showing a Tris molecule making three ligand binding in the coordination of the di-iron centre (pdb id 6zmb). B) Anoxic structure with a disordered Tris molecule making a simple bridge between the two iron atoms (pdb id 8AFJ).