



HAL
open science

CropBooster-P : Towards a roadmap for plant research to future-proof crops in Europe

Alexandra Baekelandt, Vandasue L R Saltenis, Mathias Pribil, Philippe Nacry, Jeremy Harbinson, Norbert Rolland, Ralf Wilhelm, Jessica Davies, Dirk Inzé, Martin A. J. Parry, et al.

► To cite this version:

Alexandra Baekelandt, Vandasue L R Saltenis, Mathias Pribil, Philippe Nacry, Jeremy Harbinson, et al.. CropBooster-P : Towards a roadmap for plant research to future-proof crops in Europe. Food and Energy Security, 2023, 12 (1), pp.e428. 10.1002/fes3.428 . hal-03843420

HAL Id: hal-03843420

<https://hal.science/hal-03843420>

Submitted on 8 Nov 2022

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.

ORIGINAL ARTICLE

CropBooster-P: Towards a roadmap for plant research to future-proof crops in Europe

Alexandra Baekelandt^{1,2}  | Vandasue L. R. Saltenis³  |
 Mathias Pribil³  | Philippe Nacry⁴  | Jeremy Harbinson⁵  | Norbert Rolland⁶  |
 Ralf Wilhelm⁷  | Jessica Davies⁸  | Dirk Inzé^{1,2}  | Martin A. J. Parry⁸  |
 René Klein Lankhorst⁹ 

¹Department of Plant Biotechnology and Bioinformatics, Ghent University, Ghent, Belgium

²VIB Center for Plant Systems Biology, Ghent, Belgium

³Copenhagen Plant Science Centre, Department of Plant and Environmental Sciences, University of Copenhagen, Copenhagen, Denmark

⁴BPMP, Univ Montpellier, INRAE, CNRS, Montpellier SupAgro, Montpellier, France

⁵Laboratory of Biophysics, Wageningen University & Research, Wageningen, The Netherlands

⁶Laboratoire de Physiologie Cellulaire et Végétale, Univ. Grenoble Alpes, INRAE, CNRS, CEA, Grenoble, France

⁷Institute for Biosafety in Plant Biotechnology, Julius Kühn-Institut - Federal Research Centre for Cultivated Plants, Quedlinburg, Germany

⁸Lancaster Environment Centre, Lancaster University, Lancaster, UK

⁹Wageningen Plant Research, Wageningen University & Research, Wageningen, The Netherlands

Correspondence

René Klein Lankhorst, Wageningen Plant Research, Wageningen University & Research, Droevendaalsesteeg 1, 6708 PB Wageningen, The Netherlands.
 Email: rene.kleinlankhorst@wur.nl

Funding information

European Union's Horizon 2020, Grant/Award Number: 817690

Abstract

The world needs more than double its current agricultural productivity by 2050 to produce enough food and feed, as well as to provide feedstock for the bioeconomy. These future increases will not only need to be sustainable but also need to compromise the nutritional quality, and ideally also need to decrease greenhouse gas emissions and increase carbon sequestration to help mitigate the consequences of global climate change. These challenges could be tackled by developing and integrating new future-proof crops into our food system. The H2020 CropBooster-P project sets out plant-centered breeding approaches guided by a broad socio-economic and societal support. First, the potential approaches for breeding crops with sustainably increased yields adapted to the future climate of Europe are identified. These crop-breeding options are subsequently prioritized and their adoption considered by experts across the agri-food system and the wider public, taking into account environmental, economic and other technical criteria. In this way, a specific research agenda to future-proof our crops was developed, supported by an eventual implementation plan.

Alexandra Baekelandt, Vandasue L. R. Saltenis, Martin A. J. Parry and René Klein Lankhorst contributed equally to this study.

This is an open access article under the terms of the [Creative Commons Attribution](https://creativecommons.org/licenses/by/4.0/) License, which permits use, distribution and reproduction in any medium, provided the original work is properly cited.

© 2022 The Authors. *Food and Energy Security* published by John Wiley & Sons Ltd.

KEYWORDS

climate change, crop improvement, crop yield, food supply, H2020, nutritional quality, sustainability

1 | INTRODUCTION

To sustainably meet our projected future food requirements and growth of the bioeconomy as we transition away from fossil fuels (Fritsche et al., 2020), more crops will need to be produced on the same or even a smaller area of arable land, without compromising nutritional quality if we are to provide healthy and sufficient food for all (Harbinson et al., 2021). Therefore, there is a need for higher yielding crops that show an increased resilience (crop sustainability), so with more efficient use of scarce resources, including water and minerals, and that are suited to cultivation schemes and practices that preserve biodiversity. We also need to minimize the environmental impact of agriculture to increase ‘carbon smartness’ (the European ‘Green Deal’), and increase the use of soil carbon and wood to sequester atmospheric carbon dioxide to mitigate the effects of climate change, something to which agriculture and silviculture could potentially make an important contribution (Harbinson et al., 2021; Martin et al., 2021; Rumpel et al., 2020). Increasing the soil carbon pool of agricultural land will not only provide a sink for atmospheric carbon dioxide but will also improve the agricultural properties of the soil (McBratney et al., 2014). In addition, the climate and environmental changes we are currently experiencing, e.g., increasing summer drought or high temperatures in the Mediterranean region, as well as in other regions of Europe (Webber et al., 2018), present a challenge to our current crop cultivation models. The projections made so far of the influence of climate change combined with increased atmospheric carbon dioxide levels on crop productivity show diverse effects (Rivero et al., 2021; Sinha et al., 2021). For example, winter wheat will tend to benefit from warmer springs with increase in yield, whereas summer drought will decrease maize yields (Webber et al., 2018). In addition, crop productivity will decrease by the increased frequency of extreme events due to climate change, i.e., hot and cold snaps, drought and flooding. These effects will occur even in the milder, wetter northwestern oceanic regions of Europe (Webber et al., 2018). Our crops must therefore not only very efficiently use agricultural resources, such as water and nitrogen, but also have a high resilience to adverse and volatile weather conditions to obtain high and stable yields in our future climate. To help meet these productivity and nutritional challenges, our current crop plants need to be adapted in multiple ways and thus mapping

the route to future-proof our crops has become a matter of urgency. Here, we aim to present a high-level overview of the scope of the CropBooster-P project, how the project is structured/organized in different work packages (WPs), what the goal is of each of these WPs, how all the parts of the project are interconnected, and to refer to and present in brief some of the project results.

2 | THE CROPBOOSTER-P PROJECT


The H2020 CropBooster-P project is a research initiative led by a consortium of European universities and research institutes to prepare a roadmap for the development of improved crops to future-proof European agriculture (Harbinson et al., 2021) (<https://www.cropbooster-p.eu/>). For this, a concerted plant breeding perspective is being developed that has a broad socio-economic and societal support.

To support the creation of this roadmap, the CropBooster-P project had five work packages (WPs), each with their own goal (Figure 1): developing a research toolbox (WP1), prioritizing and analyzing the adoption of the research toolbox by expert consultation (WP2), engaging with different societal actors and anticipating their perspectives (WP3), facilitating international engagement and cooperation (WP4) and generating a roadmap, consisting of a research agenda and an implementation plan (WP5), taking into account the outcomes and recommendations from the previous work packages, to future-proof our crops and communicate about this to the public at large (WP6). In this way, we could identify and recommend routes for the future development of crops that would meet future food and sustainability challenges in ways that are most beneficial to, and accepted by, society.

3 | CROPBOOSTER-P RESEARCH TOOLBOX DEVELOPMENT

In WP1, the project analyzed the available tools (technologies and traits) to improve crops. The project first identified both major and underutilized terrestrial and aquatic crop species and generated a comprehensive evaluation of the most promising currently available technologies and practical approaches to improve these crops. Following

FIGURE 1 Modular overview of the CropBooster-P project. The project is subdivided in six work packages (WPs).



Definition Box

Yield refers at first instance to the total amount of crop biomass produced per unit area per year. In many cases, this will refer only to above-ground biomass, with the exception of below-ground storage organs (e.g., potatoes and sugar beet) since below-ground biomass is often not commercially harvested and is difficult to quantify. In many cases, a crop plant is not cultured throughout the entire year but only during its specific growing season, so a yield increase could be achieved by having the same growth rate in a longer growing season, or increasing the growth rate with no change in growing season, or both. Producing the same yield in less time could allow more than one harvest per year. Increasing yield thus encompasses all breeding options to develop plants, both terrestrial and aquatic, that increase the total productive potential per hectare per year. This definition of yield is valid especially for plants that are biomass for non-food applications and are generally harvested as total above-ground plant biomass. For food and some non-food applications (e.g., wheat, cotton), an additional constraint for yield applies because only part of the (above-ground) plant biomass will have any significant post-harvest use. Accordingly, the allocation of total plant biomass to this commercially important fraction is quantified as the harvest index. Many crop plants are grown as resources of raw materials for further refinement to produce specific products, such as sugar, starches, protein and secondary metabolites. Increasing productivity for these materials is also a valid yield increase and important function of agriculture.

For food crops, quality refers to the nutritional quality of the edible plant parts. Increasing quality thus entails all breeding options that result in an increase in, among others, protein content, mineral content and fatty acid content. In our definition, organoleptic (taste, smell, mouth-feeling) properties are out of scope. Although they are recognized as important to meet the consumer preferences and food choices, these quality aspects are not considered as crucial to safeguard future food security. For non-food purposes, quality refers to plant characteristics that determine the suitability or value of the crop for its specific application, for instance the fibre digestibility of animal feed, the fibre quality for industry, or the oil content.

In the CropBooster-P project, we address three aspects of sustainability: environmental sustainability, societal sustainability and economic sustainability. Environmental sustainability relates to plant properties that increase tolerance to climate change, such as abiotic stress resistance, resilience and/or acclimation capacity, and to resource use efficiency, especially water and mineral nutrients. Increasing sustainability encompasses all breeding options to increase the resistance of our crops against abiotic stresses such as heat, freezing and water management including drought, salinity and flooding. For reasons of capacity, biotic stress resistance is out of scope of the CropBooster-P project. Societal sustainability relates to the societal acceptability of the goals of the program, and economic sustainability to the profitability of the future crop models we envisage to produce.




FIGURE 2 Example of different levels specific to nutritional quality. A detailed list of determinants of yield, crop sustainability and nutritional quality can be found on <https://www.cropbooster-p.eu/>.

traits were aspired for crop improvement: yield (Burgess et al., 2022), nutritional quality (Scharff et al., 2021) and sustainability (Gojon et al., 2022) (see Definition Box). The genetic basis for crop improvement can be addressed by both conventional breeding and biotechnological methods. These methods encompass all modern plant breeding approaches, such as marker-assisted selection/breeding (MAS/MAB) or genome-assisted selection, as well as advanced breeding technologies and novel DNA mutagenesis technologies such as CRISPR/Cas, gene transfer technologies, and synthetic biology approaches, in which complete novel metabolic and/or genetic pathways are transferred. While fully acknowledging that achieving the desired crop productivity demands will concern all aspects of the agricultural system, technical options to improve crop management or optimization of agricultural practices are not in the scope of the project—our focus is on improving crops themselves.

To breed crops adapted to the future climate of Europe, potential approaches were identified within WP1 that may result in crops with a sustainably increased yields without compromising or even improving nutritional quality (WP1: ‘Research toolbox’) (Burgess et al., 2022; Gojon et al., 2022; Scharff et al., 2021). Crops will need to be more stress-tolerant and more resilient to

environmental constraints, ensuring a better adaption to and/or faster recovery from suboptimal growth conditions. To compile a toolbox outlining transferable strategies, methods and technologies to sustainably improve crop productivity, a panel of experts with a broad range of specializations in diverse areas of crop biology and production has been identified to maximally assure an adequate representation of the various aspects of crop growth and productivity. These experts have been asked to identify up to 15 key publications outlining current scientific state-of-the-art techniques, advanced breeding methods and potential strategies for crop improvement with a focus on plant traits that are by implication heritable and/or transferable and can be exploited to increase plant yield potential, yield stability and nutritional quality. A further emphasis was made on species that serve as model plant species, species with major agricultural value and species that are already important in Europe to meet the future crop productivity needs (see Crop Selection Box). Subsequently, a literature survey and database have been developed, making this information on plant traits, technologies, genes and methods exploitable (<https://cropbooster-p.wur.nl>). In addition, an effort has been made to capture existing knowledge about studies on underutilized terrestrial crops and marine

macrophytes (seaweeds). Within the database construction, each publication entry is accompanied by a survey capturing in detail the determinants of the different traits. For example, the data collection for a publication regarding nutritional quality could run as follows (Figure 2): selection of the nutrient class (e.g., proteins, vitamins or minerals), further specification of categories and subcategories (e.g., macronutrients, micronutrients or specific nutrients) and finally collection of the physical and/or environmental factors affecting this trait. The experts could indicate whether the gene/trait under consideration affected multiple plant determinants, e.g., a genes or pathway that has an impact on both nutritional quality and yield potential. In this way, it is possible to identify trends and commonalities between multiple database entries, identified traits and specified technologies. With the help of the database, several key opportunities to improve crop production and quality have been identified (Baekelandt et al., 2022; Burgess et al., 2022; Gojon et al., 2022; Scharff et al., 2021), e.g., exploring the wild germplasm of crops for desirable traits, investigating alternative protein sources using non-traditional and ancient grain species, and reducing or even eliminating anti-nutritional factors in plants by means of biotechnological approaches.

Crop Selection Box

Algae *Laminaria*, *Porphyra*, *Ulva lactuca*

Forage grasses *Lolium perenne* (ryegrass),
Medicago sativa (alfalfa)

Grain staples *Triticum aestivum* (wheat), *Zea mays* (maize)

N₂ fixers *Glycine max* (soybean), *Pisum sativum* (pea)

Oilseed *Helianthus annuus* (sunflower), *Brassica rapa* (rapeseed)

Vegetables *Solanum lycopersicum* (tomato),
Lactuca sativa (lettuce)

Fibre and lignocellulosic crops *Populus* (poplar),
Miscanthus sinensis (miscanthus)

Root staples *Solanum tuberosum* (potato), *Beta vulgaris* (sugar beet)

Model plants *Arabidopsis thaliana* (arabidopsis),
Nicotiana tabacum (tobacco)

Others (e.g., fruits) *Vitis vinifera* (grape), Pome fruits. Crop species selection includes species distributed in ten main classes (in bold). The example crops presented here, for each crop category, were considered priority crops for the CropBooster-P data collection.

Finally, the panel of experts belonging to participant institutions from the CropBooster-P consortium, ensuring a broad representation of knowledge about species, research fields, approaches and technologies, have queried the database. This already resulted in several reviews describing relevant genes, traits and technologies of interest and presenting a prospective view on breeding options that could be exploited in distinct research fields with respect to crop improvement (Baekelandt et al., 2022; Burgess et al., 2022; Gojon et al., 2022; Scharff et al., 2021). These are, however, only the tip of the iceberg, and the flexibility of the database allows to further extract specific information, such as which traits have been underexplored in which crop species, as well as reveal useful connections across species and plant traits, e.g., with regard to the role of specific genes in multiple plant developmental processes.

The CropBooster-P database can therefore be considered as an expert resource including recent advances and/or key findings with regard to traits that have been successfully selected/changed and that could contribute to the future-proofing of our crops in terms of increasing plant yield, sustainability and nutritional quality. Within the project, the database served as a foundation because it is both a scientifically sound overview of the current state-of-the-art in distinct research fields, as well as a resource with which to engage in discussion with stakeholder groups (Nair et al., 2022; Stetkiewicz, Menary, Nair, Rufino, Fischer, Cornelissen, Duchesne, et al., 2022) and the general public in later phases of the CropBooster-P project.

4 | TOWARDS THE CROPBOOSTER-P ROADMAP

The future requirements for our crops are diverse and demanding, requiring significant increases in crop productivity if we are first to ensure future food and nutritional security, second to facilitate the transitioning to a non-fossil carbon economy, third to allow a more sustainable agriculture, and fourth to contribute to the reduction of atmospheric carbon dioxide. To do so, crop yield should be increased, while decreasing the input per unit yield. In this way, we can improve crop productivity on our existing area of agricultural land and do so in a more sustainable, resource-efficient way. To meet these aspirational future demands, our current crop plants will need to be adapted, and mapping out a long-term strategy for future-proofing our crops is thus urgently needed. Progress to improve crop productivity is, however, mired in the complexity of the multitude of possible crops, traits and genetic changes, combined with multiple technical, environmental, policy and societal challenges.

Within the H2020 CropBooster-P project, a roadmap was developed to guide future plant research to improve crop productivity in Europe (Harbinson et al., 2021). In parallel to the development of the research toolbox (WP1), the project has set out possible scenarios of future situations for which our future-proofed crops would need to be developed and the possible regulatory or societal constraints that may limit that development. For this, a multitude of trends and key uncertainties were identified and analyzed as the basis for the scenario planning. The trends that were included range from consumer behavior and demographics, to farming and technology, politics, economy, and societal developments (Cornelissen et al., 2021). In addition, uncertainties were identified and clustered around three themes: the need for adaptation, the priorities in the value chain, and the role of science. This analysis resulted in four contrasting scenarios for Europe's food and bioeconomy future, which will be taken into account when generating the roadmap: 'Bio-Innovation', 'My Choice', 'Food Emergency' and 'REJECTech' (Baekelandt et al., 2022; Cornelissen et al., 2021) (Figure 3). The four possible future scenarios that have been developed were used more downstream in the CropBooster-P project (Baekelandt et al., 2022; Cornelissen et al., 2021) and were taken into account when generating the roadmap.

In parallel to the data collection, the identification of breeding options to improve crops and the development of future world scenarios, modeling analyses are performed using mechanistic and thoroughly understood models. The modeling approaches demonstrated how adjusting individual traits could significantly increase agricultural yields at different geographical locations in Europe, using

the impact of an increased photosynthetic efficiency on yield for a number of key crops in Europe as a case study (Harbinson & Yin, 2022). Modeling has shown that crop yield increases in Europe of 17% for wheat and 24% for potato, and even more for total biomass, can be achieved with only 20% increases in some basic photosynthetic parameters (Harbinson & Yin, 2022). In the future, more complete crop models that incorporate a wider range of mechanisms and processes and recent innovations could enable better predictions about how the most promising approaches for increasing photosynthesis will function at crop scale.

To further explore the data collected and the traits identified in the database (WP1), and to facilitate the development of the roadmap (WP5), an exhaustive analysis of the literature has been carried out in WP4 ('International cooperation') and an in-depth inventory of the scientific productivity in distinct plant research fields has been made. These analyses made use of 24,000 publications retrieved from the WOS database (2015–2019) and provided an exhaustive view of the main actors (scientists and institutions) involved in these fields of research in Europe. A total of 15 focus group coordinators were then identified from these main institutions. To strengthen interactions between Europe's research institutions and between hubs of plant research in Europe, the coordinator of each focus group was asked to identify and contact experts with relevant scientific expertise in their respective fields. Each of these focus groups carefully evaluated a different subtopic of crop yield, sustainability and nutritional quality to add any information needed to reinforce, broaden and detail the current identified options for future crop




FIGURE 3 Outcome of the CropBooster-P project scenario analysis. Four learning scenarios were developed: 'Bio-Innovation', 'My Choice', 'Food Emergency' and 'REJECTech'.

improvement. More specifically, the ambition of each focus group was to propose strategic research actions that would be expected to contribute to reaching the EU strategic goals as outlined in the so-called 'Green Deal' and the 'Farm to Fork' concepts (presentations of the focus groups can be found in the "Project results" page of the CropBooster-P website; <https://www.cropbooster-p.eu/the-project/presentations.html>).

Having identified a suite of scientific and technological crop improvement options, their social, environmental and economic impacts were analyzed in WP2 ('Impact assessment') (Nair et al., 2022; Stetkiewicz, Menary, Nair, Rufino, Fischer, Cornelissen, Duchesne, et al., 2022; Stetkiewicz, Menary, Nair, Rufino, Fischer, Cornelissen, Guichaoua, et al., 2022). To prioritize the traits to select for to future-proof our crops and to identify and discuss the wider social, economic and environmental impacts of adopting these crop improvements, experts from farm-level to businesses and supply chains to the consumer have been consulted in a series of online workshops and surveys (Menary et al., 2021; Nair et al., 2022; Stetkiewicz, Menary, Nair, Rufino, Fischer, Cornelissen, Duchesne, et al., 2022; Stetkiewicz, Menary, Nair, Rufino, Fischer, Cornelissen, Guichaoua, et al., 2022).

Society must be involved in the decision-making process, because ensuring food and nutritional security, while at the same time mitigating the effects of global climate change and protecting biodiversity, will require a number of drastic measures, which will necessitate the support of the European society as a whole for successful implementation. To this end, WP3 ('Engage society') engaged the general public in a dialog about the need for crop improvement. For this, consumers and other non-expert lay people were engaged in a series of workshops and events to find out how the issues of the CropBooster-P project are perceived and identify the specific objectives of different societal groups are (Nair et al., 2022; Stetkiewicz, Menary, Nair, Rufino, Fischer, Cornelissen, Duchesne, et al., 2022; Stetkiewicz, Menary, Nair, Rufino, Fischer, Cornelissen, Guichaoua, et al., 2022). On the topic of crop improvement, participants ranked environmental sustainability traits, also referred to as traits underlying crop resilience, higher than those improving nutritional quality or only increasing yield. In addition, it was anticipated that the use of new plant breeding techniques seem to be (more) acceptable if they serve the needs identified with high priorities. Such a trend was previously also observed in a national survey conducted in Norway (Norwegian Biotechnology Advisory Board, 2020). A further goal of WP3 was to understand and advise how to best communicate complex scientific information to different societal groups, including the general public in Europe. For this, attitudes, expectations and appropriate means of communication

were explored through questionnaires and interviews. These include aspects such as scientific research, plant breeding technology, food security, climate change and biodiversity, and the interconnections between these topics. The surveys underlined the importance of a dialogue between scientists/researchers and different stakeholder/societal groups to increase understanding and gain acceptance (Will et al., 2022). Moreover, they showed considerable differences between the various groups in relation to their preferential topics to communicate about in view of crop improvement and the use of modern breeding technologies. The diversity was even more pronounced for the means used for communication and gaining information: the preferences for the use of certain media channels may vary on a regional level even within a stakeholder group.

Furthermore, the project also developed a detailed research agenda and implementation plan in WP5 ('Roadmap to future-proof crops'). The roadmap lays out how the identified options for sustainable yield improvement can be implemented in a future plant research program, with the aim of providing innovative starting points for the breeding and the production of new cultivars. This roadmap will be developed with both the European plant science community at large and the plant-breeding sector. To generate an action plan ensuring the broadest societal support and benefits, the four contrasting future world scenarios will be taken into account (Cornelissen et al., 2021) (Figure 3). CropBooster-P will devise a strategy for future-proofing Europe's plants and draft a research project to implement the possible options in each of the four future world scenarios (Baekelandt et al., 2022; Cornelissen et al., 2021). In this way, CropBooster-P will offer a flexible and versatile contribution to future-proof global food and nutrition security that embodies the ambitions of the Paris Climate Agreement COP21, the European 'Green Deal' and many of the United Nation's sustainable development goals.

Summarizing, the CropBooster-P project will help to identify and prioritize (1) which land-based and marine crop species have the potential to secure future food quality, diversity and quantity, (2) which crop traits are available and should be improved to sustainably produce high-quality biomass for food, feed and non-food purposes, (3) which breeding options and technologies are available and/or should be considered to meet the needs of future society and (4) how we can reach these goals. The key options that could be explored to improve crop productivity and/or quality were further discussed and developed in a series of stakeholder consultations, involving consumers, farmers, industry, policy-makers and networks of EU scientists, and the implications of the different future world scenarios on Europe's options to future-proof its crops are being analyzed. The final conclusions of the CropBooster-P

project will be presented in the form of a roadmap that sets out the multi-actor approach required to develop Europe's future crops. This will allow plant science to integrate the innovations in the wider system and to ensure their broadest societal support and benefits possible.

ACKNOWLEDGMENTS

This project has received funding from the European Union's Horizon 2020 research and innovation program under grant agreement No. 817690. The authors thank Aleksandra Malyska (PlantETP) and Axel Sommer (SOMMERRUST; <https://www.sommerrust.com/en/about>) for their support and guidance on Scenario Analysis carried out under CropBooster-P, Sven Warris (WUR) for developing the user interface for the CropBooster-P database, and Dr. Annick Bleys (VIB-UGent) for her comments and input to the manuscript.

CONFLICT OF INTEREST

The authors declare that they have no conflict of interest.

DATA AVAILABILITY STATEMENT

Data sharing not applicable to this article as no datasets were generated or analysed during the current study

ORCID

Alexandra Baekelandt  <https://orcid.org/0000-0003-0816-7115>

Vandasue L. R. Saltenis  <https://orcid.org/0000-0002-1455-7171>

Mathias Pribil  <https://orcid.org/0000-0002-9174-9548>

Philippe Nacry  <https://orcid.org/0000-0001-7766-4989>

Jeremy Harbinson  <https://orcid.org/0000-0002-0607-4508>

Norbert Rolland  <https://orcid.org/0000-0003-1959-6636>

Ralf Wilhelm  <https://orcid.org/0000-0001-9045-8792>

Jessica Davies  <https://orcid.org/0000-0001-9832-7412>

Dirk Inzé  <https://orcid.org/0000-0002-3217-8407>

Martin A. J. Parry  <https://orcid.org/0000-0002-4477-672X>

René Klein Lankhorst  <https://orcid.org/0000-0003-1845-8733>

REFERENCES

- Baekelandt, A., Saltenis, V. L. R., Nacry, P., Malyska, A., Cornelissen, M., Kaur Nanda, A., Nair, A., Rogowsky, P., Pauwels, L., Muller, B., Collén, J., Blomme, J., Pribil, M., Scharff, L. B., Davies, J., Wilhelm, R., Rolland, N., Harbinson, J., Boerjan, W., ... Parry, M. A. J. (2022). Paving the way towards future-proofing our crops. *Food and Energy Security*.
- Burgess, A. J., Masclaux-daubresse, C., Strittmatter, G., Weber, A. P. M., Taylor, S. H., Harbinson, J., Yin, X., Long, S., Paul, M. J., Westhoff, P., Loreto, F., Ceriotti, A., Saltenis, V. L. R., Pribil, M., Nacry, P., Scharff, L. B., Jensen, P. E., Muller, P., Cohan, J.-P., ... Baekelandt, A. (2022). Improving crop yield potential: Underlying biological processes and future prospects. *Food and Energy Security*.
- Cornelissen, M., Malyska, A., Kaur Nanda, A., Klein Lankhorst, R., Parry, M. A. J., Rodrigues Saltenis, V., Pribil, M., Nacry, P., Inzé, D., & Baekelandt, A. (2021). Biotechnology for tomorrow's world: Scenarios to guide directions for future innovation. *Trends in Biotechnology*, 39(5), 438–444. <https://doi.org/10.1016/j.tibtech.2020.09.006>
- Fritsche, F., Brunori, G., Chiamonti, D., Galanakis, C., Hellweg, S., Matthews, R., & Panoutsou, C. (2020). *Future transitions for the bioeconomy towards sustainable development and a climate-neutral economy - Knowledge synthesis final report*. Office of the European Union. <https://doi.org/10.2760/667966>
- Gojon, A., Nussaume, L., Luu, D. T., Murchie, E. H., Baekelandt, A., Rodrigues Saltenis, V. L., Cohan, J.-P., Desnos, T., Inzé, D., Ferguson, J. N., Guiderdoni, E., Krapp, A., Klein Lankhorst, R., Maurel, C., Rouached, H., Parry, M. A. J., Pribil, M., Scharff, L. B., & Nacry, P. (2022). Approaches and determinants to sustainably improve crop production. *Food and Energy Security*. <https://doi.org/10.1002/fes3.369>
- Harbinson, J., Parry, M. A. J., Davies, J., Rolland, N., Loreto, F., Wilhelm, R., Metzloff, K., & Klein Lankhorst, R. (2021). Designing the crops for the future; the CropBooster program. *Biology*, 10(7), 690. <https://doi.org/10.3390/biology10070690>
- Harbinson, J., & Yin, X. (2022). Modelling the impact of improved photosynthetic properties on crop performance in Europe. *Food and Energy Security*.
- Martin, M. P., Dimassi, B., Román Dobarco, M., Guenet, B., Arrouays, D., Angers, D. A., Blache, F., Huard, F., Soussana, J.-F., & Pellerin, S. (2021). Feasibility of the 4 per 1000 aspirational target for soil carbon: A case study for France. *Global Change Biology*, 27(11), 2458–2477. <https://doi.org/10.1111/gcb.15547>
- McBratney, A. B., Stockmann, U., Angers, D. A., Minasny, B., & Field, D. J. (2014). Challenges for soil organic carbon research. In A. E. Hartemink & K. McSweeney (Eds.), *Soil carbon* (pp. 3–16). Springer.
- Menary, J., Stetkiewicz, S., Nair, A., Jorasch, P., Nanda, A. K., Guichaoua, A., Rufino, M., Fischer, A. R. H., & Davies, J. A. C. (2021). Going virtual: Adapting in-person interactive focus groups to the online environment. *Emerald Open Research*, 3, 6. <https://doi.org/10.35241/emeraldopenres.14163.1>
- Nair, A., Fischer, A. R. H., Moscatelli, S., Socaciu, C., Kohl, C., Stetkiewicz, S., Menary, J., Baekelandt, A., Nanda, A. K., Jorasch, P., Davies, J. A. C., & Wilhelm, R. (2022). European consumer and societal stakeholders' response to crop improvements and new plant breeding techniques. *Food and Energy Security*. <https://doi.org/10.1002/fes3.417>
- Norwegian Biotechnology Advisory Board. (2020). *Norwegian consumers' attitudes toward gene editing in Norwegian agriculture and aquaculture*. GENEinnovate. <https://www.biotechnologirad.et.no/filarkiv/2020/04/Report-consumer-attitudes-to-gene-editing-agri-and-aqua-FINAL.pdf>
- Rivero, R. M., Mittler, R., Blumwald, E., & Zandalinas, S. I. (2021). Developing climate-resilient crops: Improving plant tolerance to stress combination. *Plant Journal*, 109, 373–389. <https://doi.org/10.1111/tj.15483>
- Rumpel, C., Amiraslani, F., Chenu, C., Garcia Cardenas, M., Kaonga, M., Koutika, L.-S., Ladha, J., Madari, B., Shirato,

- Y., Smith, P., Soudi, B., Soussana, J.-F., Whitehead, D., & Wollenberg, E. (2020). The 4p1000 initiative: Opportunities, limitations and challenges for implementing soil organic carbon sequestration as a sustainable development strategy. *Ambio*, 49(1), 350–360. <https://doi.org/10.1007/s13280-019-01165-2>
- Scharff, L. B., Saltenis, V. L. R., Jensen, P. E., Baekelandt, A., Burgess, A. J., Burow, M., Ceriotti, A., Cohan, J. P., Geu-Flores, F., Halkier, B. A., Haslam, R. P., Inzé, D., Klein Lankhorst, R., Murchie, E. H., Napier, J. A., Nacry, P., Parry, M. A. J., Santino, A., Scarano, A., ... Pribil, M. (2021). Prospects to improve the nutritional quality of crops. *Food and Energy Security*, 11. <https://doi.org/10.1002/fes3.327>
- Sinha, R., Fritschi, F. B., Zandalinas, S. I., & Mittler, R. (2021). The impact of stress combination on reproductive processes in crops. *Plant Science*, 311, 111007. <https://doi.org/10.1016/j.plantsci.2021.111007>
- Stetkiewicz, S., Menary, J., Nair, A., Rufino, M., Fischer, A. R. H., Cornelissen, M., Guichaoua, A., Jorasch, P., Lemarié, S., Nanda, A. K., Wilhelm, R., & Davies, J. A. C. (2022). Food system actor perspectives on future-proofing European food systems through plant breeding. *Scientific Reports*.
- Stetkiewicz, S., Menary, J., Nair, A., Rufino, M. C., Fischer, A. R. H., Cornelissen, M., Duchesne, R., Guichaoua, A., Jorasch, P., Lemarie, S., Nanda, A. K., Wilhelm, R., & Davies, J. A. C. (2022). Crop improvements for future-proofing European food systems: A focus-group driven analysis of agricultural production stakeholder priorities and viewpoints. *Food and Energy Security*.
- Webber, H., Ewert, F., Olesen, J. E., Müller, C., Fronzek, S., Ruane, A. C., Bourgault, M., Martre, P., Ababaei, B., Bindi, M., Ferrise, R., Finger, R., Fodor, N., Gabaldón-Leal, C., Gaiser, T., Jabloun, M., Kersebaum, K.-C., Lizaso, J. I., Lorite, I. J., ... Wallach, D. (2018). Diverging importance of drought stress for maize and winter wheat in Europe. *Nature Communications*, 9(1), 4249. <https://doi.org/10.1038/s41467-018-06525-2>
- Will, S., Vangheluwe, N., Krause, D., Fisher, A. R. H., Jorasch, P., Kohl, C., Nair, A., Nanda, A. K., & Wilhelm, R. (2022). Communicating about plant breeding and genome editing in plants: Assessment of European stakeholders, sources, channels and content. *Food and Energy Security*.

How to cite this article: Baekelandt, A., Saltenis, V. L. R., Pribil, M., Nacry, P., Harbinson, J., Rolland, N., Wilhelm, R., Davies, J., Inzé, D., Parry, M. A. J., & Klein Lankhorst, R. (2022). CropBooster-P: Towards a roadmap for plant research to future-proof crops in Europe. *Food and Energy Security*, 00, e428. <https://doi.org/10.1002/fes3.428>