

Societal extinction of species

Ivan Jarić, Uri Roll, Marino Bonaiuto, Barry W Brook, Franck Courchamp, Josh A Firth, Kevin J Gaston, Tina Heger, Jonathan M Jeschke, Richard J Ladle, et al.

▶ To cite this version:

Ivan Jarić, Uri Roll, Marino Bonaiuto, Barry W Brook, Franck Courchamp, et al.. Societal extinction of species. Trends in Ecology & Evolution, 2022, 37 (5), pp.411 - 419. 10.1016/j.tree.2021.12.011 . hal-03860567

HAL Id: hal-03860567

https://hal.science/hal-03860567

Submitted on 18 Nov 2022

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.

Trends in Ecology and Evolution

Societal extinction of species --Manuscript Draft--

Manuscript Number:	TREE-D-21-00113R3
Article Type:	Opinion
Keywords:	collective memory; communicative memory; cultural memory; societal species salience; extinction of experience; shifting baseline syndrome
Corresponding Author:	Jarić Ivan Biology Centre of the Czech Academy of Sciences, Institute of Hydrobiology Ceske Budejovice, CZECH REPUBLIC
First Author:	Jarić Ivan
Order of Authors:	Jarić Ivan
	Uri Roll
	Marino Bonaiuto
	Barry W. Brook
	Franck Courchamp
	Josh A. Firth
	Kevin J. Gaston
	Tina Heger
	Jonathan M. Jeschke
	Richard J. Ladle
	Yves Meinard
	David L. Roberts
	Kate Sherren
	Masashi Soga
	Andrea Soriano-Redondo
	Diogo Veríssimo
	Ricardo A. Correia
Abstract:	The ongoing global biodiversity crisis not only involves biological extinctions, but also the loss of experience and gradual fading of cultural knowledge and collective memory of species. We refer to this phenomenon as 'societal extinction of species' and apply it to both extinct and extant taxa. We describe the underlying concepts as well as the mechanisms and factors that affect this process, discuss its main implications, and identify mitigation measures. Societal extinction is cognitively intractable, but it is tied to biological extinction and thus has important consequences for conservation policy and management. It affects societal perceptions of the severity of anthropogenic impacts and of true extinction rates, erodes societal support for conservation efforts, and causes the loss of cultural heritage.

<u>*</u>

1 Societal extinction of species

2 Ivan Jarić^{1,2*}, Uri Roll³, Marino Bonaiuto⁴, Barry W. Brook^{5,6}, Franck Courchamp⁷, Josh A. Firth⁸, 3 Kevin J. Gaston⁹, Tina Heger^{10,11,12,13}, Jonathan M. Jeschke^{12,13,11}, Richard J. Ladle^{14,15}, Yves 4 Meinard¹⁶, David L. Roberts¹⁷, Kate Sherren¹⁸, Masashi Soga¹⁹, Andrea Soriano-Redondo^{20,21}, 5 Diogo Veríssimo⁸, Ricardo A. Correia^{20,21,22,15} 6 7 ¹ Biology Centre of the Czech Academy of Sciences, Institute of Hydrobiology, České Budějovice, 8 9 Czech Republic 10 ² University of South Bohemia, Faculty of Science, Department of Ecosystem Biology, České 11 Budějovice, Czech Republic 12 ³ Mitrani Department of Desert Ecology, The Jacob Blaustein Institutes for Desert Research Ben-13 Gurion University of the Negev, Midreshet Ben-Gurion, Israel ⁴ Sapienza Università di Roma, Rome, Italy 14 ⁵ School of Natural Sciences, University of Tasmania, Hobart, Tasmania, Australia 15

- 16 ⁶ ARC Centre of Excellence for Australian Biodiversity and Heritage, University of Tasmania,
- 17 Hobart, Tasmania, Australia
- ¹⁸ Université Paris-Saclay, CNRS, AgroParisTech, Ecologie Systématique Evolution, Orsay, France
- 19 8 Department of Zoology, University of Oxford, Oxford, UK
- ⁹ Environment and Sustainability Institute, University of Exeter, Penryn, Cornwall, UK
- 21 ¹⁰ Technical University of Munich, Restoration Ecology, Freising, Germany
- 22 ¹¹ Berlin-Brandenburg Institute of Advanced Biodiversity Research (BBIB), Berlin, Germany
- 23 ¹² Leibniz Institute of Freshwater Ecology and Inland Fisheries (IGB), Berlin, Germany
- 24 ¹³ Institute of Biology, Freie Universität Berlin, Berlin, Germany
- 25 ¹⁴ CIBIO/InBio, Centro de Investigação em Biodiversidade e Recursos Genéticos, Laboratório

Associado, Universidade do Porto, Vairão, Portugal 26 ¹⁵ Institute of Biological and Health Sciences, Federal University of Alagoas, Maceió, AL, Brazil 27 ¹⁶ Université Paris Dauphine, PSL Research University, CNRS, Paris, France 28 ¹⁷ Durrell Institute of Conservation and Ecology, School of Anthropology & Conservation, 29 30 University of Kent, Canterbury, Kent, UK ¹⁸ School for Resource and Environmental Studies, Dalhousie University, Halifax, Canada 31 ¹⁹ Graduate School of Agricultural and Life Sciences, The University of Tokyo, Tokyo, Japan 32 33 ²⁰ Helsinki Lab of Interdisciplinary Conservation Science (HELICS), Department of Geosciences and Geography, University of Helsinki, Helsinki, Finland 34 ²¹ Helsinki Institute of Sustainability Science (HELSUS), University of Helsinki, Helsinki, Finland 35 ²² CESAM - Centre for Environmental and Marine Studies, University of Aveiro, Aveiro, Portugal 36 37 * email ivan.jaric@hbu.cas.cz 38 39 **Keywords:** collective memory; communicative memory; cultural memory; societal species 40 41 salience; extinction of experience; shifting baseline syndrome. 42 43 44

Abstract

45

The ongoing global biodiversity crisis not only involves biological extinctions, but also the loss of experience and the gradual fading of cultural knowledge and collective memory of species. We refer to this phenomenon as 'societal extinction of species' and apply it to both extinct and extant taxa. We describe the underlying concepts as well as the mechanisms and factors that affect this process, discuss its main implications, and identify mitigation measures. Societal extinction is

cognitively intractable, but it is tied to biological extinction and thus has important consequences
for conservation policy and management. It affects societal perceptions of the severity of
anthropogenic impacts and of true extinction rates, erodes societal support for conservation efforts,
and causes the loss of cultural heritage.

Species go extinct twice – one time when the last individual stops breathing, and a second time when the collective memory about the species disappears.

[adapted from a quote attributed to both Banksy and Irvin Yalom]

The concept of societal extinction

The ongoing biodiversity crisis is characterized by extinctions, and impoverishment and homogenization of biological communities [1-3]. Extinctions cause the loss of ecological functions, ecological and cultural ecosystem services [3-5], and consequently the extinction of experience (see Glossary) [6]. This depletion of human-nature interactions [7] can reduce the societal salience of species, to a point where they are collectively forgotten. We refer to this phenomenon as 'societal extinction of species': the loss of collective memory, attention, knowledge, representations and cultural products associated with species from cultures and/or societies (Figure 1). We suggest that societal extinction is typically associated with biologically extinct species, but can also occur for extant species that have lost societal salience. Societal extinction represents a link between societies and nature (in their broad, inclusive sense), and thus is affected by changes in society, nature, and/or in their intersection. Like biological extinction, societal extinction operates at multiple spatial scales: a species can be globally or regionally extinct from either a biological or societal perspective.

Societal extinctions are relevant for conservation policy and management because collective memory guides individual and collective decision-making [8,9]. We argue that societal

extinctions can affect people's perceptions of the environment, its natural state, severity of anthropogenic impacts, and true extinction rates. They can ultimately lead to collective generational amnesia, or a **shifting baseline syndrome** [8,10], and erode people's expectations of the state of the environment (i.e., what is normal or healthy) and their understanding of, and support for, conservation and restoration efforts [8].

Given the significance of these impacts, understanding the phenomenon of societal extinction could be important for mitigating the ongoing anthropogenic biodiversity crisis. Here, we suggest underlying mechanisms and factors that could affect this process, and discuss potential implications and mitigation measures.

Societal salience dynamics, transformation and extinction

Communicative and cultural memory

Collective memory and its two distinct but interrelated components—communicative and cultural memory—drive societal salience of species [11]. **Communicative memory** (also referred to as lived memory [9]) is generated through societal communication and interaction and transmitted through personal interactions or contemporary dissemination channels, like news, movies, social and other media [11-13]; its dynamics tend to be associated with relatively short timeframes. **Cultural memory** (sometimes referred to as distant memory [9]) is maintained by physical or digital recordings and cultural products, such as oral traditions, literature, paintings, and other artworks; it typically unfolds over longer timeframes [11,12].

Both phenomena affect, and usually reinforce, one another. Communicative memory of species is mainly based on personal memories of **direct experiences** and associated acts of communication (Box 1). However, it is also shaped by cultural memory and **vicarious experiences** based on cultural products [14]. In turn, species are more likely to feature in cultural products if they are present in communicative memory, through recurrent encounters and interactions [15], or

focusing events [14]. Such communicative acts increase the potential for generating cultural products, or restoring attention towards existing products, thereby contributing to cultural memory [11,13].

Species extinctions and societal salience dynamics

Many species go biologically extinct without ever entering the cultural memory, or even being discovered [16]. If known species decline, lose functional roles, and go extinct, the processes that generate and maintain their societal salience typically fade away. Direct experiences with such species gradually disappear and vicarious experiences dominate. Driven by the cessation of experience [6,17], communicative memory is lost over time through individual and generational amnesia, also termed shifting baseline syndrome [8,18,19]. For example, local knowledge of bird species in southwestern China diminished following their extirpation, to the point that people were unable to name any such species [20]. A similar story occurred among indigenous Tsimané in Bolivia [19]. Transgenerational, collective memory of extinct species, their vocalizations and appearance are lost [20,21]. Lack of records also contributes to this process; for instance, the Honshu wolf (*Canis lupus hodophilax*) has only a few specimens in museum collections, challenging its memory within Japanese society [21].

Reports of the dire state or extinction of salient species are often followed by a surge in media and societal attention [22]. However, such increases are typically transient [23,24]. Species losses are generally mirrored by reduced prominence in new cultural products and fading cultural memory [15]. Nevertheless, we argue that societal extinction is context-dependent, non-binary, and challenging to measure. For example, a species could become extinct from wider society but maintain salience as media symbols or within smaller groups, such as rural or Indigenous communities.

Drivers of societal extinction

The main factors affecting the magnitude and rate of societal extinctions include species charisma, taxonomy, extinction time, spatial factors, sociocultural factors, ecology and demography, technology, and the status and uncertainty of extinctions (Figure 2).

Species charisma

The charisma of a species affects its societal salience both before and after extinction and may prolong or weaken the process of societal extinction. Charismatic species are often large, colorful, with forward-facing eyes, and phylogenetically close to humans; they are usually positively perceived, can be evolutionary outliers or otherwise behaviorally novel, but sometimes also dangerous animals [25-29]. For example, the enduring popularity of the dodo (*Raphus cucullatus*) and thylacine (*Thylacinus cynocephalus*) has led to their use as conservation flagships [30] or as targets for **de-extinction** [31]. Decades to centuries after their biological extinction, they feature prominently in cultural and commercial products, as mascots, emblems, and logos [32]. Some species may even become societally *more* salient post-extinction *because* they are extinct [30], potentially undergoing **cultural transformation** (Box 2), and sometimes even leading to 'cultural mythicism' [33].

Most species, however, cannot become societally extinct because they never had a societal presence. Such societal absence is common in uncharismatic, small, cryptic, or inaccessible taxa. This includes most of biodiversity, predominantly invertebrates, plants, fungi and microorganisms. Societally absent species can be divided into two sub-groups: (a) species that are known by scientific and/or Indigenous experts but unknown by laypeople, and (b) species unknown to humankind. The second group is part of the **Linnean shortfall** in biodiversity knowledge, affecting understanding of societal salience and extinction.

Taxonomy

Societal taxonomies do not always align with biological taxonomy. Many biological species are only societally salient as representatives of higher taxa, such as bats, sharks, or spiders. Moreover, societal salience can also be shaped by morphological and **evolutionary distinctiveness** [34]. For example, loss of a fish species from a large family such as Cyprinidae (e.g., Beyşehir bleak, *Alburnus akili* [35]) would likely be perceived as less troubling than the extinction of the Chinese paddlefish (*Psephurus gladius*), which was one of the last two members of the relict family Polyodontidae [36]. Furthermore, public concern about extinction is more focused on the loss of species than of subspecies or other evolutionarily significant units [37]. Moreover, some biological species may have multiple societal identities, often regionally differentiated. For example, *Rangifer tarandus* is known as reindeer in Northern Eurasia where it is herded and domesticated, but as caribou in North America where it is not. In addition, societal identity can jump from one species to another, mainly through taxonomic misidentification, as was the case with the red hen (*Aphanapteryx bonasia*), which inherited the dodo's name and identity in Mauritius following the extinction of the latter [38].

Extinction time

Extinctions can be distinguished by timeframe: contemporary, historic, or prehistoric. In contemporary extinctions, collective memory of species includes lived memory and direct experiences. Consequently, their extinction may be associated with strong emotions such as environmental grief, loss, and shame [39,40], which can strengthen societal attention and memory. In historic extinctions, species may remain within collective memory especially if they are iconic. However, most are fully culturally transformed (Box 2), and often maintained only in folklore. Rarely, awareness of societally extinct species can be restored from cultural products, as was the case with extinct goose species identified from ancient Egyptian paintings [41]. Prehistorically

extinct species have never been part of human lived memory. These species can only enter cultural memory through vicarious experiences from museums and popular media. For example, dinosaurs only became known to science in the 18th century [42]. Their abstract, stylized, and symbolic representation in culture is more akin to mythical creatures (e.g., unicorns, griffins, or dragons) than real species.

Spatial factors

Societal salience and extinction dynamics vary spatially [32]. Collective memory is most resilient within a species' geographic range, where it emerged through direct interactions [7]. Outside of ranges, collective memory arises predominantly through vicarious experiences (but sometimes also in botanical gardens, zoos, and museums). However, following biological extinction and cultural transformation, collective memories inside and outside the former range will converge. Furthermore, local biological extinction could lead to societal extinction, while elsewhere the species at issue may remain societally salient. The thylacine and the Tasmanian devil (*Sarcophilus harrisii*) were both extirpated on mainland Australia in the mid-Holocene [43] and lost from Indigenous people's memory. Concurrently, both species persisted in Tasmania, where they remained important and salient among the Indigenous people.

Sociocultural factors

The importance of nature to societies and cultures has been studied at great length from ethnographic and anthropological perspectives. Within this body of work, the importance of species loss from shared experiences and memories has also been noted [44,45]. Sociocultural changes may lead to societal extinction when species remain extant, as happens when the loss of Indigenous societies, cultures, rights to land, or languages causes the loss of their collective memory of species [46]. Cultural losses experienced by Indigenous communities from biological extinctions might be

more acute because of their strong cultural ties to species. Furthermore, socio-economic changes driven by urbanization, industrialization, globalization, and modernization may radically change relationships with nature, leading to collective memory loss. For example, the replacement of traditional herbal medicine by modern medicine in Europe has degraded knowledge of many medicinal species [47]. Societal extinction may accelerate as intergenerational environmental knowledge-sharing is reduced [19]. More generally, sociocultural factors can decouple a species' societal status from its biological status.

Ecology and demography

Demographic or ecological changes in extant species can also lead to societal extinction, as happens if species go functionally extinct, or remain only in remote, inaccessible locations.

Species found in inaccessible habitats with low detectability, such as aquatic environments, are less salient to begin with, so can easily become societally extinct [48,49]. Furthermore, collective memory may fade more quickly for species whose habitats were lost. Societal extinction may also be affected by changes in species population structure, such as shifts to less salient age classes, behavior, or morphology.

Technology

New technologies can change the way we share and maintain collective memory. Internet usage changes memory and attention at individual and population levels [50], while print and digital media may replace oral traditions and older people's roles as keepers of collective memory [9]. Shifting to technology-mediated experiences of nature further affects public perceptions and intensifies cultural transformation of species [51]. This process can accelerate via positive feedback, whereby digital content drives the generation of similar content (e.g., memes), potentially exacerbating representational inequality among species. Such digital amplification could accelerate

societal extinction, as local species representations are replaced by globally iconic species [52].

Status and uncertainty of extinctions

Finally, species extinction status and the potential of rediscovery or reintroduction can also affect collective memory loss [39]. For example, a species may be perceived differently if it is biologically extinct, compared to extinct in the wild. Moreover, uncertainty about whether a species is extinct may help maintain its societal salience. Uncorroborated sightings of the ivory-billed woodpecker (*Campephilus principalis*), long considered extinct, revived public interest, search efforts, investments in recovery plans, and boosted birdwatching tourism [53]. Similarly, declaring the extirpation of the ghost orchid (*Epigogium aphyllum*) in the UK raised its profile and boosted search efforts by amateur botanists, eventually contributing to its rediscovery [54]. Species rediscoveries and efforts towards extinction reversal, such as reintroductions, rewilding, or de-extinction, often reinvigorate species societal presence [31,39,55].

Implications and mitigation solutions

Consequences

Understanding societal extinction of species is important for conservation theory, policy, and practice. Collective loss of memory can weaken pro-environmental attitudes and behaviors (Figure 2) [6,17]. Moreover, the shifting baseline syndrome changes public perceptions regarding the natural state of the environment, and reduces likelihood of pursuing ambitious conservation goals [8]. For example, megafaunal rewilding efforts might have greater support if wild Pleistocene megaherbivore herds were preserved in collective memory. Reintroduction efforts of more recently extirpated species, such as Eurasian beaver (*Castor fiber*) in the UK, may also suffer from their absence in collective memory as natural parts of ecosystems [56]. Societal extinction of traditional ecological knowledge can lead to cultural heritage loss [47].

In biologically extant but societally extinct species, societal absence may hinder conservation measures and accelerate biological extinction if, for example, core habitat is destroyed by development. Paradoxically, societal extinction could also be exacerbated by conservation policies, for example those that restrict access to natural areas. Conversely, societal extinction can help conservation by removing pressure on a species from exploitation or over-tourism [57].

Mitigation solutions

We suggest that conservation education and marketing campaigns could be important to counteract societal extinction [26,58]. Reviving the memory of societally extinct species is especially important when no living eyewitnesses remain [9]. Such initiatives should embrace a biocultural perspective on extinction that transcends ecological aspects of species to include their societal profile [39]. Indigenous people can be key allies in this process. Cultural memory of species should be incorporated in outreach activities to drive conservation support [59]. Targeted, long-term marketing campaigns could aim to increase connections with extinct species [30]. For example, the National Threatened Species Day in Australia is held annually on September 7, the anniversary of the death of the last captive thylacine in the Hobart zoo [60]. Finally, tackling the process of societal extinction necessitates reducing the extinction of experience by, for example, combining direct nature interactions with conservation marketing [6].

Collective memory also needs to be rekindled in reintroduction programs, especially for species extinct in the wild. In the same way that cultural identity has been strengthened by resurrecting dead languages (e.g., Cornish [61]), highlighting society's historic links with extinct species could lay the groundwork for rewilding and reintroductions and increase conservation support. A good example is Alagoas Curassow (*Pauxi mitu*), an endemic bird from northeast Brazil that went extinct in the wild 40 years ago [62] and was reintroduced in 2019 [63]. Prior to reintroduction it was the subject of a high-profile public campaign that used the slogan "Let's bring"

this Alagoan home", explicitly linking its reintroduction to regional cultural identity.

Concluding remarks

Ultimately, the escalation of societal extinction can cause many problems for conservation practitioners (see Outstanding Questions). The ongoing extinction crisis and increasing disconnection of humans from nature are creating a growing **societal extinction debt**, with many occurrences of societal extinction likely lying ahead. Sustaining awareness of species and their threats also holds cognitive and emotional consequences for individuals [64]. Resolving these issues will require multidisciplinary approaches that go beyond ecology and conservation biology.

Acknowledgements

This work was supported by J. E. Purkyně Fellowship of the Czech Academy of Sciences (I.J.);

Australian Research Council Laureate (FL160100101) and Centre of Excellence (CE170100015)

grants (B.W.B.); Helsinki Institute of Sustainability Science (HELSUS), University of Helsinki, and

KONE Foundation (R.A.C.); the AXA Research Fund and the 2017-2018 Belmont Forum and

BiodivERsA joint call for research proposals, under the BiodivScen ERA-Net COFUND

programme (F.C.); research fellowship from BBSRC (BB/S009752/1), and funding from NERC

(NE/S010335/1) (J.A.F.); German Federal Ministry of Education and Research (BMBF) through

the Collaborative Project "Bridging in Biodiversity Science (BIBS)" (01LC1501) (T.H., J.M.J.);

German-Israeli Foundation for Scientific Research and Development (I-2519-119.4/2019) (U.R.);

Oxford Martin School Oxford Martin Programme for the Illegal Wildlife Trade (D.V.); European

Union's Horizon 2020 Research and Innovation Programme (85424) (R.J.L.); Japan Society for the

Promotion of Science (20H04375) and Toyota Foundation (D19- R- 0102) (M.S.); CIRPA, the

Interuniversity Centre for Research in Environmental Psychology (M.B.). The authors also thank

- 301 Andrea Stephens and three anonymous reviewers for providing helpful comments and suggestions
- that improved the manuscript.

304

- References
- 305 1. McKinney, M.L. and Lockwood, J.L. (1999) Biotic homogenization: a few winners replacing
- many losers in the next mass extinction. *Trends Ecol. Evol.* 14, 450-453

307

- 2. Barnosky, A.D. et al. (2011) Has the Earth's sixth mass extinction already arrived? Nature 471,
- 309 51-57

310

- 3. Ceballos, G. et al. (2015) Accelerated modern human–induced species losses: Entering the sixth
- mass extinction. Sci. Adv. 1, e1400253

313

- 4. Naeem, S. et al. (2012) The functions of biological diversity in an age of extinction. Science 336,
- 315 1401-1406

316

- 5. Valiente- Banuet, A. et al. (2015) Beyond species loss: the extinction of ecological interactions
- in a changing world. Funct. Ecol. 29, 299-307

319

- 6. Soga, M. and Gaston, K.J. (2016) Extinction of experience: the loss of human–nature
- interactions. Front. Ecol. Environ. 14, 94-101

322

- 7. Soga, M. and Gaston, K.J. (2021) Towards a unified understanding of human–nature interactions.
- 324 *Nat. Sustain.* https://doi.org/10.1038/s41893-021-00818-z

- 8. Soga, M. and Gaston, K.J. (2018) Shifting baseline syndrome: causes, consequences, and
- 327 implications. Front. Ecol. Environ. 16, 222-230

- 9. Fanta, V. et al. (2019) How long do floods throughout the millennium remain in the collective
- 330 memory? Nat. Commun. 10, 1105

331

- 332 10. Pauly, D. (1995) Anecdotes and the shifting baseline syndrome of fisheries. *Trends Ecol. Evol.*
- 333 10, 430

334

- 11. Candia, C. et al. (2019) The universal decay of collective memory and attention. Nat. Hum.
- 336 Behav. 3, 82-91

337

- 338 12. Assmann, J. (2011) Communicative and cultural memory. In *Cultural memories* (Meusburger,
- 339 P. et al., eds.), pp. 15-27, Springer

340

- 341 13. García-Gavilanes, R. et al. (2017) The memory remains: Understanding collective memory in
- 342 the digital age. Sci. Adv. 3, e1602368

343

- 14. Carpenter, S. and Konisky, D.M. (2019) The killing of Cecil the Lion as an impetus for policy
- 345 change. *Oryx* 53, 698-706

346

- 347 15. Kesebir, S. and Kesebir, P. (2017) A growing disconnection from nature is evident in cultural
- 348 products. Perspect. Psychol. Sci. 12, 258-269

349

350 16. Boehm, M.M. and Cronk, Q.C. (2021) Dark extinction: the problem of unknown historical

- 351 extinctions. *Biol. Lett.* 17, 20210007
- 352
- 353 17. Miller, J.R. (2005) Biodiversity conservation and the extinction of experience. *Trends Ecol.*
- 354 Evol. 20, 430-434
- 355
- 356 18. Papworth, S.K. et al. (2009) Evidence for shifting baseline syndrome in conservation. Conserv.
- 357 Lett. 2, 93-100
- 358
- 359 19. Fernández-Llamazares, Á. et al. (2015) Rapid ecosystem change challenges the adaptive
- 360 capacity of local environmental knowledge. Glob. Environ. Change 31, 272-284
- 361
- 362 20. Kai, Z. et al. (2014) Shifting baselines on a tropical forest frontier: extirpations drive declines in
- 363 local ecological knowledge. PLoS One 9, e86598
- 364
- 21. Heise, U.K. (2016) Imagining extinction: the cultural meanings of endangered species. The
- 366 University of Chicago Press, Chicago and London
- 367
- 22. Clements, C.F. (2013) Public interest in the extinction of a species may lead to an increase in
- donations to a large conservation charity. *Biodivers. Conserv.* 22, 2695-2699
- 370
- 23. Downs, A. (1972) Up and down with ecology "the issue-attention cycle". *Public Interest* 28,
- 372 38-50
- 373
- 24. Lorenz-Spreen, P. et al. (2019) Accelerating dynamics of collective attention. Nat. Commun. 10,
- 375 1759

- 25. Roll, U. et al. (2016) Using Wikipedia page views to explore the cultural importance of global
- 378 reptiles. *Biol. Conserv.* 204, 42-50

- 380 26. Veríssimo, D. et al. (2017) Increased conservation marketing effort has major fundraising
- benefits for even the least popular species. *Biol. Conserv.* 211, 95–101

382

27. Albert, C. et al. (2018) The twenty most charismatic species. PLoS One 13, e0199149

384

- 28. Miralles, A. et al. (2019) Empathy and compassion toward other species decrease with
- evolutionary divergence time. Sci. Rep. 9, 19555

387

- 388 29. Jarić, I. et al. (2020) The role of species charisma in biological invasions. Front. Ecol. Environ.
- 389 18, 345-353

390

- 391 30. Kyne, P.M. and Adams, V.M. (2017) Extinct flagships: linking extinct and threatened species.
- 392 *Oryx* 51, 471-476

393

- 394 31. Seddon, P.J. et al. (2014) Reintroducing resurrected species: selecting DeExtinction candidates.
- 395 Trends Ecol. Evol. 29, 140-147

396

397 32. Ladle, R.J. et al. (2016) Conservation culturomics. Front. Ecol. Environ. 14, 269-275

- 399 33. Holmes, G. et al. (2018) Fantastic beasts and why to conserve them: animals, magic and
- 400 biodiversity conservation. *Oryx* 52, 231-239

- 401
- 402 34. Tucker, C.M. et al. (2019) Assessing the utility of conserving evolutionary history. Biol. Rev.
- 403 94, 1740-1760
- 404
- 405 35. Küçük, F. (2012) Extinct endemic fishes of Turkey: Alburnus akili (gövce) and Pseudophoxinus
- 406 handlirschi (kavinne) (Pisces: Cyprinidae). Turkish J. Fish. Aquat. Sci. 12, 345-347
- 407
- 408 36. Zhang, H. et al. (2020) Extinction of one of the world's largest freshwater fishes: Lessons for
- 409 conserving the endangered Yangtze fauna. Sci. Tot. Environ. 710, 136242
- 410
- 411 37. Garnett, S.T. and Christidis, L. (2017) Taxonomy anarchy hampers conservation. *Nature* 546,
- 412 25-27
- 413
- 414 38. Cheke, A.S. and Parish, J.C. (2020) The Dodo and the Red Hen, a saga of extinction,
- 415 misunderstanding, and name transfer: A review. *Quaternary* 3, 4
- 416
- 417 39. Ladle, R.J. and Jepson, P. (2008) Toward a biocultural theory of avoided extinction. *Conserv*.
- 418 *Lett.* 1, 111-118
- 419
- 420 40. Kevorkian, K.A. (2019) Environmental grief. In *Non-Death Loss and Grief* (Harris, D.L., ed.),
- 421 pp. 216-226, Routledge
- 422
- 423 41. Romilio, A. (2021) Assessing 'Meidum Geese' species identification with the 'Tobias criteria'.
- 424 J. Archaeol. Sci. Rep. 36, 102834
- 425

- 426 42. Owen, R. (1841) Report on British fossil reptiles, part II. Rep. Br. Ass. Advm. Sci. 1841, 60-294
- 427
- 428 43. White, L.C. et al. (2018) High-quality fossil dates support a synchronous, Late Holocene
- 429 extinction of devils and thylacines in mainland Australia. *Biol. Lett.* 14, 20170642
- 430
- 431 44. Sodikoff, G. M. (Ed.). (2012). *The anthropology of extinction: essays on culture and species*
- 432 *death*. Indiana University Press.
- 433
- 434 45. Van Dooren, T. (2014). Flight ways: life and loss at the edge of extinction. Columbia University
- 435 Press.
- 436
- 437 46. Cámara-Leret, R. and Bascompte, J. (2021) Language extinction triggers the loss of unique
- 438 medicinal knowledge. Proc. Natl. Acad. Sci. U.S.A. 118, e2103683118
- 439
- 440 47. Biró, É. et al. (2014) Lack of knowledge or loss of knowledge? Traditional ecological
- knowledge of population dynamics of threatened plant species in East-Central Europe. J. Nat.
- 442 *Conserv.* 22, 318-325
- 443
- 48. Wright, A.J. et al. (2015) Competitive outreach in the 21st century: Why we need conservation
- 445 marketing. Ocean Coast. Manag. 115, 41-48
- 446
- 447 49. Jarić, I. et al. (2020) Expanding conservation culturomics and iEcology from terrestrial to
- 448 aquatic realms. *PLoS Biol.* 18, e3000935
- 449
- 450 50. Firth, J.A. *et al.* (2020) Exploring the impact of internet use on memory and attention processes.

- 451 Int. J. Environ. Res. Public Health 17, 9481
- 452
- 453 51. Truong, M.X.A. and Clayton, S. (2020) Technologically transformed experiences of nature: A
- 454 challenge for environmental conservation? *Biol. Conserv.* 244, 108532
- 455
- 456 52. Ballouard, J.M. et al. (2011) Children prioritize virtual exotic biodiversity over local
- 457 biodiversity. *PLoS One* 6, e23152
- 458
- 459 53. Gotelli, N.J. et al. (2012) Specimen- based modeling, stopping rules, and the extinction of the
- 460 ivory- billed woodpecker. Conserv. Biol. 26, 47-56
- 461
- 462 54. Taylor, L. and Roberts, D.L. (2011) Biological flora of the British Isles: *Epipogium aphyllum*
- 463 Sw. J. Ecol. 99, 878-890
- 464
- 465 55. Zablocki, J. et al. (2016) Factors affecting media coverage of species rediscoveries. Conserv.
- 466 *Biol.* 30, 914-917
- 467
- 468 56. Auster, R.E. et al. (2021) Improving engagement in managing reintroduction conflicts: learning
- 469 from beaver reintroduction. J. Environ. Plan. Manag. 64, 1713-1734
- 470
- 471 57. Otsuka, R. and Yamakoshi, G. (2020) Analyzing the popularity of YouTube videos that violate
- 472 mountain gorilla tourism regulations. *PloS One* 15, e0232085
- 473
- 58. Smith, R.J. et al. (2019) Social marketing and conservation. In Conservation Research, Policy
- 475 and Practice (Sutherland, W.J. et al., eds), Cambridge, UK, Cambridge University Press

- 477 59. Hopper, N.G. et al. (2019) Species' cultural heritage inspires a conservation ethos: The
- 478 evidence in black and white. *Conserv. Lett.* 12, e12636

- 480 60. Zieger, M. and Springer, S. (2020) Thylacine and Tasmanian devil: between hope and reality—a
- lesson to be learnt from Google Trends search data. Aust. J. Zool. 67, 221-225

482

- 483 61. Renkó-Michelsén, Z. (2013) Language death and revival: Cornish as a minority language in
- 484 UK. *ESUKA JEFUL* 4, 179-197

485

- 486 62. Gama, G.M. et al. (2016) Cultural viability of reintroducing the ecologically extinct Alagoas
- 487 Curassow (*Pauxi mitu* Linnaeus, 1766) to Northeast Brazil. *J. Nat. Conserv.* 29, 25-32

488

- 489 63. Francisco, M.R. et al. (2021) Recovered after an extreme bottleneck and saved by ex situ
- 490 management: Lessons from the Alagoas curassow (*Pauxi mitu* [Linnaeus, 1766]; Aves, Galliformes,
- 491 Cracidae). Zoo Biol. 40, 76-78

492

- 493 64. Cunsolo, A. and Ellis, N.R. (2018) Ecological grief as a mental health response to climate
- 494 change-related loss. Nat. Clim. Change 8, 275-281

495

- 496 65. Fukano, Y. et al. (2020) Zoos and animated animals increase public interest in and support for
- 497 threatened animals. Sci. Tot. Environ. 704, 135352

- 499 66. Gaston, K.J. and Soga, M. (2020) Extinction of experience: The need to be more specific.
- 500 People Nat. 2, 575-581

501	
502	67. Vining, A. and Merrick, M. (2012) Environmental epiphanies: theoretical foundations and
503	practical applications. In The Oxford Handbook of Environmental and Conservation Psychology
504	(Clayton, S.D., ed), pp. 485-508, New York, Oxford University Press
505	
506	68. Scopelliti, M. et al. (2018) What makes you a 'hero' for nature? Socio-psychological profiling
507	of leaders committed to nature and biodiversity protection across seven EU countries. <i>J. Environ</i> .
508	Plan. Manag. 61, 970-993
509	
510	69. SAVE Brasil (2013) Projecto ararinha na natureza. Relatório de atividades: educação e
511	disseminação. FASE I – Março a Dezembro de 2013. SAVE Brasil, Curaçá, Brasil
512	
513	70. Courchamp, F. et al. (2018) The paradoxical extinction of the most charismatic animals. PLoS
514	Biol. 16, e2003997
515	
516	
517	
518	
519	
520	
521	
522	
523	
524	
525	

Box 1. Direct and vicarious experiences.

Collective memory of a species stems from both (1) direct or embodied experiences, and (2) indirect, vicarious, or disembodied experiences [51]. Direct experiences are mainly built through direct human-nature interactions based on sensory (mainly visual and acoustic) contact [7]. As such, they are associated with specific, first-hand species knowledge and awareness, its morphology, behaviour, environment, and its cultural ecosystem services. Except for contact with species in captivity, especially in zoos and botanical gardens [65], direct experiences are spatially constrained to the species' range. Direct experiences are also highly dependent on a species' abundance, population trends, behaviour, visibility, and accessibility.

Conversely, vicarious experiences are based on virtual exposure to species (i.e., without direct sensory contact with the species), through various physical or digital records from natural history, literature, art, oral traditions, and media [66]. While vicarious experiences may involve realistic species representations, they can also be highly stylized, symbolic, or even fantastical representations (e.g., anime), and may not directly link to species in their natural settings [51,65]. They tend to be less dependent on species presence, distribution, or status, and are more influenced by other factors, such as a species' charisma, historical fame, socio-economic or symbolic value. The type of experience on which a memory is based can affect its characteristics. Individual vicarious memories tend to be faint and ephemeral, while direct experiences, especially those associated with strong emotions, generate more long-lasting individual memories [9,51], and even environmental epiphanies [67]. Also, the psychological intensity of an individual's nature experience is often positively correlated with their resulting drive to achieve pro-environmental actions [68].

Box 2. Cultural transformation.

Following their biological extinction, some species undergo societal extinction, while others remain societally salient, or even increase in presence (Figure 1). However, collective memory of such extinct but salient species often undergoes substantial changes: it is disassociated from its biological identity and culturally transformed. Direct experiences and lived memory are lost, while vicarious experiences and inaccurate, stylized, or simplified representations become dominant [51]. For example, following the extinction in the wild of the Spix's macaw (Cyanopsitta spixii), children living within the Curaçá municipality, part of its previous range, incorrectly believed that this species resides in Rio de Janeiro following its appearance in the animated movie 'Rio' [69]. Moreover, prior to extinction, virtual species can compete with the real populations for societal attention and provide a false appearance of abundance [70]. Processes of cultural transformation mostly occur in species that were societally salient. These species have more virtual representation in commercial, artistic, and cultural outlets, which enables the disassociation of their societal from biological fates [70].

Societal extinction debt: time-delayed societal extinctions of species.

Societal extinction of species: loss of societal attention and collective memory of a species.

598

Society: a group of people who live together in a particular social system. Vicarious (indirect, disembodied) experiences: experiences based on virtual exposure to species, through various physical or digital records from literature, art, oral traditions, and media [66].

Figure captions

reintroduction, or de-extinction.

Figure 1. Diagram outlining the main conceptual types of trajectories of societal extinction.

Trajectories are based on biological and societal species status (extant or extinct). Continuous red line – standard scenario, societal salience declines following species extinction towards complete societal extinction. Blue dashed line – societal extinction occurs while the species is still extant, often due to different socio-cultural, demographic or ecological changes. Green dotted line – species experiences increasing societal salience following its biological extinction, most often due to its charisma and value. Orange striped line – societal salience of a species remains unaffected by its extinction, often because it was already culturally transformed. Black dash-dotted line – species was already societally absent prior to biological extinction, so its societal status remains unaffected by its disappearance. The figure presents only the major types of scenarios, while there are many more possible variants and more complex combinations of trajectories. It also does not present transient peaks in societal salience, such as those that often follow extinction reports, nor the trajectories characterized by extinction 'reversal', for example due to species rediscovery,

Figure 2. Framework displaying the causes and consequences of societal extinction. Societal extinction is caused by collective memory loss, driven either by population decline and species extinction, or by different societal factors that can decouple the process of societal extinction from the biological status of a species, often through the process of cultural transformation. Societal extinction process could be affected by several main drivers: extinction time, status and uncertainty of extinctions (extinction status/certainty), ecology and demography (ecology/demography), taxonomy, species charisma (charisma), spatial factors, sociocultural factors, and technology. It

leads to a loss of interest in societally extinct species, decreased support for conservation or reintroduction measures, and decreased conservation outcomes, which in turn drive and further strengthen the causes of societal extinction. Links among the elements are to a great extent hypothesized, and further studies are now needed to assess and quantify evidence for such links.

Highlights

- 2 Just as population declines may lead to biological extinction, the decline of collective attention
- 3 and memory may lead to the societal extinction of species.
- 4 Direct and vicarious experiences with species affect their societal salience and likelihood of
- 5 societal extinction.
- 6 Societal extinctions affect perceptions of the environment, lead to a shifting baseline syndrome,
- 7 hinder establishment of more ambitious conservation/restoration targets, and diminish support for
- 8 conservation efforts.
- 9 Several mitigation actions, relying predominantly on conservation education and marketing, are
- 10 needed to reduce or reverse the societal extinction of species.

Outstanding questions

- 2 Under what conditions, and over what spatial scales, is societal extinction of a species likely to
- 3 occur and to progress more rapidly?
- 4 Can we tease apart the biological from human drivers of societal extinction?
- 5 How omnipresent and differently manifested is societal extinction across societies, and how
- 6 specific is it?
- 7 Under what conditions does preventing societal extinction of a species make it less likely to
- 8 become biologically extinct?
- 9 What are the best methods to record and maintain local and indigenous knowledge of species?
- 10 What is the relationship between the ongoing process of loss and impoverishment of languages
- 11 and societal extinction?
- 12 What are the best approaches and strategies for societal de-extinction?
- What measures are needed to promote public awareness of societally non-existent species, and
- 14 how do such interventions differ from (and influence) those aimed at maintaining interest in salient
- 15 (societally extant) species?
- 16 Should we strive to remind people about fully or nearly extinct species with an impending or
- 17 already manifested societal extinction, or should we allocate efforts to other species that are more
- 18 likely to societally persist?
- Could a stronger focus on societally extinct species detract much needed attention from imminent
- 20 or future societal extinction risks to other species, and how can we balance this potential trade-off?
- 21 When does mainstreaming knowledge about a species risk increase in the threats to its survival,
- 22 for example through unsustainable exploitation?
- Will focusing on societal extinction take conservation attention from other conservation issues, or
- 24 are these new messages mostly synergistic with previous ones?
- 25 What are potential negative effects of promoting cultural and national identity through local
- 26 nature?

- 27 Should we always strive to combat collective memory loss, or should we accept that there are
- 28 human psychological and cognitive constraints that will inevitably lead to a change in saliency for
- 29 different species through time?
- 30 Are the emotional costs of remembering species too high for individuals, given the growing
- 31 prevalence of ecological grief?

Biological status:



