



HAL
open science

Suspended crystalline silicon thermometry devices: towards quantum nanophononics

Jon Canosa, Hafsa Ikzibane, Boris Brisuda, Natalio Mingo, Olivier Bourgeois,
Emmanuel Dubois, Jean-François Robillard

► **To cite this version:**

Jon Canosa, Hafsa Ikzibane, Boris Brisuda, Natalio Mingo, Olivier Bourgeois, et al.. Suspended crystalline silicon thermometry devices: towards quantum nanophononics. *Nanoscale and Microscale Heat Transfer VII - Eurotherm*, May 2022, Palermo, Italy. hal-03870287

HAL Id: hal-03870287

<https://hal.science/hal-03870287>

Submitted on 24 Nov 2022

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.



Distributed under a Creative Commons Attribution 4.0 International License

Suspended crystalline silicon thermometry devices : towards quantum nanophononics

**J. Canosa¹, H. Ikzibane¹, B. Brisuda², C. Polanco Garcia³, N. Mingo³, O. Bourgeois², E. Dubois¹
and J.-F. Robillard¹**

1. Univ. Lille, CNRS, Centrale Lille, Junia, Univ. Polytechnique Hauts-de-France, UMR 8520 – IEMN – Institut d'Electronique de Microélectronique et de Nanotechnologie, F-59000 Lille, France
2. Institut NEEL, CNRS-Université Grenoble Alpes, 25 avenue des Martyrs, 38042 Grenoble, France
3. Université Grenoble Alpes, CEA, LITEN, 17 rue des Martyrs, 38054 Grenoble, France

This work addresses the current experimental gap in thermal transport regimes and phonon transport at low temperatures and small scales. These conditions cause the wavelength λ and mean free pass l of phonons to become equal or greater than the sample's dimensions, giving rise to several interesting quantum phenomena, hence the name quantum nanophononics. Multiple phenomena are expected to be studied: Phonon interferometric effects [1], thermal rectification, quantization of thermal transport [2], etc...




Figure 1: Left: SEM picture of a c-Si layer with nanopores. Right: Device-scale view of the c-Si suspended membranes.

In previous work [3] (Figure 1), a silicon membrane suspension process was successfully used to obtain thermal characterization platforms. Here, the challenge is to adapt this process towards the fabrication of a different design of suspended systems [4], produced from silicon-on-insulator (SOI) wafers by means of micro-/nano-fabrication techniques, mainly based on e-beam lithography and reactive ion etching (RIE). The top-down process allows for different kinds of samples to be placed in between the sensing platform (NWs, patterned membranes, etc...). Sensing is performed by two superconducting NbN thermometers located on each thermal reservoir. The goal is to improve the system to reach a sensitivity of zeptowatts (10^{-21} W). With this poster, we want to share the scientific and technological challenges associated to those measurements. Especially, we will show our latest results in terms of sample fabrication and characterization.

- [1] N. Zen, T. Puurtinen, T. Isotalo et al., Nature Communications **5**, 3435 (2014).
- [2] K. Schwab, E. Henriksen, J. Worlock et al., Nature **404**, 974 (2000).
- [3] M. Haras et al., IEEE Electron Device Lett. **37**, 1358 (2016).
- [4] A. Tavakoli, Nature Communications **9**, 4287 (2018).