



HAL
open science

Altering perception: the case of action video gaming

Adrien Chopin, Benoit Bediou, Daphne Bavelier

► **To cite this version:**

Adrien Chopin, Benoit Bediou, Daphne Bavelier. Altering perception: the case of action video gaming. Current Opinion in Psychology, 2019, 29, pp.168 - 173. 10.1016/j.copsyc.2019.03.004 . hal-03919238

HAL Id: hal-03919238

<https://hal.science/hal-03919238>

Submitted on 2 Jan 2023

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.



ELSEVIER

Altering perception: the case of action video gaming

Adrien Chopin, Benoit Bediou and Daphne Bavelier

The view that better perceptual skills can open the door to greater cognitive fitness calls for identifying interventions that enhance perception. We review here the impact of action video game play on perception. Cross-sectional studies indicate that action video game players outperform non-players by about $\frac{3}{4}$ of a standard deviation across all perceptual skills. More specifically, tasks relying on the dorsal system and peripheral vision appear most enhanced in action video game players. Despite their crucial role for establishing a causal role of action video game play on perception, the paucity of intervention studies limits interpretation. Yet, the existing dose-response curve already calls for at least 20 hours of play for significant effects to emerge. When considering the mechanisms at play, we propose that attentional control may mediate the noted perceptual benefits by increasing the quality of the perceptual information gathered, facilitating in turn the development of better perceptual templates.

Address

Université de Genève, Switzerland

Corresponding author: Chopin, Adrien (adrien.chopin@gmail.com)

Current Opinion in Psychology 2019, **29**:168–173

This review comes from a themed issue on **Attention and perception**

Edited by **Sarah Shomstein, Andrew Leber and Joy Geng**

<https://doi.org/10.1016/j.copsyc.2019.03.004>

2352-250X/© 2018 Elsevier Inc. All rights reserved.

Introduction

The way we perceive the world around us greatly determines our cognitive abilities [1]. In this paper, we consider the extent to which perceptual abilities can be enhanced in young healthy individuals through training, with an eye toward cognitive fitness. A rich literature documents perceptual enhancements through perceptual learning [2], or in other words spending dozens of hours training on the very perceptual task to improve. Yet, such training typically results in highly specific improvements in the trained task; only little transfer is observed on related tasks [3]. This raises the issue of whether other forms of training may enhance perception in a way that would more gracefully transfer to varied contexts and contents. Training that enhances the fidelity, reliability

and salience of perceptual and motor representations has been proposed to foster such transfer goals [4].

Over the past 10 years, action video game play have emerged as an intervention that may modify perceptual representations in such a way [5,6]. A growing literature has documented the beneficial impact of action video game play on perception [7**]. Below, we review in details the perceptual skills impacted by action video game in young healthy adults. We then discuss the hypothesized mechanism by which increased attentional control may mediate such an enhanced perception.

Perceptual skills rely on a collection of partially separate functions. One major distinction in perception exists between the ‘where/how’ dorsal pathway, which sustains localization and guides motor action, and the ‘what’ ventral pathway, which sustains object recognition [8]. This distinction has been best studied in the context of vision, but appears as a general organizational principle. Below we review separately the impact of action video games on tasks related to the dorsal and ventral pathways. Of note, we separate studies carried in the visual periphery at 10° or more, as peripheral processing has been suggested to be more plastic than central processing [9].

Importantly, we consider separately cross-sectional studies, comparing habitual action video gamers against non-gamers, and intervention studies. The latter compares two groups of non-gamers before and after training, with one group playing action video games versus the other playing control video games (e.g. social simulation game, Tetris, Balance). Cross-sectional studies address the rather societal question of what may be the pattern of perceptual strength and weaknesses of self-declared action video game players, a growing portion of the population. Indeed, action video games represented 26% of the video game sales in 2017 across the 2.6 billion worldwide players [10]. Intervention studies speak to the causal effect that action video game play exerts on perceptual skills, a fundamental point when considering application of this work to education or rehabilitation.

Ventral vision

There is mixed evidence that ventral vision is enhanced in action video game players, when compared to non-video game players. Tasks relying mostly on ventral vision include detections and discriminations of static low-level features (orientations, colors, lines) and high-level patterns (letters, textures, shapes).

Regarding low-level features, action video game players better discriminate the direction of a small indent on a shape [main effect of group on manual decision speed in 11 — Chapter 4, Experiment 2, and in 12], or the orientation of a grating [13^{••}], than non-video game players. They also show less illusory conjunctions than non-gamers, suggesting more efficient feature binding [14]. Yet, they learn a texture discrimination task at the same rate as non-gamers [15[•]]. A 50-hours intervention study indicates a causal impact of action video game play in an orientation discrimination task [13^{••}].

Regarding the processing of high-level pattern, mixed evidence exists for the perception of familiar forms like letters. Among studies testing acuity by asking participants to identify isolated letters, some report an advantage for action video game players compared to non-gamers [16,17] whereas others do not [18,19]. Yet, action video game players demonstrate better performance than non-gamers when discriminating shapes or spatially crowded letters in a single-task condition [16,20]. Thirty hours of action video games was enough to re-create this advantage in non-gamers for spatially crowded letters and for isolated letter acuity under dual-task conditions, but not for isolated letters in a single task condition [16,20]. Finally, action video game players are also better at detecting and discriminating masked stimuli than non-gamers, and globally quicker [21].

Together these effects are in line with higher resolution of visual processing along the ‘what’ pathway in action video game players, but especially so under attention-demanding conditions. Indeed, greater benefits of action video game play are generally observed in conditions that require distractor suppression (e.g. crowded versus isolated), cognitive flexibility (e.g. dual-task versus single task) or that involve masking [12,22–24].

Dorsal vision

Action video game play appears to enhance performance in dorsal vision in a reliable way. Tasks considered here use contrast-based low spatial frequency stimuli and require subjects to detect or discriminate motion, flicker or contrast differences. Action video game players outperform non-gamers when discriminating the direction of dots in kinematogram displays. Importantly, this enhancement can be attributed to higher rates of information integration in action gamers [25]. Motion discrimination is also improved for radial motion; yet not for translational or rotational motion [26]. Training studies indicate increased integration rates in non-video game players after 50 hours of action video game play [25], but not after 25 hours [27].

Contrast sensitivity is enhanced by action video gaming in both cross-sectional and intervention studies [28].

Beyond action video gamers, only radiologists have shown enhanced foveal contrast detection [29].

Action video gaming also results in reduced lateral masking during contrast detection tasks, in both a cross-sectional and a 50-hours intervention experiment [30]. These results are in line with a higher spatial and temporal resolution of dorsal visual functions in action video game players. This view was further supported by higher flicker fusion thresholds in action gamers when compared to non-gamers [31].

Peripheral vision

We consider here performance on any task conducted in the periphery (eccentricities $\geq 10^\circ$), as action video games put rather high demands on peripheral perception. There is good evidence that action video game players show enhanced performance in peripheral vision, when compared to control participants.

Action video game players exhibit larger field of view than non-gamers, whether measured with a Goldmann perimeter [32] or the useful field of view paradigm [20]. A 30-hours training confirms larger useful field of view after action video gaming [20].

When considering feature discrimination tasks in the periphery, rather than target localization, a similar, albeit weaker pattern emerges. Peripheral color discrimination is more accurate in action video gamers than non-gamers [24], although a latter study only found a marginal effect [12 — main effect of group on saccade accuracy]. Action video game players also show quicker orientation discrimination than non-video game players [22 — main effect of group on correct saccade latency], as well as reduced crowding [17].

Finally, attention appeared to modulate group differences also for peripheral tasks. For example, crowding tasks and isolated letter identification require respectively more and less attention. Both were enhanced in action video game players, yet, the former, but not the latter, could be reproduced in a 30-hours intervention study [17].

Conflicting evidences exist for saccade latencies to peripheral targets. While latencies were shorter for action video gamers than non-gamers in a first study [23 — main effect of group on saccade latency], a latter study did not confirm that result [11 — Chapter 4, Experiment 2, main effect of group on saccade latency].

Audition

Most of the effects of action video games on audition come from one study [25] documenting larger rates of integration for auditory information in action video gamers than non-gamers. Participants were required to indicate which ear contained a tone, while noise was

presented in both ears. The result was confirmed by a 50-hours intervention protocol [25]. This localization task, likely to engage the dorsal pathway, contrasts with a 20-hours training study [33] that did not find any changes when participants were asked to detect a tone, a task more likely to rely on the ventral pathway.

Other perceptual tasks

Action video gamers show an altered time perception, with a more accurate perception of audio-visual simultaneity than non-gamers, but not a better discrimination of event order [34]. Finally, the alternation rate in binocular rivalry did not differ between action gamers and non-gamers [35].

Cross-sectional versus intervention studies

For each of the perceptual domains considered above, there is a clear impact of being an action video game player, but less consistent findings when it comes to intervention studies. Here, we have recomputed the overall effect of action video game play on perception from Bediou *et al.* [7**], taking into consideration the


breakdown in different perceptual domains as listed above (Figure 1).

Cross-sectional studies indicate a medium-to-large effect of being an action video game player on perception ($g = 0.79$, $df = 16.6$, 95% $CI = [0.63, 0.96]$, $k = 42$, $m = 27$, $p < 0.001$). Intervention studies show a medium effect ($g = 0.53$, $df = 2.3$, 95% $CI = [-0.07, 1.12]$, $k = 18$, $m = 5$, $p = 0.065$), which needs to be cautiously interpreted given the low degrees of freedom. Nevertheless, intervention studies show a suggestive dose–response relationship (Figure 2). Effect sizes increase as training duration increase from 8 to 50 hours ($slope = 0.0177$; $p = 0.007$), with a minimum of 20 hours for significant training group differences to appear. The causal effect of action video game play may thus be masked by studies with training durations shorter than 20 hours.

Attentional control as a mechanism for perceptual changes


A key question concerns the source of these perceptual enhancements. We have made the proposal before that

Figure 1



Box plot of effect sizes (Hedge's g) from cross-sectional (circles) and intervention (triangles) studies by perceptual domains (studies considered according to the same inclusion/exclusion criteria as in Bediou *et al.* [7**]; different partitioning of the effects resulting in different clusters and thus slightly different effect sizes): Ventral vision, $g = 0.6$; Dorsal vision, $g = 1.1$; Peripheral vision, $g = 1.0$; Audition, $g = 0.9$. Others, $g = 0.18$. When considered together, the noted effect of action video game play on perception is moderate to large ($g = 0.79$). The size of symbols is proportional to the inverse of the variance.

Figure 2



Meta-regression of Hedge's g by training duration, showing a positive linear dose-response relationship. Confidence interval for the regression line were computed using the moving constant technique [52]. This analysis indicates that the effects become significant only after 20 hours of action video game training. Color indicates perceptual domain (red for ventral vision, blue for dorsal vision, green for peripheral vision, and purple for auditory for audition).

enhanced attentional control mediates perceptual benefits [36, for similar arguments, see 37,38]. Attentional control encompasses the ability to voluntarily allocate attention to specific stimuli while ignoring sources of noise or distraction. Such control extends over the size, location and/or number of attentional foci [39**]. Critically, attentional control, or top-down/voluntary attention, is the one function most reliably improved by action video game play [7**,40, but see 41]. As reviewed below, there is good evidence [39**] that attentional control alters visual percepts and performance in a way consistent with many of the game-induced perceptual changes reviewed above.

In tasks related to ventral vision, voluntary attention improves discriminations of fine low-level features like orientations [42], or a small gap in a C [43]. Similarly, feature binding is a hallmark of voluntary attention [44].

Voluntary attention can also shape performance in tasks mediated by dorsal vision. It improves motion

discriminations [45], contrast sensitivity, even for detections [46,47], through an increase of perceived contrast [42]. Decreasing attentional load increases flicker fusion thresholds [48].

Regarding peripheral tasks, voluntary attending to one peripheral location increases the spatial resolution in the focus of attention. According to the theory of the attention resolution [49], this could account for the higher crowding acuity of action video game players [17].

In sum, enhanced attentional control could allow action video game players to more efficiently focus on task-relevant dimensions, enabling them to accumulate more efficiently perceptual information in the service of decision making [36]. Furthermore, the resulting enhanced signal-to-noise ratio would facilitate the learning and consolidation of perceptual templates, creating in effect a virtuous processing loop. In line with this hypothesis are reports that action video game players benefit from more precise perceptual templates and learn faster an

orientation discrimination task [13**] as well as display less memory interference when learning successive texture discriminations [16*]. Whether such changes in learning accompany action video game play remains to be tested.

Conclusion

Habitual action video game players benefit from enhanced perceptual skills, particularly for dorsal and peripheral vision. This review highlights a reliable dose–response effect in favor of a causal impact of action gaming on perception, but calls for new intervention studies of more than 20 hours. Of importance, we consider here only intervention studies focusing on young healthy adults at the peak of their performance, a population that by definition has little room to improve. Interestingly, action video games designed for clinical populations have been found to alter perception [50,51*], although too few studies exist at this time to draw firm conclusions. Yet, to the extent that changes in attentional control mediate perceptual enhancements, this would seem a promising avenue whether for rehabilitation or cognitive fitness.

Conflict of interest statement

Daphne Bavelier declares she is a member of the scientific advisory board of Akili Interactive, Boston and acts as a scientific advisor to RedBull, Los Angeles. There is no other interest to declare.

Acknowledgement

This research was funded by the National Eye Institute EY020976 to DB.

References and recommended reading

Papers of particular interest, published within the period of review, have been highlighted as:

- of special interest
- of outstanding interest

1. Chase WG: **Visual information processing**. *Proceedings of the Eighth Annual Carnegie Symposium on Cognition* 1973. Academic Press.
2. Fahle M, Poggio T, Poggio TA: *Perceptual Learning*. MIT Press; 2002.
3. Fahle M: **Perceptual learning: specificity versus generalization**. *Curr Opin Neurobiol* 2005, **15**:154-160.
4. Mahncke HW, Bronstone A, Merzenich MM: **Brain plasticity and functional losses in the aged: scientific bases for a novel intervention**. *Prog Brain Res* 2006, **157**:81-109.
5. Achtman RL, Green CS, Bavelier D: **Video games as a tool to train visual skills**. *Restor Neural Neurosci* 2008, **26**:435-446.
6. Green CS, Li R, Bavelier D: **Perceptual learning during action video game playing**. *Top Cogn Sci* 2010, **2**:202-216.
7. Bediou B, Adams DM, Mayer RE, Tipton E, Green CS, Bavelier D: **Meta-analysis of action video game impact on perceptual, attentional, and cognitive skills**. *Psychol Bull* 2018, **144**:77-110 <http://dx.doi.org/10.1037/bul0000130>.
8. Kravitz DJ, Saleem KS, Baker CI, Ungerleider LG, Mishkin M: **The ventral visual pathway: an expanded neural framework for the processing of object quality**. *Trends Cogn Sci* 2013, **17**:26-49.
9. Neville H, Bavelier D: **Human brain plasticity: evidence from sensory deprivation and altered language experience**. *Progress in Brain Research*. Elsevier; 2002:177-188.
10. The Entertainment Software Association: *2018 Essential Facts About the Computer and Video Game Industry*. 2018:1-17 http://www.theesa.com/wp-content/uploads/2018/05/EF2018_FINAL.pdf.
11. Chisholm JD: *Individual Differences in Oculomotor Control: The Case of Action Video Game Players*. University of British Columbia; 2014.
12. Chisholm JD, Kingstone A: **Action video games and improved attentional control: disentangling selection-and response-based processes**. *Psychon Bull Rev* 2015, **22**:1430-1436.
13. Bejjanki VR, Zhang R, Li R, Pouget A, Green CS, Lu ZL, Bavelier D: **Action video game play facilitates the development of better perceptual templates**. *Proc Natl Acad Sci U S A* 2014, **111**:16961-16966 <http://dx.doi.org/10.1073/pnas.1417056111>.
- A demonstration that action gamers build better templates for a perceptual task, confirmed by a 50-hours training study. Importantly, the templates were not better immediately after training but rather developed quicker with practice.
14. Cain MS, Landau AN, Prinzmetal W, Robertson LC, Shimamura AP: **Attention processes in action video game players**. *J Vis* 2009, **9**:237.
15. Berard AV, Cain MS, Watanabe T, Sasaki Y: **Frequent video game players resist perceptual interference**. *PLoS One* 2015, **10**:e0120011.
- The first paper to address the issue of memory consolidation in action video game players. Through an ingenious design, the authors document faster learning stabilization in the perceptual domain, in action video game players as compared to non-gamers.
16. Green CS, Bavelier D: **Action-video-game experience alters the spatial resolution of vision**. *Psychol Sci* 2007, **18**:88-94.
17. Schubert T, Finke K, Redel P, Kluckow S, Müller H, Strobach T: **Video game experience and its influence on visual attention parameters: an investigation using the framework of the theory of visual attention (TVA)**. *Acta Psychol (Amst)* 2015, **157**:200-214.
18. Gaspar JG, Neider MB, Crowell JA, Lutz A, Kaczmarek H, Kramer AF: **Are gamers better crossers? An examination of action video game experience and dual task effects in a simulated street crossing task**. *Hum Factors* 2014, **56**:443-452.
19. McDermott AF, Bavelier D, Green CS: **Memory abilities in action video game players**. *Comput Human Behav* 2014, **34**:69-78.
20. Green CS, Bavelier D: **Effect of action video games on the spatial distribution of visuospatial attention**. *J Exp Psychol Hum Percept Perform* 2006, **32**:1465.
21. Pohl C, Kunde W, Ganz T, Conzelmann A, Pauli P, Kiesel A: **Gaming to see: action video gaming is associated with enhanced processing of masked stimuli**. *Front Psychol* 2014, **5**:70.
22. Chisholm JD, Hickey C, Theeuwes J, Kingstone A: **Reduced attentional capture in action video game players**. *Atten Percept Psychophys* 2010, **72**:667-671.
23. Chisholm JD, Kingstone A: **Improved top-down control reduces oculomotor capture: the case of action video game players**. *Atten Percept Psychophys* 2012, **74**:257-262.
24. Chisholm JD, Kingstone A: **Action video game players' visual search advantage extends to biologically relevant stimuli**. *Acta Psychol (Amst)* 2015, **159**:93-99.
25. Green CS, Pouget A, Bavelier D: **Improved probabilistic inference as a general learning mechanism with action video games**. *Curr Biol* 2010, **20**:1573-1579 <http://dx.doi.org/10.1016/j.cub.2010.07.040>.
26. Hutchinson CV, Stocks R: **Selectively enhanced motion perception in core video gamers**. *Perception* 2013, **42**:675-677.

27. van Ravenzwaaij D, Boekel W, Forstmann BU, Ratcliff R, Wagenmakers EJ: **Action video games do not improve the speed of information processing in simple perceptual tasks.** *J Exp Psychol Gen* 2014, **143**:1794.
28. Li R, Polat U, Makous W, Bavelier D: **Enhancing the contrast sensitivity function through action video game training.** *Nat Neurosci* 2009, **12**:549-551 <http://dx.doi.org/10.1038/nn.2296>.
29. Snowden PT, Davies IRL, Roling P: **Perceptual learning of the detection of features in X-ray images: a functional role for improvements in adults' visual sensitivity?** *J Exp Psychol Hum Percept Perform* 2000, **26**.
30. Li R, Polat U, Scalzo F, Bavelier D: **Reducing backward masking through action game training.** *J Vis* 2010, **10**:33.
31. Li R, Polat U, Makous W, Bavelier D: **Temporal resolution of visual processing in action video game players.** *J Vis* 2006, **6**:1008.
32. Buckley D, Codina C, Bhardwaj P, Pascalis O: **Action video game players and deaf observers have larger Goldmann visual fields.** *Vis Res* 2010, **50**:548-556.
33. Oei AC, Patterson MD: **Enhancing perceptual and attentional skills requires common demands between the action video games and transfer tasks.** *Front Psychol* 2015, **6**:113.
34. Donohue SE, Woldorff MG, Mitroff SR: **Video game players show more precise multisensory temporal processing abilities.** *Atten Percept Psychophys* 2010, **72**:1120-1129.
35. Dieter KC, Levi A, Bavelier D, Tadin D: **Enhanced attentional control of binocular rivalry in action video game players.** *J Vis* 2012, **12**:680.
36. Bavelier D, Green CS, Pouget A, Schrater P: **Brain plasticity through the life span: learning to learn and action video games.** *Annu Rev Neurosci* 2012, **35**:391-416 <http://dx.doi.org/10.1146/annurev-neuro-060909-152832>.
37. Mishra J, de Villers-Sidani E, Merzenich M, Gazzaley A: **Adaptive training diminishes distractibility in aging across species.** *Neuron* 2014, **84**:1091-1103.
38. Zhang YX, Moore DR, Guiraud J, Molloy K, Yan TT, Amitay S: **Auditory discrimination learning: role of working memory.** *PLoS One* 2016, **11**:e0147320.
39. Carrasco M: **Visual attention: the past 25 years.** *Vis Res* 2011, **51**:1484-1525.
 An extensive review of the last three decades of literature on attention. This review highlights how voluntary attention can change both perceptual appearance and sensitivity in various perceptual tasks.
40. Feng J, Spence I: **Playing action video games boosts visual attention.** *Video Game Influence Aggressive Cognitive Attention.* Springer; 2018:93-104.
41. Roque NA, Boot WR: **Action video games DO NOT promote visual attention.** *Video Game Influence Aggressive Cognitive Attention.* Springer; 2018:105-118.
42. Liu T, Abrams J, Carrasco M: **Voluntary attention enhances contrast appearance.** *Psychol Sci* 2009, **20**:354-362.
43. Montagna B, Pestilli F, Carrasco M: **Attention trades off spatial acuity.** *Vis Res* 2009, **49**:735-745.
44. Treisman A: **Features and objects: the fourteenth Bartlett memorial lecture.** *Q J Exp Psychol A Hum Exp Psychol* 1988, **40**:201-237 <http://dx.doi.org/10.1080/02724988843000104>.
45. Dobkins KR, Bosworth RG: **Effects of set-size and selective spatial attention on motion processing.** *Vis Res* 2001, **41**:1501-1517.
46. Lu Z-L, Doshier BA: **External noise distinguishes attention mechanisms.** *Vis Res* 1998, **38**:1183-1198.
47. Ling S, Carrasco M: **Sustained and transient covert attention enhance the signal via different contrast response functions.** *Vis Res* 2006, **46**:1210-1220.
48. Carmel D, Saker P, Rees G, Lavie N: **Perceptual load modulates conscious flicker perception.** *J Vis* 2007, **7**:14.
49. Intriligator J, Cavanagh P: **The spatial resolution of visual attention.** *Cogn Psychol* 2001, **43**:171-216.
50. Vedamurthy I, Nahum M, Huang SJ, Zheng F, Bayliss J, Bavelier D, Levi DM: **A dichoptic custom-made action video game as a treatment for adult amblyopia.** *Vis Res* 2015, **114**:173-187 <http://dx.doi.org/10.1016/j.visres.2015.04.008>.
51. Whitton JP, Hancock KE, Shannon JM, Polley DB: **Audiomotor • perceptual training enhances speech intelligibility in background noise.** *Curr Biol* 2017, **27**:3237-3247.
 A novel approach to auditory training that embeds principles of action video game and music play to promote generalized gains in speech processing. Of note is the use of computerized, closed-loop, adaptive and attention-demanding activities leveraging foraging and/or hide-and-seek activities to engage the players. Hearing impaired older adults showed gains in speech processing in noisy listening conditions.
52. Johnson BT, HuedoMedina TB: **Depicting estimates using the intercept in meta-regression models: the moving constant technique.** *Res Synth Methods* 2011, **2**:204-220.