

High-resolution Digital Outcrop Modelling of terretrial analogues for education on Planetary Geology

Gwénaël Caravaca, Stéphane Le Mouélic, V. Ansan, François Civet, Laetitia

Le Deit, Marion Massé, Nicolas Mangold

▶ To cite this version:

Gwénaël Caravaca, Stéphane Le Mouélic, V. Ansan, François Civet, Laetitia Le Deit, et al.. High-resolution Digital Outcrop Modelling of terretrial analogues for education on Planetary Geology. 4th Virtual Geoscience Conference, Sep 2021, Online, France. 2 p. hal-03922876

HAL Id: hal-03922876 https://hal.science/hal-03922876

Submitted on 26 Jan 2023 $\,$

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.



High-resolution Digital Outcrop Modelling of terrestrial analogues for education on Planetary Geology.

Caravaca, G.^{1,*}, Le Mouélic, S.¹, Ansan, V.¹, Civet, F²., Le Deit, L.¹, Massé, M.¹ & Mangold, N.¹

¹ UMR 6112 Laboratoire de Planétologie et Géodynamique, Université de Nantes, Université d'Angers, 2 Rue de la Houssinière, 44300 Nantes, France ² VR2Planets, 44322 Nantes, France

* gwenael.caravaca@univ-nantes.fr

Key words: Digital Outcrop Model, Virtual Reality, Photogrammetry, Virtual field-trip, Sedimentology, Planetary Geology.

Teaching in Planetary Geology relies both on remote data gathered by various probes exploring the solar system (orbiters, landers and rovers), and on the study of terrestrial analogues sites. Usually, a field-trip on selected outcrops is the most widely used approach. However, this cannot always be possible for various reasons, such as a far distance of the site, safety or accessibility issues, cost, etc.

To overcome these problematics, a complementary solution is progressively emerging thanks to 3D reconstruction and Virtual Reality (VR) techniques. Virtual field-trips can be organized using high-resolution 3D recreations of outcrops providing relevant analogues for Planetary Geology. Here, we specifically focus on the "Goldmine Beach" outcrop in western France (Pénestin, Morbihan), that displays a suite of fluvial siliciclastic sedimentary rocks and structures (VAN VLIET-LANOË *et al.*, 1997; BRAULT *et al.*, 2001) used as an analogue to Martian fluvial valley systems. Our objectives are to: 1) Produce a highly-resolved 3D photogrammetric model of the outcrop, 2) Evaluate the accuracy of the 3D model reconstruction process by comparing it with ground-truth measurements, and in particular by evaluating the accuracy of the reconstruction computed with limited conditions similar to the ones available from Martian rovers; and 3) Integrate the model within a VR system to allow our students to roam over and characterize at real scale the entire outcrop.

We made two Digital Outcrop Models (DOMs) of the "Goldmine Beach" outcrop using Structure-from-Motion photogrammetry. The first model was obtained using a set of photos taken following the usual procedure for photogrammetric reconstruction (fixed optical parameters, homogeneous lighting, maximum overlapping and coverage). It provides the maximum accuracy to allow our students a close mm-scale inspection of the outcrop and its structures. The second model was made using a "degraded" set of photos, analogue to the photos taken by the Mars Science Laboratory *Curiosity* rover (varying optical parameters – focal length, frame resolution –, heterogenous lighting, lower overlapping, non-optimal coverage). This second model has a good accuracy despite the degraded observing conditions (Fig. 1) and thus validate the creation of Martian DOMs produced from *Curiosity* data (e.g., CARAVACA *et al.*, 2020) in a controlled case.

The DOM was subsequently integrated within a VR environment (Fig. 2), using either SteamVR, Sketchfab online platform, or a game engine. In the VR environment, several students and a teacher can interact using real-time networked telepresence to observe, characterize and interpret the structures of the outcrop (Fig. 2a), including the most remote parts that are not accessible on the real outcrop (e.g., top of the cliff; Fig. 2b). Additionally, it is possible to "come back" to the virtual place at any time for further observations and get familiar with taught structures taking advantage of the online availability of the model on the Sketchfab platform (model available at: <u>https://skfb.ly/6WJrW</u>. VR has the potential to become a major part of our Geoscience lessons in the coming years for both remote planetary outcrops (Moon, Mars, etc.) and their terrestrial analogues.



Figure 1: Preview of the Goldmine Beach outcrop high-resolution DOM produced under Agisoft Metashape photogrammetry software and using an MSL/Curiosity-analogue photoset. The reconstruction includes the well-expressed fluvial sedimentary pattern on the upper part of the outcrop. DOM available on Sketchfab at: https://skfb.ly/6WJrW.



Figure 1: Screen capture of the Virtual Reality environment featuring the Goldmine Beach outcrop; a) VR avatar of a teacher pointing a structure of interest on the DOM. The hammer is modelled for scaling; b) Same VR teacher avatar pointing another structure from a remote place on top of the cliff, where access is prevented on the real outcrop.

References

BRAULT, N., GUILLOCHEAU, F., PROUST, J.N., NALPAS, T., BRUN, J.-P., BONNET & S., BOURQUIN, S., 2001. Le système fluvio-estuarien Pleistocène moyen-supérieur de Penestin (Morbihan): une paléo-Loire? *Bulletin de la Société Géologique de France* 172 (5), 563–572.

CARAVACA G., LE MOUELIC S., MANGOLD N., L'HARIDON J., LE DEIT L. & MASSE M., 2020, 3D Digital outcrop Model reconstruction of the Kimberley outcrop (Gale Crater, Mars) and its integration into Virtual Reality for simulated geological analysis. *Planetary & Space Sciences*, 182, 104808; DOI: 10.1016/j.pss.2019.104808

VAN VLIET-LANOË, B., BONNET, S., HALLÉGOUËT, B. & LAURENT, M., 1997. Neotectonic and seismic activity in the Armorican and Cornubian Massifs: regional stress field with glacioisostatic influence? *Journal of Geodynamics*. 24, 219–239.