







Specification process of a simulation platform for the MELiSSA project





Alexandre SOBAS MSc. Student **François CLUZEL** Assistant Professor



Franck MARLE Professor

Master Thesis

University Paris-Saclay, CentraleSupélec, Industrial Engineering Research Department (LGi) **In collaboration with ESA :** C. LASSEUR & C. AUDAS





Conference **MELISSA** 09/11/2022 2022

Specification process of a simulation platform for the MELiSSA project

- **1. Context** : Why MELiSSA needs a simulation platform ?
 - Existing work & Simulations needs
- 2. Audit : What are the needs and challenges ?
 - · Interviews & Audit synthesis
- **3. Literature review :** What can we learn from similar projects ? · LSS & Digital Tools for LSS
- 4. Gaps, proposals and perspectives : How can we improve the simulation specification process ?
 - · Simulation Request and Architecture


5. Synthesis & Conclusion

· Contributions & Next Steps



Context : Why does MELiSSA need a simulation platform ?





To better understand MELiSSA **performances**, especially in terms of **circularity**, we need a **global simulation platform**.

How can we **specify** this platform and extend it for **all terrestrial systems** in a **circular economy** perspective?

Extremely **complex closed loop** system, with many stakeholders

Context : Why does MELiSSA need a simulation platform ?



WHAT ALREADY EXISTS

Separate simulation models for each "Brick" with few interconnection between them and **different tools** (*Simulink, ProSim...*) Mainly **static**, no **control** laws



ALISSE (Advanced life support system evaluator)



Collects data from the simulation models, adds **control laws** and provides **7 metrics**. Very **specific** to MELiSSA, **complex to use** and does not cover the **entire** loop



ESA'S NEED


A dynamic simulator of the **entire MELiSSA Loop** :

- Compare diverse architectures /scenarios by computing their **circularity performance** (*Flows and Process*)
- Identify **limiting chemical components** (*What & When*) and the biological evolution
- Flexible : experts can add, remove and edit bricks
- Unique and interesting for every stakeholders
- Standard Platform able to adapt to **any circular economy systems,** including **terrestrial applications**




Audit : What are the needs and challenges ? Interviews with 5 experts from different fields





Stakeholders and Needs Mapping Operational Analysis (Simplified)


CUSTOMERS /
UsersPROVIDERS /
DevelopersSector
CentraleSupélecUniversité
PARIS-SACLAY




Detailed mapping available on request

Stakeholders and Needs Mapping Overall architecture of the simulation platform (Simplified)





MELiSSA Conference 2022 - Sobas, Cluzel, Marle



09/11/2022

MELiSSA Conference 2022 - Sobas, Cluzel, Marle

Audit Synthesis : What are the needs and challenges ?



Several projects and tools already exist:

- Building on **previous** work
- **Integrate** existing tools at the right level in the future platform

OSCAR ALISE VARSITY Various Integration of System Study

Multiple diverse stakeholders:

- Different **interests** and **objectives** (*Trade-off between precision / flexibility / useability*)
- **Various** domains and expertise (*Chemical engineering* / *Systems Engineering*/ *Control* / *CFD* / *LSS*)
- Specific Methods and **Tools**




Technical Challenges:

- Interface between the tools
- Dynamic closed loop : huge **stability** issues
- Adaptable to any circular economy systems, including terrestrial applications
- No similar commercial tool available

Human challenges:


- · Involve every stakeholders
- · Data Sharing



•

Literature review : What can we learn from similar projects ?






Definitions & References available on request

10

Literature review : What can we learn from similar projects ?

Space





09/11/2022

11

Literature review : Synthesis & Gap




Many LSS simulation platforms projects have failed in the past

- **Long-term programs** ≠ PhD projects
- **Technical complexity** of assembling numerous simulation models : diverse **methods and tools.**
- **Divergent expectations** and priorities between stakeholders.
- **Data sharing :** some actors may feel dispossessed of their work (*NASA Houston ELISSA example*).
- **Poor consideration of stakeholders' needs** during the specification phase: lack of interest at the end.

It is crucial to involve all stakeholders from the needs definition phase

Research gap in the field of **simulations specification and architecture**

- The **improvement** of existing **methods** can prevent MELiSSA from undergoing the same failures as similar projects
- Similar gap addressed by IRT SystemX (J.-P. Brunet et al., 2020; Sohier et al., 2019, 2021)



•

Gap : How to formalize simulation needs while ensuring traceability?

"Simulation Request" Process



- 1. Simulation **scope** & level of **detail** (*What part* ?)
- 2. Objective
- 3. **Quality, cost, and delivery** (fast or accurate?)
- 4. Test scenarios of the simulation
- 5. Data for simulation **calibration and validation**
- 6. Verification and validation **(V&V)** of the simulation

Results & Benefits

6

CentraleSupéleo

- Developed software tools to demonstrate their methods
- Linked system architecture (MBSE) with numerical simulations
- Formalizes the exchanges and requests between system and simulation architects
- Limits the loss of information and improve V&V
- Leverages **past** simulations

Gap : How to Support Simulation architecture ?




MIC : Model Identity Card (Göknur et al., 2015)



An Open-Source collaborative standard


- Simplify simulation models **specification**, **sharing** and **reusing**
- Standardized interfaces definition
- Helps to assemble multi-disciplinary, multi-actors
 & multi-domain simulation models
- List **key information** for characterizing simulation models with an **XML format** (*software tool*)
- Improve **traceability** with system requirements



Gap : How can we improve the simulation specification process ? **2 Different processes**







SET Level

Credible Simulation Process (Heinkel, 2021)

A method for the high-level project manager

Overview of an optimal sequential process for developing a simulation (roles, resources)

Proposal : Comparison of Simulation Specification Methods





Credible Simulation Process (2021)

- Useful for the manager to have an overview of an optimal sequential process
- Identify Roles, expertise, inputs, outputs required at each step

BUT

- Very **generic** / conceptual
- Requires **experience** to apply it



Simulation Request Process (2021)

- Detailed steps
- Strong traceability with system requirements, architecture and simulation needs
- Software Tooling

BUT

- Depends on custom tools
- Requires highly detailed System Architecture (MBSE preferred)



MIC : Model Identity Card (2020)

- Standardization of simulation architecture
- Improves connectivity between models (interface definition through XML)

BUT


- Requires a strong simulation
 expertise
- Must be filled in by the simulation architect in a **dedicated tool**

Difficult to apply fully in our academic context, but relevant for MELiSSA


Proposal : Creation of Simplified PowerPoint Templates Summarizes documents and interviews in a few slides (overview)



Credible Simulation Process



System× Simulation Request Process







MIC : Model Identity Card

	General Information	Integration	Content & Computation	Ports, internal variables, and parameters	Verification & Validation
Card	Name Biorat gas cycle model	Software	Modelling choice	Ports	Test
	Bescription Represents the gaz exchanges (CD2 & C2) within Bierd and	Language Sittutink VX	Explicative text Modellingchoice / hypothesis /	Variable Name, description, type, anit, default volue, hovor, Valisity Domain Part Name, description, port	Method Desk Checking, Turing Test, Graphical Comparisons
		File Format	limits explained in natural language		
		Required simulation tool Matico	Formalization Model: Field: :Modelling.choice explosioned in natural language Type of choice Time scale of the phenomenon : strendy or transient		Decumentation Testprocedure, Test results
	Owner UCA	Required compiler			
ntity	Life cycle state	Required OS Windows		Internal Variable	Metric
Ide	Specification	Other SW requirements		Internal variable Similar to ports	Name FideSty, occurocy
MIC: Model	Version	Reference Hardware and performance	Behaviour Behaviour specification Documentation of the model	Group of internal variables Similar to ports	Score Score obtained by the simulation model for a given matric
	Version Date		Model Type Discrete, continuous, Stochastic,		
	Confidentiality	Characteristics of the reference hardware CPU, RAM, GPU	Distantic	Parameters Parameter Similar to costs	
	License	Time factors (the time if takes to run the simulative model()(the simulated time)	Default Solver	Group of parameters Similar to ports	System×
			Step Size Ims		SET

Benefits

- Applicable to any complex systems: including MELiSSA and Circular Economy
- Allow stakeholders to compare methods and adapt them to their needs
- Optimize collaboration, needs & simulation architecture definition : "Top Down" approach
- Move Towards : standardization, connectivity, traceability, and digital continuity

Perspectives

- Customize the templates for Circular Economy features (*budget*) and indicators
- Application of the methods by the **experts**

- BUT : the simulation platform remains technically very complex (dynamic closed loop)
- This methodological support is only part of the answer

Synthesis & Conclusion

Proposals to ESA and stakeholders

State of the art

- Existing LSS/simulation tools
- · Criticalities & challenges

Mapping of the industrial audit

- Interviews synthesis
 - 3 layers: support **communication** and **decision making**
 - Gap identification

Comparison of 3 methods/tools to help specify the simulation platform and architecture

- Advantages/Limits
- Templates proposal
- Perspectives



Next Steps

Improve industrial audit

- Interview additional **stakeholders** (*MPP, THALES, EnginSoft, Circular Economy...*)
- Update the Mapping

Select with experts which methods could be applied

- Work with SETLevel & IRT SystemX to adapt their methods to the project (Supported by the templates)
- Implement Circular Economy aspects (MFA, C-Indicators...)
- Simulate circularity performances (material and energy flows...)
 Dr. Cluzeve p







用而已是法常





THANK YOU.

www.melissafoundation.org

Follow us f in Y D

Additional information available on request & in the Master Thesis report



Alexandre SOBAS MSc. Student <u>alexandre.sobas</u> @student-cs.fr



François CLUZEL

francois.cluzel

@centralesupelec.fr



Franck MARLE <u>franck.marle</u> @centralesupelec.fr