

World heritage: inventory of earthen architecture

Yeonjung Kim, David Gandreau, Leticia Delboy, Thierry Joffroy

▶ To cite this version:

Yeonjung Kim, David Gandreau, Leticia Delboy, Thierry Joffroy. World heritage: inventory of earthen architecture. CRAterre-ENSAG, 318 p., 2015, 978-2-906901-81-0. hal-04014018

HAL Id: hal-04014018

https://hal.science/hal-04014018

Submitted on 3 Mar 2023

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.







United Nations
Educational, Scientific and

Organisation des Nations Unie pour l'éducation la science et la cultur World Heritage

Convention du patrimoine mondial

WORLD HERITAGE

Inventory of earthen architecture



WHEAP
WORLD HERITAGE EARTHEN ARCHITECTURE PROGRAMME



United Nations Educational, Scientific and Cultural Organization

> Organisation (des Nations Unies c pour l'éducation r



Heritage
Convention
Convention
du patrimoine

WORLD HERITAGE

2014 WHEAP

WORLD HERITAGE EARTHEN ARCHITECTURE PROGRAMME



















AUTHORS, CONTRIBUTIONS & ACKNOWLEDGEMENTS

This updated document has been prepared by **CRAterre-ENSAG**

Yeonjung Kim, David Gandreau & Leticia Delboy

Edited by

Thierry Joffroy

With contributions by

Lorna Abungu, Christian Belinga, Yann Damiani, Hubert Guillaud, Soheil Hajmirbaba, Terry Little, Sébastien Moriset & Etienne Samin

Graphic design

Arnaud Misse & Alba Rivero Aedo

This study has been undertaken with contributions by all the partners of the World Heritage Earthen Architecture Programme:

- . UNESCO World Heritage Centre
- . CRAterre
- . ICOMOS / ISCEAH
- . ICCROM
- . EPA
- . CHDA
- . CERKAS

It has also benefited from the effective contributions of all World Heritage property managers who filled out and returned the questionnaires sent to them.

Special thanks for their financial support go to:

The French Ministry of Culture and Communication under the France-UNESCO Cooperation Agreement ENSAG and Labex AE&CC

We want to more specifically thank:

Mr. Francesco Bandarin, Assistant Director-General for Culture, UNESCO

Mr. Kishore Rao, Director of World Heritage Centre, UNESCO Mr. Lazare Eloundou, Head of the Africa Unit, World Heritage Centre, UNESCO, responsible for WHEAP

The Heads of Regional and Special Projects Units at the World Heritage Centre,

Ms. Véronique Dauge, Mr. Feng Jing, Ms. Petya Totcharova, Ms. Nuria Sanz, Mr. Guy Debonnet,

Ms. Karalyn Monteil, Assistant Programme Specialist Africa Unit.

The Department for European and International Affairs at the Direction Générale des Patrimoines, Ministry of Culture and Communication, France-UNESCO Cooperation Agreement, Mr. Bruno Favel, Ms. Véronique Dez and Ms. Caroline Gaultier Kurhan,

Mr. Jean Michel Knop, Director of ENSAG Mr. Majid Hajmirbaba, Ms. Marina Trappeniers and Ms. Bakonirina Rakotomamonjy, CRAterre-ENSAG, Mr. Sayed Khalili and Mr. Mohamad Al Jawar, ENSAG,




















Contents



Introduction

Earthen architecture is one of the most original and powerful expressions of our human ability to create a built environment using locally available resources. It includes a great variety of architectural and urban manifestations, ranging from simple houses to palaces, from granaries to religious buildings, and further to historic city centres, cultural landscapes, and archaeological sites. The evidence of its cultural importance throughout the world has led to its consideration as a common heritage of humankind, therefore deserving protection and conservation by the international community.

Earth architecture plays a vital role in defining the identity of local communities, involving sustainable building techniques and often conveying true artistic expression. There is a growing interest in its ability to contribute to social, ecological and cultural development. However, earthen architecture is increasingly affected by natural and human threats, including floods and earthquakes, damage caused by industrialization, urbanization, modern building technologies, disappearance of traditional conservation practices, etc. It is thus not surprising that about ¼ of sites included in the World Heritage List of sites in Danger are earthen sites.

This situation has allowed to highlight the need for the international community to focus on the safeguarding of the most outstanding earthen heritage around the world and to acknowledge its significant role as a vector for social improvement as well as its great potential for contributing to poverty alleviation.

In 2008, the World Heritage Programme on Earthen architecture (WHEAP) was launched as an initiative to address pressing concerns through the development of policies for the conservation, revitalisation and valorisation of earthen architecture properties, enhancing capacities at the regional, national and site levels for both management authorities and technical experts.

This document plays an important role within the WHEAP programme. In addition to the inventory of earthen architecture properties inscribed on the World Heritage List, it presents a synthesis of the data concerning the types and modes of construction of all sites, and the results of a survey undertaken in collaboration with site managers. This information is very useful for fine-tuning the orientations of the WHEAP programme an as a resource for professionals interested or involved in the study and conservation of earthen architecture and, furthermore, for those living in earth.

As the World Heritage List constantly evolves with new properties being inscribed, this basic tool needs to be updated on regular basis. The present edition, made by the end of 2014, is an update of the first version prepared in 2011 for presentation at Terra 2012 in Lima, therefore including the properties inscribed in 2012, 2013 and 2014.

Methodology & unfolding of the inventory project

Background

In 2007, after consultation with international and (sub) regional experts, an initial list of 106 properties built with earth and inscribed on the World Heritage List had been elaborated.

In 2010, this first list was updated by reviewing all the properties on the List. This was done by identifying, for each property, the presence or absence of earth materials, based on information available online, mainly on the WHC website, and through documentation available at CRAterre. Thus, a list comprising 135 properties was established, that would later be redefined.

In order to verify the information gathered, an investigation was launched in collaboration with the managers of these sites. For the vast majority of sites, the data could be checked and better defined. However, some of the data remained a bit too vague, which was confirmed through a cross-checking done by presenting this preliminary inventory to various heritage experts from the 5 major regions covered. In the meantime, several new properties were inscribed in the prestigious World Heritage List.

Necessary updates

With the aim to develop a more accurate document, a first important updating work was conducted in 2011, leading to the new inventory of 150 properties for which the information on the structural elements involved and the construction techniques used was verified.

A similar exercise has been undertaken by the end of 2014 allowing the inclusion of both the new properties that have been inscribed in 2012, 2013 and 2014 and few ones that have been identified as missing in the 2012 list, either by their site managers or by scholars of various origin. These updated data are presented in this document with, for each site, a summary of its outstanding universal value, a brief description of the items actually made from earth materials as well as the description of the construction technique(s) employed.

Information on the state of conservation of these sites and the key issues as determined by site managers was also included. The amount of responses to the questionnaires sent is not sufficient to obtain fully comprehensive data results at this point. However, the proportion of sites for which information has been collected allows to get a fairly reliable overview of the current situation and take stock of the priorities shared by property managers, both worldwide and by geographic region (geographic division by UNESCO).

Here, the update of 2014 has simply been made by adding the information that could be collected from the site managers for the new sites identified (10 out of the additional 23).

Inventory of properties built with earth on Tentative Lists

In parallel to the main inventory, a work of identification was also made in 2012 for properties submitted on Tentative Lists. These lists were including a total of 1,537 cultural or mixed properties. For 167 of them, it is possible that the presence of earth materials is already confirmed (see Appendix 2), but the study must be completed as it is estimated that around 700 of these sites could qualify as "World Heritage" at some point.

Criteria for the classification of "earthen heritage"

Inventories are intended to be as thorough as possible. Also, properties were selected when earth materials were used in:

- Load-bearing walls (different techniques, rammed earth, adobe, cob, hand shaped earth);
- Mortars, in stone or burnt brick walls;
- Fillings for wooden structures, mainly as part of "wattle and daub" constructions, with many variations;
- Roofs and floors, often in conjunction with wooden load-bearing structures;
- Coatings and paints, exterior or interior;
- Extensive landscaping works requiring specific engineering solutions.

However, properties with the following characteristics were not selected:

- Properties in which earth is not used specifically for the intrinsic properties the material has to offer in terms of cohesion, compressive strength, water resistance, etc. (e.g. earth fillings as part of foundations and wall bases, which would have lead to the inclusion of most built properties in the inventory);
- Properties where the main use for earth is agricultural (e.g. The Rice Terraces of the Philippine Cordilleras).

A questionnaire

In 2010, several meetings took place within CRAterre team and, in collaboration with World Heritage Centre and ICOMOS-ISCEAH colleagues, a questionnaire was developed and further structured into four main themes:

- I Types and methods of construction
- II Current status of the property
- III Threats affecting the property
- IV Priorities for action

The questionnaire was deliberately simplified and limited to three pages so that it could be completed in 20 to 30 minutes, in hopes of achieving as many returns as possible. The questionnaire was made available in French, English and Spanish.

In 2011, for this purpose, site manager addresses were verified, and updated lists were provided by the World Heritage Centre. Forms were sent to all site managers or to national focal points. This important mobilization had allowed to gather a total of 78 filled questionnaires, representing more than 50% of the properties concerned. In 2014, 10 responses out of 23 questionnaires were received (43%), which in all, makes a total of 88 questionnaires received out of 173 (51%).

Inventory conclusions

As the questionnaires were being sent, a reflection was conducted on how to offer a different valorisation of the collected data and especially a more systematic and consistent presentation of each property (description, accuracy in terms of earth content). Also, an Excel summary was made in order to proceed to the calculation of statistics. That has made very easy the 2014 update. Finally, the existing photographic collection was fully updated. From a compilation of 963 pictures that were made available online, the 2014 update now comprises 1023 pictures.

In all, of the 173 properties selected, 88 questionnaire forms were returned by property managers or national focal points, amounting to a total of just more than 50% (88 out of 173 questionnaires = 51%).

This relatively low result can partly be explained by the fact that some of the site managers do not feel concerned by this study. Some may have considered that the property under their responsibility does not include enough earthen components, or that it should not be considered as being a major earthen architecture site. Despite efforts made in recent years, it still appears that earth is not always recognized as an important element of heritage. Let it be noted that, on some archaeological sites, built elements in earth were sometimes entirely removed, leaving only scanty traces (as is the case with the upper terrace of the palace of Persepolis).

For the more technical questions (types and methods of construction, types of properties, historical period, inscription criteria) information was obtained for all sites (from nomination dossier, it is often easy to get the information), thereby providing accurate statistics, even though questionnaire were not received back from the site managers.

Regarding the conservation status, the threats and the priorities for action, resulting statistics reflect the situa-

tion for a bit more than a half of the properties included in the inventory, with significant regional differences:

- Africa: 88% returns
- Europe & North America: 56% returns
- Latin America & the Caribbean: 63% returns
- Asia & the Pacific: 35% returns
- Arab States: 40% returns

So, even if the statistical results offer a general view of the state of properties and of the main concerns of site managers, the analysis does not claim to be an exact representation, mainly within the Arab States and Asia and the Pacific regions, and to some extent in Europe and North America. The African region, however, was particularly well covered and we note the positive impact of the Africa 2009 programme as far as the recognition and consideration of the heritage values linked to earthen sites.

We also observe that for this latest update (2014), there has been full response from Africa, but also from Latin America, when there was also good progression from Arab state. That appears to correspond to countries for which the role of UNESCO and ICCROM is probably more important, though professional who give more importance to keeping good relationship with international organisations.

Results & analysis

THEME 1:

Types and methods of construction

We also note that these statistics show primarily how the properties are perceived by the site managers themselves. The responses given directly by those in charge of the sites are of great interest and value. However, the subjectivity in some responses is to be taken into consideration as well.

Classification

The properties concerned are very diverse, with 14 types represented (Icomos criteria), and for certain properties, several categories apply. The fact that some of the sites are classified according to one category (e.g. Chan Chan Archaeological Zone, Peru / 1 category) while others fall into several categories (e.g. Cultural Landscape and Archaeological Remains of the Bamiyan Valley, Afghanistan / 9 categories) is to be taken into consideration.

Globally, historic ensembles (49%), archaeological sites (46%) and urban settlements (43%) are the most represented sites. We also note the importance of historic buildings (37%), religious properties (34%) vernacular architecture (26%), and cultural landscapes (22%).

Results are more specific and often more contrasted within the different regions:

- LATIN AMERICA AND CARIBBEAN: strong majority of historic (69%) and urban settlements (50%). Aside from archaeological sites (33%), other types of properties are a minority.
- ARAB STATES: vast majority of urban settlements (74%), with a strong proportion of historic and archaeological sites, historic buildings and historical monuments (38% for each category), historic ensembles (45%), and religious buildings (26%).

- ASIA AND THE PACIFIC: strong majority of archaeological sites (75%), importance of religious properties (54%), historic buildings (53%) historic ensembles (45%) and routes (43%), and especially a generally less contrasted distribution of typologies.
- EUROPE AND NORTH AMERICA: there is a lesser complexity, with fewer categories for each site. Though this is the region where the inscription of new sites has brought about a very important change. In 2012, it was noted that rural settlements abounded (38%), followed by categories related to history such as historic ensembles and urban centers (both 35%), and archaeological sites (30%). With the last update, archaeological site have come to 47%, when historic ensembles are 39%, urban settlements 35% and rural settlements now come last, with only 33%.
- **AFRICA:** whereas the cultural landscape category is very poorly represented in other regions, here it reaches 56%, with similar results for vernacular architectures and historic buildings. Historic ensembles (50%), religious properties (44%) and archaeological sites (38%) are also strongly represented.

Criteria for inscription

Almost three quarters (74%) of the properties were inscribed by taking into account criterion IV (to be an outstanding example of a type of building, architectural or technological ensemble or landscape which illustrates (a) significant stage(s) in human history) which

does refer to a specific building typology and therefore suits one of the specificities of earthen sites.

Criteria II (to exhibit an important interchange of human values, over a span of time or within a cultural area of the world, on developments in architecture or technology, monumental arts, town-planning or landscape design), and III (to bear a unique or at least exceptional testimony to a cultural tradition or to a living civilization or one that has disappeared), are also quite directly associated as being a major characteristic of earthen properties. They each have been used to justify more than half of earthen site inscriptions. (criteria II : 53%, criteria III : 57%)

Other criteria are significantly less represented. A particular remark seems necessary for criterion I (to represent a masterpiece of human creative genius) which, in this inventory, refers to a specific art of building applied to 39 sites, amounting to 23% of the 173 properties.) This is relatively small if we consider the amazing and varied results obtained through the use of earthen materials in buildings around the world., though it appears that there is an important change for this type of consideration as in 2012, that concerned only 22 out of the 150 sites inventoried, amounting to nearly 15% of properties.

Earthen construction is not necessarily the key factor that led to the inscription of the 173 properties identified. In most cases, the presence of earth materials within the properties has to do with a specific knowhow that helped meet the needs of local populations in a given period.

One exception would be Koutammakou in Togo (Africa), that was inscribed through criterion VI (among others), in direct reference to the art of building with earth as expressed by the Batammariba ("those who shape the earth"). However, a clear reference to specific qualities associated to earth was expressed for twenty sites.

Building techniques

Today's available data being almost complete, we know that adobe construction techniques are the most commonly used on listed sites (49%), mainly in the regions of Asia and the Pacific (66%), Latin America and Caribbean (60%) and at a lower rate in Europe and North America (21%).

We note that in 39% of cases (44% in Latin America and Caribbean, and 50 % in Arab States), managers indicate the fact that earth materials are used otherwise than in the four main techniques: rammed earth / adobe / wattle and daub / cob. This high rate shows the wide range of earth building techniques and the need to properly take into account regional variations in construction techniques, which often bear a local name (Ex. quincha in Brazil).

Cob is not very present (8% in total only)still in four out of five regions, with a fairly important proportion in

Africa (24%). Conversely, rammed earth is completely absent in Africa. These results hide other significant differences within regions (e.g. no rammed earth in North America), but also clearly illustrate the ways that earth can be adapted to different technical, social, cultural and environmental constraints.

Finally, most properties involve the use of two or three construction techniques, offering different expressions of the use of earthen materials. But this is not the case in Europe and North America where, with few exceptions, each property is linked to one single building technique.

Proportion of earth in properties

The current inventory includes 30% of properties for which earthen materials represent more than three quarters of constructions. In Africa and the Arab States, this amounts to respectively 47 and 37% of the properties while in Latin America, Asia and the Pacific and Europe and North America, proportions correspond to 14, 24 and 27%, respectively.

For 24% of the properties, earth materials represent less than a quarter of constructions. This situation is most common around Europe and North America (54%) but also in Latin America (33%). This illustrates the fact that more building typologies in these regions involve the use of other types of locally available building materials.

THEME 2:

Current status of the property

Location of earthen materials

In general, earth was primarily used to build walls as shown in 58% to 90% of sites (lower percentages in Europe and North America).

In about half the properties, earth was also used in mortars, brick walls and other types of structures (lower percentages in Europe and North America of only 33%).

Another predominant use of earth involved floors, ceilings and flat roofs (between 31% and 42% of sites).

Lastly, in nearly one third of sites, earth was used to create interior and/or exterior decorations, mainly in two regions: the Arab States and Africa, the latter featuring a considerable percentage of sites, 41%, with interior decorations and 53% of sites with exterior decorations made with earth materials.

Use of property

Overall, we find a large proportion of sites whose original use has remained the same (53%), and also a high proportion of properties whose use has changed or evolved over time.

This situation is more pronounced in the Arab States and in Africa, with 67 and 62% of such sites, and with a lower percentage of properties whose use has evolved in time: 25 and 18%.

The evolution of the use of properties seems to be pronounced in Europe, Asia and America (North and South), with proportions of between 46 and 40%. Latin America stands out with a higher proportion of

properties that are no longer in use (36%), which is probably related to the strong presence of purely archaeological sites in the region.

Ownership

Most World Heritage properties are owned by the states (69%) and the rest belong to private entities. The Arab states region is characterized by a higher proportion of private properties (58%). In contrast, in Asia and the Pacific, almost all properties (89%) belong to the state.

Management

Property management is mostly institutional, with priority given to the role of the state (70%) and a relatively low proportion of sites managed at local levels. In line with the ownership of properties, the region of Asia and the Pacific stands out as the management

of sites is almost always ensured at the national level (84%), but this is also the case in Latin America (72%).

In line with the ownership of properties, the region of Asia and the Pacific stands out as the management of sites is almost always ensured at the national level (84%), but this is also the case in Latin America (72%).

Management Plan

Almost two third of the properties (63%) are under a management plan, a situation that is continuously evolving positively as properties recently nominated are required to have a management plan. In the future this proportion will become even stronger since management plans are being prepared for an extra 23% of properties.

Asia is ahead with 83% of properties under a management plan. Arab states are less well covered with only 33% of the properties under a management plan; however, this situation is changing (with an evolution of + 11% in 2010 and +13% in 2014) and will continue to change as management plans are said to be currently under preparation for 50% of properties.

Maintenance

The vast majority of properties benefit from regular maintenance, most of the time (63%) planned and implemented in an institutional framework.

THEME 3:

Threats

In many cases (35%), maintenance is implemented the traditional way, with a preponderance of such practices in Africa and Latin America and the Caribbean.

On the other hand, 16% of properties are not maintained regularly and this affects 14 out of the 88 properties considered. It is likely that this is also the case in properties for which we have not received a response, which could therefore mean that about thirty properties in total lack proper maintenance.

Degradation speed

Conditions are stable for over 30% of properties world-wide. For sites that are prone to degradation, degradation speed is generally considered rather slow and gradual.

In 10 properties included in this study (88 responses), the degradation speed is considered as fast and therefore the situation for those sites seems worrying.

In Sub-Saharan Africa, there are not (or no longer) any properties subject to rapid degradation, but the proportion of sites whose "stability" seems a bit compromised is relatively high (31%), and in progression. (20% in 2011)

In Latin America and the Caribbean, the proportion of "stable" sites is more important (36%). However, a fast degradation speed has been witnessed for 2 properties, probably at risk.

In Asia and the Pacific, degradation speeds are generally considered quite slow, but three properties are affected by fast evolving threats; on the other hand, five properties are well stabilized.

The situation seems better in Europe and North America, where more than half (57%) of the properties are stabilized with relatively slow degradation speeds, however, two properties are in a more difficult situation. If it is likely that this is the result of a better management of heritage assets (in terms of personnel and financial means); it is also worth noting that constructive typologies present in these regions are rarely subject to progressive deterioration.

In the Arab States, the vast majority of properties is subject to degradation phenomena, with a majority

of slow degradation processes. Two properties are considered as fully stabilized but one is particularly threatened.

Types of Threats

Worldwide, the strongest threats are related to a lack of available resources (technical as well as financial) that would be required to counteract the natural degradation phenomena affecting 52% of assets, and particularly the effects of climate change, to which 39% of the sites are subjected.

Unsurprisingly, the properties more affected are those located in developing countries.

A phenomenon that is not specific to earth construction, but that is also cited among the greatest threats, is the development of urban infrastructures (26%). Pollution, which probably affects the basic earth materials that could be used to restore properties, is also cited as one of the most important negative factors. Methodological deficiencies (respect of authenticity of heritage assets in interventions) and managerial insufficiencies (lack of management capacity, lack of a management plan) come third. A noteworthy aspect is the difficulty in respecting the intrinsic values of heritage

The need to adapt to today's living standards is also cited, but only comes in sixth position in the hierarchy of threats

properties, affecting 24% of the sites.

THEME 4:

Priorities for action

General evaluation and priorities / World

The results of the updated data is actually in continuity with those obtained in 2011, though it appears that an evolution can be felt in the wish for the site managers to better take into account the recommendations made by the World Heritage Committee, showing a positive impact of the proposed nomination process to access the World Heritage List. This evolution is peculiarly clear for the Arab State region with slight differences in the proposed priorities.

Evaluations provide rather mixed results, since most of the ratings are average (between 50 and 60% satisfaction rate). The most positive aspect is that in most cases (87%), the authenticity of the properties is considered as very satisfactory. Another noteworthy aspect is the recognition of the way that properties contribute, in one way or another, to local development, a situation that deserves some attention as it denotes the high potential of earthen heritage in such terms.

The least satisfying aspects are the provision of personnel and the lack of technical and logistical resources.

Then come aspects linked to education, the lack of support from policy makers, and inefficiencies in terms of legal protection, technical expertise and management, an insufficient valorisation of properties and finally the insufficient contribution of local populations.

Priorities of action for the programme

A high priority is given to all aspects linked to management. Requests deal primarily with management capacity building and the need to establish or review a management plan.

But another priority comes just behind, suggesting the urgent need to implement restoration works, get access to more resources (equipment) on the sites, but also the need to strengthen the capacities of artisans responsible for their implementation.

Demands focus next on the need to sensitize and raise the awareness of local populations.

In some cases, it is hoped that work be done to improve all aspects linked to the legal protection and/or the documentation of sites, and to a lesser extent to the promotion and valorisation of sites.

General evaluation and priorities AFRICA

As previously stated, Africa is the region for which the return of questionnaires was the most successful. This shows the possible impact of the Africa 2009 programme, positively affecting the relationship between property managers and UNESCO (and its partners), and the extent of their confidence in the effectiveness of capacity building programs at the international level.

The situation of properties in Africa is similar to that of the world, but with an increased variation in their assessment, either positively or negatively.

The situation is considered critical in terms of the available resources, both technical and financial, but also human.

However, some specificities for this region can be noted, particularly with regard to the quality of conservation works carried out on the sites, perceived as positive and fairly well controlled, arising from the fact that in many cases there is good continuity in traditional practices, both in the construction but also in the maintenance of existing buildings. This overall positive assessment conceals a few disparities and it should be noted that some of the properties in the region are less well off.

Aspects in connection with the need to make properties more useful and better define their social role were also

pointed out, with deficiencies noted as far as the contribution of heritage properties to local development and the need for more education activities around the sites, as well as their recognition and their valorisation.

Priorities of action

A high priority is given to the need to improve the documentation of properties, which in the African context do not only include the physical aspects of heritage, but also what is related to intangible heritage, particularly the knowledge and know-how linked to construction and maintenance.

Needs were also expressed for a significant improvement to reinforce intervention capacities. These improvements are deemed necessary first regarding the strengthening of operational capacities to carry out restoration works, then in terms technical means and finally to ensure a better involvement of local populations and their representatives.

Moreover, even though great efforts have already been made as part of the Africa 2009 programme, there is a general acknowledgement of the value of management plans and their proper preparation as well as the needs to reinforce of capacity building and property management resources.

In almost one third of the cases, weaknesses are recognized in the legislative framework, and reinforcements are expected.

General evaluation and priorities ARAB STATES

Properties are rather well known and properly documented. It is estimated that the authenticity of this heritage is high and that the properties are in fairly good condition. Technical interventions and their sustainability are judged satisfactory as well.

Another point considered as very positive is the contribution of these assets in local development. However, properties seem little if at all used for educational purposes.

If the management of sites appears to be acceptable, stronger emphasis is made on the lack of sufficient resources and equipment than it is on staff issues. Participation of local populations also appears quite low.

There is also a lack of support from decision makers, mainly at local levels, and weaknesses in terms of protection, with legal frameworks considered as weak, probably not enabling the proper control of developments (implementation of buildings, infrastructures...) around the sites.

Finally, properties seem widely underused in educational activities.

Priorities of action

Two main priorities have been revealed.

First, is the need for the establishment of more effective legal and administrative frameworks. Second, is the need to reinforce management capacities, with specific focus on management at site(s) and a significant feeling a need to revise (or produce) management plans.

Such initiatives would allow to create closer links with local communities and stakeholders, and to better establish plans for an enhanced valorisation of properties and a better contribution to education.

Still the following main priorities concern the desire for can increased capacity for conservation interventions. Conservation work is considered needed on 38% of the properties. Beyond the requirements for a better qualification of executives / managers, it is hoped that the resources available can be strengthened, and that local populations are better integrated into the conservation process.

The needs for training craftsmen have also been recognized, probably through alternative modes of transmission of traditional knowledge.

Finally, documentation gaps need to be resolved and have probably been a little underestimated, namely in relation to intangible aspects (know-how, production of materials...).

General evaluation and priorities ASIA & THE PACIFIC

Results suggest a much higher level of satisfaction as compared to other regions, which should probably be taken into account, at least to some extent. However, it should be noted that this region has benefited from several ambitious projects as part of the Central Asian Earth programme, especially on the 3 properties in Turkmenistan.

Among the weakest points noted, the insufficient qualification of technical staff, logically accompanied by an average sustainability of implemented technical solutions, goes along with the weaknesses noted at the institutional, legal, technical and human resources levels.

The promotion and valorisation of properties should be further developed as well.

Conversely, the overall condition and authenticity of properties is considered as very good. Documentation issues and the proper use of education and local development potentials are also fairly widely perceived as satisfactory. However it is also recognized that too little is done for the promotion and enhancement of properties.

Priorities of action

The key priority is the implementation of conservation

works, which should probably go hand in hand with sustained efforts to strengthen the capacities of the staff in charge of properties, in terms of equipment and qualification, while also recognizing that it would be useful to reinforce the capacities of planning and management professionals.

In this perspective, the need to prepare or revisit the management plan of properties is also noted, almost systematically.

Such exercises are also a good opportunity to improve sensitization efforts aimed at local populations, as well as the legal protection, promotion and valorisation of properties.

General evaluation and priorities EUROPE AND NORTH AMERICA

If we compare results in this region to world results, a rather unsatisfactory situation is expressed, which we may need to relativize by taking into account a different perception of realities and higher expectations.

The state of conservation of properties is considered as insufficient, which may be related to the lack of staff, but especially, and more specifically, to the lack of knowledge and specialized personnel that could implement better adapted strategies and restoration techniques.

The contribution of properties to local development and their general usefulness are deemed as quite satisfactory, with a fairly good level of participation of the populations living in or near the site, and numerous educational activities developed locally.

These properties, found to be authentic also deserve to be better documented which would also enable the development of more educational activities.

Priorities of action

In this region, the main need is the documentation of the properties considered (fully or partially). It is indeed likely that in the majority of properties, earth has long been considered a secondary element, with lesser value, and that it still lacks recognition. This is also reflected in terms of the need for the capacity building of professionals, which came in second place and applies to both the conservators and the technical staff. Gaps were also notes concerning the technical means available (offices, equipment).

Work to fill gaps in existing management plans and to ensure their revision is also expected. This would also allow to address promotion and valorisation needs that have also been expressed.

General evaluation and priorities LATIN AMERICA & CARIBBEAN

Great satisfaction is expressed regarding the authenticity, documentation and promotion of sites, together with a proper use of sites for educational purposes.

There is also a generally good perception of management capacities and the implementation of adapted strategies, which may seem a bit contradictory with the appreciation of conservation results and the challenges faced as conservation works lack sustainability, falling below the world average.

The contradictions that emerge from these results are largely due to the strong duality of sites present in Latin America, urban settlements and historic archaeological sites, which face very different preservation and conservation challenges.

Priorities of action

Latin American site managers tend to reinforce the expression of a strong need (58% of sites) for the establishment and revision of management plans, accompanied by a request, again widely shared, to strengthen their own capacities (approximately 50%) both in terms of management and operational conservation practices (craftsmen, local stakeholders).

Well aware of the trends and directions given at the international level, it is also quite widely recognized in

this region that the success of conservation works very much depends on the way they are presented to and shared with local populations, and so the need for sensitization and awareness campaigns is also put forward (45%).

The reinforcement of effective capacity building strategies is also perceived as necessary in more than one third of the sites, and it is also hoped that working conditions can be improved (equipment).

Only in some cases, it is recognized that efforts should be made to reinforce legal protection systems and to improve the promotion and documentation of sites.

.



Earthen architecture in the World, list of properties, map and statistics

List of properties built with earth inscribed on the World Heritage List

173 PROPERTIES (2014)

AFRICA

- **01** BENIN: Royal Palaces of Abomey
- **02** BURKINA FASO: Ruins of Loropéni
- **03** ETHIOPIA: Harar Jugol, the fortified historic town
- 04 ETHIOPIA: Lalibela
- **05** GHANA: Asante Traditional Buildings
- **06** MADAGASCAR: Royal Hill of Ambohimanga
- 07 MALI: Cliff of Bandiagara (Land of the Dogons)
- **08** MALI: Old Towns of Dienné
- 09 MALI: Timbuktu
- 10 MALI: Tomb of Askia
- **11** MOZAMBIQUE: Island of Mozambique
- 12 NIGER: Historic Centre of Agadez
- 13 NIGERIA: Osun-Osogbo Sacred Grove
- **14** NIGERIA: Sukur Cultural landscape
- 15 SENEGAL: Bassari Country : Bassari, Fula and Bedik Cultural Landscapes
- 16 TOGO: Koutammakou, the Land of the Batammariba
- 17 UGANDA: Tombs of Buganda Kings at Kasubi

- 12 MAURITANIA: Ancient Ksour of Ouadane, Chinguetti, Tichitt and Oualata
- **13** MOROCCO: Archaeological Site of Volubilis
- **14** MOROCCO: Historic City of Meknes
- **15** MOROCCO: Ksar of Ait-Ben-Haddou
- **16** MOROCCO: Medina of Fez
- 17 MOROCCO: Medina of Marrakesh
- **18** MOROCCO: Rabat, Modern Capital City: a Shared Heritage
- **19** OMAN: Bahla Fort
- 20 SAUDI ARABIA: At-Turaif District in ad-Dir'iyah
- 21 SAUDI ARABIA: Historic Jeddah, the Gate to Makkah
- 22 SYRIA: Ancient City of Damascus
- 23 TUNISIA: Archaeological Site of Carthage
- 24 TUNISIA: Medina of Sousse
- 25 TUNISIA: Medina of Tunis
- **26** TUNISIA: Punic Town of Kerkuane and its Necropolis
- 27 UNITED ARAB EMIRATES: Cultural Sites of Al Ain (Hafit, Hili. Bidaa Bint Saud and Oases Areas)
- 28 YEMEN: Historic Town of Zabid
- 29 YEMEN: Old City of Sana'a
- **30** YEMEN: Old Walled City of Shibam

S ASIA & THE PACIFIC

- 01 ALGERIA: Kasbah of Algiers02 ALGERIA: M'Zab Valley
- **03** BAHRAIN: Pearling, Testimony of an Island Economy
- 04 BAHRAIN: Qal'at al-Bahrain Ancient Harbour and Capital of Dilmun
- **05** EGYPT: Ancient Thebes and its Necropolis
- 06 EGYPT: Memphis and its Necropolis the Pyramid Fields from Giza to Dahshur
- **07** IRAQ: Ashur (Qal'at Shergat)

ARAB STATES

- **08** IRAQ: Erbil Citadel
- 09 IRAQ: Hatra
- 10 IRAQ: Samarra Archaeological City
- 11 LIBYA: Old Town of Ghadamès

- **01** AFGHANISTAN: Cultural Landscape and Archaeological Remains of the Bamiyan Valley
- **02** AFGHANISTAN: Minaret and archaeological remains of Jam
- 03 CAMBODIA: Angkor
- **04** CHINA: Ancient City of Ping Yao
- **05** CHINA: Capital Cities and Tombs of the Ancient Koguryo Kingdom
- **06** CHINA: Classical Gardens of Suzhou
- **07** CHINA: Fujian Tulou
- **08** CHINA: Historic Ensemble of the Potala Palace, Lhasa
- **09** CHINA: Mausoleum of the First Qin Emperor
- 10 CHINA: Mogao Caves

- 11 CHINA: Mount Wutai
- 12 CHINA: Old Town of Lijiang
- 13 CHINA/KAZAKHSTAN/KYRGYZSTAN: Silk Roads: the Routes Network of Chang'an-Tianshan Corridor
- 14 CHINA: Site of Xanadu
- 15 CHINA: The Grand Canal
- **16** CHINA: The Great Wall
- 17 CHINA: Yin Xu
- 18 INDIA: Churches and convents of Goa
- 19 IRAN: Bam and its Cultural Landscape
- **20** IRAN: Golestan palace
- 21 IRAN: Masjed-e Jamé of Isfahan
- 22 IRAN: Meidan Emam, Esfahan
- 23 IRAN: Persepolis
- 24 IRAN: Shahr-i Sokhta
- 25 IRAN: Shushtar historical hydraulical system
- **26** IRAN: Soltaniyeh
- **27** IRAN: Tabriz Historic Bazaar Complex
- **28** IRAN: Takht-e Soleyman
- 29 IRAN: Tchogha Zanbil
- **30** IRAN: The Persian Garden
- 31 JAPAN: Buddhist Monuments in the Horyu-ji Area
- **32** JAPAN: Himeji-jo
- 33 JAPAN: Historic Monuments of Ancient Kyoto (Kyoto, Uji and Otsu Cities)
- 34 JAPAN: Historic Monuments of Ancient Nara
- **35** JAPAN: Historic Villages of Shirakawa-go and Gokayama
- **36** JAPAN: Itsukushima Shinto Shrine
- 37 JAPAN: Shrines and Temples of Nikko
- **38** KOREA (RPD): Complex of Koguryo Tombs
- **39** KOREA (RPD): Historic monuments and Sites in Kaesong
- **40** KOREA: Changdeokgung Palace Complex
- 41 KOREA: Gyeongju Historic Areas
- **42** KOREA: Haeinsa Temple Janggyeong Panjeon, the Depositories for the Tripitaka Koreana Woodblocks
- 43 KOREA: Historic Villages of Korea: Hahoe and Yangdong

- **44** KOREA: Jongmyo Shrine
- 45 KOREA: Namhansanseong
- **46** KOREA: Royal tombs of Joseon dynasty
- 47 KOREA: Seokguram Grotto and Bulguksa Temple
- 48 MYANMAR: Pyu Ancient Cities
- 49 NEPAL: Kathmandu Valley
- 50 PAKISTAN: Archaeological Ruins at Moenjodaro
- 51 SRI LANKA: Old town of Galle and its fortification
- 52 TAIIKISTAN: Proto-urban site of Sarazm
- 53 THAILAND: Historic Town of Sukhothai and Associated Historic Towns
- 54 TURKMENISTAN: Kunya-Urgench
- 55 TURKMENISTAN: Parthian Fortresses of Nisa
- 56 TURKMENISTAN: State Historical and Cultural Park "Ancient Merv"
- 57 UZBEKISTAN: Historic Centre of Bukhara
- **58** UZBEKISTAN: Historic Centre of Shakhrisyabz
- **59** UZBEKISTAN: Itchan Kala
- 60 UZBEKISTAN: Samarkand, crossroad of cultures

EUROPE & NORTH AMERICA

- **01** ARMENIA: Cathedral and Churches of Echmiatsin and the Archaeological Site of Zvartnots
- **O2** AZERBAIJAN: Walled City of Baku with the Shirvanshah's Palace and Maiden Tower
- 03 CANADA: The Landscape of Grand Pré
- 04 FRANCE: Canal du Midi
- **05** FRANCE: Fortifications of Vauban
- **06** FRANCE: Historic Site of Lyons
- **07** FRANCE: Provins, Town of Medieval Fairs
- **08** GREECE: Medieval City of Rhodes
- 09 ISRAEL: Biblical Tels Megiddo, Hazor, Beer Sheba
- 10 PORTUGAL: Historic Centre of Évora
- 11 PORTUGAL: Historic Centre of Guimarães


- 12 PORTUGAL: Historic Centre of Oporto
- 13 RUSSIAN FEDERATION: Bolgar Historical and Archaeological Complex
- 14 SPAIN: Alhambra, Generalife and Albayzín, Granada
- 15 SPAIN: Cathedral, Alcázar and Archivo de Indias in Seville
- 16 SPAIN: Historic Centre of Cordoba
- 17 SPAIN: Old town of Caceres
- **18** TURKEY: City of Safranbolu
- 19 TURKEY: Neolithic Site of catalhöyük
- 20 UNITED KINGDOM/GERMANY: Frontiers of the Roman Empire
- 21 UNITED STATES OF AMERICA: Cahokia Mounds State Historic Site
- 22 UNITED STATES OF AMERICA: Chaco Culture
- 23 UNITED STATES OF AMERICA: Mesa Verde National Park
- 24 UNITED STATES OF AMERICA: Monumental Earthworks of Poverty Point
- 25 UNITED STATES OF AMERICA: Pueblo de Taos

LATIN AMERICA & THE CARIBBEAN

- **01** ARGENTINA/BOLIVIA/CHILE/COLOMBIA/ECUADOR/PERU: Qhapaq Ñan, Andean Road System
- 02 BOLIVIA: City of Potosí
- 03 BOLIVIA: Historic City of Sucre
- 04 BRAZIL: Historic Centre of Salvador de Bahia
- **05** BRAZIL: Historic Centre of São Luís
- **06** BRAZIL: Historic Centre of the Town of Diamantina
- **07** BRAZIL: Historic Centre of the Town of Goiás
- **08** BRAZIL: Historic Centre of the Town of Olinda
- **09** BRAZIL: Historic Town of Ouro Preto
- **10** BRAZIL: Sanctuary of Bom Jesus do Congonhas
- 11 CHILE: Historic quarter of the seaport city of Valparaiso
- 12 COLOMBIA: Coffee Cultural Landscape of Colombia
- 13 COLOMBIA: Historic centre of Santa Cruz de Mompox

- 14 COLOMBIA: National archaeological park of Tierradentro (dugouts tombs)
- **15** COLOMBIA: Port, Fortresses and Group of Monuments, Cartagena
- **16** COSTA-RICA: Precolumbian Chiefdom Settlements with Stone Spheres of the Diquis
- 17 CUBA: Historic Centre of Camagüey
- **18** CUBA: Old Havana and its Fortifications
- **19** CUBA: Trinidad and the Valley de los Ingenios
- **20** CUBA: Viñales Valley
- **ECUADOR:** City of Quito
- 22 ECUADOR: Historic Centre of Santa Ana de los Ríos de Cuenca
- **23** EL SALVADOR: Joya de Cerén Archaeological Site
- 24 GUATEMALA: Antiqua Guatemala
- **25** MEXICO: Archaeological Zone of Paquimé, Casas Grandes
- 26 MEXICO: Historic Centre of Morelia
- 27 MEXICO: Historic Centre of Oaxaca and Archaeological Site of Monte Albán
- 28 MEXICO: Historic Centre of Puebla
- 29 MEXICO: Historic Centre of Zacatecas
- **30** MEXICO: Historic Monuments Zone of Querétaro
- **31** MEXICO: Historic Town of Guanajuato and Adjacent Mines
- **32** MEXICO: Pre-Hispanic City of Teotihuacan
- **33** MEXICO: Protective town of San Miguel & the sanctuary of Jesus Nazareno
- 34 NICARAGUA: Cathédrale de León
- 35 NICARAGUA: Ruines de León Viejo
- **36** PERU: Chan Chan Archaeological Zone
- 37 PERU: City of Cuzco
- 38 PERU: Historic Centre of Lima
- **39** PERU: Sacred city of Caral-Supe
- 40 URUGUAY: Historic Quarter of the City of Colonia del Sacramento
- 41 VENEZUELA: Coro and its Port







Statistics World

TYPES AND CONSTRUCTION MODES 173 PROPERTIES


Type of site



Type of earth construction





Position of earth



Proportion of earth on site

(0%	5	0%	10	0%
0 to 25% earth					24%
25 to 50% earth					23%
50 to 75% earth					23%
75 to 100% earth					30%






Results Oyregion



Statistics Africa

TYPES AND CONSTRUCTION MODES 17 PROPERTIES

Type of site




Type of earth construction

Rammed earth (compacted earth)
Adobe (bricks made with raw earth)
Wattle and daub (earth and vegetal structure)
Cob (shaped earth)




Position of earth



Proportion of earth on site

	0%	5	0%	10	0%
0 to 25% earth					9%
25 to 50% earth					18%
50 to 75% earth					18%
75 to 100% earth					47%
			•		•



09

07 08




Statistics : THREATS Africa

ANALYSIS OF QUESTIONNAIRES 15 RESPONSES/17 PROPERTIES

Degradation speed




Type of threats



PRIORITIES


Current level of satisfaction




Priorities for action



CURRENT SITUATION OF **PROPERTIES**



100% 50% Private Governmental 62% Site management





Maintenance

	0%	50%	100%
Traditional			57%
Institutionally planned			50%
No maintenance mechanism			17%

- **BENIN: Royal Palaces of Abomey** BURKINA FASO: Ruins of Loropéni
- ETHIOPIA: Harar Jugol, the fortified historic town
- ETHIOPIA: Lalibela
- **GHANA:** Asante Traditional Buildings
- MADAGASCAR: Royal Hill of Ambohimanga
- MALI: Cliff of Bandiagara (Land of the Dogons)
- MALI: Old Towns of Djenné
- 09 MALI: Timbuktu
- MALI: Tomb of Askia 10
- MOZAMBIQUE: Island of Mozambique
- NIGER: Historic Centre of Agadez
- NIGERIA: Osun-Osogbo Sacred Grove
- NIGERIA: Sukur Cultural landscape
- SENEGAL: Bassari Country: Bassari, Fula and Bedik Cultural Landscapes
- TOGO: Koutammakou, the Land of the Batammariba
- UGANDA: Tombs of Buganda Kings at Kasubi



BENIN

Royal Palaces of Abomey

The buildings and walls of the Royal Palaces of Abomey are earthen constructions (cob). The main buildings are decorated with the famous bas-reliefs, moulded and painted from specially selected earth, which tell the history of the kingdom.

>> CRITERIA

- (iii) The Royal Palaces of Abomey are a group of monuments of great historical and cultural value because of the conditions that led to their construction and the events they have witnessed. They are the living expression of a culture and an organized authority testimony to the glorious past of the kings who ruled the Kingdom of Dahomey from 1620 to 1900.
- (iv) Organized as a series of courtyards of increasing importance, the access to each being provided by portals built astride the walls of the main enclosure, the Royal Palaces of Abomey are a unique architectural ensemble. These complex fortified structures illustrate the ingenuity developed by the royal power, from the mid-17th century, to comply with the precept laid down by the founder of the Wegbaja Kingdom "that the kingdom shall always be made greater".


DATE OF INSCRIPTION	
GEOGRAPHIC COORDINATES	
E15860	
PROPERTY	
BUFFER ZONE181 ha	
PERIOD(S) OF CONSTRUCTION1625 - 1900	

Bas relief inside a cob wall
Palace of King Guézo
© Thierry Joffroy, CRAterre



Main courtyard of the palace of King Guézo seen from the veranda of the Zinkpoho

Thiery loffroy, (RAterre



The Academy for the ceremonial and royal dances .

Repetion in Guezo palace

© Thierry Joffroy, CRAterre





Ruins of Loropéni

A vast quadrangular enclosure measuring 105 x 106 metres and rising to 6 metres high protects an abandoned settlement in ruins. The walls are built of lateritic rubble stone masonry with a mud mortar. A coronation cob, built in layers up to 60 cm, locally called banco, is still well preserved in places. The walls are covered with a coating of earth, inside and out, with up to 5 layers.

>> CRITERIA

(iii) Loropéni is the best-preserved example of a type of fortified settlements in a wide part of West Africa, linked to the tradition of gold mining, which seems to have existed through at least seven centuries. Loropéni, given its size and scope, reflects a type of structure quite different from the walled towns of what is now Nigeria, or the cities of the upper reaches of the Niger River which flourished as part of the empires of Ghana, Mali and Songhai. It thus can be seen as an exceptional testimony to a type of settlement generated by the gold trade.

DF INSCRIPTION2	009
APHIC COORDINATES	150
W33	460
RTY 1,113	НА
R ZONE 278,4	HA
o(s) of constructionxiv° - xix° cen	turv

Conservation of earth plaster covering the laterite blocks © David Gandreau, CRAterre



South East side© David Gandreau, CRAterre



Tear on west wall
© David Gandreau, CRAterre





ETHIOPIA

Harar Jugol, the fortified historic town

Earth is present in the form of *Gogoba* and *Deh afar*. *Gogoba* is the mud mortar which is used both in assembling stones in the construction of the wall and in covering the terrace roof in the traditional harari constructions. *Qeh afar* is the beaten earth, red in color, which used to cover the ground in all traditional constructions: mosques, houses and tombs.

See Nomination of the World Heritage List, January 2004, pp.34-glossary

>> CRITERIA

(ii) The historic town of Harar Jugol exhibits an important interchange of values of original Islamic culture, expressed in the social and cultural development of the city enclosed within the otherwise Christian region. These influences have been merged with traditions from the African continent, particularly to southern Ethiopia, giving special characteristic form to its architecture and urban plan.

(iii) Harar Jugol bears exceptional testimony to cultural traditions with roots in Islam and Africa. It is considered «the fourth holy city» of Islam, having been founded by a holy missionary from the Arabian Peninsula. Though a trading place – and thus a melting pot of various influences – Harar has been in relative isolation in its region, contributing to a cultural specificity, expressed in its characteristic community structure and traditions, which are still alive.

(iv) Harar Jugol is an outstanding example of a type of architectural and urban ensemble, which

illustrates the impact of African and Islamic traditions on the development of specific building types. The building types and the entire urban layout reflect these traditions, which give a particular character and even uniqueness to Harar Jugol.

(v) Harar Jugol, with its surrounding landscape, is an outstanding example of a traditional human settlement, representative of cultural interaction with its environment. The social and spatial structure (afocha) and the language of the people all reflect a particular and even unique relationship that developed with the environment. The cultural and physical relationships with the territory have survived until today, but they are also vulnerable to irreversible change under the impact of globalisation.

2006	DATE OF INSCRIPTION	
N12 1 45.66	GEOGRAPHIC COORDINATES	
E39 2 25.512		
48 ha	PROPERTY	
XIII° - XXI° century	PERIOD(S) OF CONSTRUCTION	

Scène de rue à Harar

© Ahron de Leeuw (Flickr creative cor



ETHIOPIA

Lalibela



Houses around the famous rock-hewn churches are built of stone walls made with earthen mortars and

plasters



A Tuluk is a round, two-level house, built of stone and earth walls. The example above shows that the earthen plaster covering the wall is almost gone

>> CRITERIA

(i) The eleven churches selected represent a unique artistic achievement, for the size of the program and the variety and boldness of form. Like all masterpieces of architecture, it arouses the wildest and most imaginative legends: a celestial model according to the Life of King Lalibela, or the City of the Queen of Sheba, according to other sources.

(ii) King Lalibela intended to reconstitute a symbolic Holy Land, to facilitate the pilgrimage which had been made impossible by historical circumstances. In the church of Beta Golgotha , are replicas of Christ's tomb and the tomb of Adam, and the manger of the Nativity. The Holy City of Lalibela became a substitute for holy places in Jerusalem and Bethlehem, and as such, has had considerable influence on Ethiopian Christianity.

(iii) The site of Lalibela offers an exceptional testimony to the civilization of medieval and post-medieval Ethiopia by conserving, alongside the eleven churches listed in the proposal, the extensive remains of traditional habitat - the circular houses on two levels with interior staircases and thatch – which are essential to protect and conserve in the same way as the rock elements of religious architecture.

Rock-Hewn Churches,

The traditional habitat of Lalibela consisted of tuluk, round houses built on two levels of stone masonry and mud mortar decorated inside with an earthen plaster, and chika, single-level, round houses built of mud (wattle and daub). Although these traditional typologies are disappearing, 80% of the habitat around the famous rock-hewn churches is ear-

then construction, in combination with stone or wood.

DATE OF INSCRIPTION1978
GEOGRAPHIC COORDINATES N12 1 45.66
E39 2 25.512
PERIOD(S) OF CONSTRUCTIONXIII° - XXI° century





GHANA

Asante Traditional Buildings

The Asante houses and temples are arranged around a central courtyard, whose walls are built of wattle and daub or cob. These walls are decorated with bas-reliefs fashioned out of lateritic red clay for the lower parts and white kaolinitic clay for the upper parts. Their shapes are highlighted by a frame made of fine palm fronds.

>> CRITERIA : (V) BRIEF DESCRIPTION :

To the north-east of Kumasi are found the last material remains of the great Asante civilization, which reached its high point in the 18th century. The majority of the Asante villages were destroyed during the 19th century in the wars undertaken by the Asante against English domination between 1806 and 1901. It was during this period that the royal mausoleum (Barem) was burned by Baden-Powell in 1895. Today only a small number of the traditional structures exists, habitats of men and gods, of which the majority are less than 100 years old.

©Thierry Joffroy, CRAterre



Temple of Besease restored in 1999





Royal Hill of Ambohimanga

From the 17th century, the rulers of Madagascar established cultivation terraces to the north and to the south of the royal hill. Some parcels are, as originally, still lined with cob walls (*tamboho*), while the main wall is made of an earthen core covered with thick plaster. A typical habitat, cob or adobe, was developed later in the classified area.

>> CRITERIA

- (iii) The Royal Hill of Ambohimanga is the most significant symbol of the cultural identity of the people of Madagascar.
- (iv) The traditional design, materials, and layout of the Royal Hill of Ambohimanga are representative of the social and political structure of Malagasy society from at least the 16th century.
- (vi) The Royal Hill of Ambohimanga is an exceptional example of a place where, over centuries, common human experience has been focused in memory, ritual, and prayer.

DATE OF INSCRIPTION
GEOGRAPHIC COORDINATES
E473346
PROPERTY 59 ha
BUFFER ZONE
PERIOD(S) OF CONSTRUCTIONXVI° - XXI° century





Village of Ambohimanga, at the foot of the hill © Sébastien Moriset, CRAterre





MALI

Cliff of Bandiagara

«In a region characterized by the presence of the stone, it is surprisingly true that earthen material predominates construction in the Dogon country (...) Amongst the ancient constructions, there is practically not a building in which earthen material is absent.»

Lassana Cissé, Director of the Cultural Mission of Bandiagara

It's true that in the Dogon country, earth is present in various forms: adobe, mud mortar for the stone masonry, hand shaped earth for the granaries, compacted earth for the floors and roofs, internal and external plasters.

>> CRITERIA : (V) (VII)

BRIEF DESCRIPTION:

The Bandiagara site is an outstanding landscape of cliffs and sandy plateau with some beautiful architecture (houses, granaries, altars, sanctuaries and Togu Na, or communal meeting-places). Several age-old social traditions live on in the region (masks, feasts, rituals, and ceremonies involving ancestor worship). The geological, archaeological and ethnological characteristics, together with the landscape, make the Bandiagara plateau one of West Africa's most impressive sites.

1989	DATE OF INSCRIPTION	
S N14 19 59.988	GEOGRAPHIC COORDINATES	
W3 25 0.012		
327 390 ha	PROPERTY	
ONXIV° - XXI° century	PERIOD(S) OF CONSTRUCTIO	

Granaries in the village of Kani Kombolé


© Thierry loffroy (RAterre



Temple of Arou © Thierry Joffroy, CRAterre



Village of Banani Amou
© Thierry Joffroy, CRAterre







Old Towns of Djenné

The authenticity of the site, especially the ancient fabric which is classified, asserts itself through the continued use of the same building material for over a millennium: earth, used in the form of cylindrical bricks, shaped by hand (*djenne ferey*) and, since the early 20th century, in the form of adobe (*toubabou ferey*). The transmission of knowledge from father to son, specific to this method of construction, is provided by the barey-ton, the masons' corporation.

>> CRITERIA :

(iii) Djenné-Djeno, along with Hambarketolo, Tonomba and Kaniana, bears exceptional witness to the pre-Islamic civilizations on the inland Delta of the Niger. The discovery of many dwellings on the site of Djenné-Djeno remains of traditional brick structures (djénné ferey), funerary jars - as well as a wealth of terra cotta artifacts and metal make this a major archaeological site for the study of the evolution of dwellings, technologies and crafts. (iv) The ancient fabric of Djenné is an outstanding example of an architectural group of buildings illustrating a significant historic period. Influenced by Moroccan architecture (1591), and later marked by the Toucouleur Empire in 1862, the architecture of Djenné is characterized by its verticality, its buttresses punctuating the façades of the two-storey houses whose entrances are always given special attention. The reconstruction of the Mosque (1906-1907) resulted in the creation of a monument representing local religious architecture.

DATE OF INSCRIPTION
GEOGRAPHIC COORDINATES
E043318
PERIOD(S) OF CONSTRUCTIONIII°century before
Christ - XXI° century

Great Mosque of Djenné
© Thierry Joffroy, CRAterre

Earten house in Djenné © Thierry Joffroy, CRAterre



Djenné, a city made of earth
© Thierry Inffroy CRAterre







Timbuktu

Originally, the mosques of Timbuktu were built of either alhore stone (soft stone of irregular shapes), or bricks shaped like loaves of bread, laid with mud mortar. The adobe that is also present appeared later in construction. Apart from the façades, which are covered with carved alhore stones, mosques are protected by a coating of earth that is renewed every 3 to 4 years by the overall community.

>> CRITERIA :

- (ii) The mosques and holy sites of Timbuktu have played a vital role in spreading Islam in Africa from a very early period.
- (iv) The three great mosques of Timbuktu, restored by Cadi Al Aqila in the 16th century, testify to the golden age of the intellectual and spiritual capital at the end of the Askia dynasty.
- (v) Constructed of adobe, with the exception of some limited repairs (the minaret of the Sidi Yahia mosque in 1939, the alhore stone covering of the eastern façade of the mosque of Sankore in 1952), the mosques of Timbuktu show, better than the residential structures, subject to more extensive changes, traditional construction techniques, now vulnerable under the effect of irreversible change.

1988	DATE OF INSCRIPTION
N16 46 24	GEOGRAPHIC COORDINATES
W2 59 58	
NXIV° - XXI° century	PERIOD(S) OF CONSTRUCTION

The roofs of Timbuktu

© Thierry Joffroy, CRAterre

Know-how is transmitted from one generation to the next through the corporation of masons



Northern elevation, minaret of the mosque of Sankoré

© Thierry Joffroy, CRAterre







Tomb of Askia

The spectacular pyramidal structure of the Tomb of Askia and the wall and two prayer rooms are built of stone and adobe masonry with mud mortar. The population of Gao regularly renews the plaster coating, made of earth from the rice fields mixed with rice straw. Permanent scaffolding made of branches stuck in the walls facilitates regular maintenance.

>> CRITERIA :

- (ii) The Tomb of Askia reflects the way local building traditions, in response to Islamic needs, absorbed influences from North Africa to create a unique architectural style across the West African Sahel.
- (iii) The Tomb of Askia is an important vestige of the Empire of Songhai, which once dominated the Sahel lands of West Africa and controlled the lucrative trans-Saharan trade.
- (iv) The Tomb of Askia reflects the distinctive architectural tradition of the West African Sahel and in particular exemplifies the way buildings evolve over centuries through regular, traditional, maintenance practices.


DATE OF INSCRIPTION
GEOGRAPHIC COORDINATES
E0 2 40.416
PROPERTY 4.24 ha
BUFFER ZONE
PERIOD(S) OF CONSTRUCTION XV° - XXI° century

Aerial view of the buildings: pyramidal tower and two mosques (men and women) © Thierry Joffroy, CRAterre













MOZAMBIQUE Island of Mozambique

The island is composed of two parts: Stone Town to the north and "Reed" Town to the south. In the "Reed" town, traditional houses are made of mud applied on mangrove wood or bamboo structures, and covered with roofs of palm fronds (macuti).

>> CRITERIA : (IV) (VI)

BRIEF DESCRIPTION:

The fortified city of Mozambique is located on this island, a former Portuguese trading post on the route to India. Its remarkable architectural unity is due to the consistent use, since the 16th century, of the same building techniques, building materials (stone or macuti) and decorative principles.



DATE OF INSCRIPTION. \$15 2 3.012 GEOGRAPHIC COORDINATES... E40 44 8.988 PERIOD(S) OF CONSTRUCTION ... XV° - XXI° century



© Bakonirina Rakotomamonjy, CRAterre



© Bakonirina Rakotomamonjy, CRAterre





NIGER

Historic Centre of Agadez

The historic centre of Agadez contains a number of dwellings, and a well-preserved group of palatial and religious buildings whose main construction material is earth (banco), including a 27 meters tall minaret. Earth which is the main construction material can be found in the form of conical bricks shaped by hand (kounkou) and rectangular moulded bricks (tubali). These bricks are laid using an earth-based mortar, and the walls are also plastered with several coats of earth-based mortar. The roofs are made of several layers of earth, laid on a wooden structure.

>> CRITERIA

(ii) From the 15th century, Agadez, "the gateway to the desert", became an exceptional crossroads for the caravan trade. It bears witness to an early historic town, forming a major centre for trans-Saharan cultural interchanges. Its architecture embodies a synthesis of stylistic influences in an original urban ensemble, made entirely of mud brick and which is specific to the Aïr region.

(iii) The historic town and its outstanding monumental ensemble, including the Grand Mosque, with its minaret, the tallest ever constructed in mud brick, and the Sultan's Palace, bear witness to an exceptional architectural tradition, based on sophisticated use of mud brick. For more than five centuries, the city has developed a cultural, commercial and handicraft tradition, based on the continuity of the Sultanate of Aïr, up to the present day.





DATE OF INSCRIPTION2013
GEOGRAPHIC COORDINATES
E7 59 29
PROPERTY 78 ha
BUFFER ZONE
PERIOD(S) OF CONSTRUCTION XV° - XX° century

© Thierry Joffroy, CRAterre









NIGERIA

Osun-Osogbo Sacred Grove

The property includes two symbolic palaces whose roofs are supported by cob walls and by cob or carved wood pillars. These walls and pillars are made in a very decorative manner. Like the other sculptures of reinforced concrete that mark specific points of the forest, they were created by the artist Suzanne Wenger, who was at the origin of the "New Sacred Art" movement.

>> CRITERIA

- (ii) The development of the New Sacred Art movement and the absorption of Suzanne Wenger, an Austrian artist, into the Yoruba community have proved to be a fertile exchange of ideas that revived the sacred Osun Grove;
- (iii) The Osun Sacred Grove is the largest and perhaps the only remaining example of a once widespread phenomenon that used to characterise every Yoruba settlement. It now represents Yoruba sacred groves and their reflection of Yoruba cosmology.
- (vi) The Osun Grove is a tangible expression of Yoruba divinatory and cosmological systems; its annual festival is a living thriving and evolving response to Yoruba beliefs in the bond between people, their ruler and the Osun goddess.

DATE OF INSCRIPTION	2005
GEOGRAPHIC COORDINATES	N7 45 20.016
	E4 33 7.992
PROPERTY	75 ha
BUFFER ZONE	47 ha
PERIOD(S) OF CONSTRUCTIONXIX	° - XX° century









NIGERIA

Sukur Cultural landscape

The villages, situated on low-lying ground below the Hidi Palace, have their own domestic architecture of dry stone walls, used as social markers and defensive enclosures, sunken animal pens, granaries and threshing floors. Again, local granite is the main source of constructional materials. The living huts are simple circular structures made from earth with roofs of thatch and woven mats. Integrated groups are surrounded by low dry stone walls. Numerous circular earthen huts with thatched roofs are integrated into the cultural landscape of Sukur. The most common building principles remain the use of dry stone or stone masonry bonded with clay mortar. (Palace of the Hidi, villages, enclosures, terrace systems)

>> CRITERIA :

- (iii) Sukur is an exceptional landscape, which graphically illustrates a form of land-use that marks a critical stage in human settlement and its relationship with its environment.
- (v) The cultural landscape of Sukur has survived unchanged for many centuries, and continues to do so at a period when this form of traditional human settlement is under threat in many parts of the world.
- (vi) The cultural landscape of Sukur is eloquent testimony to a strong and continuing cultural tradition that has endured for many centuries.

DATE OF INSCRIPTION 1999
GEOGRAPHIC COORDINATES N10 44 26.016
E13 34 18.984
PERIOD(S) OF CONSTRUCTIONXIX° - XX° century



© Ishanlosen Odiaua





SENEGAL

Bassari Country : Bassari, Fula and Bedik Cultural Landscapes

<< The everyday Bedik life, however, takes place in dispersed temporary hamlets and groups of huts, which can be moved according to necessity, whilst the i-kon is reserved for the feasts and rites and cannot be abandoned. Therefore, huts built in the ritual villages have earthen walls; in contrast, huts outside of the villages are made out of bamboo. >>

http://whc.unesco.org/archive/advisory body evaluation/1407.pdf

>> CRITERIA :

(iii) The physical layout of the Bassari Cultural landscape bears an exceptional witness to the complex interactions among environmental factors, land-use practices, social rules, beliefs that altogether have concurred to shape a peculiar and remarkably preserved cultural landscape that outstandingly reflects the ability of make a respectful and sustainable use of the resources of the region.

(v) The Bassari cultural landscape bears witness to peculiar uses of the land, including crop rotation and manuring, communal sowing, weeding and harvesting and commuting practices imposed by traditional agricultural systems and by the relative scarcity of resources, thus representing an outstanding example of human interaction with a vulnerable environment.

(vi) The Pays Bassari as well as the sacred dimension that Bassari, Fula and Bedik people attach to it bear exceptional, tangible witness to the intertwined complex of practices, social rules, rites and beliefs that have helped the Bassari regulate the interaction between men and their living environment and have produced a cultural landscape shaped by and imbued with cultural traditions and spiritual meanings that persist in a lively dynamic of transmission.

DATE OF INSCRIPTION	2012
GEOGRAPHIC COORDINATES	N12 35 36
	W12 50 45
PROPERTY	50,309 ha
BUFFER ZONE	240,756 ha
PERIOD(S) OF CONSTRUCTIONXI° - 2	XX° century

Salémata
© Sébastien Moriset, CRAterre



Bandafassi
© Sébastien Moriset, CRAterre



Dindefello
© Sébastien Moriset, CRAterre





TOGO

Koutammakou, the Land of the Batammariba

The Koutammakou landscape is home to the Batammariba ("those who shape the earth") and their remarkable earth tower-houses (*Takienta*) – stand-alone towers connected by small walls. The roof terraces are also covered with several layers of earth, placed on top of a wooden structure not connected to the walls.

>> CRITERIA :

(v) The Koutammakou is an outstanding example of a system of traditional settlement that is still living and dynamic, and subject to traditional and sustainable systems and practices, and which reflects the singular culture of the Batammariba, particularly the "takienta" tower houses

(vi) The Koutammakou is an eloquent testimony to the strength of spiritual association between people and the landscape, as manifested in the harmony between the Batammariba and their natural surroundings.

DATE OF INSCRIPTION
GEOGRAPHIC COORDINATES N10 4 0
E1 7 6
PROPERTY 50 000 ha
PERIOD(S) OF CONSTRUCTIONXVI° - XX° century

Interior of the takienta
© Thierry Joffroy, CRAterre



The cultural landscape features scattered housing structures

© Thierry Joffroy, CRAterre



Takienta, village of Wadouba
© Thierry Joffroy, CRAterre





UGANDA

Tombs of Buganda Kings at Kasubi

Originally the site was completely built in straw. With the growth of the city of Kampala, this material gradually disappeared, giving way to brick and wattle and daub. There remains only one heavily damaged building reflecting the temporary use of earth as a building material.

>> CRITERIA :

- (i) The Kasubi Tombs site is a masterpiece of human creativity both in its conception and its execution.
- (iii) The Kasubi Tombs site bears eloquent witness to the living cultural traditions of the Baganda.
- (iv) The spatial organization of the Kasubi Tombs site represents the best extant example of a Baganda palace/architectural ensemble. Built in the finest traditions of Ganda architecture and palace design, it reflects technical achievements developed over many centuries.
- (vi) The built and natural elements of the Kasubi Tombs site are charged with historical, traditional, and spiritual values. It is a major spiritual centre for the Baganda and is the most active religious place in the Kingdom.

2001	DATE OF INSCRIPTION
NO 20 55	GEOGRAPHIC COORDINATES
E32 33 5	
27 ha	PROPERTY
° - XX° century	PERIOD(S) OF CONSTRUCTION

House of one of the traditional guardians who watches over the spirits of deceased kings. This is the last earthen house within the property, as all the others have been replaced by burnt brick structures.

© Sébastien Moriset, CRAterre



View of the great hut, fully built of vegetal materials and completely destroyed by fire in 2010.

© Sébastien Moriset, CRAteri






>>> REGION Arab States 49

Statistics Arab States


TYPES AND CONSTRUCTION MODES 30 PROPERTIES

Type of site




Type of earth construction

Rammed earth (compacted earth) Adobe (bricks made with raw earth) Wattle and daub (earth and vegetal structure) Cob (shaped earth) 0ther




Position of earth




Proportion of earth on site

	0%		0%	100%	
0 to 25% earth					13%
25 to 50% earth					23%
50 to 75% earth	\vdash				27%
75 to 100% earth					37%



50




Statistics: THREATS **Arab States**

ANALYSIS OF QUESTIONNAIRES 12 RESPONSES/30 PROPERTIES

Degradation speed




Type of threats



CURRENT PROPERTIES

Use






Management plan




Maintenance





SITUATION OF

Ownership










PRIORITIES

Current level of satisfaction



Priorities for action



YEMEN: Old City of Sana'a

Bint Saud and Oases Areas)

YEMEN: Historic Town of Zabid

ALGERIA: Kasbah of Algiers

BAHRAIN: Pearling, Testimony of an Island Ecomony

EGYPT: Ancient Thebes and its Necropolis

BAHRAIN: Qal'at al-Bahrain - Ancient Harbour and Capital of

EGYPT: Memphis and its Necropolis - the Pyramid Fields from Giza

MAURITANIA: Ancient Ksour of Ouadane, Chinquetti, Tichitt and

MOROCCO: Rabat, Modern Capital City: a Shared Heritage

ALGERIA: M'Zab Vallev

Dilmun

08

16

19

24

to Dahshur

IRAO: Hatra

Oualata

IRAQ: Erbil Citadel

IRAQ: Ashur (Qal'at Shergat)

IRAQ: Samarra Archaeological City

MOROCCO: Historic City of Meknes

MOROCCO: Ksar of Ait-Ben-Haddou

MOROCCO: Medina of Marrakesh

SYRIA: Ancient City of Damascus

TUNISIA: Medina of Sousse

TUNISIA: Medina of Tunis

MOROCCO: Medina of Fez

OMAN: Bahla Fort

MOROCCO: Archaeological Site of Volubilis

SAUDI ARABIA: At-Turaif District in ad-Dir'iyah

TUNISIA: Archaeological Site of Carthage

SAUDI ARABIA: Historic Jeddah, the Gate to Makkah

TUNISIA: Punic Town of Kerkuane and its Necropolis

UNITED ARAB EMIRATES: Cultural Sites of Al Ain (Hafit, Hili, Bidaa

LIBYA: Old Town of Ghadamès

YEMEN: Old Walled City of Shibam



Kasbah of Algiers

The Kasbah shows outstanding authenticity in form and design (dense urban fabric), construction materials (adobe bricks, earthen and lime rendering, stone and wood), as well as use (residential, commercial, religious) and folklore.

http://whc.unesco.org/fr/list/565

>> CRITERIA

(ii) The Kasbah of Algiers has exercised considerable influence on architecture and town planning in North Africa, Andalusia and in sub-Saharan Africa during the 16th and 17th centuries. These exchanges are illustrated in the specific character of its houses and the density of its urban stratification, a model of human settlement where the ancestral lifestyle and Muslim customs have blended with other types of traditions.

(v) The Kasbah of Algiers is an outstanding example of a traditional human settlement representing a profoundly Mediterranean Muslim culture, a synthesis of numerous traditions. The vestiges of the citadel, ancient mosques, Ottoman palaces, as well as a traditional urban structure associated with a deep sense of community, testify to this culture and are the result of its interaction with the various layers of populations.

DATE OF INSCRIPTION 1992
GEOGRAPHIC COORDINATES
E3 3 37.008
PROPERTY 60 ha
PERIOD(S) OF CONSTRUCTIONXVI° - XXI° century







© Serge Mair



M'Zab Valley

A group of five *ksour* (fortified villages) – El Atteuf, Bou Noura, Beni Isguen, Melika and Ghardia – make up these miniature citadels. There are three recurring elements found in all five villages – the walled ksar, the cemetery, and the palm grove with its summer city. The earthen construction is mainly found in buildings in the palm grove (adobe walls, roof terraces).

>> CRITERIA

(ii) The anthropic ensembles of the M'Zab Valley bear witness, by their exceedingly original architecture dating from the beginning of the 11th century and by their rigour and organization, to an outstanding and original occupation model for human settlements of the cultural area of central Sahara. This model settlement has had considerable influence on Arab architecture and town planning for nearly a millennium, including architects and town-planners of the 20th century, from Le Corbusier to Fernand Pouillon and André Raverau.

(iii) The three elements constituting the urban ensembles and settlements of the M'Zab Valley: ksar, cemetary, and palm grove with its summer city, are an exceptional testimony of the Ibadis culture at its height and the egalitarian principle that was meticulously applied by the Mozabite society.

(v) The components of the M'Zab Valley are an outstanding example of a traditional human

settlement, representative of the Ibadis culture that, through the ingenious system for the collection and distribution of water and the creation of palm groves, demonstrates the extremely efficient human interaction with a semi-desert environment.

INSCRIPTION 1982	
PHIC COORDINATES	
E3 40 59.988	
Y 4000 ha	
s) OF CONSTRUCTIONXI° - XXI° century	





City of Ghardaia, M'Zab valley
© Magali Aupicon





BAHRAIN

Pearling, Testimony of an Island Economy


The property includes seventeen buildings whose main construction material is farush (local coral stone) set in mud mortar and plastered. Most of the ceilings of the buildings are constructed from mangrove beams with a diagonal split bamboo with clay and earth toppings.

>> CRITERIA

(iii) The ensemble of urban properties, fort, seashore and oyster beds is an exceptional testimony to the final flourishing of the cultural tradition of pearling which dominated the Persian Gulf between the 2nd and early 20th centuries. Although the pearling industry has died, these sites carry the memory of its prosperity and the building traditions that it fostered.

DATE OF INSCRIPTION201	2
GEOGRAPHIC COORDINATES N26 14 28.60	8
E50 36 48.63	6
PROPERTY 35,087 h	a
BUFFER ZONE	a
PERIOD(S) OF CONSTRUCTION XIX° - XX° centur	y

Mosque and Bait Siyadi © Graeme (Flickr, creative commons)





BAHRAIN

Qal'at al-Bahrain – Ancient Harbour and Capital of Dilmun

Qal'at al-Bahrain is an archaeological tell created by many successive layers of human occupation. Structures buried in the same place for over four millennia witness the successive use of several techniques of earthen construction.

>> CRITERIA

(ii) Being an important port city, where people and traditions from different parts of the then known world met, lived and practiced their commercial activities, makes the place a real meeting point of cultures – which is reflected in its architecture and development. Having been invaded and occupied for long periods by most of the great powers and empires, this left cultural traces in different strata of the tell.

(iii) The site was the capital of one of the most important ancient civilizations of the region - the Dilmun civilization. As such, this site is the most representative of this culture.

(iv) The palaces of Dilmun are unique examples of public architecture of this culture, which had an impact on the overall architecture in the region. The different fortifications are the best examples of defense works from the 3rd century BC to the 16th century AD, all found in one site. The protected palm groves

surrounding the site are an illustration of the typical landscape and agriculture of the region, since the 3rd century BC.

OF INSCRIPTION 2005	[
GRAPHIC COORDINATES	(
E50 31 19.992	
PERTY 32 ha	F
ER ZONE 1238 ha	E
DD(S) OF CONSTRUCTIONIII° millennium	F
BC XVII° century AC.	







© Karim Hendili



EGYPT

Ancient Thebes and its Necropolis

The Ramasseum is the temple of the royal cult of Ramses II, located in the Theban necropolis. With granaries made of long vaulted structures of adobe (very thick Nubian vaults), it covers an area of about five hectares. Other earthen remains recall the importance of this material in construction in the Middle and New Kingdoms. This includes the huge ancient adobe walls of the Karnak Temple and decorated clay coatings found in many tombs of the Valley of Kings and Valley of Queens.

>> CRITERIA : (I) (III) (VI)

>> BRIEF DESCRIPTION:

The capital of Egypt in the Middle and New Kingdoms, Thebes was the city of the god Amun. With the temples and palaces at Karnak and Luxor, its necropolises in the Valley of Kings and Valley of Queens, this site gives us the compelling stories of Egyptian civilization at its peak.

DATE OF INSCRIPTION 19	79
GEOGRAPHIC COORDINATES N25 43 59.9	88
E32 30	0 6
PROPERTY	ha
BUFFER ZONE444	ha
PERIOD(S) OF CONSTRUCTIONXIII° century	BC

Funerary temple of amesséum © Thierry Joffroy, CRAterre



Palace of Karnak
© Thierry Joffroy, CRAterre



Funerary temple of Ramesséum

© Thierry Joffroy, CRAterre





EGYPT

Memphis and its Necropolis – the Pyramid Fields from Giza to Dahshur

The first large stone pyramid is located in the necropolis of Saqqara, closest to the capital. It was built by Djoser, the founder of the Third Dynasty, to serve as his mausoleum. This was a transformation of the earlier tombs, shaped like great brick rectangles, with the walls sloping inward and a flat roof, commonly referred to as mastabas. For the first time, the adobe was replaced by stone.

http://whc.unesco.org/fr/list/86

>> CRITERIA : (I) (III) (VI)

>> BRIEF DESCRIPTION:

The capital of the Old Kingdom of Egypt has some extraordinary funerary monuments, including rock tombs, ornate mastabas, temples and pyramids. In antiquity, the pyramids were considered one of the Seven Wonders of the World.

 © Vincent Brown (Flickr creative commons)





Ashur (Qal'at Sherqat)

"The city conserves many important architectural remains: the ziggurat and the great temple of the god Ashur, the double temple of Anu and Adad, the temple of Ishtar, the Sumerian goddess of love and war, the Old Palace with its royal tombs and several living quarters in many parts of the city. The city was surrounded by a double wall with several gates and a big moat. The majority of the buildings of the city were built with sun-dried mud-bricks with foundations of quarried stones or dressed stone, depending on the period."

http://whc.unesco.org/fr/list/1130

>> CRITERIA :

(iii) Founded in the 3rd millennium BC, the most important role of Ashur was from the 14th to 9th century BC when it was the first capital of the Assyrian empire. Ashur was also the religious capital of Assyrians, and the place for crowning and burial of its kings.

(iv) The excavated remains of the public and residential buildings of Ashur provide an outstanding record of the evolution of building practice from the Sumerian and Akkadian Period through the Assyrian Empire, as well as including the short revival during the Parthian Period.

2003	DATE OF INSCRIPTION
N35 27 32.004	GEOGRAPHIC COORDINATES
E43 15 34.992	
70 ha	PROPERTY
100 ha	BUFFER ZONE
N III° millennium BC - II°	PERIOD(S) OF CONSTRUCTION
century AC.	

© Véronique Dauge, UNESCO



© Véronique Dauge, UNESCO





Assour, palace and ziggurat

© Mahmoud Bendakir



Erbil Citadel

Erbil Citadel is laid on a top of an artificial mound resulting from the accumulation of debris and rebuilding of houses on top of collapsed ones. All historic houses in the Citadel are built with fired bricks made of mud and clay. Bricks are mostly set in mud mortar. Adobe construction is only used in the case of modern shacks characterized by rough and ready construction using whatever material was available.

>> CRITERIA :

(iv) Erbil Citadel is an outstanding example of multilayer archaeological mound still physically emerging from the surrounding landscape. The physical structure of the Citadel town is characterized by the permanence of the urban form on top of the mound. Its shape with definite boundaries has in part dictated the transformations of the urban fabric while, at the same time, has allowed the adaptation to changing needs throughout the millennia.

ATE OF INSCRIPTION 2014	
EOGRAPHIC COORDINATES	
E44 0 33	
ROPERTY 16 ha	
JFFER ZONE 268 ha	
RIOD(S) OF CONSTRUCTION V° millennium BC -	
XX° century AD	





Aerial view of the Citadel of Erbil © Jim Gordon (Wikimedia Commons)





© Bikem Ekberzade, United Nations Photo (Flickr, creative commons)



Hatra

The great ancient fortified city of Hatra, designed in a circular plan, is characterized by its two city walls: one made of stone (interior), the other one in adobe on a stone foundation (exterior).

>> CRITERIA : (II) (III) (IV) (VI)

>> BRIEF DESCRIPTION:

A large fortified city under the influence of the Parthian Empire and capital of the first Arab Kingdom, Hatra repelled invasions by the Romans in 116 and 198, with its thick walls reinforced by towers. The remains of the city, especially the temples where Hellenistic and Roman architecture is combined with elements of Eastern decorative, attest to the greatness of its civilization.

1985	DATE OF INSCRIPTION
	GFOGRAPHIC COORDINATES
E42 43 5.988	
324 ha	PROPERTY
I° - II° century	PERIOD(S) OF CONSTRUCTION







© Università degli Studi di Torino



Samarra Archaeological City

Built mainly of adobe and baked brick, the Islamic city of Samarra stretches 41.5 kilometers from north to south with a width varying between 4 and 8 km.

>> CRITERIA :

(ii) Samarra represents a distinguished architectural stage in the Abbasid period by virtue of its mosques, its development, the planning of its streets and basins, its architectural decoration, and its ceramic industries.

(iii) Samarra is the finest preserved example of the architecture and city planning of the Abbasid Caliphate, extending from Tunisia to Central Asia, and one of the world's great powers of that period. The physical remains of this empire are usually poorly preserved since they are frequently built of unfired brick and reusable bricks.


(iv) The buildings of Samarra represent a new artistic concept in Islamic architecture in the Malwiya and Abu Dulaf mosques, in the form of a unique example in the planning, capacity and construction of Islamic mosques by comparison with those which preceded and succeeded it. In their large dimensions and unique minarets, these mosques demonstrate the pride and

political and religious strength that correspond with the strength and pride of the empire at that time.











© Mahmoud Bendal



LIBYA

Old Town of Ghadamès

The overall urban fabric of Ghadames is built of toub (adobe). The flat roofs are made with palm beams covered with weaved palm leaves and several layers of earth, whose properties and methods of implementation vary to obtain a perfect waterproofing capacity. The extremely dense habitat, built on 3 levels over covered walkways, ensures excellent control and exceptional comfort in the arid climate of the Sahara Desert. Lime-washing of the walls inside and in large outdoor areas brightens the rooms and highlights the Spartan decorations, windows and gypsum niches, paintings and objects.

>> CRITERIA : (V)

>> BRIEF DESCRIPTION:

Ghadamès, known as 'the pearl of the desert', stands in an oasis. It is one of the oldest pre-Saharan cities and an outstanding example of a traditional settlement. Its domestic architecture is characterized by a vertical division of functions: the ground floor used to store supplies; then another floor for the family, overhanging covered alleys that create what is almost an underground network of passageways; and, at the top, open-air terraces reserved for the women.

1986	DATE OF INSCRIPTION
N30 7 60	GEOGRAPHIC COORDINATES
E9 30 0	
I° century BC -	PERIOD(S) OF CONSTRUCTION
XX° century AC	

General view of the old town
© Thierry Joffroy, CRAterre

Roofs with plaster decorated acroterions © Thierry Joffroy, CRAterre



Mosque © Thierry Joffroy, CRAterre







MAURITANIA

Ancient Ksour of Ouadane, Chinguetti, Tichitt and Oualata

"The buildings are built of stone, earth and wood and the exterior wall openings are often decorative stone designs. The interiors are also decorated with ornaments of painted clay."

Evaluation of the Advisory Body, 1996, p.129

http://whc.unesco.org/archive/advisory body evaluation/750.pdf

>> CRITERIA:

- (iii) The Ksour bears unique witness to a nomadic culture and trade in a desert environment. Their roots go back to the Middle Ages. Established in a desert environment bordering the Maghreb and the large ensembles of the "bilad es-sudan", they were thriving centres reflecting an intense religious and cultural life.
- (iv) The ancient Ksour are medieval towns with an outstanding example of the type of architectural ensembles illustrating seven centuries of human history. They contain an original and decorative stone architecture, and present a typical model of habitat of Saharan ksour, particularly well integrated to the environment. Their urban fabric is dense and closely packed; with narrow and twisting lanes running between the blank outer walls of courtyard houses.

(v) These living historic towns are an outstanding example of traditional human settlements and the last surviving evidence of an original and traditional mode of occupying space, very representative of the nomadic culture and long-distance trade in a desert environment. Due to these particular characteristics, warehouses were built to safeguard their goods, and the towns evolved to become the brilliant homes of Islamic culture and thought.

1996	DATE OF INSCRIPTION
N20 55 44.004	GEOGRAPHIC COORDINATES
W11 37 24.996	
XI° - XXI° century	PERIOD(S) OF CONSTRUCTION



City of Chingetti, Interior view of house © Sébastien Moriset. CRAterre



Mosque of Chingetti

Minaret, mosque of Ouadane © Sébastien Moriset, CRAterre





© Weldon Kennedy (Flickr creative commons)



Archaeological Site of Volubilis

In pre-Roman times, one of the construction principles for houses in Volubilis was to build adobe walls on stone foundations. Earth was at that time widely used in domestic architecture. It is the same for the city walls. They are built of adobe masonry reinforced with wooden ring beams.

>> CRITERIA

(ii) The archaeological site of Volubilis is an outstanding example of a town bearing witness to an exchange of influences since High Antiquity until Islamic times. These interchanges took place in a town environment corresponding to the boundary of the site, and in a rural area extending between the prerif ridges from Zerhoun and the Gharb Plain. These influences testify to Mediterranean, Libyan and Moor, Punic, Roman and Arab-Islamic cultures as well as African and Christian cultures. They are evident in the urban evolution of the town, the construction styles and architectural decorations and landscape creation.

(iii) This site is an outstanding example of an archaeological and architectural complex, and of a cultural landscape bearing witness to many cultures (Libyco-Berber and Mauritanian, Roman, Christian and Arabo-Islamic) of which several have disappeared.

(iv) The archaeological site of Volubilis is an outstanding example of a focus for the different kinds of immigration, cultural traditions and lost cultures (Libyco-Berber and Mauritanian, Roman, Christian and Arabo-Islamic) since High Antiquity until the Islamic period.

(vi)The archaeological site of Volubilis is rich in history, events, ideas, beliefs and artistic works of universal significance, notably as a place that, for a brief period, became the capital of the Muslim dynasty of the Idrissids. The town of Moulay Idriss Zerhoun adjacent to the site houses the tomb of this founder and is the subject of an annual pilgrimage.

N 1997	DATE OF INSCRIPTION
DINATES N34 4 26.004	GEOGRAPHIC COORDINAT
W5 33 24.984	
42 ha	PROPERTY
4200 ha	BUFFER ZONE
RUCTION IV° century BC	

© Hubert Guillaud, CRAterre



© Hubert Guillaud, CRAterre





Market in front of the medina
© Rosemary Dukelow (Flickr creative commons)



".... Endowed with a princely urbanism, the Historic City of Meknes illustrates the specificities of earthen architecture (rammed earth) of sub-Saharan towns of the Maghreb."

http://whc.unesco.org/fr/list/793

>> CRITERIA

(iv) Meknès is distinctive by the monumental and voluminous aspect of its ramparts reaching 15 metres in height. It is considered as exemplary testimony of the fortified towns of the Maghreb. It is a property representing a remarkably complete urban and architectural structure of a North African capital of the 17th century, harmoniously combining Islamic and European conceptual and planning elements. Endowed with a princely urbanism, the Historic City of Meknes also illustrates the specificities of earthen architecture (rammed earth) of sub-Saharan towns of the Maghreb.

DATE OF INSCRIPTION
GEOGRAPHIC COORDINATES
W5 33 29.988
PERIOD(S) OF CONSTRUCTIONXI° - XXI° century



Medina of Mekes
© Rosemary Dukelow (Flickr creative commons)



MOROCCO

Ksar of Ait-Ben-Haddou

Ait Ben Haddou is the best known example of earthen architecture of

southern Morocco. The Ksar is a complex of mainly rammed earth buildings, with some parts of adobe (upper parts) and stone foundations. Earth has also been used to make floors, terraces and ceilings. The houses are up to 15 meters high with their corner turrets decorated with adobe masonry bounded in such a way that delicate geometric patterns can be



One of the fortified houses of the Ksar © Sébastien Moriset, CRAterre



Walkways leading to the top of the Ksar



© Sébastien Moriset, CRAterre

>> CRITERIA

obtained.

(iv) The Ksar of Ait-Ben-Haddou is an outstanding example of a ksar in southern Morocco illustrating the main types of earthen constructions found dating from the 17th century in the valleys of Dra, Todgha, Dadès and Souss.

(v) The Ksar of Ait-Ben-Haddou illustrates the traditional earthen habitat, representative of the culture of southern Morocco, which has become vulnerable as a result of irreversible socio-economic and cultural changes.

DATE OF INSCRIPTION	1985
GEOGRAPHIC COORDINATES	1 2 49.992
	W7 7 4.004
PROPERTY	3 ha
BUFFER ZONE	16 ha
BOTTER ZOTVE	

Portion of the enclosure wall along the oued © Sébastien Moriset, CRAterre



The site, the oued and the new town as seen from the the hill





Medina of Fez

The city enclosure of the medina of Fez is made of very thick rammed earth walls, often including remains of earlier walls. The use of earth is also found in the ancient fabric of the medina.

>> CRITERIA :


(ii) The Medina of Fez bears living witness to a flourishing city of the eastern Mediterranean having exercised considerable influence mainly from the 12th to the 15th centuries, on the development of architecture, monumental arts and town-planning, notably in North Africa, Andalusia and in Sub-Saharan Africa. Fez Jedid (the new town), was inspired from the earlier town-planning model of Marrakesh.

(v) The Medina of Fez constitutes an outstanding example of a medieval town created during the very first centuries of Islamisation of Morocco and presenting an original type of human settlement and traditional occupation of the land representative of Moroccan urban culture over a long historical period (from the 9th to the beginning of the 20th centuries). The ancient fragmented district of the Medina – with its high density of monuments of religious, civil and military character – are outstanding examples of this culture and the resulting interaction with the diverse strata of the population that have

influenced the wide variety of architectural forms and urban landscapes.

DATE OF INSCRIPTION 198	1
GEOGRAPHIC COORDINATES	6
W4 58 40.00	8
PROPERTY 280 h	а
PERIOD(S) OF CONSTRUCTIONIX° - XXI° centur	у







© Matteo Martinello (Flickr creative commons)



Medina of Marrakesh

The medieval city of Marrakech was surrounded by a rammed earth wall 10 kilometers long, of which long stretches remain. The medina, which extends over 700 ha, also retains many adobe buildings covered with roofs made with several layers of earth.

>> CRITERIA :

- (i) Marrakesh contains an impressive number of masterpieces of architecture and art (ramparts and monumental gates, Koutoubia Mosque, Saâdians tombs, ruins of the Badiâ Palace, Bahia Palace, Ménara water feature and pavilion) each one of which could justify, alone, a recognition of Outstanding Universal Value.
- (ii) The capital of the Almoravids and the Almohads has played a decisive role in medieval urban development. Capital of the Merinids, Fès Jedid (the New town), integral part of the Medina of Fez, inscribed in 1981 on the World Heritage List, is an adaptation of the earlier urban model of Marrakesh
- (iv) Marrakesh, which gave its name to the Moroccan empire, is a completed example of a major Islamic capital of the western Mediterranean.
- (v) The 700 hectares of the Medina, the ancient habitat vulnerable due to demographic change

 represents an outstanding example of a living historic town with its tangle of lanes, its houses, souks, fondouks, artisanal activities and traditional trades.

1885	DATE OF INSCRIPTION
N31 37 53.004	GEOGRAPHIC COORDINATES
W7 59 12.012	
1 107 ha	PROPERTY
XI° - XXI° century	PERIOD(S) OF CONSTRUCTION

El Badi palace in the Medina of Marrakech, built in the late 16th century

© Arnaud Misse, CRAterre



The Bahia Palace, built in the late 19th century

© Sébastien Moriset, CRAterre





MOROCCO



© Veronique Dauge, UNESCO

Chellah

Rabat, Modern Capital and Historic City: a Shared Heritage

<< The historic ensemble of Rabat constitutes a well documented legacy of diverse successive cultures. It illustrates the adaptive use of traditional materials and techniques, particularly the techniques of pisé with a rich lime content and the cutting of dune sandstone and limestone, whose mastery is visibly demonstrated in a number of the property's monuments. >>

http://whc.unesco.org/archive/advisory body evaluation/1401.pdf

>> CRITERIA :

(ii) Through its urban ensemble, its monuments and its public spaces, the modern city of Rabat shows respect for, and draws inspiration from, the earlier Arabo-Muslim heritage. It bears outstanding testimony to the diffusion of European ideas in the early 20th century, their adaptation to the Maghreb, and in return the influence of local, indigenous styles on architecture and decorative arts.

(iv) The city constitutes an outstanding and fully realized example of modern town planning, for a 20th century capital city, achieved by functional territorial organisation which incorporates the cultural values of the past in the modernist project. The synthesis of decorative, architectural and landscape elements, and the interplay between present and past, offer an outstanding and refined urban ensemble.

DATE OF INSCRIPTION	2012
GEOGRAPHIC COORDINATES	N34 1 27
	W6 49 22
PROPERTY	349 ha
BUFFER ZONE	852 ha
PERIOD(S) OF CONSTRUCTION	XII° - XX° century







Chellah

Casbah des Oudaias
© Veronique Dauge, UNESCO




OMAN Bahla Fort

The strength of the Banu Nabhan, who ruled over the other communities from the twelfth to the late fifteenth century, is demonstrated by the immense Bahla Fort, currently undergoing restoration. This high walls and adobe towers on stone foundations dominate the oasis landscape and the surrounding maze of adobe houses and earthen terrace roofs. The whole is encircled by an earthen rampart and watchtowers

>> CRITERIA :

(iv) The Bahla Fort and oasis settlement with its perimeter fortification are an outstanding example of a type of defensive architectural ensemble that enabled dominant tribes to achieve prosperity in Oman and the Arabian Peninsula during the late medieval period.











© Hubert Guillaud, CRAterre



At-Turaif District in ad-Dir'iyah

"The citadel of at-Turaif is representative of a diversified and fortified urban ensemble within an oasis. It comprises many palaces and is an outstanding example of the Najdi architectural and decorative style characteristic of the centre of the Arabian Peninsula. It bears witness to a building method that is well adapted to its environment, to the use of adobe in major palatial complexes, along with a remarkable sense of geometrical decoration."

http://whc.unesco.org/fr/list/1329

>> CRITERIA : (IV) (V) (VI)

>> BRIEF DESCRIPTION:

The At-Turaif District in ad-Dir'iyah was the first capital of the Saudi Dynasty, in the heart of the Arabian Peninsula, north-west of Riyadh. Founded in the 15th century, it bears witness to the Najdi architectural style, which is specific to the centre of the Arabian Peninsula. In the 18th and the early 19th century, its regional political and religious role increased, and the citadel of At-Turaif became the centre of the temporal power of the House of Saud and the spread of the Islamic reform movement in Arabia, Wahhabism. The property includes the remains of many palaces and an urban ensemble built on the edge of the ad-Dir'iyah oasis.

2010	DATE OF INSCRIPTION
N24 44 2.88	GEOGRAPHIC COORDINATES
E46 34 20.88	
29 ha	PROPERTY
238 ha	BUFFER ZONE
N XV° - XIX° century	PERIOD(S) OF CONSTRUCTION









© Mahmoud Bendakir



© Thierry Joffroy, CRAterre





SAUDI ARABIA

Historic Jeddah, the Gate to Makkah

The original building materials of the old city of Jeddah were primarily mangabi quarried from the immediate vicinity of the old city, mud-based mortar, imported hardwood, lime plaster and lime wash. Dark-brown clay, dug from the shallow bottom of al-Manqabah lagoon, mixed with lime served as mortar.

Horizontal structures in the upper floors of the buildings are made of main beam frameworks supporting a joist frame. The framework is usually covered with planks and, very often, with floor mats. A final earth and lime slab, usually smoothened with a tool, covers the floor.

>> CRITERIA : (II) (IV) (VI)

>> BRIEF DESCRIPTION:

Historic Jeddah is situated on the eastern shore of the Red Sea. From the 7th century AD it was established as a major port for Indian Ocean trade routes, channeling goods to Mecca. It was also the gateway for Muslim pilgrims to Mecca who arrived by sea. These twin roles saw the city develop into a thriving multicultural centre, characterized by a distinctive architectural tradition, including tower houses built in the late 19th century by the city's mercantile elites, and combining Red Sea coastal coral building traditions with influences and crafts from along the trade routes.

DATE OF INSCRIPTION2	014
GEOGRAPHIC COORDINATES	29 2
E39 1	1 15
PROPERTY 1	8 ha
BUFFER ZONE11	4 ha
PERIOD(S) OF CONSTRUCTIONXVI° - XIX° cen	tury





Al-Balad, Jeddah
© Jack Kuo (Flickr, creative commons)



© Pat Ryan (Flickr, creative commons)





Ancient City of Damascus

The use of earth as building material is a predominant feature of the architecture of traditional houses in the historic center of Damascus. This feature of the Damascene houses is little known, the mud (wattle and daub or adobe) inserted in wooden frames, are usually covered with plaster stone or wood, and even sumptuous marble veneer

>> CRITERIA

- (i) Damascus testifies to the unique aesthetic achievement of the civilizations that created it. The Great Mosque is a masterpiece of Umayyad architecture, which together with other major monuments of different periods such as the Citadel, the Azem Palace, madrasas, khans, public baths and private residences demonstrates this achievement.
- (ii) Damascus, as capital of the Umayyad caliphate the first Islamic caliphate was of key importance in the development of subsequent Arab cities. With its Great Mosque at the heart of an urban plan deriving from the Graeco-Roman grid, the city provided the exemplary model for the Arab Muslim world.
- (iii) Historical and archaeological sources testify to origins in the third millennium BC, and Damascus is widely known as among the oldest continually inhabited cities in the world. The incomparable Great Mosque is a rare and extremely significant monument of the Umayyads. The present city walls, the Citadel, some mosques and tombs survive from the Medieval period, and a large part of the built heritage of the city including palaces and private houses

dates from after the Ottoman conquest of the early 16th century.

- (iv) The Umayyad Great Mosque, also known as the Grand Mosque of Damascus, is one of the largest mosques in the world, and one of the oldest sites of continuous prayer since the rise of Islam. As such it constitutes an important cultural, social and artistic development
- (vi) The city is closely linked with important historical events, ideas, and traditions, especially from the Islamic period. These have helped to shape the image of the city and impact of Islamic history and culture.





Historic heart of the city of Damas © Jean-Marie LeTiec, CRAterre

Detail of degraded plaster and of the earth bricks showing underneath

© Jean-Marie LeTiec, CRAteri







TUNISIA

Archaeological Site of Carthage

The archaeological excavations at Carthage have revealed the use of adobe for the construction of the upper parts of houses. This was both during the Punic period, but also the Roman period. Rammed earth was also used for the construction of some walls.

>> CRITERIA

(ii) Phoenician foundation linked to Tyre and the Roman refoundation on the orders of Julius Cesar, Carthage was also the capital of a Vandal kingdom and the Byzantine province of Africa. Its antique ports bear witness to commercial and cultural exchanges over more than ten centuries. The tophet, a sacred place dedicated to Baal, contains numerous stelae where various cultural influences are in evidence. Outstanding place of blossoming and diffusion of several cultures that succeeded one another (Phoenico-Punic, Roman, Paleochristian and Arab); Carthage has exercised considerable influence on the development of the arts, architecture and town planning in the Mediterranean.

(iii) The site of Carthage bears exceptional testimony to the Phoenico-Punic civilization being at the time its hub in the western basin of the Mediterranean. It was also one of the most brilliant centres of Afro-Roman civilization

(vi) The historic and literary renown of Carthage has always fed the collective imagination. Carthage is particularly associated with the home of the legendary princess of Tyre, Elyssa-Dido, founder of the town, sung about by Virgil in the Aeneid; with the great navigator-explorer, Hannon, with Hannibal, one of the greatest military strategists of history, with writers such as Apulée, founder of Latin-African literature, with the martyrdom of Saint Cyprian, and with Saint Augustine who trained and made several visits there.

1979	DATE OF INSCRIPTION
N36 51 10.008	GEOGRAPHIC COORDINATES
E10 19 23.988	
IX° century BC -	PERIOD(S) OF CONSTRUCTION
VII° century AC.	

Archaeological site of Carthage © Georgia Nakate (Flickr, creative commons)



Ancient Roman baths at Carthage
© Graham Clavtor (Flickr. creative commons)





Medina of Sousse

The use of earth can be found in the ancient fabric of the Medina of Sousse (rammed earth and adobe).

>> CRITERIA : (III) (IV) (V)

>> BRIEF DESCRIPTION:

(iii) With the Ribat, the Kasbah, ramparts, Bou Ftata Mosque and the Great Mosque, the Medina of Sousse bears exceptional witness to the civilization of the first centuries of the Hegira. The Medina was conceived according to a regular plan with its meridian axis running from Bab el Kabli to the ribat and the ancient interior port, and its east-west axis running from Bab el Jedid to Bab el Gharbi. It constitutes a precious and interesting example of an Islamic city.

(iv) The most ancient and best conserved of all, the Ribat of Sousse, is an outstanding example of this type of construction, with its rectangular enclosure flanked with towers and turrets, pierced with a single gate on the south, an inner courtyard rising over two levels with thirty-five cells opening onto it, a mosque on the southern side of the first storey, with its south-east facing tower, added in 821, serving as both a minaret and watch tower, from where signals from the Ribat could be transmitted to Monastir.

(v) The Medina of Sousse constitutes an outstanding example of Arabo-Muslim and Mediterranean architecture that reflects a particular traditional way of life. This typology, which has become vulnerable through the impact of irreversible socio-economic changes and modern life, constitutes a precious heritage that must be safeguarded and protected.

DATE OF INSCRIPTION	9
GEOGRAPHIC COORDINATES	8
E10 38 18.99	6
PROPERTY 32 h	а
BUFFER ZONE61 h	а
PERIOD(S) OF CONSTRUCTIONIX° - XXI° centur	y





© Paul Livingstone (Flickr, creative commons)





Medina of Tunis

The use of earth can be found in the ancient fabric of the Medina of Tunis (rammed earth and adobe).

>> CRITERIA :

- (ii) The relay role played by the Medina of Tunis between the Maghreb, Southern Europe and the East encouraged exchanges of influences in the field of the arts and architecture over many centuries.
- (iii) As an important city and the capital of different dynasties (from the Banu Khurassan, to the Husseinits), the Medina of Tunis bears outstanding witness to the civilizations of Ifriqiya (essentially from the 10th century).
- (v) The Medina of Tunis is an example of a human settlement that has conserved the integrity of its urban fabric with all its typo-morphological components. The impact of socioeconomic change has rendered this traditional settlement vulnerable and it should be fully protected.







© UNESCO / Jacques Perez





© Amine Ghrabi (Flickr, creative commons))



TUNISIA

Punic Town of Kerkuane and its Necropolis

The walls of the Punic town of Kerkouane were partly built of earth (rammed earth and adobe) on stone foundations.

>> CRITERIA :

(iii) The Punic Town of Kerkuane, never re-inhabited after it was abandoned towards the middle of the 3rd century BC, bears exceptional witness to Phoenician-Punic town planning. This is the only known Punic city in the Mediterranean with a wealth of information on town planning (spatial planning respecting a pre-established general plan: wide and fairly straight streets form a checkerboard network, the squares of which are filled with insulae) and architecture (defence, domestic, religious, artisanal structures, construction techniques and materials). Based on the data discovered, archaeologists are able to profile a Punic city as it was between the 6th and the middle of the 3rd century BC. The discovery of Kerkuane contributes considerably towards a better knowledge of Phoenician-Punic sites in the Mediterranean.

DATE OF INSCRIPTION 1985 (Ext. 1986)
GEOGRAPHIC COORDINATES N36 56 47.004
E11 5 57.012
PERIOD(S) OF CONSTRUCTION VI° - III° century BC





Punic site of Kerkouane





© Andrea Calabretta (Flickr, creative commons)



UNITED ARAB EMIRATES

Cultural Sites of Al Ain

(Hafit, Hili, Bidaa Bint Saud and Oases Areas)

Since the Bronze Age until recently, earthen architecture seems to have developed continuously in the oasis of Al Ain. Residential buildings, towers, palaces and administrative buildings of different periods are built of adobe bricks.

>> CRITERIA : (III) (IV) (V)

>> BRIEF DESCRIPTION

The Cultural Sites of Al Ain (Hafit, Hili, Bidaa Bint Saud and Oases Areas) constitute a serial property that testifies to sedentary human occupation of a desert region since the Neolithic period with vestiges of many prehistoric cultures. Remarkable remains in the property include circular stone tombs (ca. 2500 BC), wells and a wide range of adobe constructions: residential buildings, towers, palaces and administrative buildings. Hili moreover features one of the oldest examples of the sophisticated aflaj irrigation system, which dates back to the Iron Age. The property provides important testimony to the transition of cultures in the region from hunting and gathering to sedentarization.

DATE OF INSCRIPTION	2011
GEOGRAPHIC COORDINATES	N24 4 4
	E55 48 23
PROPERTY	4945 ha
BUFFER ZONE	7605 ha
PERIOD(S) OF CONSTRUCTION	III° millennium
BC X	IIX° century AC.

Sultan Bin Zayed Fort, Al Ain
© Luca De Santis (Flickr creative commons)





Historic Town of Zabid

Mainly built of baked bricks, the city of Zabid also includes archaeological remains and earthen construction (parts of walls, roofs) in its historical surroundings.



- (ii) Zabid is of outstanding archaeological and historical interest for its domestic and military architecture and for its urban plan (the only city in Yemen to be built harmonizing the typical Islamic town's layout with the central mosque and souq, together with houses providing privacy). Its architecture profoundly influenced that of the Yemeni coastal plain.
- (iv) Zabid's domestic and military architecture, its urban and defensive fabric layout manifested in its wall remains, watchtowers and citadel, as well as indirect access, make it an outstanding archaeological and historical site. The domestic architecture of Zabid is the most characteristic example of the Tihama style of courtyard house, which is to be found over a wide area of the southern part of the Arabian Peninsula.
- (vi) The Historic Town of Zabid is strongly linked with the history of the spread of Islam in the early years of Hijra as demonstrated in the archaeological remains within the Alash'ar

Mosque, associated with Al-Alash'ari, one of the Prophet Mohammad's companions, who built it to become the fifth mosque in Islam. Besides being the capital of Yemen from the 13th to the 15th centuries, the town played an important role in the Arab and Muslim world for many centuries in view of its being one of the significant centres spreading Islamic knowledge.





© Véronique Dauge, UNESCO



© Véronique Dauge, UNESCO





Old City of Sana'a

"Located in a valley at an altitude of 2,200 meters, the Old City of Sana'a is defined by an extraordinary density of cob, adobe and burnt brick, reaching several stories high on ground floors built of stone, and decorated with geometric patterns of fired bricks and white gypsum."

http://whc.unesco.org/fr/list/385/

>> CRITERIA :

(iv) Within its partially preserved wall, it offers an outstanding example of a homogeneous architectural ensemble, whose design and detail translate into an organization of space characteristic of the early centuries of Islam which has been respected over time.

(v) The houses of Sana'a, which have become vulnerable as a result of contemporary social changes, are an outstanding example of an extraordinary masterpiece, traditional human settlement.

(vi) Sana'a is directly and tangibly associated with the history of the spread of Islam in the early years of the Hegira. The Great mosque of Sana'a, built in year 6 of Hegira, is known as the first mosque built outside Mecca and Medina. The Old City of Sana'a has contributed to and played a major role in Yemeni, Arab and Islamic history through

the contributions of historical Yemeni figures including Al Hassan B. Ahmed Al Hamdany, Ahamed Al Razy and Al Shawkany.

DATE OF INSCRIPTION	1986
GEOGRAPHIC COORDINATES	N15 21 20
	E44 12 29
PERIOD(S) OF CONSTRUCTION	XII° - XXI° century







© Thierry Joffroy, CRAterre



YEMEN

Old Walled City of Shibam

The impressive tower houses up to seven stories and nearly 30 meters high have earned Shibam the nickname «the Manhattan of the desert.» This 16th century walled city is a pioneering example of urban planning based on the principle of vertical construction. Above their stone foundations, they are built entirely of adobe. Earth has also been used for the floors and terraces, on top of palm wood structures.


>> CRITERIA

(iii) The defensive character of Shibam with its dense conglomeration of many-storeyed buildings with almost no fenestration at ground level is an exceptional testimony to the strong competition that existed between rival families over this region. While the highly homogenous society traces its roots to Shibam over centuries, the traditional way of life exemplified by the city and its tower houses is threatened by social and economic change.

(iv) Surrounded by a fortified wall, the historic city of Shibam is one of the oldest and best examples of urban planning based on multistoreyed construction. It represents the most accomplished example of traditional Hadrami urban architecture, both in the grid layout of its streets and squares, and in the visual impact of its form rising out of the flood plain of the wadi, due to the height of its adobe tower houses. These illustrate the key period of Hadrami history from the 16th to the 19th centuries, when local traders developed economic and political

prestige through travel and trade abroad.

(v) Located between two mountains on the edge of a giant flood wadi and almost completely isolated from any other urban settlement, Shibam and its setting preserve the last surviving and comprehensive evidence of a traditional society that has adapted to the precarious life of a spate agriculture environment. It is vulnerable to social and economic change and the constant threat of annual flood incursions







© JAysegul Tastaban





••••


Asia & the Pacific

.

Statistics Asia & the Pacific

TYPES AND CONSTRUCTION MODES 60 PROPERTIES


Type of site




- AFGHANISTAN: Cultural Landscape and Archaeological Remains of the Bamiyan Valley
- AFGHANISTAN: Minaret and archaeological remains of Jam 02
- 03 CAMBODIA: Angkor
- CHINA: Ancient City of Ping Yao 04
- CHINA: Capital Cities and Tombs of the Ancient Koguryo 05 Kinadom
- CHINA: Classical Gardens of Suzhou 06
- 07 CHINA: Fuiian Tulou
- CHINA: Historic Ensemble of the Potala Palace, Lhasa 08
- 09 CHINA: Mausoleum of the First Qin Emperor
- CHINA: Mogao Caves 10
- CHINA: Mount Wutai 11
- CHINA: Old Town of Lijiang 12
- CHINA / KAZAKHSTAN / KYRGYZSTAN: Silk Roads: Network of Chang'an-Tianshan Corridor
- CHINA: Site of Xanadu 14
- CHINA: The Grand Canal 15
- CHINA: The Great Wall 16
- 17 CHINA: Yin Xu
- 18 INDIA: Churches and convents of Goa
- IRAN: Bam and its Cultural Landscape 19
- 20 IRAN: Golestan Palace
- IRAN: Masjed-e Jamé of Isfahan

Type of earth construction


Rammed earth (compacted earth) Adobe (bricks made with raw earth) Wattle and daub (earth and vegetal structure) Cob (shaped earth)





Position of earth



Proportion of earth on site







- IRAN: Meidan Emam, Esfahan
- 23 **IRAN: Persepolis**
- IRAN: Shahr-i Sokhta
- 25 IRAN: Shushtar historical hydraulical system
- 26 IRAN: Soltaniveh
- 27 IRAN: Tabriz Historic Bazaar Complex
- IRAN: Takht-e Soleyman
- IRAN: Tchogha Zanbil 29
- IRAN: The Persian Garden
- 31 JAPAN: Buddhist Monuments in the Horyu-ji Area
- IAPAN: Himeii-io
- JAPAN: Historic Monuments of Ancient Kyoto (Kyoto, Uji and Otsu Cities)

54 59

50

18

- JAPAN: Historic Monuments of Ancient Nara
- JAPAN: Historic Villages of Shirakawa-go and Gokayama
- JAPAN: Itsukushima Shinto Shrine
- 37 JAPAN: Shrines and Temples of Nikko
- 38 KOREA (RPD): Complex of Koguryo Tombs
- 39 KOREA (RPD): Historic Monuments and Sites in Kaesong
- KOREA: Changdeokgung Palace Complex
- KOREA: Gyeongju Historic Areas




- KOREA: Haeinsa Temple Janggyeong Panjeon, the Depositories for
- KOREA: Historic Villages of Korea: Hahoe and Yangdong
- KOREA: Jongmyo Shrine
- 45 KOREA: Namhansanseong
- KOREA: Royal tombs of Joseon dynasty 46
- KOREA: Seokguram Grotto and Bulguksa Temple
- MYANMAR: Pyu Ancient Cities
- NEPAL: Kathmandu Valley 49
- PAKISTAN: Archaeological Ruins at Moenjodaro 50
- SRI LANKA: Old town of Galle and its fortification
- TAIIKISTAN: Proto-urban site of Sarazm
- 53 THAILAND: Historic Town of Sukhothai and Associated Historic Towns
- 54 TURKMENISTAN: Kunya-Urgench
- TURKMENISTAN: Parthian Fortresses of Nisa
- **56** TURKMENISTAN: State Historical and Cultural Park "Ancient Mery"
- 57 UZBEKISTAN: Historic Centre of Bukhara
- 58 UZBEKISTAN: Historic Centre of Shakhrisyabz
- 59 U7BFKISTAN: Itchan Kala
- UZBEKISTAN: Samarkand, crossroad of cultures


Statistics: THREATS Asia & the Pacific

ANALYSIS OF QUESTIONNAIRES 21 RESPONSES/60 PROPERTIES

CURRENT SITUATION OF **PROPERTIES**











Maintenance



Degradation speed




Type of threats



PRIORITIES

Current level of satisfaction



Priorities for action



AFGHANISTAN

«Cultural Landscape and Archaeological Remains of the Bamiyan Valley»

«Regarded as a cultural landscape, the Bamiyan Valley, with its artistic and architectural remains, its traditional use of land and its simple buildings of earthen brick, continues to express its outstanding universal value in form and materials, location and context (...) «

http://whc.unesco.org/fr/list/208

>> CRITERIA

- (i) The Buddha statues and the cave art in Bamiyan Valley are an outstanding representation of the Gandharan school in Buddhist art in the Central Asian region.
- (ii) The artistic and architectural remains of Bamiyan Valley, an important Buddhist centre on the Silk Road, are an exceptional testimony to the interchange of Indian, Hellenistic, Roman and Sasanian influences as the basis for the development of a particular artistic expression in the Gandharan school. To this can be added the Islamic influence in a later period.
- (iii) The Bamiyan Valley bears exceptional testimony to a cultural tradition in the Central Asian region, which has disappeared
- (iv) The Bamiyan Valley is an outstanding example of a cultural landscape, which illustrates a significant period in Buddhism.

(vi) The Bamiyan Valley is the most monumental expression of western Buddhism. It was an important centre of pilgrimage over many centuries. Due to their symbolic values, the monuments have suffered at different times of their existence, including the deliberate destruction in 2001, which shook the whole world.

DATE OF INSCRIPTION
GEOGRAPHIC COORDINATES
E67 49 30.9
PROPERTY159 ha
BUFFER ZONE
PERIOD(S) OF CONSTRUCTION



View of the Bamiyan valley
© Graciela Gonzalez Brigas, UNESCO



Minaret and archaeological remains of Jam

While the 65 metres-tall Minaret of Jam is built of fired bricks, the many archaeological remains located above the cliff are mainly built in adobe. These include the ruins of castles, city walls, towers and a bazaar, demonstrating the importance of the Ghurid civilization, which dominated this region in the 12th and 13th centuries.

>> CRITERIA:

- (ii) The innovative architecture and decoration of the Minaret of Jam played a significant role in the development of the arts and architecture of the Indian sub-continent and beyond
- (iii) The Minaret of Jam and its associated archaeological remains constitute exceptional testimony to the power and quality of the Ghurid civilization that dominated the region in the 12th and 13th centuries.
- (iv) The Minaret of Jam is an outstanding example of Islamic architecture and ornamentation in the region and played a significant role for further dissemination.

2002	DATE OF INSCRIPTION
N34 23 47.6	GEOGRAPHIC COORDINATES.
E64 30 57.8	
70 ha	PROPERTY:
600 ha	BUFFER ZONE :
XII° - XIII° century	PERIOD(S) OF CONSTRUCTION

Village of Jam, valley of Ghor © David Adamec (Wikimedia Commons)









Angkor

Most of the buildings still visible at the various sites of Angkor consist of dry stone masonry (mostly fine, pink granite or sandstone) to double walls packed sand. Earth was also used as a building material, first as masonry mortar for the oldest temples and palaces, which were built of baked bricks, but also through the use of a specific soil, laterite, extracted in the form of blocks which hardens over time. The foundations of one of the most impressive temples, Bakong, are made of laterite blocks. The fourth enclosure wall of the famous Angkor Wat, as well as the outer walls of the royal palace of 585m x 246m, are also made of laterite blocks.


>> CRITERIA : (I) (II) (III) (IV)

>> BRIEF DESCRIPTION:

Angkor is one of the most important archaeological sites in South-East Asia. Stretching over some 400 km2, including forested area, Angkor Archaeological Park contains the magnificent remains of the different capitals of the Khmer Empire, from the 9th to the 15th century. They include the famous Temple of Angkor Wat and at Angkor Thom, the Bayon Temple with its countless sculptural decorations. UNESCO has set up a wide-ranging programme to safeguard this symbolic site and its surroundings.

1992	DATE OF INSCRIPTION
N13 25 60	GEOGRAPHIC COORDINATES
E103 49 6	
IX° - XV° century	PERIOD(S) OF CONSTRUCTION

© Soham Banerjee (Flickr, creative commons)



Laterite low wall





© Paul Arps (Flickr, creative commons)


Ancient City of Ping Yao

The historic area of Pingyao is surrounded by an impressive wall built of rammed earth. It has been expanded several times and / or elevated before reaching its current size. Its exterior has also been completely covered with a layer of baked bricks. With regards to the homes in the old town, earth can be found in the form of adobe and wattle and daub, used in filling baked brick or wooden structures (walls and pillars). It is also used for the roofs. Above the wooden structure, a thick layer of earth mixed with straw is for ensuring the stability of the tiles, but also to ensure good insulation.

>> CRITERIA : (II) (III) (IV) BRIEF DESCRIPTION :

Ping Yao is an exceptionally well-preserved example of a traditional Han Chinese city, founded in the 14th century. Its urban fabric shows the evolution of architectural styles and town planning in Imperial China over five centuries. Of special interest are the imposing buildings associated with banking, for which Ping Yao was the major centre for the whole of China in the 19th and early 20th centuries.

IPTION 1997	DATE OF IN
OORDINATES N37 12 5.004	GEOGRAPH
E112 9 15.984	
CONSTRUCTIONXIV° - XX° century	PERIOD(S)





© Thierry Joffroy, CRAterre

Capital Cities and Tombs of the Ancient Koguryo Kingdom

The ancient kingdom of Koguryo includes archaeological remains of three cities, parts of which are earthen constructions, and 40 tombs made of compacted earth and rubble.

>> CRITERIA

- (i) The tombs represent a masterpiece of the human creative genius in their wall paintings and structures.
- (ii) The Capital Cities of the Koguryo Kingdom are an early example of mountain cities, later imitated by neighbouring cultures. The tombs, particularly the important stele and a long inscription in one of the tombs, show the impact of Chinese culture on the Koguryo (who did not develop their own writing). The paintings in the tombs, while showing artistic skills and specific style, are also an example of the strong influence of other cultures.
- (iii) The Capital Cities and Tombs of the Ancient Koguryo Kingdom represent exceptional testimony to the vanished Koguryo civilization.
- (iv) The system of capital cities represented by Guonei City and Wandu Mountain City also influenced the construction of later capitals built by the Koguryo regime; the Koguryo tombs pro-


vide outstanding examples of the evolution of piled-stone and earthen tomb construction

(v) The capital cities of the Koguryo Kingdom represent a perfect blending of human and natural creation – rocks, forests and rivers.

2004	DATE OF INSCRIPTION
N41 9 25	GEOGRAPHIC COORDINATES
E126 11 14	
4165 ha	PROPERTY
14142 ha	BUFFER ZONE
III° century BC.	PERIOD(S) OF CONSTRUCTION
VII° century AC	

5th century tombs of rulers of an ancient Korean (Koguryo) kingdom that lasted from about 277 AD until the late 600s when it was overthrown by the Tang Dynasty.

© Kevin Felt (Flick, creative commons)



Classical Gardens of Suzhou

The many buildings included in the conception of the gardens are mainly made of wood and stone. Earth was used in making some of the walls, in the form of wattle and daub, and for the roofs in a thick layer between used for ensuring the stability of the roofing tiles.

>> CRITERIA : (I) (II) (III) (IV) (V)

>> BRIEF DESCRIPTION:

Classical Chinese garden design, which seeks to recreate natural landscapes in miniature, is nowhere better illustrated than in the nine gardens in the historic city of Suzhou. They are generally acknowledged to be masterpieces of the genre. Dating from the 11th-19th centuries, the gardens reflect the profound metaphysical importance of natural beauty in Chinese culture in their meticulous design.

DATE OF INSCRIPTION1997 (Ext. 2000)
GEOGRAPHIC COORDINATESN31 19 0
E120 27 0
PROPERTY 12 ha
BUFFER ZONE27 ha
PERIOD(S) OF CONSTRUCTIONXI° - XIX° century





© Jakob Montrasio (Flickr, creative common)



Fujian Tulou

Tulou are rammed earth houses, several stories high, built along an inward-looking, circular or square floor plan as housing for up to 800 people each. They feature tall fortified mud walls capped by tiled roofs with wide over-hanging eaves. The property includes 46 tulou spread out over a distance of more than 120km.

>> CRITERIA

- (iii) The tulou bear an exceptional testimony to a long-standing cultural tradition of defensive buildings for communal living that reflect sophisticated building traditions and ideas of harmony and collaboration, well documented over time.
- (iv) The tulou are exceptional in terms of size, building traditions and function, and reflect society's response to various stages in economic and social history within the wider region.
- (v) The tulou as a whole and the nominated Fujian tulou in particular (in terms of their form) are a unique reflection of communal living and defensive needs, and in terms of their harmonious relationship with their environment are an outstanding example of human settlement.

DATE OF INSCRIPTION2008
GEOGRAPHIC COORDINATES
E117 41 9
PROPERTY153 HA
BUFFER ZONE935 HA
PERIOD(S) OF CONSTRUCTIONXV° - XX° century





© Basile Cloquet, CRAterre

Historic Ensemble of the Potala Palace, Lhasa

The massive walls of the various buildings that make up the Potala Palace are made of a mix of compacted earth and rubble. All of the roofs are also made of successive layers of earth laid above wooden structures. This historic complex is located 3,700 metres above sea level and covers an area of over 130,000m2 and stands more than 110 metres high. The Temple Monastery is in the centre of the old town of Lhasa. It comprises essentially an entrance porch, a courtyard and a Buddhist hall, surrounded by accommodation for monks and storehouses on all four sides. The buildings are constructed of wood and stone.

>> CRITERIA : (I) (IV) (VI)

>> BRIEF DESCRIPTION:

The Potala Palace, winter palace of the Dalai Lama since the 7th century, symbolizes Tibetan Buddhism and its central role in the traditional administration of Tibet. The complex, comprising the White and Red Palaces with their ancillary buildings, is built on Red Mountain in the centre of Lhasa Valley, at an altitude of 3,700 metres. Also founded in the 7th century, the Jokhang Temple Monastery is an exceptional Buddhist religious complex. Norbulingka, the Dalai Lama's former summer palace, constructed in the 18th century, is a masterpiece of Tibetan art. The beauty and originality of the architecture of these three sites, their rich ornamentation and harmonious integration in a striking landscape, add to their historic and religious interest.

1994 (Ext. 2000, 2001)	DATE OF INSCRIPTION
ATES N29 39 28.512	GEOGRAPHIC COOR
E91 7 1.812	
61 ha	PROPERTY
199 ha	BUFFER ZONE
TION VII° - XVIII° century	PERIOD(S) OF CONST

Palace of Potala, 2005
© Philipp Roelli (Wikimedia Commons)

Palace of Potala, 2007
© Steve Hicks (Flickr, creative Commons)







Mausoleum of the First Qin Emperor

«The terracotta army in the mausoleum of the first emperor of China, Shi Huangdi, (...), is only one part of a huge funeral complex of 56 km2, of which the centerpiece is a gigantic pyramid of earth» (Anger & Fontaine, 2009, p. 50)

>> CRITERIA : (I) (III) (IV) (VI)

>> BRIEF DESCRIPTION:

No doubt thousands of statues still remain to be unearthed at this archaeological site, which was not discovered until 1974. Qin (d. 210 BC), the first unifier of China, is buried, surrounded by the famous terracotta warriors, at the centre of a complex designed to mirror the urban plan of the capital, Xianyan. The small figures are all different; with their horses, chariots and weapons, they are masterpieces of realism and also of great historical interest.

1987	DATE OF INSCRIPTION
N34 22 60	GEOGRAPHIC COORDINATES
E109 5 60	
III° century BC.	PERIOD(S) OF CONSTRUCTION



Mausoleum of Qin shi Huang





Mogao Caves

The 492 cells and Buddhist shrines carved into the Mogoa cliffs are richly decorated with paintings on walls made with clays of various colors. These decorations include more than 2,000 sculptures and approximately 45,000 m2 of murals.

>> CRITERIA : (I) (II) (III) (IV) (V) (VI)

>> BRIEF DESCRIPTION:

Located at a strategic point along the Silk Route, at the crossroads of trade as well as religious, cultural and intellectual influences, the 492 cells and cave shrines in Mogao are famous for their statues and wall paintings, spanning 1,000 years of Buddhist art

 DATE OF INSCRIPTION
 1987

 GEOGRAPHIC COORDINATES.
 N40 7 59.988

 E94 49 0.012

 PERIOD(S) OF CONSTRUCTION
 V° - XIV° century

Statue of Buddha
© Xuan Che (Flickr, creative commons)



Wall painting
© Xuan Che (Flickr, creative common)





Mount Wutai

Most of the 146,000 clay Buddhist statues conserved in the sacred places of Mont Wutai are painted. The "colored statues" of the Foguang Temple from the Tang Dynasty as well as those from the Ming Dynasty exhibited in the Shuxiang Temple are exceptional examples

>> CRITERIA

- (ii) The overall religious temple landscape of Mount Wutai, with its Buddhist architecture, statues and pagodas reflects a profound interchange of ideas, in terms of the way the mountain became a sacred Buddhist place, endowed with temples that reflected ideas from Nepal and Mongolia and which then influenced Buddhist temples across China.
- (iii) Mount Wutai is an exceptional testimony to the cultural tradition of religious mountains that are developed with monasteries. It became the focus of pilgrimages from across a wide area of Asia, a cultural tradition that is still living.
- (iv) The landscape and building ensemble of Mount Wutai as a whole illustrates the exceptional effect of imperial patronage over 1,000 years in the way the mountain landscape was adorned with buildings, statuary, paintings and steles to celebrate its sanctity for Buddhists.

(vi) Mount Wutai perfectly reflects the fusion between the natural landscape and Buddhist culture, religious belief in the natural landscape and Chinese philosophical thinking on the harmony between man and nature. The mountain has had far-reaching influence: mountains similar to Wutai were named after it in Korea and Japan, and also in other parts of China such as Gansu, Shanxi, Hebei and Guandong provinces.

DATE OF INSCRIPTION	2009
GEOGRAPHIC COORDINATES	N39 1 50
	E113 33 48
PROPERTY	18 415 ha
BUFFER ZONE	42 312 ha
PERIOD(S) OF CONSTRUCTION	I° - XX° century

© Angus Cepka (Wikimedia Commons)



© David Wilmot (Wikimedia Commons





Old Town of Lijiang

"The most representative feature of the Naxi minority culture in Ligiang is its wealth of domestic dwellings. The basic timber-framed structure developed into a unique architectural style with the absorption of elements of Han and Zang architecture. Most of the houses are two-storeyed. The chuandoushi wooden frames are walled with adobe on the ground floor and planks on the upper floors; the walls have stone foundation courses. The exteriors of the walls are plastered and lime-washed, and there are often brick panels at the corners. The houses have tiled roofs and an external corridor or veranda."

http://whc.unesco.org/fr/list/811

>> CRITERIA : (II) (IV) (V)

>> BRIEF DESCRIPTION:

The Old Town of Lijiang, which is perfectly adapted to the uneven topography of this key commercial and strategic site, has retained a historic townscape of high quality and authenticity. Its architecture is noteworthy for the blending of elements from several cultures that have come together over many centuries. Lijiang also possesses an ancient water-supply system of great complexity and ingenuity that still functions efficiently today.

DATE OF INSCRIPTION	1997
GEOGRAPHIC COORDINATES	N26 52 0.012
	E100 13 59.988
PROPERTY	12 ha
BUFFER ZONE	27 ha
PERIOD(S) OF CONSTRUCTION X	II° - XVIII° century







© Gill Penney (Flickr, creative commons)



Silk Roads: the Routes Network of Chang'an-Tianshan Corridor

The 33 sites include capital cities/ palace complexes of various empires and Khan kingdoms of different historic periods across Asian Continent, central towns, trading settlements, Buddhist cave temples, beacon towers, fortifications etc.. Earth is found in various forms: rammed earth for fortresses, pagoda, beacon towers and walls, adobe for stupa and walls, wattle and daub (pakhsa) for fortifications.

>> CRITERIA : (II) (III) (V) (VI) >> BRIEF DESCRIPTION :

This property is a 5,000 km section of the extensive Silk Roads network, stretching from Chang'an / Luoyang, the central capital of China in the Han and Tang dynasties, to the Zhetysu region of Central Asia. It took shape between the 2nd century BC and 1st century AD and remained in use until the 16th century, linking multiple civilizations and facilitating far-reaching exchanges of activities in trade, religious beliefs, scientific knowledge, technological innovation, cultural practices and the arts. The thirty-three components included in the routes network include capital cities and palace complexes of various empires and Khan kingdoms, trading settlements, Buddhist cave temples, ancient paths, post houses, passes, beacon towers, sections of The Great Wall, fortifications, tombs and reliaious buildinas.

TE OF INSCRIPTION 2014	
OGRAPHIC COORDINATES	
E108 51 26	
OPERTY 42,668 ha	
FFER ZONE 189,963 ha	
RIOD(S) OF CONSTRUCTION II° century BC -	
I° century AD	

Jiaohe Ancient City relics
© tian yake (Flickr, creative commons)

Jiaohe Ancient City relics
© tian yake (Flickr, creative commons)



Kizilgaha Beacon Tower
© Jinning Zhang (Flickr, creative commons)







Site of Xanadu

The city site of Xanadu is composed of remains of the Palace City, the Imperial City, the Outer City, Tiefan'gan Canal etc.. The middle parts of the Palace City walls are made of rammed loess and both sides of walls are covered with grey bricks. The use of the rammed loess can be found in bastions and the wall of Imperial City as well and the surfaces are covered with natural stones. The walls of the Outer City are made of rammed earth and the surfaces are not covered with bricks or stones. The drainage channel constructed with rammed earth can also be found.

>> CRITERIA

- (ii) The location and environment of the Site of Xanadu exhibits influence from both Mongolian and Han Chinese values and lifestyles. The city site exhibits an urban planning pattern indicative of integration of the two ethnicities. From the combination of Mongolian and Han ideas and institutions the Yuan Dynasty was able to extend its control over an extremely large part of the known world at that time. The Site of Xanadu is a unique example of an integrated city plan involving different ethnic communities.
- (iii) The Site of Xanadu is exceptional testimony to the supreme rule of the Yuan conqueror Kublai Khan, the assimilation and conversion to the culture and political system of the conquered, and the determination and effort of the conqueror in adhering to and maintaining the original cultural traditions.
- (iv) The site location and environment of the Site of Xanadu together with its urban pattern demonstrates a coexistence and fusion of noma-

- dic and farming cultures. The combination of a Han city plan with the gardens and landscape necessary to the Yuan dynasty's Mongolian lifestyle at Xanadu resulted in an outstanding example of urban layout that illustrates a significant stage in human history.
- (vi) The city of Xanadu hosted the great debate between Buddhism and Taoism in the 13th century, an event that resulted in dissemination of Tibetan Buddhism over North-east Asia.

2012	DATE OF INSCRIPTION
N42 21 28.8	GEOGRAPHIC COORDINATES
E116 11 6.46	
25,131 ha	PROPERTY
150,722 ha	BUFFER ZONE
XIII° century	PERIOD(S) OF CONSTRUCTION











The Grand Canal

The Grand Canal is made up of 31 individual properties represent a total of 85 major heritage items, consisting of 27 canal sections and 58 cultural heritage sites. Earth can be found in the form of clay mortar for brick dam, approach bridges or culvert and rammed earth for dams, dikes or granaries.

>> CRITERIA : (I) (III) (IV)

>> BRIEF DESCRIPTION:

The Grand Canal is a vast waterway system in the north-eastern and central-eastern plains of China, running from Beijing in the north to Zhejiang province in the south. Constructed in sections from the 5th century BC onwards, it was conceived as a unified means of communication for the Empire for the first time in the 7th century AD (Sui dynasty). This led to a series of gigantic construction sites, creating the world's largest and most extensive civil engineering project prior to the Industrial Revolution. It formed the backbone of the Empire's inland communication system, transporting grain and strategic raw materials, and supplying rice to feed the population. By the 13th century it consisted of more than 2,000 km of artificial waterways, linking five of China's main river basins. It has played an important role in ensuring the country's economic prosperity and stability and is still in use today as a major means of communication.

ION 2014	DATE OF
RDINATES N34 41 38	GEOGRAF
E112 28 6	
20,819 ha	PROPERT
53,320 ha	BUFFER Z
STRUCTION V° century BC -	PERIOD(S
XIII° century AD	

The junction of the Lu Canal and South Canal
© Tomtom08 (Wikimedia commons)

A big boat goes through the arche of the Gongchen bridge. © vision chen (Flickr, creative commons)







The Great Wall

«The Great Wall of China, near Jiayuguan in Gansu province, is built of unbaked clay, the only locally available material.» (Anger & Fontaine, 2009, p. 11)

It is clear that rammed erath has been sued, but there may also have some adobe parts, with possibly some of them hidden by fired bricks coatings.

>> CRITERIA : (I) (II) (III) (IV) (VI)

>> BRIEF DESCRIPTION:

In c. 220 BC, under Qin Shi Huang, sections of earlier fortifications were joined together to form a united defence system against invasions from the north. Construction continued up to the Ming Dynasty (1368-1644), when the Great Wall became the world's largest military structure. Its historic and strategic importance is matched only by its architectural significance.

1987	DATE OF INSCRIPTION
N40 25 0.012	GEOGRAPHIC COORDINATES
E116 4 59.988	
III° century BC -	PERIOD(S) OF CONSTRUCTION
XVII° century AC	

Portions of the Great Wall built with earth © Gwydion Williams (Flickr, creative commons)







CHINA Yin Xu

The royal palace and shrines throughout the 7 hectares of the site are the most important buildings of Yin Xu. More than 80 buildings have been discovered in this area. The foundation with rammed earth in which wooden poles were stuck forming the structure of buildings still remains. The presence of earth in the walls is also confirmed.

>> CRITERIA : (II) (III) (IV) (VI) >> BRIEF DESCRIPTION :

The archaeological site of Yin Xu, close to Anyang City, some 500km south of Beijing, is an ancient capital city of the late Shang Dynasty (1300-1046 BC). It testifies to the golden age of early Chinese culture, crafts and sciences, a time of great prosperity of the Chinese Bronze Age. A number of royal tombs and palaces, prototypes of later Chinese architecture, have been unearthed on the site, including the Palace and Royal Ancestral Shrines Area, with more than 80 house foundations, and the only tomb of a member of the royal family of the Shang Dynasty to have remained intact, the Tomb of Fu Hao. The large number and superb craftsmanship of the burial accessories found there bear testimony to the advanced level of Shang crafts industry. Inscriptions on oracle bones found in Yin Xu bear invaluable testimony to the development of one of the world's oldest writing systems, ancient beliefs and social systems.

ON 2006	DATE OF INSCRIPTION
ORDINATES N36 7 36	GEOGRAPHIC COOR
E114 18 50	
414 ha	PROPERTY
720 ha	BUFFER ZONE
STRUCTION XIII° - XI° century BC.	PERIOD(S) OF CONS



© Tiagox2 (Wikimedia Commons)

Churches and convents of Goa

Monuments of Goa were built with laterite blocks extracted from local quarries. They are plastered with a lime whitewash, which gives a dominant white color in all of this heritage

>> CRITERIA : (II) (IV) (VI)
>> BRIEF DESCRIPTION :

The churches and convents of Goa, the former capital of the Portuguese Indies – particularly the Church of Bom Jesus, which contains the tomb of St Francis-Xavier – illustrate the evangelization of Asia. These monuments were influential in specific forms of Manueline, Manueline and

of St Francis-Xavier – illustrate the evangelization of Asia. These monuments were influential in spreading forms of Manueline, Mannerist and Baroque art in all the countries of Asia where missions were established.

DATE OF INSCRIPTION 1986
GEOGRAPHIC COORDINATES N15 30 7.992
E73 54 42.012
PERIOD(S) OF CONSTRUCTION XVI° - XVIII° century



© Bryce Edwards (Flickr creative commons)



IRΔN

Bam and its Cultural Landscape

The Fortress of Bam is made entirely of unbaked clay, mainly in the form of adobe masonry with mud mortar. These bricks have different sizes according to the period of manufacture. There are two main types: large bricks of various sizes used for enclosure walls and vertical structures, and small and fin bricks (about 25x25x5cm) used in particular for constructing the wide variety of vaults and domes, without centering. Earth is also present in the inner and outer coatings and as wallow for some enclosure walls

>> CRITERIA :

- (ii) Bam developed at the crossroads of important trade routes at the southern side of the Iranian high plateau, and it became an outstanding example of the interaction of the various influences
- (iii) Bam and its Cultural Landscape represent exceptional testimony to the development of a trading settlement in the desert environment of the Central Asian region.
- (iv) The city of Bam represents an outstanding example of a fortified settlement and citadel in the Central Asian region, based on the use of mud layer technique (Chineh) combined with mud bricks (Khesht).
- (v) The cultural landscape of Bam is an outstanding representation of the interaction of man and nature in a desert environment, using the qanats. The system is based on a strict social system with precise tasks and responsibilities, which has been maintained and

is still in use, although vulnerable to irreversible change.

DATE OF INSCRIPTION 2004
GEOGRAPHIC COORDINATES
E100 13 59.988
PROPERTY 12 ha
BUFFER ZONE 27 ha
PERIOD(S) OF CONSTRUCTION XII° - XVIII° century

Citadel of Bam before its destruction during an earthquake in 2003 © Hubert Guillaud, CRAterre



Stable, Citadel of Bam, before its destruction in 2003

© Hubert Guillaud, CPAterro





Golestan Palace

Construction materials used in different parts of Golestan Palace are as follows: bricks, wood and mud bricks in its structural elements and roofs, wood in its doors and also in its decorations, plaster materials in its decorations like stucco works, mud and glazed materials in its tile works, glass in its mirror works

>> CRITERIA :


(ii) The complex of Golestan Palace represents an important example of the merging of Persian arts and architecture with European styles and motifs and the adaptation of European building technologies, such as the use of cast iron for load bearing, in Persia. As such Golestan Palace can be considered an exceptional example of an east-west synthesis in monumental arts, architectural layout and building technology, which has become a source of inspiration for modern Iranian artists and architects.

(iii) Golestan Palace contains the most complete representation of Qajari artistic and architectural production and bears witness to the centre of power and arts at the time. Hence, it is recognized as an exceptional testimony to the Qajari Era.

(iv) Golestan Palace is a prime example of the arts and architecture in a significant period in Persia, throughout the 19th century when the society was subject to processes of moderni-

zation. The influential role of artistic and architectural values of ancient Persia as well as the contemporary impacts of the West on the arts and architecture were integrated into a new type of arts and architecture in a significant transitional period.







© David Holt (Flickr creative commons)





IRAN

Masjed-e Jamé of Isfahan

Most of the building materials used in Masjed-e J me is mud- or sun dries bricks, stones, tiles, gypsum, mud mortar such as Kahgel (Mud and straw plaster), Simgel (type of mud based traditional plaster with gypsum decoration) and lime mortar.

>> CRITERIA :

(ii) Masjed-e Jame is the first Islamic building that adapted the four iwan (Chahar Ayvan) courtyard layout of Sassanid palaces to Islamic religious architecture and thereby became the prototype construction for a new layout and aesthetic in mosque design. The Nezam al-Molk Dome is the first double-shell ribbed dome structure in the Islamic empire, which introduced new engineering skills, allowing for more elaborate dome constructions in later mosque and burial complexes. On the basis of these two elements, the Masjed-e Jame is a recognized prototype for mosque design, layout and dome construction, which was referenced in several later eras and regions of the Islamic world.

2012	DATE OF INSCRIPTION
N32 40 11	GEOGRAPHIC COORDINATES
E51 41 7	
2.08 ha	PROPERTY
19 ha	BUFFER ZONE
VIII° - XVII° century	PERIOD(S) OF CONSTRUCTION

Masjed-e-Jame © Asasch (Flickr, creative commons)





All buildings of Meidan Emam, including the arcades that connect them, are constructed of thick walls made of two panels of fired bricks on both sides of a nucleus made of adobe masonry or a conglomerate of earth and other materials.

Earth has also been used as rendering applied to the walls and vaults of the bazaar.

>> CRITERIA : (I) (V) (VI)

>> BRIEF DESCRIPTION:

Built by Shah Abbas I the Great in the early 17th century, and entirely surrounded by monumental buildings linked by a series of two-storeyed arcades, the site is known for the Royal Mosque, the Mosque of Sheikh Lotfollah, the magnificent Portico of Qaysariyyeh, and the Timurid Palace dating from the 15th century. This is a testament to the social and cultural life in Persia during the Safavid era.

DATE OF INSCRIPTION1979
GEOGRAPHIC COORDINATES
E51 40 40
PERIOD(S) OF CONSTRUCTION XV° - XVIII° century

Naghsh-e Jahan square, Ispahan © Hubert Guillaud, CRAterre





Naghsh-e Jahan square, Ispahan © Sébastien Moriset, CRAterre



Persepolis

The palaces and royal buildings erected on the terrace of Persepolis were built of stone and earth. The monumental stone remains have been preserved by anastylosis while the walls of adobe, sometimes still standing more than 3 meters high and covered with painted plaster when they were discovered in the early twentieth century were leveled at fixed heights to provide the visitors with a planimetric vision of the buildings.


>> CRITERIA : (I) (III) (VI)

>> BRIEF DESCRIPTION:

Founded by Darius I in 518 BC, Persepolis was the capital of the Achaemenid Empire. It was built on an immense half-artificial, half-natural terrace, where the king of kings created an impressive palace complex inspired by Mesopotamian models. The importance and quality of the monumental ruins make it a unique archaeological site.


DATE OF INSCRIPTION 1979	
GEOGRAPHIC COORDINATES N29 56 3.984	
E52 53 25.008	
PERIOD(S) OF CONSTRUCTIONVI° - IV° century BC	

Detail, restored earth walls
© David Gandreau, CRAterre



View of the site

© David Gandreau CRAterre





Shahr-i Sokhta

The main construction material is mud brick. These sun-dried mud bricks have a light grey colour, and contain organic materials such as straw. No fired bricks were used in the buildings of Shahr-i Sokhta. Mud bricks were of various sizes, and were made by the use of wooden frames with specific dimensions. Clay also used in coating the inside walls of the building. In some cases this wall coating has gone on to cover the floor as well.

>> CRITERIA

(ii) Shahr-i Sokhta exhibits a transition from village habitation to an urbanized community with significant cultural, social and economic achievements and developments from the late Calcolithic to the early Bronze Age. It served as a link between the civilizations of the Indus Valley and Mesopotamia.

(iii) Shahr-i Sokhta bears exceptional testimony to a civilization and cultural tradition that linked trade and cultural relations with ancient sites and cultures on the Indus Plain, southern shores of the Persian Gulf, the Oman Sea and South-west Iran, Mesopotamia and Central Asia. Archaeological remains and finds indicate the key role of the city on a very large scale in terms of working with metals, stone vessels, gems and pottery.

(iv) The ancient site of Shahr-i Sokhta is an outstanding example of a multi-cultural settlement during the 3rd Millennium BCE. The excavations show that the city was separated into various

parts according to different functions-residential, industrial and burial; it therefore represents an important stage in urban planning and as such serves as a prototype in the region.

DATE OF INSCRIPTION	DATE OF
GEOGRAPHIC COORDINATES	GEOGRA
E61 19 40	
PROPERTY 275 ha	PROPERT
BUFFER ZONE2,200 ha	BUFFER 2
PERIOD(S) OF CONSTRUCTION III° millennium BC –	PERIOD(S
XVIII° century BC	

© Rasool abbasi17 (Wikimedia commons)





Shushtar historical hydraulical system

Two major canals diverting water from the Kârun River, dug out at least 18 centuries ago, helped create the city of Shushtar and irrigate 40,000 hectares of farmland in a semi-desert environment. This remarkable work of civil engineering shows a fine appreciation of the mechanical properties of soils. It also demonstrates an expertise in the development of irrigation infrastructure, including the digging of a tunnel system that feeds mills and the city's water supply.

>> CRITERIA :

- (i) The Shushtar Hydraulic System is testimony to a remarkably accomplished and early overall vision of the possibilities afforded by diversion canals and large weir-dams for land development. It was designed and completed in the 3rd century AD for sustainable operation and is still in use today. It is a unique and exceptional ensemble in terms of its technical diversity and its completeness that testifies to human creative genius.
- (ii) The Shushtar Historical Hydraulic System is a synthesis of diverse techniques brought together to form a remarkably complete and large-scale ensemble. It has benefited from the ancient expertise of the Elamites and Mesopotamians in canal irrigation, and from that of the Nabateans: Roman technicians also influenced its construction. Its many visitors marvelled at it and were in turn inspired. It testifies to the exchange of considerable influences in hydraulic engineering and its application throughout antiquity and the Isla-


mic period under the various Iranian dynasties.

(v) Shushtar is a unique and exceptionally complete example of hydraulic techniques developed during ancient times to aid the occupation of semi-desert lands. By diverting a river flowing down the mountains, using large-scale civil engineering structures and the creation of canals, it made possible multiple uses for the water across a vast territory: urban water supply, agricultural irrigation, fish farming, mills, transport, defence system, etc. It testifies to a technical culture dating back 18 centuries, serving the sustainable development of a human society, in harmony with its natural and urban environment.















Soltaniyeh

The Mausoleum of Oljaytu appears as a richly decorated brick building. In fact, its walls (up to 7 meters thick) are composed of a core of adobe or a mix of earth and other materials protected by sidings of baked bricks. The listed property also has several adobe buildings, including the ruins of a fortress dating from the 19th century at the top of the Tappeh Qal'eh Hill and other ruined structures on the Mostafakhan site.

>> CRITERIA :

- (ii) The Mausoleum of Oljaytu forms an essential link in the development of the Islamic architecture in central and western Asia, from the classical Seljuk phase into the Timurid period. This is particularly relevant to the double-shell structure and the elaborate use of materials and themes in the decoration.
- (iii) Soltaniyeh, as the ancient capital of the Ilkhanid dynasty, represents an exceptional testimony to the history of the 13th and 14th centuries.
- (iv) The Mausoleum of Oljaytu represents an outstanding achievement in the development of Persian architecture particularly in the Ilkhanid period, characterized by its innovative engineering structure, spatial proportions, architectural forms and the decorative patterns and techniques.

2007	DATE OF INSCRIPTION
N36 26 7.008	GEOGRAPHIC COORDINATES
E48 47 48.012	
790 ha	PROPERTY
350 ha	BUFFER ZONE
XIII° - XVII° century	PERIOD(S) OF CONSTRUCTION





Tabriz Historic Bazaar Complex

Tabriz Historic Bazaar consists of a series of buildings connected to each other in a relatively compact area, forming almost a single integrated architecture. The original construction materials are fired brick (20 x 20 x 5 cm) for the wall facings and arches, stone for foundations and earth for the mortars, for the wall nucleus and on top of the vaults.

>> CRITERIA

(ii) Tabriz Historic Bazaar Complex was one of the most important international trade and cultural centres in Asia and the world between the 12th and the 18th centuries, thanks to the centuries-old East-West trade routes. Tabriz Bazaar is an exceptional example of an architectural urban commercial area, which is reflected in its highly varied and integrated architectural buildings and spaces. The bazaar is one of the most sustainable socio-economic structures, and its great complexity and articulation attests to the wealth in trade and cultural interaction of Tabriz.

(iii) Tabriz Historic Bazaar bears witness to one of the most complete socio-cultural and commercial complexes among bazaars. It is an exceptional physical, economic, social, political, and religious complex that bears an exceptional testimony to a civilization that is still living. Over the centuries, thanks to its strategic location and to wise policies of endowments and tax exemptions, Tabriz Bazaar has developed into a socio-economic and cultural system in which

specialized architectural structures, functions, professions, and people from different cultures are integrated into a unique living environment.

(iv) Tabriz Historic Bazaar is an outstanding example of an integrated multi-functional urban complex, in which interconnected architectural structures and spaces have been shaped by commercial activities and related necessities. A large number of specialized buildings and structures are concentrated and reciprocally connected in a relatively compact area to form what is almost a single integrated structure.

Detail of vaulted roof

© Mohammad Tajik

DATE OF INSCRIPTION2010	
GEOGRAPHIC COORDINATES	
E46 17 35	
PROPERTY29 ha	
BUFFER ZONE75 ha	
PERIOD(S) OF CONSTRUCTIONXIII° - XXI° century	



Interior view of the Tabriz bazaar





The first Sasanian buildings of Takht-e Soleyman were built in the fifth century in adobe on stone foundations. A12 meters wide adobe wall with an entrance on the north is also dated to this period. From the sixth century, some of the buildings made of earth were replaced by buildings of stone and bricks. The remains of the royal sanctuary, surrounded by a stone wall 13 meters high are the most important ones built with earth.

>> CRITERIA :

- (i) Takht-e Soleyman is an outstanding ensemble of royal architecture, joining the principal architectural elements created by the Sasanians in a harmonious composition inspired by their natural context.
- (ii) The composition and the architectural elements created by the Sasanians at Takht-e Soleyman have had a strong influence not only in the development of religious architecture in the Islamic period, but also in other cultures.
- (iii) The ensemble of Takht-e Soleyman is an exceptional testimony of the continuation of cult related to fire and water over a period of some two and half millennia. The archaeological heritage of the site is further enriched by the Sasanian town, which is yet to be excavated.
- (iv) Takht-e Soleyman represents an outstanding example of a Zoroastrian sanctuary, integrated with Sasanian palatial architecture within a

composition that can be considered a prototype.

(vi) As the principal Zoroastrian sanctuary, Takhte Soleyman is the foremost site associated with one of the early monotheistic religions of the world. The site has many important symbolic relationships, being also a testimony of the association of the ancient beliefs, much earlier than the Zoroastrianism, as well as the association with significant biblical figures and legends.

DATE OF INSCRIPTION	
GEOGRAPHIC COORDINATES	
E47 14 6	
PROPERTY10 ha	
BUFFER ZONE 7438 ha	
PERIOD(S) OF CONSTRUCTION VI° - XIII° century	





© Martin Gray



Tchogha Zanbil

Tchogha Zanbil, the former Dur-Untash, appears as a complex of buildings of adobe and baked bricks spread out over an area of 100 hectares within three concentric walls. This ancient city was organized around a tiered tower, the ziggurat, located in the middle of the inner enclosure. It still stands on two levels at over 25 m high (against an estimate of 53 m on five levels of its original state) on an almost square base (105 x 104 m). Its interior is of adobe, while its facing, largely put back together during excavations conducted by R. Ghirshman (1951-1962), is of baked bricks. Ten temples were also found around the ziggurat, inside the middle enclosure (sacred enclosure). The area between the middle enclosure and the outer enclosure has revealed a series of palaces and burial vaults still remarkably preserved. The entire site offers a unique and particularly evocative view of what had been a vast Elamite city of the second millenium BC, primarily of earthen construction.

>> CRITERIA : (III) (IV)

>> BRIEF DESCRIPTION:

The ruins of the holy city of the Kingdom of Elam, surrounded by three huge concentric walls, are found at Tchogha Zanbil. Founded c. 1250 BC, the city remained unfinished after it was invaded by Ashurbanipal, as seen by the thousands of unused bricks left at the site.

DATE OF INSCRIPTION1979
GEOGRAPHIC COORDINATES
E48 31 60
PERIOD(S) OF CONSTRUCTIONXIII° century BC

Second level of the ziggurat, featuring burnt brick cladding over massive raw earth structure © Sébastien Moriset. (RAterre

Northern facade of the zuggurat, view of adobe structure remains in the foreground

© Sébastien Moriset, CRAterre







Since the 6th century BC the main material used in the construction of Persian gardens has been adobe. This technique is especially visible on enclosure walls generally left bare or just covered with a clay coating (kahgel). Pavilions and other buildings made with the same material, however, are covered with gypsum-based plaster or lime, or a decorative veneer of thin bricks.

>> CRITERIA : (I) (II) (III) (IV) (VI)

>> BRIEF DESCRIPTION:


The property includes nine gardens in as many provinces. They exemplify the diversity of Persian garden designs that evolved and adapted to different climate conditions while retaining principles that have their roots in the times of Cyrus the Great, 6th century BC. Always divided into four sectors, with water playing an important role for both irrigation and ornamentation, the Persian garden was conceived to symbolize Eden and the four Zoroastrian elements of sky, earth, water and plants. These gardens, dating back to different periods since the 6th century BC, also feature buildings, pavilions and walls, as well as sophisticated irrigation systems. They have influenced the art of garden design as far as India and Spain.

2011	DATE OF INSCRIPTION
TES N30 10 0	GEOGRAPHIC COORDINATES
E53 10 0	
716 ha	PROPERTY
9740 ha	BUFFER ZONE
ON VI° century BC-	PERIOD(S) OF CONSTRUCTION
XIX° century	

Bagh-e shahzade, gardens of the Prince, near

© Sébastien Moriset, CRAterre





Buddhist Monuments in the Horyu-ji Area

The listed site includes a total of 48 buildings. Of these, 28 were built before or during the eighth century. They are considered the oldest preserved wooden buildings in the world. Earth is widely present in various forms: wattle and daub inside the wooden structures, and thick layers of earth between the ceilings and roof tiles.

>> CRITERIA : (I) (II) (IV) (VI)

There are around 48 Buddhist monuments in the Horyu-ji area, in Nara Prefecture. Several date from the late 7th or early 8th century, making them some of the oldest surviving wooden buildings in the world. These masterpieces of wooden architecture are important not only for the history of art, since they illustrate the adaptation of Chinese Buddhist architecture and layout to Japanese culture, but also for the history of religion, since their construction coincided with the introduction of Buddhism to Japan from China by way of the Korean Peninsula.

DATE OF INSCRIPTION1993
GEOGRAPHIC COORDINATES
E135 43 60
PROPERTY15 ha
BUFFER 70NF
PERIOD(S) OF CONSTRUCTIONVII° - XXI° century
F

Five storey pagoda at Horyu-ji
© RachelH (Flickr creative common)



© Fg2 (Wikimedia commons)





JAPAN Himeji-Jo

The 83 buildings that make up Himeji-Jo are constructed of earth and wood, on stone foundations. The rammed earth walls for the first floors of the buildings and for the enclosure walls. Wooden structures filled with wattle and daub for the upper floors are covered in white plaster. Located on a hilltop, it is visible throughout the city and named the «Castle of the White Heron» (Shirasagi-jo) in reference to the whiteness of its plastered mud walls.

>> CRITERIA : (I) (IV)


>> BRIEF DESCRIPTION:

Himeji-jo is the finest surviving example of early 17th century Japanese castle architecture, comprising 83 buildings with highly developed systems of defence and ingenious protection devices dating from the beginning of the Shogun period. It is a masterpiece of construction in wood, combining function with aesthetic appeal, both in its elegant appearance unified by the white plastered earthen walls, and in the subtlety of the relationships between the building masses and the multiple roof layers.

OF INSCRIPTION	1993
Graphic coordinates	4 49 60
E13	4 41 60
PERTY	107 ha
ER ZONE	143 ha
DD(S) OF CONSTRUCTION XVII °	century







© Robert Young (Flickr, creative commons)



(Kyoto, Uji and Otsu Cities)

The Historic Monuments of Ancient Kyoto include 17 separate properties, with over 200 wooden buildings and many gardens. Earth is found in various forms: wattle and daub for filling the wooden structure of the buildings, cob or rammed earth for the enclosure walls and in the thick layers of earth that supports the roofing tiles.

>> CRITERIA : (II) (IV)
>> BRIEF DESCRIPTION :

Built in 794 AD on the model of the capitals of ancient China, Kyoto was the imperial capital of Japan from its foundation until the middle of the 19th century. As the centre of Japanese culture for more than 1,000 years, Kyoto illustrates the development of Japanese wooden architecture, particularly religious architecture, and the art of Japanese gardens, which has influenced landscape gardening the world over.

SCRIPTION 1994	DAT
IC COORDINATES N34 58 50	GEO
E135 46 10	
1056 ha	PRO
NE 3579 ha	BUF
OF CONSTRUCTION VIII° - XXI° century	PER







© Hubert Guillaud, CRAterre



Historic Monuments of Ancient Nara

The inscription includes groups of buildings and sites located in eight separate locations: five Buddhist temples, a Shinto shrine, a forest and an archaeological site: the former Palace of Nara, which was surrounded by earthen ramparts (tsuji-ogaki) about 5 meters high. For the standing buildings, earth is present in various forms: wattle and daub in wooden structure walls, thick layers of earth under the roof tiles and rammed earth or cob for the enclosure walls.

>> CRITERIA :

- (ii) The historic monuments of ancient Nara bear exceptional witness to the evolution of Japanese architecture and art as a result of cultural links with China and Korea, which were to have a profound influence on future developments.
- (iii) The flowering of Japanese culture during the period when Nara was the capital is uniquely demonstrated by its architectural heritage.
- (iv) The layout of the Imperial Palace and the design of the surviving monuments in Nara are outstanding examples of the architecture and planning of early Asian capital cities.
- (vi) The Buddhist temples and Shinto shrines of Nara demonstrate the continuing spiritual power and influence of these religions in an exceptional manner.

1993	DATE OF INSCRIPTION
N34 49 60	GEOGRAPHIC COORDINATES
E134 41 60	
107 ha	PROPERTY
143 ha	BUFFER ZONE
XVII° century	PERIOD(S) OF CONSTRUCTION

© Jakub Halun (Wikimedia Commons)





© José Maria Mateos (Flickr, creative common)

Historic Villages of Shirakawa-go and Gokayama

Large houses with steeply pitched thatched roofs found in the historic villages of Shirakawa-go and Gokayama are built of wood with, in most cases, wooden structure walls filled with wattle and daub

>> CRITERIA : (IV) (V)

>> BRIEF DESCRIPTION:

Located in a mountainous region that was cut off from the rest of the world for a long period of time, these villages with their Gassho-style houses subsisted on the cultivation of mulberry trees and the rearing of silkworms. The large houses, with their steeply pitched thatched roofs, are the only examples of their kind in Japan. Despite economic upheavals, the villages of Ogimachi, Ainokura and Suganuma are outstanding examples of a traditional way of life perfectly adapted to the environment and people's social and economic circumstances.

DATE OF INSCRIPTION	1995
GEOGRAPHIC COORDINATES	N36 23 60
	E136 52 60
PROPERTY	68 ha
BUFFER ZONE	58 873 ha
PERIOD(S) OF CONSTRUCTION	XIX° - XX° century





Shirakawa-go© Isabelle et Stéphane Gallay (Flickr creative common)



View of Historic Villages of Shirakawa-go and Gokayama © Bergmann (Wikimedia Commons)



Itsukushima Shinto Shrine

The Shinto buildings of Itsukushima consist of three main shrines (Honsha) and several other buildings that have been added over a long period. Earth is found in various forms: wooden structure walls filled with wattle and daub for buildings and thick layers of earth used to fix the roofing tiles.

>> CRITERIA : (I) (II) (IV) (VI)

>> BRIEF DESCRIPTION:

The island of Itsukushima, in the Seto inland sea, has been a holy place of Shintoism since the earliest times. The first shrine buildings here were probably erected in the 6th century. The present shrine dates from the 12th century and the harmoniously arranged buildings reveal great artistic and technical skill. The shrine plays on the contrasts in colour and form between mountains and sea and illustrates the Japanese concept of scenic beauty, which combines nature and human creativity.

 © Jakub Halun (Wikimedia Commons)







© Scarletgreen (Flickr creative common

Shrines and Temples of Nikko

The shrines and temples of Nikko comprise three sets, entrusted to three distinct religious organizations: Futarasan-jinja and Toshogu Shinto groups, and the Rinno-ji Buddhist group. All buildings, over 100, are constructed of wood and the principle of wooden structure walls filled with wattle and daub is often applied to the walls. Earth has also been used in thick layers on which the roofing tiles are laid.

>> CRITERIA

(i) The Shrines and Temples of Nikko are a reflection of architectural and artistic genius; this aspect is reinforced by the harmonious integration of the buildings in a forest and a natural site laid out by humans.

(iv) Nikko is a perfect illustration of the architectural style of the Edo period as applied to Shinto shrines and Buddhist temples. The Gongen-zukuri style of the two mausoleums, the Tôshôgu and the Taiyû-in Reibyô, reached the peak of its expression in Nikko, and was later to exert a decisive influence. The ingenuity and creativity of its architects and decorators are revealed in an outstanding and distinguished manner.

(vi) The Shrines and Temples of Nikko, together with their environment, are an outstanding example of a traditional Japanese religious centre, associated with the Shinto perception of the relationship of man with nature, in which

mountains and forests have a sacred meaning and are objects of veneration, in a religious practice that is still very much alive today.

DATE OF INSCRIPTION	1999
GEOGRAPHIC COORDINATES	N36 44 51
	E139 36 38
PROPERTY	51 ha
BUFFER ZONE	373 ha
PERIOD(S) OF CONSTRUCTION	/III° - XVI° century





© Jakub Halun (Wikimedia Commons)

KOREA, DEMOCRATIC PEOPLE'S REPUBLIC OF Complex of Koguryo Tombs

The property includes several group and individual tombs, which take the form of stone mounds covering a funeral chamber. Some are covered with a thick layer of grassy earth.

>> CRITERIA :

- (i) The wall paintings of the Koguryo Tombs are masterpieces of the culture and period of the Koguryo kingdom; the construction of the tombs demonstrates ingenious engineering solutions.
- (ii) The special burial customs of the Koguryo culture had an important influence on other cultures in the region, including those in Japan.
- (iii) The Koguryo Tombs are an exceptional testimony of the Koguryo culture, its burial customs as well as its daily life and beliefs.
- (iv) The complex of Koguryo Tombs is an important example of burial typology.

DATE OF INSCRIPTION	2004
GEOGRAPHIC COORDINATES	N38 51 47
	E125 24 54
PROPERTY	233 ha
BUFFER ZONE	1701 ha
PERIOD(S) OF CONSTRUCTION	III° century BC.,
	VII° century AC.

Wall paintings
© Maksim (Wikimedia Commons)





Mural Art in Anak Tomb No. 3 © Hairwizard91 (Wikimedia Commons)

Historic Monuments and Sites in Kaesong

The site consists of 12 separate components and earth can be found in tomb complex and defensive walls. Eighteen tombs are found in this area at present whose burial chambers are covered with earth. Building the Kaesong Walls was done in different ways according to material and location. Earthen walls were built on the lower parts of the mountain ridges and on the plain by making a frame with stones and piling earth on it.

>> CRITERIA :

- (ii) The Historic Monuments and Sites in Kaesong exhibit the assimilation of the cultural, spiritual and political values of the various states that existed on the Peninsula prior to the Koryo, and the interchange of such values with other neighbouring kingdoms over five centuries.
- (iii) The Historic Monuments and Sites in Kaesong are exceptional testimony to the unified Koryo civilisation as Buddhism gave way to neo-Confucianism in East Asia.

2013
N37 58 54
E126 30 29
494 ha
5,222 ha
X° - XIV° century

Mousoleum of King Wang Kon
© OHC Camagüev

Mousoleum of King Kongmin
© David Stanley (Flickr creative commons)



Mousoleum of King Kongmin

© ©Stefan Krasowski (Flickr creative commons)





Changdeokgung Palace Complex

The palace buildings are constructed of wooden structures on stone foundations. Between beams and columns, a filling is made of burnt bricks in the lower parts and wattle and daub in the upper parts. These mud "panels" are themselves covered with several layers of mud and a final coating of white-colored lime or red paint. Earth is also used for roofing, in thick layers supporting the tiles.

>> CRITERIA : (II) (III) (IV) >> BRIEF DESCRIPTION :

In the early 15th century, King Taejong ordered the construction of a new palace at an auspicious site. A Bureau of Palace Construction was set up to create the complex, consisting of a number of official and residential buildings set in a garden that was cleverly adapted to the uneven topography of the 58 hectare site. The result is an exceptional example of Far Eastern palace architecture and design, blending harmoniously with the surrounding landscape.

DATE OF INSCRIPTION	1997
GEOGRAPHIC COORDINATES	N37 32 60
	E126 58 60
PROPERTY	58 ha
PERIOD(S) OF CONSTRUCTION	XV° century







© David Gandreau, CRAterre

Gyeongju Historic Areas

The many tombs of the rulers of the kingdom of Silla form mounds consisting of a wooden burial chamber covered with a first layer of stones and a second thick layer of grassy earth. Some are reinforced with stone slabs.

>> CRITERIA :

- (ii) The Gyeongju Historic Areas contain a number of sites and monuments of exceptional significance in the development of Buddhist and secular architecture in Korea
- (iii) The Korean Peninsula was ruled for nearly 1,000 years by the Silla dynasty, and the sites and monuments in and around Gyeongju (including the holy mountain of Namsan) bear outstanding testimony to its cultural achievements.

2000	DATE OF INSCRIPTION
N35 47 20.004	GEOGRAPHIC COORDINATES
E129 13 36.012	
2880 ha	PROPERTY
350 ha	BUFFER ZONE
I° century BC -	PERIOD(S) OF CONSTRUCTION
IX° century AC	





© David Gandreau, CRAterre

KOREA, REPUBLIC OF

«Haeinsa Temple Janggyeong Panjeon, the Depositories

for the Tripitaka Koreana Woodblocks»

The Temple of Haeinsa includes some 30 buildings in addition to the main buildings where the engraved wooden tablets are kept. Earth is present in various forms: wattle and daub for the partition walls of the buildings, cob associated with horizontal layers of tiles for the enclosure walls and in thick layers of earth under the roofing tiles.

>> CRITERIA : (IV) (VI)

>> BRIEF DESCRIPTION:

The Temple of Haeinsa, on Mount Gaya, is home to the Tripitaka Koreana, the most complete collection of Buddhist texts, engraved on 80,000 woodblocks between 1237 and 1248. The buildings of Janggyeong Panjeon, which date from the 15th century, were constructed to house the woodblocks, which are also revered as exceptional works of art. As the oldest depository of the Tripitaka, they reveal an astonishing mastery of the invention and implementation of the conservation techniques used to preserve these woodblocks

1995	DATE OF INSCRIPTION
N35 47 60	GEOGRAPHIC COORDINATES
E128 5 60	
19 ha	PROPERTY
XIII° century	PERIOD(S) OF CONSTRUCTION





©Arian Zwegers (Flikcs creative commons)

Historic Villages of Korea: Hahoe and Yangdong

The villages of Hahoe and Yangdong, 90km distant from each other, include aristocratic and commoner houses, pavilions and Confucian academies. Earth is present in various forms: adobe for the partition walls of the buildings, adobe or cob combined with horizontal layers of tiles for the enclosure walls and for the thick layer of earth mixed with straw on which the roofing tiles are laid.

>> CRITERIA:

(iii) Hahoe and Yangdong are two of the bestpreserved and representative examples of clan villages, a type of settlement characterizing the early part of the Joseon Dynasty. In their siting, planning and building traditions the two villages are an exceptional testimony to the Confucianism of the Joseon dynasty, which produced settlements that followed strict Confucian ideals over a period of some 500 years.

(iv) The village ensembles of Hahoe and Yangdong reflect the impact of the Joseon Dynasty that profoundly influenced the development of the Korean peninsula over some five centuries. The villages, and particularly the ensemble of Yangban and commoners' houses, and their overall and individual planning, reflect the precepts of this Dynasty in terms of its social structures and cultural traditions as well as its power and influence, and its literary and philosophical traditions

ATE OF INSCRIPTION 2010	
OGRAPHIC COORDINATES	
E128 31 0	
OPERTY 600 ha	
JFFER ZONE	
RIOD(S) OF CONSTRUCTIONXIV° - XXI° century	







© Kim Soon Wung



Jongmyo Shrine

The Jongmyo Shrine is a wooden structure built on top of a large dry stone platform. Wattle and daub is used to fill the voids in the wooden frames of the shrine. These mud 'panels' are themselves covered with several layers of clay and a final coating of lime painted red. Earth has also been used for the roofing. A thick layer is laid over the wooden structure before installing the roofing tiles.

>> CRITERIA : (IV)

>> BRIEF DESCRIPTION:

Jongmyo is the oldest and most authentic of the Confucian royal shrines to have been preserved. Dedicated to the forefathers of the Joseon dynasty (1392-1910), the shrine has existed in its present form since the 16th century and houses tablets bearing the teachings of members of the former royal family. Ritual ceremonies linking music, song and dance still take place there, perpetuating a tradition that goes back to the 14th century.

1995	DATE OF INSCRIPTION
N37 32 60	GEOGRAPHIC COORDINATES
E126 58 59.988	
19 ha	PROPERTY
XVI° century	PERIOD(S) OF CONSTRUCTION





© Adam Nicholson (Flickr, creative commons)



Generally, walls of Namhansanseong are comprised of gneiss and remaining parapets were made of grey bricks produced from kilns in the nearby areas. A mixture of quicklime and sand with quicklime mortar on the joint structures were used. Earth can be found in Namhansanseong Emergency Palace, royal ancestral shrine and temples etc..; Wattle and daub for the partition wall, thick layers of earth between the ceiling and the roof tiles.

>> CRITERIA:

- (ii) The system of fortifications of Namhansanseong embodies a synthesis of the art of defence in the Far East in the early 17th century. It stems from a re-examination of Chinese and Korean standards of urban fortification, and from fears aroused by new firearms from the West. Namhansanseong marks a turning point in mountain fortress design in Korea, and it went on to influence in its turn the construction of citadels in the region.
- (iv) Namhansanseong is an outstanding example of a fortified city. Designed in the 17th century as an emergency capital for the Joseon dynasty, it was built and then defended by Buddhist soldier-monks who respected preexisting traditions already in place.



DATE OF INSCRIPTION	2014
GEOGRAPHIC COORDINATES	37 28 44
E12	27 10 52
PROPERTY	409 ha
BUFFER ZONE	854 ha
PERIOD(S) OF CONSTRUCTION XVII° - XIX°	century









The Royal Tombs of the Joseon Dynasty form a collection of 40 tombs scattered over 18 locations.

These tombs, forming funerary mounds, are made up of a wooden burial chamber covered with a first layer of stones and a second thick layer of grassy earth. Some are reinforced with stone slabs.

>> CRITERIA :

(iii) Within the context of Confucian cultures, the integrated approach of the Royal Tombs of loseon to nature and the universe has resulted in a distinctive and significant funeral tradition. Through the application of pungsu principles and the retention of the natural landscape, a memorable type of sacred place has been created for the practice of ancestral rituals

(iv) The Royal Tombs of Joseon are an outstanding example of a type of architectural ensemble and landscape that illustrates a significant stage in the development of burial mounds within the context of Korean and East Asian tombs. The royal tombs, in their response to settings and in their unique (and regularized) configuration of buildings, structures and related elements, manifest and reinforce the centuries-old tradition and living practice of ancestral worship through a prescribed series of rituals.

(vi) The Royal Tombs of Joseon are directly associated with a living tradition of ancestral worship through the performance of prescribed rites. During the Joseon period, state ancestral rites were held regularly, and except for periods of political turmoil in the last century, they have been conducted on an annual basis by the Royal Family Organization and the worshipping society for each royal tomb.

DATE OF INSCRIPTION
GEOGRAPHIC COORDINATES
E128 27 10
PROPERTY 1891 ha
BUFFER ZONE
PERIOD(S) OF CONSTRUCTIONXV° - XX° century





© Adam Nicholson (Flickr, creative commons)

Seokguram Grotto and Bulguksa Temple


Bulguksa Temple was built in wood upon a broad platform of dry stone masonry. Wattle and daub is used to fill the voids in the wooden frames of the temple. These mud 'panels' are themselves covered with several layers of clay and a final coating of lime painted yellow. Earth has also been used in the roofing, in thick layers between the ceiling and the tiles.

>> CRITERIA : (I) (IV) >> BRIEF DESCRIPTION :

Established in the 8th century on the slopes of Mount Toham, the Seokguram Grotto contains a monumental statue of the Buddha looking at the sea in the bhumisparsha mudra position. With the surrounding portrayals of gods, Bodhisattvas and disciples, all realistically and delicately sculpted in high and low relief, it is considered a masterpiece of Buddhist art in the Far East. The Temple of Bulguksa (built in 774) and the Seokguram Grotto form a religious architectural complex of exceptional significance

DATE OF INSCRIPTION
GEOGRAPHIC COORDINATES
E129 20 60
PERIOD(S) OF CONSTRUCTIONVIII° century





© David Gandreau, CRAterre





The property consists of three ancient cities; Halin, Sri Ksetra and Beikthano The ancient brick-walled city at Halin is nearly 3.2 kilometers from north to south and 1.6 kilometers from east to west. The bricks were laid in mud mortar. There are also large earthen embankments still clearly visible and functioning in Sri Ksetra. A massive stupa is located in the Beikthano. The stupa has two concentric outer rings of low brick walls defining a circumambulatory pathway with partly ruined projections; between this pathway and the innermost circle of stupa structure there was a low terrace of compacted earth.


>> CRITERIA : (I) (III) (IV)

>> BRIEF DESCRIPTION:

Pyu Ancient Cities includes the remains of three brick, walled and moated cities of Halin, Beikthano and Sri Ksetra located in vast irrigated landscapes in the dry zone of the Ayeyarwady (Irrawaddy) River basin. They reflect the Pyu Kingdoms that flourished for over 1,000 years between 200 BC and AD 900. The three cities are partly excavated archaeological sites. Remains include excavated palace citadels, burial grounds and manufacture sites, as well as monumental brick Buddhist stupas, partly standing walls and water management features - some still in use - that underpinned the organized intensive agriculture.

2014	DATE OF INSCRIPTION
TES N22 28 12	GEOGRAPHIC COORDINA
E95 49 7	
5,809 ha	PROPERTY
6,790 ha	BUFFER ZONE
TION II° century BC -	PERIOD(S) OF CONSTRUC
IX° century AD	





NEPAL




Kathmandu is located within a high valley, about 25 km by 19 km at the foothills of the Himalayas. The buildings are mostly built of baked bricks bonded by a mud mortar, while the vernacular fabric in the inscribed perimeter is partly built of adobe.

>> CRITERIA : (III) (IV) (VI) >> BRIEF DESCRIPTION:

The cultural heritage of the Kathmandu Valley is illustrated by seven groups of monuments and buildings, which display the full range of historic and artistic achievements for which the Kathmandu Valley is world famous. The seven include the Durbar Squares of Hanuman Dhoka (Kathmandu), Patan and Bhaktapur, the Buddhist stupas of Swayambhu, and Bauddhanath and the Hindu temples of Pashupati and Changu Narayan.

F INSCRIPTION 1979	
APHIC COORDINATES N27 42 14.22	
E85 18 30.888	
TY 167 ha	
ZONE	
(S) OF CONSTRUCTIONXVI° - XIX° century	

Vallée de Kathmandou







© Francesco Bandarin, UNESCO

Archaeological Ruins at Moenjodaro

Of massive proportions (240 hectares), Mohenjodaro is the oldest urban ruins of the Indian Peninsula. It comprises two sectors: a stupa mound that rises in the western sector and, to the east, the lower city ruins spread out along the banks of the Indus. The stupa mound, built on a massive platform of mud brick, is composed of the ruins of several major structures - Great Bath, Great Granary, College Square and Pillared Hall - as well as a number of private homes. The extensive lower city is a complex of private and public houses, wells, shops and commercial buildings. These buildings are laid out along streets intersecting each other at right angles, in a highly orderly form of city planning that also incorporated important systems of sanitation and drainage.

http://whc.unesco.org/archive/advisory_body_evaluation/138.pdf

>> CRITERIA : (II) (III)

>> BRIEF DESCRIPTION:

The ruins of the huge city of Moenjodaro – built entirely of unbaked brick in the 3rd millennium BC – lie in the Indus valley. The acropolis, set on high embankments, the ramparts, and the lower town, which is laid out according to strict rules, provide evidence of an early system of town planning.

TRIPTION	
COORDINATES N27 19 45	
E68 8 20	
240 ha	
373 ha	
CONSTRUCTIONIII° millennium	
century BC.	





© Pascal Maitre



SRI LANKA

Old town of Galle and its fortification

The use of earth can be seen in the ancient fabric of the town of Galle.

>> CRITERIA : (IV)

>> BRIEF DESCRIPTION:

Founded in the 16th century by the Portuguese, Galle reached the height of its development in the 18th century, before the arrival of the British. It is the best example of a fortified city built by Europeans in South and South-East Asia, showing the interaction between European architectural styles and South Asian traditions

DATE OF INSCRIPTION
GEOGRAPHIC COORDINATES
E80 13 7
PERIOD(S) OF CONSTRUCTIONXVI° - XXI° century





© Peter Pawlowski (Flickr creative commons)



Sarazm

Four stratigraphic levels have been unearthed at Sarazm; they correspond to four successive periods of major continuous occupation since the mid-fourth to the late third millennium BC. The remains include homes, workshops for artisans, storage spaces (barns), palatial buildings and buildings of worship. All are mostly of adobe. The roofs were flat with wooden beams, covered by a network of branches and reeds supporting one or more layers of clay.

>> CRITERIA : (I) (IV)

(ii) The Proto-urban site of Sarazm bears testimony, from the 4th millennium BC, to trade and cultural interchanges between the pastoral nomads of the mountains of Central Asia and the agrarian peoples of Transoxiane. Later, particularly in the Bronze Age, the Proto-urban Site of Sarazm complemented and extended its activities with metallurgy and handicrafts, demonstrating the existence of a network of a diversity of interchanges on a very large scale. The Protourban site of Sarazm had connections with the steppes of Central Asia, and in addition with the Turkmenian, proto-Elamite, Mesopotamian, and Indus worlds.

(iii) The Proto-urban Site of Sarazm constitutes a remarkable human settlement, exceptional in its geographical situation, in Central Asia, in the 4th and 3rd millennia BCE, to which its proto-urban and architectural remains and its archaeological findings bear witness. The town played a regional role over a long period and on a very large scale in the working of metals, particularly

tin and copper, and the associated development of handicrafts to produce tools, ceramics, and jewellery. The Proto-urban site of Sarazm is one of the places that gave birth to and saw the development of the major trans-Eurasian trade routes.

DATE OF INSCRIPTION2010	
GEOGRAPHIC COORDINATES N39 30 28	
E67 27 37	
PROPERTY 16 ha	
BUFFER ZONE 142 ha	
PERIOD(S) OF CONSTRUCTION IV° millennium BC	
end of III° millennium BC	





Adobe structure remains protected by metal roof
© David Gandreau, CRAterre



THAILAND

Historic Town of Sukhothai and Associated Historic Towns

The Historic Town of Sukhothai was completely surrounded by a system of triple enclosure wall delimiting a double moat filled with water, shaped in the natural terrain, over a length of about 5 km. In addition, the monumental ensemble is also dotted with platforms, basins and canals that were carved in the original earth, sometimes through the use of retaining walls build with baked bricks.

>> CRITERIA : (I) (III) >> BRIEF DESCRIPTION :

Sukhothai was the capital of the first Kingdom of Siam in the 13th and 14th centuries. It has a number of fine monuments, illustrating the beginnings of Thai architecture. The great civilization, which evolved in the Kingdom of Sukhothai, absorbed numerous influences and ancient local traditions; the rapid assimilation of all these elements forged what is known as the 'Sukhothai style'.

OF INSCRIPTION 19	91
RAPHIC COORDINATES N17 0 25.9	92
E99 47 22.9	92
ERTY 11852	ha
D(S) OF CONSTRUCTION XIII° - XIV° centu	iry





© Thierry Joffroy, CRAterre



TURKMENISTAN Kunya-Urgench

Known for its prestigious monuments built of baked brick between the 11th and 16th centuries, such as the 60 metre high Kiltug-Timur Minaret, the ancient capital of Khorezm, probably founded as early as the Achaemenid Period, also includes two imposing, ancient, adobe fortresses: Kyrkmolla and Ak-Kala

>> CRITERIA :

(ii) The tradition of architecture expressed in the design and craftsmanship of Kunya-Urgench has been influential in the wider region to the south and southwest, i.e. in Iran and Afghanistan, and later in the architecture of the Mogul Empire (India, 16th century).

(iii) Kunya-Urgench provides an exceptional testimony to a cultural tradition (the Islamic culture of the Khorezm) and is unique in its state of preservation. While the society that created this centre has disappeared, most visitors are in fact pilgrims from the region.

DATE OF INSCRIPTION	1999
GEOGRAPHIC COORDINATES	N42 10 59.448
	E59 5 5.784
PROPERTY	353 ha
BUFFER ZONE	883 ha
PERIOD(S) OF CONSTRUCTION	. VI° century BC –
	XVI° century













Parthian Fortresses of Nisa

The archaeological site of Nisa consists of two neighboring centers: in the west, the city called «New Nisa ", and in the east, the royal citadel called «Old Nisa «. Only the latter was excavated and is better known to us. This is a collection of adobe buildings erected over 14 hectares atop a natural hill. An adobe enclosure wall of 1.6 km in circumference with 43 guard towers encircles the buildings. Many fragments of statues and wall paintings made of clay have also been found at the site.

>> CRITERIA :

- (ii) Nisa is situated at the crossroads of important commercial and strategic axes. The archaeological remains vividly illustrate the significant interaction of cultural influences from Central Asia and from the Mediterranean world.
- (iii) The Parthian Empire was one of the most powerful and influential civilizations of the ancient world, and a brilliant rival of Rome which prevented the expansion of the Roman Empire to the east. Nisa, the capital of the Parthian Empire, is the outstanding symbol of the significance of this imperial power.

2007	DATE OF INSCRIPTION	
S N37 59 59	GEOGRAPHIC COORDINATES	
E58 11 55		
78 ha	PROPERTY	
400 ha	BUFFER ZONE	
NBII' century BC –	PERIOD(S) OF CONSTRUCTION	
III° century AC.		



© Thierry Joffroy, CRAterre

State Historical and Cultural Park "Ancient Merv"

The remains of the successive cities on the Merv Oasis cover an area of 1200 hectares, from Erk Kala, the first fortified site of the Achaemenid period to Bairam Ali, the current city. These cities of earth (adobe) and bricks are largely buried, but some of the most monumental buildings still remain standing. This is particularly true of the outer walls, palaces, fortified residences (koshk), cisterns and coolers. (*fridge houses, actually immense domes in which ice was kept*)

>> CRITERIA :

(ii) The cities of the Merv oasis have exerted considerable influence over the cultures of Central Asia and Iran for four millennia. The Seljuk city in particular influenced architecture and architectural decoration and scientific and cultural development.

(iii) The sequence of the cities of the Merv oasis, their fortifications, and their urban layouts bear exceptional testimony to the civilizations of Central Asia over several millennia

DATE OF INSCRIPTION	1999
GEOGRAPHIC COORDINATES	N37 42 2.988
	E62 10 39
PROPERTY	353 ha
BUFFER ZONE	883 ha
PERIOD(S) OF CONSTRUCTION	VI° century BC –
	XVI° century

National training in 2007
© Sébastien Moriset, CRAterre



Ice house © Sébastien Moriset, CRAterre

Great Kiz Kala© Sébastien Moriset, CRAterre





© Sébastien Moriset, CRAterre

Historic Centre of Bukhara


If the main monuments of the medieval city of Bukhara are built of baked bricks, the vernacular fabric still preserved in the listed site is mostly adobe and wattle and daub, coated with earth and lime plasters.

>> CRITERIA : (II) (IV) (VI) >> BRIEF DESCRIPTION :

Bukhara, situated on the Silk Route, is more than 2,000 years old. It is the most complete example of a medieval city in Central Asia, with an urban fabric that has remained largely intact. Monuments of particular interest include the famous tomb of Ismail Samani, a masterpiece of 10th century Muslim architecture, and a large number of 17th century madrasas.

DATE OF INSCRIPTION
GEOGRAPHIC COORDINATES
E64 25 42.996
PERIOD(S) OF CONSTRUCTION IV° century BC -
XIX° century

Interior of an earth house in the old town © UNESCO Tashkent office









© UNESCO Tashkent office


Historic Centre of Shakhrisyabz


In Shakhrisabz, earth has been used only for traditional housing, very present in the buffer zone of listed monuments. These are houses made of mud. Earth was applied on wooden structures (wattle and daub), but also used for plastering the walls and ceilings; lots of straw was added for better insulation. The plasticity of the material made it possible to create elaborate decorations (friezes, niches, ...) in the house interiors.

>> CRITERIA :

- (iii) Shakhrisyabz contains many fine monuments, and in particular those from the Timurid period, which was of great cultural and political significance in medieval Central Asia.
- (iv) The buildings of Shakhrisyabz, notably the Ak-Sarai Palace and the Tomb of Timur, are outstanding examples of a style that had a profound influence on the architecture of this region.

DATE OF INSCRIPTION199	3
GEOGRAPHIC COORDINATES	0
E66 4959.98	8
PROPERTY 240 h	a
BUFFER ZONE82 h	a
PERIOD(S) OF CONSTRUCTIONIV° century BC	-
XIX° centur	ry





© Thierry Joffroy, CRAterre



Itchan Kala

The citadel is surrounded by a huge wall flanked with numerous large towers, all built of cob. Inside, many buildings are also partly made with earth as cob or adobe, or in layers for the flat roofs. In 1842, an additional city wall was built, also of cob, at a height of 7m and a length of over 6 km, with sections of straight walls connecting its 150 towers.

>> CRITERIA : (III) (IV) (V)

>> BRIEF DESCRIPTION:

Itchan Kala is the inner town (protected by brick walls some 10 metres high) of the old Khiva oasis, which was the last resting-place of caravans before crossing the desert to Iran. Although few very old monuments still remain, it is a coherent and well-preserved example of the Muslim architecture of Central Asia. There are several outstanding structures such as the Djuma Mosque, the mausoleums and the madrasas and the two magnificent palaces built at the beginning of the 19th century by Alla-Kulli-Khan.

DATE OF INSCRIPTION 1990	
GEOGRAPHIC COORDINATES N41 22 41.988	
E60 21 50.004	
PROPERTY 26 ha	
BUFFER ZONE	
PERIOD(S) OF CONSTRUCTION IV° century BC -	
XIX° century	

Walls of Itchan Kala
© Thierry Joffroy, CRAterre










Founded in the 7th century BC under the name of Afrosiab, Samarkand had its heyday in the Timurid period from the 14th to the 15th century. The first monuments built of adobe, as evidenced by the remains of the city of Afrosiab, were progressively replaced or reinforced using baked bricks (Registan Mosque and madrasas, Bibi Khanum Mosque, Shakhi-Zinda compound, the Gur –Emir ensemble and Ulugh-Beg's Observatory). Earth is present in the vernacular fabric of the listed perimeter including houses partly built of adobe.

>> CRITERIA :

- (i) The architecture and townscape of Samarkand, situated at the crossroads of ancient cultures, are masterpieces of Islamic cultural creativity.
- (ii) Ensembles in Samarkand, such as the Bibi Khanum Mosque and Registan Square, played a seminal role in the development of Islamic architecture over the entire region, from the Mediterranean to the Indian subcontinent.
- (iv) The historic town of Samarkand illustrates in its art, architecture, and urban structure the most important stages of Central Asian cultural and political history from the 13th century to the present day.

DF INSCRIPTION	
RAPHIC COORDINATES	
E67 0 0	
RTY 965 ha	
D(S) OF CONSTRUCTION	
XIX° century	







© Sébastien Moriset, CRAterre




>> REGION >> REGION | North America 147


Statistics Europe & North America

TYPES AND CONSTRUCTION MODES 25 PROPERTIES







Type of earth construction




Position of earth




Proportion of earth on site




Criteria



Periods



Type



148

- **01** ARMENIA: Cathedral and Churches of Echmiatsin and the Archaeological Site of Zvartnots
- **02** AZERBAIJAN: Walled City of Baku with the Shirvanshah's Palace and Maiden Tower
- CANADA: The Landscape of Grand Pré
- FRANCE: Canal du Midi
- FRANCE: Fortifications of Vauban
- FRANCE: Historic Site of Lyons
- FRANCE: Provins, Town of Medieval Fairs
- GREECE: Medieval City of Rhodes
- ISRAEL: Biblical Tels Megiddo, Hazor, Beer Sheba
- PORTUGAL: Historic Centre of Évora
- PORTUGAL: Historic Centre of Guimarães
- PORTUGAL: Historic Centre of Oporto
- RUSSIAN FEDERATION: Bolgar Historical and Archaeological Complex

13 SPAIN: Alhambra, Generalife and Albayzín, Granada SPAIN: Cathedral, Alcázar and Archivo de Indias in Seville 15 SPAIN: Historic Centre of Cordoba SPAIN: Old town of Caceres 17 TURKEY: City of Safranbolu 18 19 TURKEY: Neolithic Site of Catalhöyük 20 UNITED KINGDOM / GERMANY: Frontiers of the Roman Empire 21 UNITED STATES OF AMERICA: Cahokia Mounds State Historic Site UNITED STATES OF AMERICA: Chaco Culture 22 23 UNITED STATES OF AMERICA: Mesa Verde National Park 24 UNITED STATES OF AMERICA: Monumental Earthworks of Poverty **Point**


UNITED STATES OF AMERICA: Pueblo de Taos

Statistics: THREATS Europe & North America

ANALYSIS OF QUESTIONNAIRES 14 RESPONSES/25 PROPERTIES :

Degradation speed Progressive Fast 17% Stabilised 57% Type of threats 100% Natural erosion Weather changes 47% Pollution Development of infrastructures 21% Lack of respect of the value of heritage 15% Lack of capacities to manage the site 40% Lack of technical or financial means 31% Vandalism, theft and other illegal activities 13% Need to adapt to modern needs Change of status of the owners Abandonment **PRIORITIES Current level**


of satisfaction




Priorities for action



CURRENT SITUATION OF **PROPERTIES**



100% Private Governmental Site management





Maintenance

100% Traditional 26% Institutionally planned No maintenance mechanism



ARMENIA

Cathedral and Churches of Echmiatsin and the Archaeological Site of Zvartnots

The Saint Hripsimeh Church is surrounded by an enclosure wall partially realized in cob. This wall is flanked with circular towers built with mud bricks. The same building material has also been used for the construction of a vaulted building located in a graveyard at a distance of 50m to Saint Hripsimeh Church and for another one located near the Mother Cathedral of Echmiatsin.

>> CRITERIA :

(ii) The developments in ecclesiastical architecture represented in an outstanding manner by the churches at Echmiatsin and the archaeological site of Zvartnots had a profound influence on church design over a wide region.

(iii) The churches at Echmiatsin and the archaeological site of Zvartnots vividly depict both the spirituality and the innovatory artistic achievement of the Armenian Church from its foundation.

DATE (DF INSCRIPTION2000
GEOGR	RAPHIC COORDINATES
	E44 17 42.504
PROPE	RTY
PERIO	D(S) OF CONSTRUCTIONIV° - XX° century

Etchmiadzine building near the
Mother Cathedral
© David Gandreau, CRAterre



Etchmiadzinebuilding near the Mother Cathedral © David Gandreau, CRAterre



Etchmiadzine Sainte Hripsimé
© David Gandreau, CRAterre



Etchmiadzine Sainte Hripsimé
© David Gandreau, CRAterre





AZERBAIJAN

«Walled City of Baku with the Shirvanshah's Palace and Maiden Tower»

The use of earth can be seen in the ancient fabric of the city of Baku.

2000

N40 22 0

>> CRITERIA :

DATE OF INSCRIPTION

GEOGRAPHIC COORDINATES.

(iv) The Walled City of Baku represents an outstanding and rare example of an historic urban ensemble and architecture with influence from Zoroastrian, Sassanian, Arabic, Persian, Shirvani, Ottoman, and Russian cultures.



Shirvanshahs Palace © Nick Taylor (Flickr, creative common)



Baku City Wall © Aleksander Dragnes (Wikimedia Commons)



Maiden Tower ©Nick Taylor (Flickr, creative commons)





CANADA

The Landscape of Grand Pré

«The traditional construction of the dykes is still used today, with blocks of clay soil dug out and then appropriately piled up, but the earth sods are now produced by mechanised means. They still use the technique of soil reinforced by the roots of carefully selected halophile plants for the dykes. There are vestiges of old dykes, reinforcements using posts and log fascines, together with rock facings for protection against the currents. »

http://whc.unesco.org/archive/advisory_body_evaluation/1404.pdf

>> CRITERIA

(v) The cultural landscape of Grand Pré bears exceptional testimony to a traditional farming settlement created in the 17th century by the Acadians in a coastal zone with tides that are among the highest in the world. The polderisation used traditional techniques of dykes, aboiteaux and a drainage network, as well as a community-based management system still in use today. The resultant rich alluvial soil enabled continuous and sustainable agricultural development.

(vi) Grand Pré is the iconic place of remembrance of the Acadian diaspora, dispersed by the Grand Dérangement, in the second half of the 18th century. Its polder landscape and archaeological remains are testimony to the values of a culture of pioneers able to create their own territory, whilst living in harmony with the native Mi'kmaq people. Its memorial constructions form the centre of the symbolic re-appropriation of the land of their origins by the Acadians, in the 20th century, in a spirit of peace and cultural

sharing with the English-speaking community.

INSCRIPTION2012	
PHIC COORDINATES	
W64 18 26	
Y 1,323 ha	
ONE 5,865 ha	
5) OF CONSTRUCTIONXVII° - XIX° century	

Grand Pré Dyke and Gaspereau River

Shawnee G (Flickr, creative commons)

Beside the Grand Pré Dyke © Chris Campbell (Flickr, creative commons)



Fertile Dykeland from North Grand Pré

© Blake Wile (Flickr creative commons)







Canal du Midi

The 360 km-long Canal du Midi has overwhelmingly blended into the natural surroundings. Earth from the central part was moved to the side and compacted to form the two dams and the towpath. The stability of the banks is further strengthened by the roots of large trees that were planted all along the canal.

>> CRITERIA : (I) (II) (IV) (VI)

>> BRIEF DESCRIPTION:

This 360km network of navigable waterways linking the Mediterranean and the Atlantic through 328 structures (locks, aqueducts, bridges, tunnels, etc.) is one of the most remarkable feats of civil engineering in modern times. Built between 1667 and 1694, it paved the way for the Industrial Revolution. The care that its creator, Pierre-Paul Riquet, took in the design and the way it blends with its surroundings turned a technical achievement into a work of art.

DATE OF INSCRIPTION	1996
GEOGRAPHIC COORDINATES	N43 36 41
	E1 24 59
PROPERTY	1172 ha
BUFFER ZONE	2014 ha
PERIOD(S) OF CONSTRUCTION	XVII° century





Canal du midi © Thierry Joffroy, CRAterre






FRANCE Fortifications of Vauban

The Vauban site consists of 12 groups of fortified buildings and structures along the northern, eastern and western borders of France. The rampart is usually composed of a mass of earth from the ditch, alternating with layers of branches, associated with a steep wall that retains the loose soil.

>> CRITERIA :

- (i) Vauban's work bears witness to the peak of classic bastioned fortification, typical of the western military architecture of modern times.
- (ii) Vauban played a major role in the history of fortification. The imitation of his standard models of military buildings in Europe and on the American continent, the dissemination in Russian and Turkish of his theoretical thinking along with the use of the forms of his fortification as a model for fortresses in the Far East, bear witness to the universality of his work.
- (iv) Vauban's work illustrates a significant period of human history. It is a work of the mind applied to military strategy, architecture and construction, civil engineering, and economic and social organisation.

DATE OF INSCRIPTION	2008
GEOGRAPHIC COORDINATES	N50 16 57
	E2 45 32
PROPERTY	1153 ha
BUFFER ZONE	4341 ha
PERIOD(S) OF CONSTRUCTION	XVII° century













FRANCE

Historic Site of Lyons

The city of Lyon is rich in Gallo-Roman ruins of adobe and cob. This use of earth seems to disappear during the Middle Ages, but from the 16th century, rammed earth appears, with a boom in the 19th century, when agricultural populations attracted by the prosperity of Lyon settled in the outskirts bringing with them significant know-how already widespread in rural areas (Dauphiné, Beaujolais, ...). One of the main theorists of rammed earth construction, Cointereau Francois (1740-1830), was born in this city, where he undertook many experiments. Today, Lyon has a proportion of 'urban' rammed earth buildings unequaled in Europe.

>> CRITERIA

(ii) Lyon bears exceptional testimony to the continuity of urban settlement over more than two millennia on a site of great commercial and strategic significance, where cultural traditions from many parts of Europe have come together to create a coherent and vigorous continuing community.

(iv) By virtue of the special way in which it has developed spatially, Lyon exceptionally illustrates the progress and evolution of architectural design and town planning over many centuries.

DATE OF INSCRIPTION	1998
GEOGRAPHIC COORDINATES	N45 46 1.992
	E4 49 59.988
PROPERTY	427 ha
BUFFER ZONE	324 ha
PERIOD(S) OF CONSTRUCTION	I° century BC -
	XXI° century

Lyon : Quartier Saint Just, constructions en colombage, rue Saint Fiacre © Sébastien Moriset, CRAterre



Lyon, quartier de la Croix-Rousse. La plupart des constructions de la rue sont encore en pisé.



Lyon: Quartier Saint Just, Immeuble en pisé à la jonction de la rue Benoist Mary et de la rue des 4 colonnes © Sébastien Moriset. (RAIerre





FRANCE

Provins, Town of Medieval Fairs

The fortified medieval town of Provins has preserved its urban structure composed of three to four stories wooden houses with wattle and daub filling, typical of the Champagne region

>> CRITERIA :

- (ii) At the beginning of the 2nd millennium, Provins was one of several towns in the territory of the Counts of Champagne that became the venues for great annual trading fairs linking northern Europe with the Mediterranean world.
- (iv) Provins preserves, to a great degree, the architecture and urban layout that characterize these great medieval fair towns.

INSCRIPTION	1
APHIC COORDINATES N48 33 35	(
E3 17 56	
TY 108 ha	1
ZONE 1365 ha	-
(S) OF CONSTRUCTION IX° - XXI° century	1
•	





Construction en bois et torchis dans la ville médiévale de Provins

© Esther Westerveld (Flickr, creative common





GREECE

Medieval City of Rhodes

The medieval city of Rhodes is located within a wall 4 kilometers long. The main building material in the city is limestone but some roofs are covered with several layers of earth.

>> CRITERIA : (II) (IV) (V) >> BRIEF DESCRIPTION :

The Order of St John of Jerusalem occupied Rhodes from 1309 to 1523 and set about transforming the city into a stronghold. It subsequently came under Turkish and Italian rule. With the Palace of the Grand Masters, the Great Hospital and the Street of the Knights, the Upper Town is one of the most beautiful urban ensembles of the Gothic period. In the Lower Town, Gothic architecture coexists with mosques, public baths and other buildings dating from the Ottoman period.

DATE OF INSCRIPTION	1988
GEOGRAPHIC COORDINATES	N36 26 49.992
	E28 13 40.008
PROPERTY	66 ha
PERIOD(S) OF CONSTRUCTIONXI	V° - XX° century











ISRAEL

Biblical Tels Megiddo, Hazor, Beer Sheba

Of the more than 200 tels in Israel, Megiddo, Hazor and Beer Sheba are representative of those that contain substantial remains of cities with biblical associations. These prehistoric settlement mounds are composed of the stacked remains of successive cities partly built of adobe.

>> CRITERIA :

- (ii) The three tels represent an interchange of human values throughout the ancient neareast, forged through extensive trade routes and alliances with other states and manifest in building styles which merged Egyptian, Syrian and Aegean influences to create a distinctive local style.
- (iii) The three tels are a testimony to a civilization that has disappeared that of the Cananean cities of the Bronze Age and the biblical cities of the Iron Age and manifest in their expressions of creativity: town planning, fortifications, palaces, and water collection technologies.
- (iv) The Biblical cities reflect the key stages of urban development in the Levant, which exerted a powerful influence on later history of the region.
- (vi) The three tels, through their mentions in the Bible, constitute a religious and spiritual testimony of Outstanding Universal Value.

DATE OF INSCRIPTION	2005
GEOGRAPHIC COORDINATES	N32 35 49.992
	E35 10 55.992
PROPERTY	96 ha
BUFFER ZONE	604 ha
PERIOD(S) OF CONSTRUCTION VI° - I°	millennium BC

Site de Hazor, détail des vestiges archéologiques en pierres et terre © Hubert Guillaud, CRAterre



Site de Beer Sheba © Hubert Guillaud, CRAterre



Tell Bet She'an
© Hubert Guillaud, CRAterre



Historic Centre of Évora

Some houses in the medieval quarter of Mouraria and the Jewish Quarter to the north west of Evora have preserved rammed earth walls. The rest of the city is primarily made of stones and bricks.

>> CRITERIA : (II) (IV)

>> BRIEF DESCRIPTION:

This museum-city, whose roots go back to Roman times, reached its golden age in the 15th century, when it became the residence of the Portuguese kings. Its unique quality stems from the whitewashed houses decorated with azulejos and wrought-iron balconies dating from the 16th to the 18th century. Its monuments had a profound influence on Portuguese architecture in Brazil.

DATE OF INSCRIPTION
GEOGRAPHIC COORDINATES
W7 54 28.008
PERIOD(S) OF CONSTRUCTION

Centre historique de la ville d'Evora © Maria Fernandes , Université de Coimbra



Rue freiria de cima et cathédrale, Centre historique de la ville d'Evora

© Maria Fernandes . Université de Coimbra





PORTUGAL

Historic Centre of Guimarães

The presence of mud, locally called taipa de fasquio, can be seen in the historical centre of Guimarães. This once common construction method has given way to houses of stone masonry for the first two levels and timber frame structures for the upper floors.

>> CRITERIA :

- (ii) Guimarães is of considerable universal significance by virtue of the fact that specialized building techniques developed there in the Middle Ages were transmitted to Portuguese colonies in Africa and the New World, becoming their characteristic feature.
- (iii) The early history of Guimarães is closely associated with the establishment of Portuguese national identity and the Portuguese language in the 12th century.
- (iv) An exceptionally well preserved town, Guimarães illustrates the evolution of particular building types from the medieval settlement to the present-day city, and particularly in the 15th-19th centuries.

F INSCRIPTION2001	
APHIC COORDINATES	
W8 17 41.352	
RTY 16 ha	
? ZONE 45 ha	
(S) OF CONSTRUCTIONX° - XXI° century	

Guimarães

© Vences Bower (Flickr creative commons)





© K. Kendall (Flickr, creative common)



PORTUGAL

Historic Centre of Oporto

The presence of mud, locally called taipa de fasquio, can be seen in the historical centre of Porto. This once common construction method has given way to houses of stone masonry for the first two levels and timber frame structures for the upper floors.

>> CRITERIA : (IV)

>> BRIEF DESCRIPTION :

The city of Oporto, built along the hillsides overlooking the mouth of the Douro river, is an outstanding urban landscape with a 2,000-year history. Its continuous growth, linked to the sea (the Romans gave it the name Portus, or port), can be seen in the many and varied monuments, from the cathedral with its Romanesque choir, to the neoclassical Stock Exchange and the typically Portuguese Manueline-style Church of Santa Clara

DATE OF INSCRIPTION 1990
GEOGRAPHIC COORDINATES N41 8 30
W8 37 (
PERIOD(S) OF CONSTRUCTION I° - XXI° century



City of Porto

© Hubert Guillaud, CRAterre





RUSSIAN FEDERATION

Bolgar Historical and Archaeological Complex

From the west, east, and south, the Complex is surrounded by an earth rampart and a moat of the Bolgar archaeological site of the 10th to 15th centuries. Earth can be found in the form of mortar for brick walls as well.


>> CRITERIA :

(ii) The historical and archaeological complex of Bolgar illustrates the exchange and re-integration of several subsequent cultural traditions and rulers and reflects these in influences on architecture, city-planning and landscape design. The property illustrates the cultural exchanges of Turkic, Finno-Ugric, Slavic and other traditions. Evidence of exchanges in architectural styles includes wooden constructions which emerged in the forest-rich region, the steppe component of Turkic language tribes, oriental influences connected with the adoption of Islam and European-Russian styles which dominated after it became part of the Russian state.

(vi) Bolgar remains a regional reference point for Tatar Muslims and likely other Muslim groups of the wider region in Eurasia. It carries associated religious and spiritual values which are illustrated predominantly during the annual pilgrimage season. Bolgar provides evidence of an early and northernmost Muslim enclave established in connection with the official acceptance of Islam by the Volga Bolgars as the state religion in 922 AD, which had a lasting impact on the cultural and architectural development of the wider geographical region.

2014	DATE OF INSCRIPTION	
N54 58 44	GEOGRAPHIC COORDINATES.	
E49 3 23		
424 ha	PROPERTY	
12,101 ha	BUFFER ZONE	
X° - XV° century	PERIOD(S) OF CONSTRUCTION	

View of the remains of the Bolgar mosque, restored minaret, Northern and Eastern mausoleums and a church in Bolgar, Tatarstan, Russia





© MarinkaGal (Wikimedia Commons)



SPAIN

Alhambra, Generalife and Albayzín, Granada


The walls of the Alhambra Palace, built from the Almohad period, are largely constructed in rammed earth. The name of this palace, from the Arabic Al Hamra, meaning «red», is in reference to the color reflected by earthen walls at sunset.

>> CRITERIA : (I) (III) (IV)

>> BRIEF DESCRIPTION:

Rising above the modern lower town, the Alhambra and the Albaycín, situated on two adjacent hills, form the medieval part of Granada. To the east of the Alhambra fortress and residence are the magnificent gardens of the Generalife, the former rural residence of the emirs who ruled this part of Spain in the 13th and 14th centuries. The residential district of the Albaycín is a rich repository of Moorish vernacular architecture, into which the traditional Andalusian architecture blends harmoniously.

DATE OF INSCRIPTION 1984 (Ext. 1994)
GEOGRAPHIC COORDINATES
W3 35 39.984
PERIOD(S) OF CONSTRUCTION XIII° - XVI° century





© Thierry Joffroy, CRAterre





SPAIR

Cathedral, Alcázar and Archivo de Indias in Seville

The Alcázar of Seville has some walls or parts of walls built of rammed earth, using a technique widely available in Spain during the Almohad period.

>> CRITERIA

- (i) The Giralda constitutes a unique artistic achievement, a masterpiece of Almohad architecture. The immense Cathedral with five naves, which replaced the mosque, is the largest Gothic edifice in Europe. The elliptical space of the Cabildo, created by Hernán Ruiz, is one of the most beautiful architectural works of the Renaissance.
- (ii) The Giralda influenced the construction of numerous towers in Spain, and, after the Conquest, in the Americas.
- (iii) The Cathedral the largest Gothic temple in Europe and the Alcázar of Seville bear exceptional testimony to the civilization of the Alhomads and to that of Christian Andalusia dating from the re-conquest of 1248 to the 16th century, which was thoroughly imbued with Moorish influences.
- (vi) The Cathedral, the Alcázar and the Lonja are directly and tangibly associated with a universally important event: the 'discovery'

of the New World by Christopher Columbus in 1492/1493 and the colonization of Latin America. The tomb of Christopher Columbus is in the Cathedral. Within the Admirals' Hall (Sala de los Almirantes), plans were made for a number of history's greatest explorations, notably the circumnavigation of the globe by Magellan and Sebastián El Cano (1519-1522). In the Lonja are conserved the most precious documents from the archives of the colonies in the Americas.

DATE OF INSCRIPTION1987
GEOGRAPHIC COORDINATES
W5 59 29.58
PROPERTY 12 ha
BUFFER ZONE
PERIOD(S) OF CONSTRUCTIONXIII° - XVI° century





Jardins de l'Alcazar
© John Picken (Flickr, creative common)





Historic Centre of Cordoba

The use of earth can be seen in the ancient fabric of the city of Cordoba

>> CRITERIA : (I) (II) (III) (IV)

>> BRIEF DESCRIPTION:

Cordoba's period of greatest glory began in the 8th century after the Moorish conquest, when some 300 mosques and innumerable palaces and public buildings were built to rival the splendours of Constantinople, Damascus and Baghdad. In the 13th century, under Ferdinand III, the Saint, Cordoba's Great Mosque was turned into a cathedral and new defensive structures, particularly the Alcázar de los Reyes Cristianos and the Torre Fortaleza de la Calahorra, were erected.

1984 (Ext. 1994)	DATE OF INSCRIPTION
N37 52 45.1	GEOGRAPHIC COORDINATES.
W4 46 47	
III° century BC -	PERIOD(S) OF CONSTRUCTION
XIV° century AC.	

Palais royal de Cordoue © Guy Moll (Flickr, creative contents)





Walkway in Cordoba
© Mihael Grmek (Wikimedia Commons)



SPAIN


Old town of Caceres

The *Desmochada Tower*, part of the Almohad enclosure of the city of Caceres, reflects the rise of the technique of rammed earth during this period in Spain. The use of rammed earth and adobe is also found in the vernacular fabric of the ancient city.


>> CRITERIA : (III) (IV)

>> BRIEF DESCRIPTION:

The city's history of battles between Moors and Christians is reflected in its architecture, which is a blend of Roman, Islamic, Northern Gothic and Italian Renaissance styles. Of the 30 or so towers from the Muslim period, the Torre del Bujaco is the most famous.



Arc de l'étoile vue depuis la Tour de Cáceres Bujaco ©José Porras (Wikimedia Commons)





City of Safranbolu

About half of the oldest houses in the Çukur and Kirankoy neighborhoods are wood-frame filled with bricks or adobe. This technique is particularly well suited to the context of high seismicity in the City of Safranbolu.

>> CRITERIA : (II) (IV) (V) >> BRIEF DESCRIPTION :

From the 13th century to the advent of the railway in the early 20th century, Safranbolu was an important caravan station on the main East-West trade route. The Old Mosque, Old Bath and Süleyman Pasha Medrese were built in 1322. During its apogee in the 17th century, Safranbolu's architecture influenced urban development throughout much of the Ottoman Empire.

DATE OF INSCRIPTION 1994
GEOGRAPHIC COORDINATES
E32 41 22.992
PROPERTY 193 ha
PERIOD(S) OF CONSTRUCTIONXIII° - XXI° century













TURKE

Neolithic Site of Çatalhöyük

The main architectural components of the site are densely clustered mud brick houses with areas of refuse or midden between them. All walls are made of unbaked mud-brick. To support clay and reed surfaces, oak and juniper cross beams were used for roofs.

>> CRITERIA :

(iii) Çatalhöyük provides a unique testimony to a moment of the Neolithic, in which the first agrarian settlements were established in central Anatolia and developed over centuries from villages to urban centres, largely based on egalitarian principles. The early principles of these settlements have been well preserved through the abandonment of the site for several millennia. These principles can be read in the urban plan, architectural structures, wall paintings and burial evidence. The stratigraphy of up to 18 settlement layers provides an exceptional testimony to the gradual development, re-shaping and expansion of the settlement.

(iv) The house clusters of Çatalhöyük, characterized by their streetless neighbourhoods, dwellings with roof access, and house types representing a highly circumscribed distribution of activity areas and features according to a clear spatial order aligned on cardinal directions, form an outstanding settlement type of the Neolithic period. The comparable sizes of the dwellings

throughout the city illustrate an early type of urban layout based on community and egalitarian ideals.

2012	DATE OF INSCRIPTION	
N37 40 0	GEOGRAPHIC COORDINATES	
E32 49 41		
37 ha	PROPERTY	
111 ha	BUFFER ZONE	
VIII° millennium BC –	PERIOD(S) OF CONSTRUCTION	
VII° millennium BC		

North Excavation Area
© Catalhöyük (Flickr, creative commons)



Repaired patches of mortar with finger impressions
© Catalhöyük (Flickr, creative commons)



Catalhöyük 2013: taking levels in the South Shelter

© Scott D. Haddow (Flickr. creative commons)



UNITED KINGDOM OF GREAT BRITAIN AND NORTHERN IRELAND / GERMANY

Frontiers of the Roman Empire

All kinds of materials were used to raise the 5,000km of walls and associated constructions (ditches, forts, fortresses, watch towers, houses) that were the 'Roman Limes' at its peak. In most places it is in stone and wood, but also in earth in the form of clay mortar for masonry, or embankments and ditches constructed in the original landscape.

>> CRITERIA : (II) (III) (IV)

>> BRIEF DESCRIPTION :

The 'Roman Limes' represents the border of the Roman Empire at its greatest extent in the 2nd century AD. It stretched over 5,000km from the Atlantic coast of northern Britain, through Europe to the Black Sea, and from there to the Red Sea and across North Africa to the Atlantic coast. The remains of the Limes today consist of vestiges of built walls, ditches, forts, fortresses, watchtowers and civilian settlements. Certain elements of the line have been excavated, some reconstructed and a few destroyed. The two sections of the Limes in Germany cover a length of 550km from the north-west of the country to the Danube in the south-east. The 118km-long Hadrian's Wall (UK) was built on the orders of the Emperor Hadrian c. 122 AD at the northernmost limits of the Roman province of Britannia. It is a striking example of the organization of a military zone and illustrates the defensive techniques and geopolitical strategies of ancient Rome. The Antonine Wall, a 60km-long fortification in Scotland, was started by Emperor Antonius Pius in 142 AD as a defense against the 'barbarians' of the north. It constitutes the northwestern-most portion of the Roman Limes.

RIPTION 1987 (Ext. 2005, 2008)	
COORDINATES N54 59 33.4	
W2 36 3.6	
527 ha	
5 226 ha	
CONSTRUCTION II° century	

© Tyler Bell (Flickr creative commons)





© Francis Bijl (Flickr, creative commons)

UNITED STATES OF AMERICA

Cahokia Mounds State Historic Site

Cahokia Mounds is the largest pre-Columbian settlement north of Mexico. It covers 1,600 hectares and has some 120 earthen mounds made by humans, including Monks Mound, which covers an area of 5 hectares and is 30 meters high. It is the largest prehistoric earthwork of the United States of America.

>> CRITERIA :

(iii) Dating from the Mississippian period (800-1350), Cahokia Mounds is the largest pre-Columbian archaeological site north of Mexico, and also the earliest. It is the pre-eminent example of a cultural, religious, and economic center of the prehistoric Mississippian cultural tradition.

(iv) Cahokia graphically demonstrates the existence of a pre-urban society in which a powerful political and economic hierarchy was responsible for the organization of labor, communal agriculture, and trade. This is reflected in the size and layout of the settlement and the nature and structure of the public and private buildings.

DATE OF INSCRIPTION	1982
GEOGRAPHIC COORDINATES	N38 39 31
	W90 3 41
PERIOD(S) OF CONSTRUCTION	X° - XIV° century





© Emily Dickinson (Flickr, creative commons)



Chaco Culture

"The Chaco Canyon sites graphically illustrate the architectural and engineering achievements of the Chaco Anasazi people, who overcame the harshness of the environment of the south-western United States to found a culture that dominated the area for more than four centuries."

>> CRITERIA :

(iii) The buildings, mostly made of stone masonry bound by mud were covered with plaster made with clay soil. Some remains of mud walls (jacal) are also preserved.

The resolution of the last	2(I) 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		
		and a second of the second of the second	A CHARLE COMP. IN COMP.
			—
The second			69
		THE	
7	LEGISLAND.		
		The same of the sa	-

1987	DATE OF INSCRIPTION	
N36 3 49.6	GEOGRAPHIC COORDINATES.	
W107 58 15		
IX° - XIII° century	PERIOD(S) OF CONSTRUCTION	


UNITED STATES OF AMERICA

Mesa Verde National Park

The ancient dwelling sites at Mesa Verde were built with locally available materials: stones from the cliffs, wood from the forests and earth from the plateau and the plains. Earth was mainly used as mortar for laying the stones of the walls, but also for making floors, terraces and the dome-shaped roofs of Khivas (meeting places) as well as for plastering floors and walls.

>> CRITERIA :

(iii) The exceptional archaeological sites of the Mesa Verde landscape provide eloquent testimony to the ancient cultural traditions of Native American tribes. They represent a graphic link between the past and present ways of life of the Puebloan Peoples of the American south-west.



 DATE OF INSCRIPTION
 2001

 GEOGRAPHIC COORDINATES
 N41 26 26.988


 W8 17 41.352

 PROPERTY
 16 ha

 BUFFER ZONE
 45 ha

 PERIOD(S) OF CONSTRUCTION
 X° - XXI° century











UNITED STATES OF AMERICA

Monumental Earthworks of Poverty Point

The property consists of vast, integrated complex of earthen monuments, constructed 3,700-3,100 years ago. It covers 163 hectares and includes five earthen mounds, six concentric, semi-elliptical earthen ridges, a 17.4 hectares central plaza and extensive borrow areas. The massive Mound A, one of the largest artificially constructed earthen mounds in North America, dominates the site.

>> CRITERIA

(iii) Poverty Point Monumental Earthworks bear exceptional testimony to a vanished cultural tradition, the Poverty Point culture, centered in the Lower Mississippi Valley during the Late Archaic period, 4,000-2,500 years ago. This site, which dates to 3,700-3,100 BP, is an outstanding example of landscape design and monumental earthwork construction by a population of hunter-fisher-gatherers. The mound complex is a singular achievement in earthen construction in North America: it was not surpassed for at least 2,000 years (and only then by people supported by a farming economy). The particular layout of the complex is unique to this site. The natural setting of this inland settlement was an important factor in the site's establishment and longevity. The location provided easy access to the Mississippi River valley and the hardwood forests along its margins. Although rich in edible resources, the setting lacked stone, a critical raw material for tools and other objects. Thus, an extensive trade network for rocks and minerals from hundreds of kilometers away played a key role in the Poverty Point phenomenon.

DATE OF INSCRIPTION2014
GEOGRAPHIC COORDINATES
W91 24 23
PROPERTY 163 ha
PERIOD(S) OF CONSTRUCTION XVIII° - XII° century BC

Ridge view© Bart Everson (Flickr, creative commons)

Bird Mound (Mound A)
© Bart Everson (Flickr, creative commons)



Mound A
© Lanza Romanza (Flickr, creative commons)








UNITED STATES OF AMERICA Pueblo de Taos

Situated in the valley of a small tributary of the Rio Grande, this adobe settlement - consisting of dwellings and ceremonial buildings - represents the culture of the Pueblo Indians of Arizona and New Mexico.



(iv) Pueblo de Taos is a remarkable example of a traditional type of architectural ensemble from the pre-Hispanic period of the Americas unique to this region and one which, because of the living culture of its community, has successfully retained most of its traditional forms up to the present day.







© Pascal Odul, CRAterre





>> REGION Latin America & the Caribbean


Statistics Latin America & the Caribbean

TYPES AND
CONSTRUCTION MODES
41 PROPERTIES







Type of earth construction



Position of earth



Proportion of earth on site






- **01** ARGENTINA / BOLIVIA / CHILE / COLOMBIA / ECUADOR / PERU: Qhapaq Ñan, Andean Road System
- 02 BOLIVIA: City of Potosí
- 03 BOLIVIA: Historic City of Sucre
- 04 BRAZIL: Historic Centre of Salvador de Bahia
- **05** BRAZIL: Historic Centre of São Luís
- **06** BRAZIL: Historic Centre of the Town of Diamantina
- 07 BRAZIL: Historic Centre of the Town of Goiás
- 08 BRAZIL: Historic Centre of the Town of Olinda
- 09 BRAZIL: Historic Town of Ouro Preto
- **10** BRAZIL: Sanctuary of Bom Jesus do Congonhas
- 11 CHILE: Historic quarter of the seaport city of Valparaiso
- 12 COLOMBIA: Coffee Cultural Landscape of Colombia
- 13 COLOMBIA: Historic centre of Santa Cruz de Mompox
- 14 COLOMBIA: National archaeological park of Tierradentro (dugouts tombs)
- 15 COLOMBIA: Port, Fortresses and Group of Monuments, Cartagena
- 16 COSTA RICA: Precolumbian Chiefdom Settlements with Stone Spheres of the Diquis
- 17 CUBA: Historic Centre of Camagüey
- 18 CUBA: Old Havana and its Fortifications
- 19 CUBA: Trinidad and the Valley de los Ingenios
- 20 CUBA: Viñales Vallev
- 21 ECUADOR: City of Quito
- **22** ECUADOR: Historic Centre of Santa Ana de los Ríos de Cuenca
- **23** EL SALVADOR: Joya de Cerén Archaeological Site
- 24 GUATEMALA: Ántigua Guatemala
- 25 MEXICO: Archaeological Zone of Paquimé, Casas Grandes
- 26 MEXICO: Historic Centre of Morelia
- **27** MEXICO: Historic Centre of Oaxaca and Archaeological Site of Monte Albán
- 28 MEXICO: Historic Centre of Puebla
- 29 MEXICO: Historic Centre of Zacatecas
- **30** MEXICO: Historic Monuments Zone of Querétaro
- 31 MEXICO: Historic Town of Guanajuato and Adjacent Mines
- 32 MEXICO: Pre-Hispanic City of Teotihuacan
- 33 MEXICO: Protective town of San Miguel & the sanctuary of Jesus Nazareno
- 34 NICARAGUA: Cathédrale de León
- 35 NICARAGUA: Ruines de León Viejo
- **36** PERU: Chan Chan Archaeological Zone
- 37 PERU: City of Cuzco
- 38 PERU: Historic Centre of Lima
- **39** PERU: Sacred city of Caral-Supe
- 40 URUGUAY: Historic Quarter of the City of Colonia del Sacramento
- 41 VENEZUELA: Coro and its Port

Statistics THREATS Latin America & the Caribbean


ANALYSIS
OF QUESTIONNAIRES
26 RESPONSES/41 PROPERTIES


CURRENT SITUATION OF PROPERTIES











Progressive Fast Stabilised Type of threats




PRIORITIES

Current level of satisfaction

Degradation speed

36%



Priorities for action



ARGENTINA / BOLIVIA / CHILE / COLOMBIA / ECUADOR / PERU Qhapaq Ñan, Andean Road System

Earth is present in the form of adobe with mud mortar.

<< Adobe is a building material manufactured with clay, thin straw guinea pig hair and crop stubble, moulded into bricks and dried in the open air. It has been found in colonial structures, containing the remains of loose stone, straw, ceramics and human hair.

Mud is used for various purposes in the Andes, including the construction of adobe walls, mortar and thatching. Mortar is obtained by adding Peruvian grass and animal and human hair to the mud. >>

See Nomination of the World Heritage List, January 2013, pp.616

>> CRITERIA : (II) (III) (IV) (VI)

>> BRIEF DESCRIPTION:

This site is an extensive Inca communication, trade and defence network of roads covering 30,000 km. Constructed by the Incas over several centuries and partly based on pre-Inca infrastructure, this extraordinary network through one of the world's most extreme geographical terrains linked the snow-capped peaks of the Andes - at an altitude of more than 6,000 m - to the coast, running through hot rainforests, fertile valleys and absolute deserts. It reached its maximum expansion in the 15th century, when it spread across the length and breadth of the Andes. The Qhapac Ñan, Andean Road System includes 273 component sites spread over more than 6,000 km that were selected to highlight the social, political, architectural and engineering achievements of the network, along with its associated infrastructure for trade, accommodation and storage, as well as sites of religious significance.

DATE OF INSCRIPTION
W69 35 30 PROPERTY 11,407 ha BUFFER ZONE 663,070 ha
PROPERTY
BUFFER ZONE663,070 ha
•
PERIOD(S) OF CONSTRUCTIONX° century BC -
XV° century AD

Chitarran

© madame web (Flickr, creative commons)



La Cofradia

madame web (Flickr, creative commons)



La Paz
© madame_web (Flickr, creative commons)





City of Potosí


The city of Potosi, built in the 16th century at an altitude of over 4,000 meters for the exploitation of silver mines, still has around 160,000 inhabitants. One- or two-level houses were constructed of adobe bricks bounded with earth mortar, while the public and religious buildings were built of stone.

>> CRITERIA : (II) (IV) (VI)
>> BRIEF DESCRIPTION :

Founded by the Portuguese in 1680 on the Río de la Plata, the city was of strategic importance in resisting the Spanish. After being disputed for a century, it was finally lost by its founders. The well-preserved urban landscape illustrates the successful fusion of the Portuguese, Spanish and post-colonial styles.

DATE OF INSCRIPTION 1987
GEOGRAPHIC COORDINATES
W65 45 11.016
PROPERTY 130 ha
PERIOD(S) OF CONSTRUCTIONXVI° - XXI° century





Panorama de la ville de Potosi, Bolivie
© Jenny Mealing (Flickr, creative common)



© Danielle Peirera (Flickr, creative commons)





BOLIVIA

Historic City of Sucre

The colonial era left its mark in the city of Sucre, which retains a great number of 'old' houses, many of which date from the 18th century. Their architecture is very subdued; the only features that animate these homes are the imposing doors, the wooden corner balconies, the gates, window grilles and the large courtyards, sometimes with arcades. The walls are primarily made of adobe, fired brick and sometimes stone, often bounded with an earthen mortar. Whitewashed, the walls reflect a typical 'white city'. Earth was also used in the construction of churches. Those from the Renaissance (1550-1650) are adobe with massif contre-forts.

>> CRITERIA : (IV)
>> BRIEF DESCRIPTION :

Sucre, the first capital of Bolivia, was founded by the Spanish in the first half of the 16th century. Its many well-preserved 16th-century religious buildings, such as San Lázaro, San Francisco and Santo Domingo, illustrate the blending of local architectural traditions with styles imported from Europe.







© Robert Cutts (Flickr, creative commons)





Historic Centre of Salvador de Bahia

The brightly colored houses, often decorated with fine stucco, are a feature of the old city of Salvador de Bahia. The painted and decorated plaster in some cases cover earthen walls (pau a pique, adobe).

>> CRITERIA : (IV) (VI)

>> BRIEF DESCRIPTION:

As the first capital of Brazil, from 1549 to 1763, Salvador de Bahia witnessed the blending of European, African and Amerindian cultures. It was also, from 1558, the first slave market in the New World, with slaves arriving to work on the sugar plantations. The city has managed to preserve many outstanding Renaissance buildings. The old town is characterized by brightly coloured houses, often decorated with fine stucco work.

DATE OF INSCRIPTION1985
GEOGRAPHIC COORDINATES
W38 30 0
PERIOD(S) OF CONSTRUCTIONXVI° - XXI° century

© LecomteB (Wikimedia Commons)





© Rosino (Wikimedia Commons)

Historic Centre of São Luís

As São Luis developed during the 18th and 19th centuries, the mud and straw houses built after the 17th century have partially given way to new construction systems based on stones and mortar, finished with lime, fish oil, wood and marble from Portugal. Elements adapted to humidity of the tropical climate, such as wooden verandas, also emerged. Today there is still a significant portion of homes made with construction techniques taking advantage of properties of earth in terms of climate adaptation: buildings made of adobe and cob, represent between 50 and 75% of the buildings in the Historic Centre of São Luis.

>> CRITERIA : (III) (IV) (V) >> BRIEF DESCRIPTION :

The late 17th century core of this historic town, founded by the French and occupied by the Dutch before coming under Portuguese rule, has preserved the original rectangular street plan in its entirety. Thanks to a period of economic stagnation in the early 20th century, an exceptional number of fine historic buildings has survived, making this an outstanding example of an Iberian colonial town







© Lyssuel Calvet (Flickr creative common)



Historic Centre of the Town of Diamantina

Between 25 and 50% of the houses of the historic centre of Diamantina (mainly 18th and 19th century) are made of earth. Several construction techniques are represented: cob, adobe and wattle and daub. The architecture of Diamantina is distinguished from that of other Brazilian colonial cities in that the cut stone is not used except for foundations. Wood has been used for the construction of the decorative elements in both civil and religious architecture. The urban fabric was densified during the 19th century but always respecting the rules of the local traditional art of building. Up until the 1950s, properties were maintained using traditional materials



- (ii) Diamantina shows how explorers of the Brazilian territory, diamond prospectors, and representatives of the Crown were able to adapt European models to an American context in the 18th century, thus creating a culture that was faithful to its roots yet completely original.
- (iv) The urban and architectural group of Diamantina, perfectly integrated into a wild landscape, is a fine example of an adventurous spirit combined with a quest for refinement so typical of human nature.

DATE OF INSCRIPTION
GEOGRAPHIC COORDINATES \$18 13 60
W43 36 0
PROPERTY 29 ha
PERIOD(S) OF CONSTRUCTION XVIII° - XXI° century





© Luca De Santis (Flickr creative commons)





Historic Centre of the Town of Goiás

Goiás testifies to how the founders of Portuguese and Brazilian cities adapted Portuguese urban and architectural models to the realities of a tropical region by borrowing the use of local materials and vernacular techniques from the Indians. As a result of their consistent use by local artisans, the urban planning and architecture of Goiás create a harmonious whole. The historic town has preserved its authenticity and integrity by continuing local traditions. Its architecture is characterized by the continued use of vernacular techniques: adobe, taipa (cob) and «pauapic» (type of wattle and daub).

>> CRITERIA : (IV) (VI)

(ii): In its layout and architecture the historic town of Goiás is an outstanding example of a European town admirably adapted to the climatic, geographical and cultural constraints of central South America

(iv): Goiás represents the evolution of a form of urban structure and architecture characteristic of the colonial settlement of South America, making full use of local materials and techniques and conserving its exceptional setting.

DATE OF INSCRIPTION2001
GEOGRAPHIC COORDINATES \$15 55 59.808
W50 8 0.096
PROPERTY
BUFFER ZONE
PERIOD(S) OF CONSTRUCTION XVIII° - XXI° century

© LecomteB (Wikimedia Commons)





© Rosino (Wikimedia Commons)



Historic Centre of the Town of Olinda

The city of Olinda was built from locally available materials and expertise brought by the Portuguese in the mid-16th century. The major building systems at that time were stone masonry and earth. Earth was used either as a mortar, as masonry material, or as fill-in. In the following centuries, baked brick gradually developed. It is thought today that about a quarter of the houses in the city centre still have – in whole or in part – walls and partitions made with the original techniques and materials.

>> CRITERIA : (II) (IV) >> BRIEF DESCRIPTION :

Founded in the 16th century by the Portuguese, the town's history is linked to the sugarcane industry. Rebuilt after being looted by the Dutch, its basic urban fabric dates from the 18th century. The harmonious balance between the buildings, gardens, 20 Baroque churches, convents and numerous small passos (chapels) all contribute to Olinda's particular charm.

DATE OF INSCRIPTION	1982
GEOGRAPHIC COORDINATES	5 8 0 48
	W34 50 42
PROPERTY	120 ha
BUFFER ZONE	920 ha
PERIOD(S) OF CONSTRUCTIONXVI°-	XXI° century





© Lyssuel Calvet (Flickr creative common)

∞

BRAZIL

Historic Town of Ouro Preto

With the end of gold mining in the 19th century in the state of Minas Gerais, Ouro Preto was gradually abandoned. Its architecture has changed very little since that time. More than three quarters of the houses are still built in whole or in part with earth, using different techniques. The 'pau a pique' is a traditional technique consisting of a blend of supple horizontal pieces of wood (usually bamboo) on a fixed structure of vertical wooden poles, within which there is an earthen filling. Adobe masonry, as well as cob, are also widely used techniques.

>> CRITERIA : (I) (III)

>> BRIEF DESCRIPTION:

Founded at the end of the 17th century, Ouro Preto (Black Gold) was the focal point of the gold rush and Brazil's golden age in the 18th century. With the exhaustion of the gold mines in the 19th century, the city's influence declined but many churches, bridges and fountains remain as a testimony to its past prosperity and the exceptional talent of the Baroque sculptor Aleijadinho.

	DATE OF INSCRIPTION	W43	30	20
(GEOGRAPHIC COORDINATES	520	23	20
		W43	30	20
F	PERIOD(S) OF CONSTRUCTION	VII° - XXI° ce	enti	irv











© Wilfredo Carazas-Aedo, CRAterre

Sanctuary of Bom Jesus do

Congonhas

The Church of Bom Jesus do Congonhas was originally a simple construction of stone and earth (adobe, and possibly rammed earth), in the tradition of the early religious buildings of Minas Gerais. However, after the death of its founder, Feliciano Mendes, in 1765, its interior was given an elaborate rocaille decor and Rococo style inspired by Italian models, which profoundly altered its original appearance.

>> CRITERIA : (I) (IV)

>> BRIEF DESCRIPTION:

This sanctuary in Minais Gerais, south of Belo Horizonte, was built in the second half of the 18th century. It consists of a church with a magnificent Rococo interior of Italian inspiration; an outdoor stairway decorated with statues of the prophets; and seven chapels illustrating the Stations of the Cross, in which the polychrome sculptures by Aleijadinho are masterpieces of a highly original, moving, expressive form of Baroque art.















CHILE

Historic quarter of the seaport city of Valparaiso


In its natural amphitheater-like setting, the city is characterized by a vernacular urban fabric adapted to the hillsides, as opposed to the geometrical layout utilized in the plains. Valparaiso also shows a vernacular continuity in the use of building techniques. Adobe masonry, wood and plants are the predominant materials. The vast majority of the historic fabric of the city (such as its oldest building, the Eglisia de la Matriz) is composed of buildings with earthen walls built on stone foundations. Wooden ribs provide a good level of stability during earthquakes. Generally, adobe is used only on the ground floor in homes, being substituted by another construction system for any upper level(s): quincha (local wattle and daub) or adobillo (wood frame filled with adobes).

>> CRITERIA:

(iii) Valparaíso is an exceptional testimony to the early phase of globalisation in the late 19th century, when it became the leading merchant port on the sea routes of the Pacific coast of South America.







© Juan Manuel (Flickr, creative common)



Coffee Cultural Landscape of Colombia

The Coffee Cultural Landscape of Colombia is dotted with small villages where earthen structures dominate, with rammed earth at the base (ground floor) and wattle and daub (bahareque) inside a wooden structure above.

>> CRITERIA : (V) (VI)

>> BRIEF DESCRIPTION:

The Coffee Cultural Landscape is an exceptional example of a sustainable and productive cultural landscape that is unique and representative of a tradition that is a strong symbol for coffee growing areas worldwide. It encompasses six farming landscapes, which include 18 urban centres on the foothills of the western and central ranges of the Cordillera de los Andes in the west of the country. It reflects a centennial tradition of coffee growing in small plots in the high forest and the way farmers have adapted cultivation to difficult mountain conditions. The urban areas, mainly situated on the relatively flat tops of hills above sloping coffee fields, are characterized by the architecture of the Antioquian colonization with Spanish influence. Building materials were, and remain in some areas, cob and pleated cane for the walls with clay tiles for the roofs.

DATE OF INSCRIPTION20
GEOGRAPHIC COORDINATES
W76 1
PROPERTY141 120
BUFFER ZONE 207 000
PERIOD(S) OF CONSTRUCTION XIX° - XXI° centu



Constructions en terre faites de pisé à la base et de torchis (bahareque) à l'étage

© Reatiz Helena Ramirez Gonzalez





Historic centre of Santa Cruz de Mompox

Houses found around the perimeter of the Calle de Atras, a secondary street in the city, have wooden structures with an earthen construction technique called bahareque (wattle and daub). Family houses from the 17th to the early 19th centuries are arranged around a central or lateral open space, adapted to the climate and local customs. Rammed earth and adobe are other earthen construction techniques used in Mompox, mainly for the finest homes or public buildings. Earth was also used for making mortars and interior plasters (including ceilings). Today, the proportion of earthen structures still present in the historical center of Mompox is about 25%.

>> CRITERIA : (IV) (V)

>> BRIEF DESCRIPTION:

Founded in 1540 on the banks of the River Magdalena, Mompox played a key role in the Spanish colonization of northern South America. From the 16th to the 19th century the city developed parallel to the river, with the main street acting as a dyke. The historic centre has preserved the harmony and unity of the urban landscape. Most of the buildings are still used for their original purposes, providing an exceptional picture of what a Spanish colonial city was like.

DATE OF INSCRIPTION 1995
GEOGRAPHIC COORDINATES
W74 25 60
PROPERTY 458 ha
BUFFER ZONE
PERIOD(S) OF CONSTRUCTIONXVI° - XXI° century





© einer 3088 (Wikimedia commons)

National archaeological park of Tierradentro

Burial practices in Tierradentro involved adding earth during rituals, such as during the burial of the bones inside the hypogea (underground tomb), or, after cremation, mixing the ashes with red earth. In addition to this cultural use, earth was also a building material. The habitat was made of small hamlets, with oval constructions built on artificial terraces with rammed earth floors. The wooden frames of these houses were filled with a wattle of corn stalks mixed with mud. The roofs were made of thatch.

>> CRITERIA : (III)

>> BRIEF DESCRIPTION:

Several monumental statues of human figures can be seen in the park, which also contains many *hypogea* dating from the 6th to the 10th century. These huge underground tombs (some burial chambers are up to 12 metres wide) are decorated with motifs that reproduce the internal decor of homes of the period. They reveal the social complexity and cultural wealth of a pre-Hispanic society in the northern Andes.

ION 1995	DATE OF INSCRIPTION
ORDINATES N2 34 60	GEOGRAPHIC COORDIN
W76 1 60	
NSTRUCTION VI° - X° century	PERIOD(S) OF CONSTRUC



© inyucho (Flickr creative common)

Port, Fortresses and Group of Monuments, Cartagena

With the exception of the main monuments of the city which are built in stone and wood, with lime-sand mortar, about 25% of the historic fabric is composed of houses made of adobe and fired bricks (corners, openings, etc.) built on stone foundations. Earth was also used in the composition of masonry mortars.

>> CRITERIA : (IV) (VI)

>> BRIEF DESCRIPTION:

Situated in a bay in the Caribbean Sea, Cartagena has the most extensive fortifications in South America. A system of zones divides the city into three neighbourhoods: San Pedro, with the cathedral and many Andalusian-style palaces; San Diego, where merchants and the middle class lived; and Gethsemani, the 'popular quarter'.



 DATE OF INSCRIPTION
 1984

 GEOGRAPHIC COORDINATES
 N10 25 0

 W75 31 60

 PERIOD(S) OF CONSTRUCTION
 XVI° - XXI° century





© Einer Rivera (Wikimedia commons)





Precolumbian Chiefdom Settlements with Stone Spheres of the Diquis


The property comprises four archaeological sites located in the Diquis Delta in southern Costa Rica. They represent four different settlement sites of chiefdom societies in the Precolumbian period and contain artificial mounds, paved areas, burial sites and a collection of distinctive stone spheres.

>> CRITERIA :

(iii) The Precolumbian Chiefdom Settlements with Stone Spheres of the Diquís illustrate the physical evidence of the complex political, social and productive structures of the Precolumbian hierarchical societies. The chiefdoms which inhabited the Diquís Delta created hierarchical settlements expressing the division of different levels of power centres, presented by the different serial components. Likewise, the exceptional stone spheres, which continue to leave researchers speculating about the method and tools of their production, represent an exceptional testimony to the artistic traditions and craft capabilities of these Precolumbian societies.

2014	
NATES N8 54 41	
W83 28 39	
25 ha	
143 ha	
UCTION V° – XVI° century	

Algunas de las esferas de piedra que se encuentran en Finca 6 al cuidado del Museo Nacional de Costa Rica © Axxis10 (Wikimedia Commons)



Historic Centre of Camagüey

The historic center of Camagüey, rebuilt several times since it was founded by Spanish settlers in 1514 or 1515, includes some adobe buildings.

>> CRITERIA :

(iv): The Historic Centre of Camagüey constitutes an outstanding urban architectural type in Latin America, featured by its irregular urban layout that produced an unusual system of squares, minor squares, serpentine streets, alleys, urban blocks and plots system. Monumental and domestic architecture form a homogeneous urban fabric where it is possible to find architectural expressions corresponding to different periods of the evolution of the town.

(v): The Historic Centre of Camagüey constitutes an exceptional example of a traditional urban settlement relatively isolated from main trade routes, where the Spanish colonizers were subject to European medieval urban influences in the urban layout and to traditional construction techniques brought to the Americas by the first masons and construction masters.

DATE OF INSCRIPTION	2008
GEOGRAPHIC COORDINATES	N21 22 43
	W77 55 7
PROPERTY	54 ha
BUFFER ZONE	276 ha
PERIOD(S) OF CONSTRUCTION .	XVI° - XXI° century

Historic town of Camagüey, 20th century wattle and daub house
© OHC Camagüey

Cristo street© Ramon Rovirosa (Wikimedia Commons)



Facades, 18th and 19th centuries in wattle and daub © OHC Camagüey







Colonial house built in stone and rammed earth © Wilfredo Carazas-Aedo, CRAterre

CUBA

Old Havana and its Fortifications

With a continuity of building systems implemented over five centuries, La Habana Vieja (Old City of Havana) retains a rich civil and religious architectural heritage in adobe and rammed earth, such as the Covento Santa Clara, a pre-Baroque convent.







>> CRITERIA : (IV) (V)
>> BRIEF DESCRIPTION :

Havana was founded in 1519 by the Spanish. By the 17th century, it had become one of the Caribbean's main centres for shipbuilding. Although it is today a sprawling metropolis of 2 million inhabitants, its old centre retains an interesting mix of Baroque and neoclassical monuments, and a homogeneous ensemble of private houses with arcades, balconies, wrought iron gates and internal courtyards.

DATE OF INSCRIPTION 198	2
GEOGRAPHIC COORDINATES N23 7 6	0
W82 20 6	0
PROPERTY 143 h	а
PERIOD(S) OF CONSTRUCTIONXVI° - XXI° centur	у

Interior galery of a colonial house © OCH Havane





CUBA

Trinidad and the Valley de los Ingenios

«The domestic architecture of the city of Trinidad is characterized by its one-story houses with porches, large, flowing awnings, and sometimes wooden balconies sticking out against the background of multicoloured façades, with their door frames and window frames often highlighted in a contrasting color.»

http://whc.unesco.org/fr/list/460

These houses are in some cases built of adobe or mud.

>> CRITERIA : (IV) (V)

>> BRIEF DESCRIPTION:

Founded in the early 16th century in honour of the Holy Trinity, the city was a bridgehead for the conquest of the American continent. Its 18th and 19th century buildings, such as the Palacio Brunet and the Palacio Cantero, were built in its days of prosperity from the sugar trade.

City of Trinidad © Wilfredo Carazas-Aedo, CRAterre



 DATE OF INSCRIPTION
 1988

 GEOGRAPHIC COORDINATES
 N21 48 11

 W79 59 4

 PERIOD(S) OF CONSTRUCTION
 XVI° - XXI° century

Ingenios Valley
© Wilfredo Carazas-Aedo, CRAterre














Viñales Valley

The Viñales Valley is a cultural landscape enriched by the traditional architecture of its farms and villages built of local materials, where earth – especially in the form of adobe and cob – has been used,

>> CRITERIA :

(iv) The Viñales Valley is an outstanding karst landscape in which traditional methods of agriculture (notably tobacco growing) have survived unchanged for several centuries. The region also preserves a rich vernacular tradition in its architecture, crafts, and music.









Viñales valley © Ron Van Oers, UNESCO



City of Quito

The city of San Francisco de Quito was founded in 1534 on the ruins of an Inca village. It follows that urban layout: central and secondary plazas, side streets delimitating the squares. Apart from the main monuments which are built of stone, the vast majority of the historic fabric is composed of houses made from a combination of adobe walls covered with white plaster and clay brick (corners, openings, etc.). These one- and two-story houses are built on stone foundations, set around a one or more adobe patios. Wooden ribs provide good stability during earthquakes. Earth was also used for flooring and to fix the roof tiles

>> CRITERIA : (II) (IV)


>> BRIEF DESCRIPTION:

Quito, the capital of Ecuador, was founded in the 16th century on the ruins of an Inca city and stands at an altitude of 2,850 metres. Despite the 1917 earthquake, the city has the best-preserved, least altered historic centre in Latin America. The monasteries of San Francisco and Santo Domingo, and the Church and Jesuit College of La Compañía, with their rich interiors, are pure examples of the 'Baroque school of Quito', which is a fusion of Spanish, Italian, Moorish, Flemish and indigenous art.

DATE OF INSCRIPTION 1978
GEOGRAPHIC COORDINATES
W78 30 0
PROPERTY
PERIOD(S) OF CONSTRUCTIONXVI° - XXI° century

Street in Quito
© Thierry Joffroy, CRAterre





EQUADOR

Historic Centre of Santa Ana de los Ríos de Cuenca

Three quarters of the historic fabric of Cuenca are made primarily of adobe houses, but also includes some built of wattle and daub and rammed earth. The high walls on stone foundations are sometimes reinforced with clay brick (corners, openings, etc.) and wooden ribs, following a preventive measure to reduce earthquake risks. Earth was also widely used for making mortars, coatings, interior and exterior decorations and for laying the roof tiles.

>> CRITERIA :

(ii): Cuenca illustrates the successful implantation of the principles of Renaissance urban planning in the Americas.

(iv): The successful fusion of different societies and cultures in Latin America is vividly symbolized by the layout and townscape of Cuenca.

(v): Cuenca is an outstanding example of a planned inland Spanish colonial city.

DATE OF INSCRIPTION 1999
GEOGRAPHIC COORDINATES \$2 52 60
W78 58 60
PROPERTY 200 ha
PERIOD(S) OF CONSTRUCTIONXVI° - XXI° century

Cathedral of Cuenca
© Adam Stoffa (Flickr, creative common)

Church of San Francisco, Cuenca María de Lourdes Malvido







Joya de Cerén Archaeological Site

Around 600 AD, a volcanic eruption buried the pre-Hispanic village of Joya de Ceren, which included houses, warehouses, workshops, kitchens, a community steam bath and a religious building. All these buildings were built of earth (wattle and daub, rammed earth) and include ingenious technical solutions to reduce seismic risk.

>> CRITERIA : (III) (IV)

>> BRIEF DESCRIPTION:

Joya de Cerén was a pre-Hispanic farming community that, like Pompeii and Herculaneum in Italy, was buried under an eruption of the Laguna Caldera volcano c. AD 600. Because of the exceptional condition of the remains, they provide an insight into the daily lives of the Central American populations who worked the land at that time







Archaeological site of Joya de Cerén © Wilfredo Carazas-Aedo, CRAterre





Antigua Guatemala

The vernacular fabric of Antigua conserves some earthen buildings (wattle and daub, rammed earth?), that did withstand the many destructive earthquakes that the city has experienced since its founding in the early 16th century.

>> CRITERIA : (II) (III) (IV) >> BRIEF DESCRIPTION :

Antigua, the capital of the Captaincy-General of Guatemala, was founded in the early 16th century. Built 1,500 metres above sea level, in an earthquake-prone region, it was largely destroyed by an earthquake in 1773 but its principal monuments are still preserved as ruins. In the space of less than three centuries the city, which was built on a grid pattern inspired by the Italian Renaissance, acquired a number of superb monuments.

DATE OF INSCRIPTION 1	979
GEOGRAPHIC COORDINATES	340
W90	40 0
PROPERTY4	9 ha
PERIOD(S) OF CONSTRUCTION XVI° - XVIII° cen	tury

Antigua Guatemala © Wilfredo Carazas-Aedo, CRAterre







Church of la Merced and convents of capuchins in Antigua Guatemala

© Adam Baker (Flickr creative commons)





MEXICO

Archaeological Zone of Paquimé, Casas Grandes

The archaeological site covers 36 hectares of which only 20% has been excavated. Excavations have revealed a minimum of 2,000 rooms divided into at least 20 groups of houses, each comprising dining rooms, workshops and stores with patios and walls. These single-storey houses made of adobe with roofs of compacted earth share a common water system. Stone was used for specific purposes, such as the lining pits.

>> CRITERIA : (IV) (VI)

(iii): Paquimé Casas Grandes bears eloquent and abundant testimony to an important element in the cultural evolution of North America, and in particular to pre-Hispanic commercial and cultural links.

(iv): The extensive remains of the archaeological site of Paquimé Casas Grandes provide exceptional evidence of the development of adobe architecture in North America, and in particular of the blending of this with the more advanced techniques of Mesoamerica.

Archaeological zone of Paquimé, Casas Grandes © Iker Merodio (Flickr, creative commons)





© Francesco Bandarin, UNESCO



Historic Centre of Morelia

Most buildings in Morelia are constructed of pink stone, characteristic of the region, laid with a mud mortar. The use of earth can be seen in the construction of houses of adobe and cob. Some roofs and floors are constructed of compacted earth, supported by wooden beams.

>> CRITERIA : (II) (IV) (VI) >> BRIEF DESCRIPTION :

Built in the 16th century, Morelia is an outstanding example of urban planning which combines the ideas of the Spanish Renaissance with the Mesoamerican experience. Well-adapted to the slopes of the hill site, its streets still follow the original layout. More than 200 historic buildings, all in the region's characteristic pink stone, reflect the town's architectural history, revealing a masterly and eclectic blend of the medieval spirit with Renaissance, Baroque and neoclassical elements. Morelia was the birthplace of several important personalities of independent Mexico and has played a major role in the country's history.

DATE OF INSCRIPTION 1991
GEOGRAPHIC COORDINATES N19 42 15.984
W101 11 30.012
PROPERTY
PERIOD(S) OF CONSTRUCTION XVI° - XVIII° century

City of Morélia
© Fisherga (Flickr, creative commons)





© Hector Sanchez (Flickr creative commons)

MEXICO

«Historic Centre of Oaxaca and Archaeological Site of Monte Albán»

The majority of buildings in the archaeological zone of Monte Alban are made of stone. However, the largest structure of Monte Alban, the north platform, is made of compacted stones and earth. To achieve its impressive size, strong retaining walls were erected several meters in height. Some buildings in the historic center of Oaxaca, founded in 1529, and in village Cuilapan, are also constructed of adobe with roofs and floors of compacted earth, supported by wooden beams.

>> CRITERIA : (I) (II) (III) (IV) >> BRIEF DESCRIPTION :

Inhabited over a period of 1,500 years by a succession of peoples – Olmecs, Zapotecs and Mixtecs – the terraces, dams, canals, pyramids and artificial mounds of Monte Albán were literally carved out of the mountain and are the symbols of a sacred topography. The nearby city of Oaxaca, which is built on a grid pattern, is a good example of Spanish colonial town planning. The solidity and volume of the city's buildings show that they were adapted to the earthquake-prone region in which these architectural gems were constructed.

Pyramid of the Sun © Hubert Guillaud, CRAterre





Historic Centre of Puebla

The majority of buildings of the Historic Centre of Puebla are of stone and bricks and nearly a quarter are made of adobe. Some roofs and floors are constructed of compacted earth, supported by wooden beams.

>> CRITERIA : (II) (IV) >> BRIEF DESCRIPTION :

Puebla, which was founded ex nihilo in 1531, is situated about 100 kilometres east of Mexico City, at the foot of the Popocatepetl volcano. It has preserved its great religious structures such as the 16th to 17th century cathedral and fine buildings like the old archbishop's palace, as well as a host of houses with walls covered in tiles (azulejos). The new aesthetic concepts resulting from the fusion of European and American styles were adopted locally and are peculiar to the Baroque district of Puebla

DATE OF INSCRIPTION	1987
GEOGRAPHIC COORDINATES	N19 2 49.992
	W98 12 29.988
PROPERTY	597 ha
BUFFER ZONE	102 ha
PERIOD(S) OF CONSTRUCTION XVI	° - XVIII° century







© Russ Bowling (Flickr creative commons)

Historic Centre of Zacatecas

Most buildings in Zacatecas are built of stone. The use of the earth is, however, seen in the construction of adobe houses. Some roofs and floors are constructed of compacted earth slabs, supported by wooden beams.

>> CRITERIA : (II) (IV)

>> BRIEF DESCRIPTION :

Founded in 1546 after the discovery of a rich silver lode, Zacatecas reached the height of its prosperity in the 16th and 17th centuries. Built on the steep slopes of a narrow valley, the town has breathtaking views and there are many old buildings, both religious and civil. The cathedral, built between 1730 and 1760, dominates the centre of the town. It is notable for its harmonious design and the Baroque profusion of its façades, where European and indigenous decorative elements exist side by side.

	÷
OF INSCRIPTION1993	
RAPHIC COORDINATES	
W102 33 20.016	
RTY 110 ha	
D(S) OF CONSTRUCTIONXVI° - XVIII° century	

View of the city of Zacatecas © Whatknot (Wikimedia Commons)



Street in Zacatecas
© Eneas De Troya (Flickr, creative commons)





MEXICO

Historic Monuments Zone of Querétaro

The buildings of Queretaro are mostly built of stone. Adobe was rarely used for house construction. Some roofs and floors are made out of compacted earth slabs, supported by wooden beams.

>> CRITERIA : (II) (IV)

>> BRIEF DESCRIPTION:

The old colonial town of Querétaro is unusual in having retained the geometric street plan of the Spanish conquerors side by side with the twisting alleys of the Indian quarters. The Otomi, the Tarasco, the Chichimeca and the Spanish lived together peacefully in the town, which is notable for the many ornate civil and religious Baroque monuments from its golden age in the 17th and 18th centuries.

1996	DATE OF INSCRIPTION	
N20 34 60	GEOGRAPHIC COORDINATES	
W100 22 0		
XVI° - XVIII° century	PERIOD(S) OF CONSTRUCTION	

House in Tancoyol, Jalpan, Querétaro © Alejandro Linares Garcia (Wikimedia Commons)



Atrium cross at the mission in Jalpan de Serra, Querétaro, Mexico © Alejandro Linares Garcia (Wikimedia Commons)



View of the San Miguel Concá mission in Arroyo Seco, Querétaro, Mexico

© Alejandro Linares Garcia (Wikimedia Commons)



MEXICO

Historic Town of Guanajuato and Adjacent Mines

The majority of buildings of the historic center of Guanajuato are in stone with nearly a quarter made of adobe or cob. Most of the roofs and floors are constructed of compacted earth, supported by wooden beams

>> CRITERIA : (I) (II) (IV) (VI)

>> BRIEF DESCRIPTION:


Founded by the Spanish in the early 16th century, Guanajuato became the world's leading silver-extraction centre in the 18th century. This past can be seen in its 'subterranean streets' and the Boca del Inferno, a mineshaft that plunges a breathtaking 600 metres. The town's fine Baroque and neoclassical buildings, resulting from the prosperity of the mines, have influenced buildings throughout central Mexico. The churches of La Compañía and La Valenciana are considered to be among the most beautiful examples of Baroque architecture in Central and South America. Guanajuato was also witness to events which changed the history of the country.

© Scott Clark (Flickr creative common)



© Scott Clark (Flickr creative common)





© Nathaniel C. Sheetz (Wikimedia common)



Pre-Hispanic City of Teotihuacan

The Pyramid of the Sun and the Pyramid of the Moon, major buildings of the pre-Hispanic City of Teotihuacan, consist of blocks of volcanic stone, covering a core of adobe reinforced by pillars and tree trunks. Earth was also used for making adobe walls, floors, terraces, roofs, mortars and plaster decoration for building interiors and exteriors for most of the city, which had at least 25,000 inhabitants at its peak.

>> CRITERIA : (I) (II) (III) (IV) (VI)

>> BRIEF DESCRIPTION:

The holy city of Teotihuacan ('the place where the gods were created') is situated some 50 kilometres north-east of Mexico City. Built between the 1st and 7th centuries AD, it is characterized by the vast size of its monuments – in particular, the Temple of Quetzalcoatl and the Pyramids of the Sun and the Moon – laid out on geometric and symbolic principles. As one of the most powerful cultural centres in Mesoamerica, Teotihuacan extended its cultural and artistic influence throughout the region, and even beyond.

Date of Inscription 1987	,
GEOGRAPHIC COORDINATES	2
W98 50 30.012	2
PERIOD(S) OF CONSTRUCTION	1

Avenue of the Dead and pyramid of the Moon © Hubert Guillaud, CRAterre

Pyramid of the Sun © Hubert Guillaud, CRAterre





MEXICO

«Protective town of San Miguel & the sanctuary of Jesus Nazareno»

If the use of pink limestone is typical in the architecture of San Miguel, adobe is also a widely used building material in both civil and religious architecture. And the Sanctuary of Jesús Nazareno de Atotonilco reveals, in its exposed parts, some adobe walls.

>> CRITERIA : (I) (II) (IV) (VI)

(ii): San Miguel de Allende constitutes an exceptional example of the interchange of human values; due to its location and functions, the town acted as a melting pot where Spaniards, Creoles and Amerindians exchanged cultural influences, something reflected in the tangible and intangible heritage. The Sanctuary of Jesús Nazareno de Atotonilco constitutes an exceptional example of the cultural exchange between European and Latin American cultures; the architectural disposition and interior decoration testify to the interpretation and adaptation of the doctrine of Saint Ignacio de Loyola to this specific regional context.

(iv): San Miguel de Allende is an exceptional example of the integration of different architectural trends and styles on the basis of a 16th century urban layout. Religious and civil architecture exhibit the evolution of different styles, well integrated into a homogeneous urban landscape. Urban mansions are exceptionally large and rich for a medium-size Latin American town. The Sanctuary of Atotonilco is an outstanding example of a specific religious settlement, containing exceptional decoration that makes it a masterpiece of Mexican Baroque.

PTION 1999	DATE OF	
OORDINATES \$18 13 60	GEOGRA	
W43 36 0		
29 ha	PROPER	
ONSTRUCTION XVIII° - XXI° century	PERIOD	

Streets of San Miguel
© Vlad Litvinov (Flickr creative commons)



San Miguel
© Esparta Palma (Flickr creative commons)





León Cathedral

Although primarily built of baked bricks and stone, the many layers of masonry of the Cathedral of Leon reveal portions of earthen walls.

>> CRITERIA :

(ii): León Cathedral is an outstanding example of an exchange of human values demonstrated by the different architectural influences from Spanish Art that merge in the monument, shaped by the local workmanship and the geographical and social environment. León Cathedral materially encapsulates the social, religious and artistic syncretism of the new Latin American society appearing during the 18th century.

(iv): León Cathedral constitutes an outstanding example of a regional Central American interpretation of a typology of religious building, merging several architectural and stylistic sources in an ensemble featured by its unity and architectural and social significance.



© Brass Master (Wikimedia Commons)



Ruins of León Viejo

The ruins of the cathedral buildings, the convent, the fortress and the royal foundry reveal walls built in tapial (rammed earth), the system of choice of the Spanish colonies, notably for its resistance to fire. This is the most common building material of León Viejo.

>> CRITERIA :

(iii): The ruined town of León Viejo provides exceptional testimony to the material culture of one of the earliest Spanish colonial settlements.

(iv): The form and nature of early Spanish settlement in the New World, adapting European architectural and planning concepts to the material potential of another region, are uniquely preserved in the archaeological site of León Viejo.

Ruins of León Viejo
© H Haefner (Wikimedia Commons)







PERU

Chan Chan Archaeological Zone The monumental area of about 6 km² in the heart of the city that stretched

The monumental area of about 6 km² in the heart of the city that stretched 20 km², includes nine large rectangular complexes delineated by high, thick earthen walls. Within these units there are public, religious and commercial buildings. Adobe is predominantly used. The tapial (rammed earth), often decorated with friezes depicting abstract motifs and zoomorphic and anthropomorphic subjects, was intended primarily for religious buildings. Residential neighborhoods were mostly in quincha (wattle and daub). Earthen construction techniques in Chan Chan also used plants (e.g. wood, cane) for fine structures (roofs, columns, beams).


>> CRITERIA :


(i): The planning of the largest earthen city of pre-Columbian America is an absolute master-piece of town planning. Rigorous zoning, differentiated use of inhabited space, and hierarchical construction illustrate a political and social ideal which has rarely been expressed with such clarity.

(iii): Chan Chan bears a unique testimony and is the most representative city of the now vanished Chimu kingdom, where 11,000 years of cultural evolution in northern Peru are synthesized and expressed. The architectural ensemble uniquely integrated the symbolic and sacred architecture with technological knowledge and the adaptation to the native environment.

DATE OF INSCRIPTION	1986
GEOGRAPHIC COORDINATES	5 8 5 60
W7	9 4 59.988
PROPERTY	600 ha
PERIOD(S) OF CONSTRUCTIONIX° - X	(V° century

Archaeological zone of Chan Chan
© Hubert Guillaud, CRAterre







City of Cuzco

«The historic fabric of the colonial periods of Cuzco is based on the remains of pre-Columbian architecture. It is partly this syncretism of styles and eras that gives uniqueness to the cusqueña architecture: a combination of adobe walls from more recent times, erected on megalithic foundations of the Inca period, which have resisted successive earthquakes that have plagued the city. (...) No longer used for the construction of public buildings, earthen material and local construction techniques of tapial (rammed earth), and quincha (wattle and daub) along with local know-how, are still used for construction of popular housing. «

(Wilfredo Carazas Aedo, L'habitat urbain populaire en terre à Cusco, Pérou, CRATerre-EAG, 2001)

>> CRITERIA : (III) (IV) >> BRIEF DESCRIPTION :

Situated in the Peruvian Andes, Cuzco developed, under the Inca ruler Pachacutec, into a complex urban centre with distinct religious and administrative functions. It was surrounded by clearly delineated areas for agricultural, artisan and industrial production. When the Spaniards conquered it in the 16th century, they preserved the basic structure but built Baroque churches and palaces over the ruins of the Inca city.

1983	DATE OF INSCRIPTION
S13 31 19.992	GEOGRAPHIC COORDINATES
W71 58 59.988	
XV° – XXI° century	PERIOD(S) OF CONSTRUCTION

Historic centre, adobe houses in Cuzco
© Wilfredo Carazas-Aedo, CRAterre




Adobe hotel patio, Cuzco
© Wilfredo Carazas-Aedo, CRAterre



Historic adobe quarters of Cuzco

© Wilfredo Carazas-Aedo, CRAterre





© Wilfredo Carazas-Aedo, CRAterre



PERU

Historic Centre of Lima

Most buildings of the historic centre of Lima are from the 17th century, since the 1655 earthquake was fatal to earlier buildings, some of which, like the Church of the Miracle (El Milagro), were from before 1553. For the reconstruction undertaken in 1657, the architects (Constantino de Vasconcelos and Manuel de Escobar) were able to adapt the structures of Baroque architecture to the risks of earthquakes by using indigenous, vernacular, construction techniques: common joists and ribs of wood, vaults and cupolas of earth on reed lattices. There are also adobe constructions in Lima such as the archaeological site of Puruchuco, belonging to the Inca period (15th to 16th centuries AD). Another building system was used, for example, at the Casa Aliaga, which was built in quincha (wattle and daub) and adobe above the foundations of a pre-Hispanic building.

>> CRITERIA : (IV)

>> BRIFF DESCRIPTION :

Although severely damaged by earthquakes, this 'City of the Kings' was, until the middle of the 18th century, the capital and most important city of the Spanish dominions in South America. Many of its buildings, such as the Convent of San Francisco (the largest of its type in this part of the world), are the result of collaboration between local craftspeople and others from the Old World.

DATE OF INSCRIPTION	1988
GEOGRAPHIC COORDINATES	S12 3 5.004
	W77 2 35.016
PROPERTY	200 ha
PERIOD(S) OF CONSTRUCTIONX	VI° - XXI° century

City of Lima
© Wilfredo Carazas-Aedo, CRAterre

Church, adobe and wattle and daub, historic centre of Lima

© Wilfredo Carazas-Aedo, CRAterre







Sacred city of Caral-Supe

The sacred city of Caral-Supe was built 5,000 years ago during the Late Archaic Period of the Central Andes (3000-1800 BC.). It was inhabited for 1,000 years or so. During this period of occupation, the Supe society built at least 18 urban settlements. Monumental public buildings are made of stone blocks coated with clay and painted white, yellow and red, depending on the period of occupation, while the smaller buildings and older ones are made of wattle and daub with wooden poles and trellises of reeds

>> CRITERIA :

(ii): Caral is the best representation of Late Archaic architecture and town planning in ancient Peruvian civilisation. The platform mounds, sunken circular courts, and urban plan, which developed over centuries, influenced nearby settlements and subsequently a large part of the Peruvian coast.

(iii): Within the Supe Valley, the earliest known manifestation of civilisation in the Americas, Caral is the most highly-developed and complex example of settlement within the civilisation's formative period (the Late Archaic period).

(iv): Caral is impressive in terms of the design and complexity of its architectural and spatial elements, especially its monumental earthen platform mounds and sunken circular courts, features that were to dominate a large part of the Peruvian coast for many centuries.

OF INSCRIPTION2009
GRAPHIC COORDINATES
W77 31 17
PERTY 626 ha
ER ZONE14620 ha
DD(S) OF CONSTRUCTION 3000 – 1800 av. JC.

Pyramids of Caral, valley of Supe, Peru © Håkan Svensson Xauxa (Wikimedia Commons)



Historic Quarter of the City of Colonia del Sacramento

The majority of constructions in Colonia del Sacramento are composed of one- or two-level buildings of stone or clay brick. They reflect the architectural expressions peculiar to the Portuguese and Spanish colonial period. Nevertheless, the construction of unfired clay is manifested through the use of mortars and plasters, mainly made from clay.

>> CRITERIA : (IV)

>> BRIEF DESCRIPTION:

Founded by the Portuguese in 1680 on the Río de la Plata, the city was of strategic importance in resisting the Spanish. After being disputed for a century, it was finally lost by its founders. The well-preserved urban landscape illustrates the successful fusion of the Portuguese, Spanish and post-colonial styles.

F INSCRIPTION	1995
APHIC COORDINATES	28 4
W57 5	1 12
RTY 1	6 ha
(S) OF CONSTRUCTION XVII° - XXI° cer	ntury



City of Colonia del Sacramento
© Pablo Viojo (Flickr, creative commons)





Coro and its Port

The majority of constructions in Colonia del Sacramento are composed of one- or two-level buildings of stone or clay brick. They reflect the architectural expressions peculiar to the Portuguese and Spanish colonial period. Nevertheless, the construction of unfired clay is manifested through the use of mortars and plasters, mainly made from clay. http://whc.unesco.org/archive/advisory_body_evaluation/658.pdf

>> CRITERIA : (IV) (V) >> BRIEF DESCRIPTION :

Founded by the Portuguese in 1680 on the Río de la Plata, the city was of strategic importance in resisting the Spanish. After being disputed for a century, it was finally lost by its founders. The well-preserved urban landscape illustrates the successful fusion of the Portuguese, Spanish and post-colonial styles.

DATE OF INSCRIPTION	1993
GEOGRAPHIC COORDINATES	N11 24 0
	W69 40 60
PROPERTY	107 ha
BUFFER ZONE	107 ha
PERIOD(S) OF CONSTRUCTIONXVI° - 2	XXI° century

Coro street
© Gosia Malochleb (Flickr, creative commons)







- >> PRE-INVENTORY OF PROPERTIES BUILT WITH EARTH INSCRIBED ON THE TENTATIVE LISTS
- >> PHOTO CREDITS
- >> QUESTIONNAIRES RETURNED BY SITE MANAGERS

Appendixes

>>

Pre-inventory of properties built with earth inscribed on the tentative lists

167 BIENS (2012)

AFRIQUE (45)

BÉNIN : La Réserve W du Niger et l'habitat vernaculaire du

nord Bénin

BÉNIN : La ville d'Ouidah : quartiers anciens et Route de

'Esclave

BÉNIN : La ville de Porto-Novo : quartiers anciens et Palais

Royal (#)

BÉNIN : Village souterrain d'Agongointo-Zoungoudo BOTSWANA : Toutswemogala Hill Iron Age Settlement

BOTSWANA: Makgadikgadi Cultural Landscape

BURUNDI : La résidence royale du Burundi : le cas de Gishora

CAMEROUN : La chefferie de Bafut CAMEROUN : Le Lamidat de Rey-Bouba

CÔTE D'IVOIRE : Mosquées de style soudanais du Nord ivoirien

(site en série)

GABON : Parc national des Plateaux Batéké GHANA : Navrongo Catholic Cathedral (#) GHANA : Tenzuq - Tallensi settlements

GHANA : Trade pilgrimage routes of north western Ghana GUINÉE : Architecture vernaculaire et PC mandingue du

Gberedou/Hamana

KENYA : Mombasa Old Town MADAGASCAR : Antongona

MADAGASCAR : Paysage culturel rizicole et hydraulique de

Betafo

MADAGASCAR : Site et Rova de Tsinjoarivo

MADAGASCAR : Sud-Ouest Malgache, Pays Mahafaly

MALI : Kamablon

MAURITANIE : Paysage culturel d'Azougui MAURITANIE : Site archéologique de Kumbi Saleh NIGER : La vieille ville de Zinder, quartier de Birni et le Sultanat

NIGER : Les mosquées en terre de la région de Tahoua NIGER : Itinéraires culturels du désert du Sahara : route du sel NIGER : Palais du Zarmakoye de Dosso NIGER : Plateau et fortin du Djado

NIGÉRIA: Ancient Kano City Walls and Asociated Sties

NIGÉRIA : Oke Idanre (Idanre Hill) NIGÉRIA : Benin Iya / Sungbo' s Eredo

NIGÉRIA : Old Oyo

OUGANDA: Bigo bya Mugyenyi (Archaeological Earthworks)

OUGANDA : Kibiro (salt production village)
OUGANDA : Ntusi (man-made mounds and basin)

RÉP. CENTRAFRICAINE : Le Tata du Sultan Sénoussi, les grottes

de Kaga-Kpoungouvou, Ndélé

SÉNÉGAL : Les cases à impluvium du royaume Bandial

SÉNÉGAL : L'île de Carabane

SÉNÉGAL : Le delta du fleuve Saloum SÉNÉGAL : Les escales du fleuve Sénégal

SOUDAN : Kerma SOUDAN : Old Dongola TCHAD : Les ruines d'Ouara

TOGO : Agglomération Aného-Glidji

TOGO: Les greniers des grottes de Nok et de Mamproug

ETATS ARABES (19)

ALGÉRIE : Les oasis à foggaras et les ksour du Grand Erg

Occidental

ALGÉRIE : Oued souf

ALGÉRIE : Parc des Aurès + établissements oasiens des gorges

du Rhoufi et d'El Kantara

ARABIE SAOUDITE : Turaif Quarter in Al-Diriyyah ARABIE SAOUDITE : Al-Hijr (Mada'in Saleh)

EGYPTE : Siwa archaeological area MAROC : Mosquée de Tinmel MAROC : Qasba des Oudaïas MAROC : Site de Chellah MAROC : Ville antique de Sala OMAN: The forts of Rostaq and Al-Hazm

QATAR: Archaeological site of Al-Zubarah town and its cultural

landscape

SYRIE : Dura Europos SYRIE : Ebla (Tell Mardikh)

SYRIE : Maaloula SYRIE : Mari (Tell Hariri) SYRIE : Ugarit (Tell Shamra)

YÉMEN : Archaeological site of Marib YÉMEN : Historic city of Saada

ASIE PACIFIQUE (73)

AFGHANISTAN: City of Balkh (antique Bactria)

AFGHANISTAN : City of Herat

CHINE: The Ruins of Jiaohe Ancient City
CORÉE DU SUD: Hahoe Folk Village in Andong
CORÉE DU SUD: Royal Tombs of the Joseon Dynasty

CORÉE DU SUD : Tomb of King Munyong CORÉE DU SUD : Yangdong Village of Wolseong

INDE: Hemis Gompa

IRAN : Bagh-e Fin (Fin Garden), Kashan

IRAN : Bastam and Kharghan IRAN : Bazaar of Qaisariye in Laar

IRAN: Bazaar of Tabriz

IRAN: Cultural Landscape of Alamout

IRAN : Firuzabad Ensemble

IRAN: Ghaznavi- Seljukian Axis in Khorasan

IRAN: Heamataneh

IRAN : Historic-Natural Axis of Isfahan City IRAN : Historical Ensemble of Qasr-e Shirin

IRAN: Historical Ensemble of Sheikh Safi al-Din Ardebili

IRAN : Jiroft

IRAN: Kaboud Mosque

IRAN : Kerman Historical-Cultural Structure

IRAN : Khorramabad Valley

IRAN : Kuh-e Khuaja

IRAN: Persepolis and other relevant buildings

IRAN : Qanats of Gonabad IRAN : Shahr-e Sukhteh

IRAN : Shushar

IRAN: Shushtar Historical Hydraulic System

IRAN : Susa IRAN : Tape Sialk

IRAN : The Collection of Historical Bridges

IRAN : The Complex of Handmade Settlements in Iran

(Maymand Village)

IRAN : The Complex of Izadkhast

IRAN : The Ensemble of Historical Sassanian Cities in Fars

Province

IRAN : The Historical City of Masouleh IRAN : The Historical City of Maybod IRAN : The Historical Port of Siraf

IRAN : The Historical Structure of Yazd IRAN : The Historical Texture of Damghan IRAN : The Historical Village of Abyaneh

IRAN : The Historical–Cultural Axis of Fin, Sialk, Kashan IRAN : The Sepulcher Towers (Gonbad-e Ghabous)

IRAN: The Zandiyeh Ensemble of Fars Province

IRAN: Tous Cultural Landscape

IRAN : Zozan IRAQ : Nimrud

IRAQ : The ancient City of Nineveh IRAQ : The Fortress of Al-Ukhaidar IRAQ : The Marshlands of Mesopotamia

IRAQ : The Sacred Complex of Babylon

IRAQ : Ur IRAQ : Wasit

KAZAKHSTAN: Archaeological sites of Otrar oasis

KIRGHIZISTAN: Issyk-Kul as a cultural and natural landscape

KIRGHIZISTAN: Burana-Minaret

KIRGHIZISTAN : Shakh-Fazil KIRGHIZISTAN : Uzgen

NÉPAL: Medieval Earthern Walled City of Lo Manthang

OUZBÉKISTAN : Ancient Termiz OUZBÉKISTAN : Boysun

OUZBÉKISTAN: Desert Castles of Ancient Khorezm

OUZBÉKISTAN : Poykent

PAKISTAN: Archaeological Site of Harappa
PAKISTAN: Archaeological Site of Mehrgarh
TADJIKISTAN: Buddhistic cloister of Ajina-Tepa
TADJIKISTAN: Neolithic Settlement Sarazm
TADJIKISTAN: Palace of the governor of Khulbuk
TADJIKISTAN: The Site of Ancient Town of Baitudasht IV

TADJIKISTAN: The Site of Ancient Town of Shabristan

TADJIKISTAN : The Site of Ancient Town of Shahristan

(Kahkakha)

TADJIKISTAN: The Site of Ancient Town of Takhti-Sangin

TURKMÉNISTAN : Dehistan / Mishrian

EUROPE ET AMERIQUE DU NORD (11)

AZERBAÏDJAN : Ordubad historical and architectural reserve ESPAGNE : Greek archaeological ensemble in Empurias,

l'Escala, Girona

USA: Hopewell Ceremonial Earthworks

USA: Serpent Mound

FRANCE : Rouen : ensemble urbain à pans de bois FRANCE : Vignoble des côtes de Nuits et de Beaune

FRANCE: Le vignoble champenois

ISRAËL : Bet She'an ISRAËL : Caesarea

ISRAËL: Triple-arch gate at Dan & souces of the Jordan

TURQUIE: Harran and Sanliurfa

AMERIQUE LATINE ET CARAIBES (19)

BOLIVIE: Pulacayo, Industrial Heritage Site

BRÉSIL : Eglise et Monastère de Sao Bento, Rio de Janeiro

BRÉSIL : Gold Route in Parati and its landscape

BRÉSIL : Serra da Capivara National Park and Permanent

Preservation Areas

CHILI : San Pedro de Atacama CUBA : Historic center of Camagüey EQUATEUR : Ciudad de Zaruma

EL SALVADOR : Ciudad Vieja / la Bermuda GUATEMALA : The core of the Mayan area

MEXIQUE: Historic town of Alamos

MEXIQUE : Historic town of San Sebastian del Oeste

MEXIQUE: San Luis Potosi on the Mercurey and Silver route

PÉROU : Archaeological Complex of Pachacamac PÉROU : Historic center of the city of Trujillo PÉROU : The historic center of Cajamarca

URUGUAY: Insular area and bay of Colonia del Sacramento

VENEZUELA: City of "la Guaira"

VENEZUELA: Ciudad bolivar in the narrowness of the Orinoco

river

VENEZUELA: Hacienda Chuao (Chuao plantation)

>>

Photo credits

Adam Baker (Flickr creative commons) Andrea Calabretta (Flickr, creative commons) Ahron de Leeuw (Flickr creative commons) Aleksander Dragnes (Wikimedia Commons) Amine Ghrabi (Flickr, creative commons) Alaexis (Wikimedia Commons) Aleiandro Linares Garcia (Wikimedia Commons) Arnaud Misse, CRAterre Aidan McRae Thomson (Flickr, creative commons) Adam Nicholson (Flickr, creative commons) Aivaras Ramanauskas (Flickr, creative commons) Adam Stoffa (Flickr, creative commons) Asasch (Flickr, creative commons) Aysegul Tastaban (Flickr creative commons) Axxis10 (Wikimedia Commons) Arian Zwegers (Flickr creative commons) Basile Cloquet, CRAterre Bryce Edwards (Flickr creative commons) Bikem Ekberzade (Flickr, creative commons) Bergmann (Wikimedia Commons) Bart Everson (Flickr, creative commons) Beatriz Helena Ramirez Gonzalez Beyond Neon (Flickr, creative commons) Bakonirina Rakotomamoniy, CRAterre Babak Sedighi Blake Wile (Flickr, creative commons) Brass Master (Wikimedia Commons) Calegota (Wikimedia Commons) Chris Campbell (Flickr, creative commons) Consultancy for conservation & Development, UNESCO and HCECR Catalhoyuk (Flickr, creative commons) Cheryl Marland (Flickr, creative commons)

David Adamec (Wikimedia Commons)

Dan (Flickr, creative commons)

Daniel Barker (Wikimedia Commons) David Corcoran (Flickr, creative commons) David Gandreau, CRAterre David Holt (Flickr, creative commons) Danleo (Wikimedia Commons) David McKelvey (Flickr, creative commons) Danielle Peirera (Flickr, creative commons) Doron (Wikimedia commons) David Stanley (Flickr, creative commons) David Wilmot (Wikimedia Commons) Emily Dickinson (Flickr, creative commons) Eneas De Troya (Flickr, creative commons) einer 3088 (Wikimedia commons) Eugenijus Radlinskas (Flickr, creative commons) Einer Rivera (Wikimedia commons) Etienne Samin Esparta Palma (Flickr creative commons) Esther Westerveld (Flickr, creative commons) Francesco Bandarin, UNESCO Francis Bijl (Flickr, creative commons) Fg2 (Wikimedia commons) Fisherga (Flickr, creative commons) Franco Pecchio (Flickr, creative commons) Francesca Piqué Graham Claytor (Flickr, creative commons) Graciela Gonzalez Brigas, UNESCO Guy Moll (Flickr, creative contents) Gosia Malochleb (Flickr, creative commons) Georgia Nakate (Flickr, creative commons) Gill Penney (Flickr, creative commons) Graeme (Flickr, creative commons) Glauco Umbelino (Flickr creative common) Gwydion Williams (Flickr, creative commons)

Hubert Guillaud, CRAterre Hector Sanchez (Flickr creative commons) Håkan Svensson Xauxa (Wikimedia Commons) Hairwizard91 (Wikimedia Commons) Iker Merodio (Flickr, creative commons) inyucho (Flickr creative common) Ishanlosen Odiaua Isabelle et Stéphane Gallay (Flickr creative common) Igor Zubanov Julio Gago (Flickr, creative common) Jim Gordon (Wikimedia Commons) Jakub Halun (Wikimedia Commons) Jack Kuo (Flickr, creative commons) Jean-Marie LeTiec, CRAterre lavier Losa (Flickr creative commons) Jakob Montrasio (Flickr, creative common) Juan Manuel (Flickr, creative common) Jenny Mealing (Flickr, creative common) Ioann Miller (Flickr, creative common) José Maria Mateos (Flickr, creative common) imarconi (Flickr creative common) Jean Nathalie (Flickr creative commons) UNESCO / Jacques Perez John Picken (Flickr, creative common) Iosé Porras (Wikimedia Commons) Jinning Zhang (Flickr, creative commons) Kaoru Akira Matsuoka (Wikimedia Commons) KENPEI (Wikimedia Commons) Kevin Felt (Flickr, creative common) Karim Hendili K. Kendall (Flickr, creative common) Kim Soon Wung Khitai (Wikimedia Commons) LecomteB (Wikimedia Commons)

Lassana Cissé, MC Bandiagara

H Haefner (Wikimedia Commons)

663highland (Wikimedia Commons)

Lyssuel Calvet (Flickr creative common)

Luca De Santis (Flickr creative commons)

Levimx90 (Wikimedia Commons) Laetitia Fontaine, CRAterre

Lin Mei (Flickr creative common)

Leandro Neumann Ciuffo (Flickr creative common)

Lanza Romanza (Flickr, creative commons)

Lev Yakupov (Wikimedia Commons)

Magali Aupicon

Maksim (Wikimedia Commons) marcusrg (Flickr creative common)

Marc Auzet

Mahmoud Bendakir

Marcello CAsal Jr (Wikimedia commons)

Maria fernandes , Université de Coimbra

Martin Gray

MarinkaGal (Wikimedia Commons)
Mihael Grmek (Wikimedia Commons)

Michael Kan (Flickr creative commons)

María de Lourdes Malvido

Matteo Martinello (Flickr creative commons)

Mike Murga (Flickr creative commons)

Morio (Wikimedia commons)
Morigen (Wikimedia commons)

Martin St-Amant (Wikimedia commons)

Mario Santana Quintero, UNESCO

Mohammad Tajik

madame_web (Flickr, creative commons)

Neville Agnew

Nathaniel C. Sheetz (Wikimedia common)

NCTI (Namhansanseong Culture and Tourism Initiatives)

Nick Taylor (Flickr, creative common)
Paul Arps (Flickr, creative commons)
Paul Coster (Flickr, creative commons)
PaulChanShiau (Flickr, creative commons)

Philippe Garnier, CRAterre

Paul Livingstone (Flickr, creative commons)
Patricio Lorente (Wikimedia Commons)

Pascal Maitre Pascal Odul

pocius (Flickr, creative commons)

Peter Pawlowski (Flickr creative commons)

Parmida Rahimi (Flickr, creative commons) Philipp Roelli (Wikimedia Commons)

prilfish (Flickr creative common)
Pat Ryan (Flickr, creative commons)
Pablo Viojo (Flickr, creative commons)

Romain Anger

Rasoo abbasi17 (Wikimedia Commons)

RachelH (Flickr creative common)

Russ Bowling (Flickr creative common)

Rahul Barraez De Lucca (Flickr, creative commons)

Robert Cutts (Flickr, creative commons)

Redjep Djeparov

Ray Devlin (Flickr creative commons)

Rosemary Dukelow (Flickr creative commons)

Remi Ottaviano

Rosino (Wikimedia Commons)

Ramon Rovirosa (Wikimedia Commons)

Ron Van Oers, UNESCO

Robert Young (Flickr, creative commons)
Sachavir (Flickr, creative commons)

Sean an Scuab (Wikimedia Commons)

Soham Banerjee (Flickr, creative commons)

Scott Clark (Flickr creative common)
Scarletgreen (Flickr creative common)

Scott D. Haddow (Flickr, creative commons)

Sascha Grabow (Wikimedia Commons) Samih Jemai (Flickr, creative commons)

Steve Hicks

Shawnee G (Flickr, creative commons) shiva108 (Flickr, creative commons)

Stefan Krasowski (Flickr, creative commons)

Sébastien Moriset, CRAterre

Serge Maini

Tyler Bell (Flickr creative commons)

Timothy Brown (Flickr creative commons)

Tiagox2 (Wikimedia Commons)

Thierry Joffroy, CRAterre

Tomtom08 (Wikimedia Commons)

tian yake (Flickr, creative commons)

UNESCO Tashkent office

Università degli Studi di Torino

Vences Bower (Flickr creative commons)

vision chen (Flickr, creative commons)

Véronique Dauge, UNESCO

Vlad Litvinov (Flickr creative commons)

Whatknot (Wikimedia Commons)

Wilfredo Carazas-Aedo, CRAterre

Weldon Kennedy (Flickr creative commons)

Xuan Che (Flickr, creative common) yeowatzup (Flickr, creative commons)

© UNESCO/Yves Fruneau

Youn Tae Ok

Questionnaires returned by site managers

Les Palais Royaux d'Abomey

1. A quelle famille du patrimoine le bien peut (cf. Filling the Gaps, ICOMOS 2005) a. Patrimoine archéologique c. Edifices historiques e. Etablissements urbains g. Architecture vernaculaire i. Biens agricoles, industriels et technologiques k. Paysages culturels, parcs et jardins m. Monuments et sites funéraires 2. Quelle est l'utilisation actuelle du bien? a. Il n'est plus utilisé b. Patrimoine vivant c. Il a gardé son usage initial	il être ass	b. Sites d'art rupestre d. Ensembles historiques f. Etablissement ruraux h. Biens religieux j. Biens militaires I. Itinéraires culturels n. Biens symboliques et mén			11. Parmi la liste des menaces suivante, pouvez vo celles qui affectent le bien (de 1 à 4) a. Erosion naturelle b. Changement climatique c. Pollution d. Développement d'infrastructures e. Non respect des valeurs patrimoniales f. Manque de capacités pour gérer le bien g. Moyens techniques et financiers h. Vandalisme, vol, autres pratiques illégales i. Adaptation aux standards modernes j. Changement de statut des propriétaires k. Abandon	2 4 	asser par ord	re de priorité	C	ommentaires
d. Nouvel usage :	=				12. Jugez-vous satisfaisants les aspects suivants ?	•				
3. Le bien est-il propriété de l'Etat ? 4. L'institution en charge du bien est : a. Traditionnelle b. Locale Institutionelle (or) Régionale Nationale	Oui	Non□	Commentaires		 b. Authenticité du bien c. Etat général de conservation des structures en terre d. Durabilité des travaux de conservation effectués e. Promotion et mise en valeur du bien 	Oui Oui Oui Oui	Non			ommentaires
5. Un plan de gestion existe-t-il pour le bien ?	Oui I	Non ☐ En préparation ☐]		g. Efficacité du cadre juridique h. Efficacité du cadre institutionnel au niveau national	Oui	□ Non ■ Non ■			
6. Quels modes de construction sont représent a. Pisé (terre compactée) b. Adobe (briques de terre crue) c. Torchis (terre et structure végétale) d. Bauge (terre façonnée) e. Autres	és ?		Commentaires		j. Nombre de personnel employé Nbr: k. Niveau de compétence du personnel d'encadrement l. Niveau de compétence du personnel technique m. Participation / support des décideurs locaux n. Activités éducatives sur le site	Oui Oui Oui Oui Oui	Non			
					p. Contribution au développement local Oui Non			Sociale 🗌	Culturel	le 🗌
7. Le matériau terre est-il présent dans ? a. Les murs b. Les sols c. Les plafonds et/ou toitures d. Les mortiers e. Les décorations intérieures f. Les décorations extérieures q. Autres:			Commentaires		13. Parmi la liste d'activités suivante, pouvez vous cla celles qui vous semblent nécessaires pour le bien : a. Documenter le bien b. Renforcer la législation pour le patrimoine c. Réviser le plan de gestion d. Renforcer les capacités des gestionnaires e. Renforcer les capacités des ouvriers		oar ordre de p	riorité (de 1 à 5)	C	ommentaires
8. En quelle proportion le matériau terre est-il	présent d	lans le bâti ?	Commentaires		f. Conserver les structures en terre g. Améliorer les équipements	1				
1 % à 2 %					h. Sensibiliser les populations locales i. Promouvoir et mettre en valeur le bien j. Autres :	<u>4</u>				
9. La vitesse de dégradation des structures en Rapide ☐ Lente Progressive ■ Stabilisée	terre est :		Commentaires		14. Remarques et suggestions complémentaires : Les oui et non signifient qu'il reste encore a faire a cause du fa l'amelioration de l'etat de conservation du site. Un site de 47 h vation face à un personnel très insuffisant et manipulable au q	ait que na dem	ande plus de so	utien pour l'améli	oration de	son état de conse
10. Existe-t-il est système régulier de mainten	ance		Commentaires		sont essentiels surtout pour la préparation de la relève.	,			,	ques et illionelei
Traditionnel Institutionnel										Informations
Pas de maintenance régulière				220	Ce questionnaire a été rempli par : AHONON LEONARD Institution: Site des Palais Royaux d'Abomey	D Pos	ition: Ge du d'.	stionnaireConservateur Site des Palais Royaux Abomey	Date:	/ /20

Les ruines de Loropeni

1. A quelle famille du patrimoine le bien peut- (cf. Filling the Gaps, ICOMOS 2005) a. Patrimoine archéologique c. Edifices historiques e. Etablissements urbains g. Architecture vernaculaire i. Biens agricoles, industriels et technologiques k. Paysages culturels, parcs et jardins m. Monuments et sites funéraires 2. Quelle est l'utilisation actuelle du bien ? a. Il n'est plus utilisé b. Patrimoine vivant	il être a	b. Sites d'art rupestre d. Ensembles historiques f. Etablissement ruraux h. Biens religieux j. Biens militaires l. Itinéraires culturels n. Biens symboliques et mémoriaux Commentaires Les récentes recherches tendent un abandon du site qui		b. Changement climatique c. Pollution d. Développement d'infrastructures e. Non respect des valeurs patrimoniales f. Manque de capacités pour gérer le bien g. Moyens techniques et financiers h. Vandalisme, vol, autres pratiques illégales i. Adaptation aux standards modernes j. Changement de statut des propriétaires	1	asser par ordre	de priorité	Commentaires
c. Il a gardé son usage initial d. Nouvel usage :		remonte de 2 à 3 siècles		12. Jugez-vous satisfaisants les aspects suivants	?			
3. Le bien est-il propriété de l'Etat ? 4. L'institution en charge du bien est : a. Traditionnelle ■ b. Locale Institutionelle □ (or) Régionale Nationale 5. Un plan de gestion existe-t-il pour le bien ?	Oui I	Commentaires Les services du conservateur appliquent les décisions prises par le comité de ges tion et le conseil scientifique (locale) ; ils dépendent de la Direction générale du patrimoine culturel (qui est d'envergure nationale). Ils travaillent avec la directic régionale de la Culture qui est un démembrement géographique du ministère de la culture. Les structures de l'Etat composent avec les autorités traditionnelles dans l'application de certains rites	s- J On	a. Documentation du bien b. Authenticité du bien c. Etat général de conservation des structures en terre d. Durabilité des travaux de conservation effectués e. Promotion et mise en valeur du bien f. Efficacité des mécanismes de gestion du bien g. Efficacité du cadre juridique h. Efficacité du cadre institutionnel au niveau national	Oui Oui Oui Oui Oui Oui Oui	Non Non Non Non Non Non		Commentaires
6. Quels modes de construction sont représenté a. Pisé (terre compactée) b. Adobe (briques de terre crue) c. Torchis (terre et structure végétale) d. Bauge (terre façonnée) e. Autres Pierres maçonnées	és ?	Commentaires		 i. Moyens logistiques et techniques alloués au bien j. Nombre de personnel employé Nbr: k. Niveau de compétence du personnel d'encadremen l. Niveau de compétence du personnel technique m. Participation / support des décideurs locaux n. Activités éducatives sur le site o. Participation de la population locale 	Oui It Oui Oui Oui Oui	Non		
				p. Contribution au développement local Oui 🗌 Non			Sociale 🗌	Culturelle 🗌
7. Le matériau terre est-il présent dans ? a. Les murs b. Les sols c. Les plafonds et/ou toitures d. Les mortiers e. Les décorations intérieures f. Les décorations extérieures g. Autres: 8. En quelle proportion le matériau terre est-il 1 % à 2 %	présent	Les toitures n'existent plus sur le site. Mais les recherche archéologique leur existence. Il reste à déterminer leur composition : terre ? Paille ? Bois ? les connaissances sur les habitations de la région font croire à un mélange Bois (comme support) et terre * dans le bâti ? * Commentaires	5	 b. Renforcer la législation pour le patrimoine c. Réviser le plan de gestion d. Renforcer les capacités des gestionnaires e. Renforcer les capacités des ouvriers f. Conserver les structures en terre g. Améliorer les équipements h. Sensibiliser les populations locales 		ar ordre de prio	rité (de 1 à 5 <u>;</u>	Commentaires
9. La vitesse de dégradation des structures en t Rapide Lente Progressive Stabilisée	terre es	t: Commentaires Les datations radiocarbones indiquent une occupation des lieux depuis le XIe siècle. Il reste à déterminer la date de construction. 0		14. Remarques et suggestions complémentaires	:			
10. Existe-t-il est système régulier de maintena Traditionnel Institutionnel Pas de maintenance régulière	ance =	évalue les pertes de matériaux à 20% Commentaires Le site étant abandonné, il n'y avait plus d'entretien. Un programme de conservation préventive est établi par le conservateur		Ce questionnaire a été rempli par : Lassina Simporé Institution: Direction générale du patrimoine culturel du Ministè		osition: Conservateu Communication et de		Informations Date: / / 20
			230					

Assante traditional buildings

		J				
1. To which heritage categories can the propert (cf. Filling the Gaps, ICOMOS 2005, see annexed		ociated ?		11. Among the following threats, please indicat (from 1 to 4) those affecting the site	te by order of prio	ority Comments
a. Archaeological site c. Historic buildings e. Urban settlements g. Vernacular architecture i. Agricultural, industrial and technological propert k. Cultural landscapes, parks and gardens m. Burial monuments and sites		b. Rock-art sites d. Historic ensembles f. Rural settlements h. Religious properties j. Military properties l. Cultural routes n. Symbolic properties and memo	□ □ ■ □ □	a. Natural erosion b. Weather changes c. Pollution d. Development of infrastructures e. Lack of respect of the value of heritage f. Lack of technical or financial means h. Vandalism, theft and other illegal activities	of the fact the and the tect undertake records	s the second in the order of priority as a result that basic logistics to enable both manager hnical team to be at the sites very often to egular conservation works is lacking.
2. What is the current use of the property? a. Not in use anymore b. Living heritage c. Used as originally intended			Comments	i. Need to adapt to modern needs j. Change of status of the owners k. Abandonment	3	
d. New use Specify:				12. Do you deem the following aspects satisfact	tory?	Comments
3. Is the property owned by the Government?	Yes 🗌	No 🔳		a. Heritage site documentation	Yes □ No ■	There are 10 sites (serial nomination) and
4. The institution in charge of the site is : a. Traditional □ b. Local Institutional ■ (or) Regional National			Comments	 b. Authenticity c. General state of conservation of earthen structures d. Durability of conservation works carried out e. Promotion and valorisation of the site f. Efficiency of site management strategies 	Yes ☐ No ☐ Yes ☐ No ☐ Yes ☐ No ☐	only one had durable conservation works carried out on it. Logistics by far is the biggest setback to having the sites managed satisfactorily. The 10 sites which are at different locations must
5. Is there a management plan for the property ?	Yes 🗌	No ■ In preparation □		 g. Efficiency of legal framework h. Efficiency of institutional framework at a National leve i. Logistic and technical means for the site 	Yes □ No ■ I Yes □ No ■ Yes □ No ■	be reached and worked on however. There is no vehicle to undertake such exercise.
 6. What types of construction techniques are fe a. Rammed earth (compacted earth) b. Adobe (bricks made with raw earth) c. Wattle and daub (earth and vegetal structure) d. Cob (shaped earth) e. Other 	atured?		Comments	j. Staff number Nbr: k. Skills of managerial staff l. Skills of technical staff m. Involvementc/support of local decision makers n. Educational activities at the site o. Participation of local populations	Yes No No Yes No	
7 Fasth is fastured as	. —			p. Contribution to local development Yes \(\simeq \) No \(\simeq \)		Social ☐ Cultural ☐
7. Earth is featured on a. Walls b. Floors c. Ceilings and/or roofs d. Mortars e. Interior decorations f. Exterior decorations g. Other:		With respect to Floors, earth is featured a all the 10 sites.	Comments at some but not	13. Among the following items, please indicate those that seem necessary for the site a. Site documentation b. To reinforce the legal framework c. To update the management plan d. To reinforce the capacities of site managers e. To reinforce the skills of site workers	4 	ity (from 1 to 5) Comments
8. What is the approximate proportion of earth	en mate	orials		f. To preserve the earthen structures q. To improve the facilities		
present within the property? 1 % to 25 % □ 25 % to 50 % 50 % to 75 % □ 75 % to 100 %			Comments	h. Sensitization of local populations i. Promotion and valorisation activities j. Other:		
9. The speed of degradation of the structure is Fast Slow			Comments	14. Additional general comments and remarks :		
Progressive Stabilised						
10. Is there a regular maintenance mechanism Traditional			Comments			1.1
Institutionally planned No maintenance mechanism				Filled out by : Anthony Yaw Owusu	Position Director, Ashar	Informations nti Regional Office Date: / / 20

Colline royale d'Ambohimanga

1. A quelle famille du patrimoine le b	bien peut-il être a	ssocié ?		11. Parmi la liste des menaces suivante, pouvez vo	ous class	ser par ordre de priorité	Commentaires
(cf. Filling the Gaps, ICOMOS 2005) a. Patrimoine archéologique c. Edifices historiques e. Etablissements urbains g. Architecture vernaculaire i. Biens agricoles, industriels et technolog k. Paysages culturels, parcs et jardins m. Monuments et sites funéraires 2. Quelle est l'utilisation actuelle du l a. Il n'est plus utilisé b. Patrimoine vivant		b. Sites d'art rupestre d. Ensembles historiques f. Etablissement ruraux h. Biens religieux j. Biens militaires l. Itinéraires culturels n. Biens symboliques et m		celles qui affectent le bien (de 1 à 4) a. Erosion naturelle b. Changement climatique c. Pollution d. Développement d'infrastructures e. Non respect des valeurs patrimoniales f. Manque de capacités pour gérer le bien g. Moyens techniques et financiers h. Vandalisme, vol, autres pratiques illégales i. Adaptation aux standards modernes j. Changement de statut des propriétaires k. Abandon		e non respect des valeurs patri onnaissance desdites valeurs.	noniales est dû à la mé-
c. Il a gardé son usage initial d. Nouvel usage :				12. Jugez-vous satisfaisants les aspects suivants			
· ·					• 	_	Commentaires
		Non Institution sous tutelle administrate la Culture, créée après l'inscrip patrimoine mondial.		c. Etat général de conservation des structures en terre d. Durabilité des travaux de conservation effectués e. Promotion et mise en valeur du bien f. Efficacité des mécanismes de gestion du bien	Oui □ Oui □ Oui □ Oui □ Oui □	Non	utorité locale (Commune écanismes de gestion is les actions de conserva- irs.
5. Un plan de gestion existe-t-il pour	le bien ? Oui I	■ Non □ En préparation		g. Efficacité du cadre juridique h. Efficacité du cadre institutionnel au niveau national	Oui 🔲	Non 🔲	
6. Quels modes de construction sont ra a. Pisé (terre compactée) b. Adobe (briques de terre crue) c. Torchis (terre et structure végétale) d. Bauge (terre façonnée) e. Autres	représentés ?	Les constructions en bois sont uni royaux tandis que les construction appartiennent aux privés qui se tr centrale du site classé patrimoine	is en pisé et en adobe ouvent dans la zone	: Nachta da assassal assalant Alba	Oui	Non	
				p. Contribution au développement local Oui Non			Culturelle 🗌
 7. Le matériau terre est-il présent dans a. Les murs b. Les sols c. Les plafonds et/ou toitures d. Les mortiers e. Les décorations intérieures f. Les décorations extérieures g. Autres: 	ins ?	Les parquets dans les maisons en étag tués par des nattes reposées sur des ba épaisse de terre. Le sol au RDC est en terre battue comp. La plupart des plafonds sont en torchis toujours le bambou éclaté. Les peintures extérieures sont faites par latéritique (rouge). Les toits sont en tu	imbous recevant une couche actée. dont la matière végétale est r badigeonnage de terre	13. Parmi la liste d'activités suivante, pouvez vous cla celles qui vous semblent nécessaires pour le bien a. Documenter le bien b. Renforcer la législation pour le patrimoine.		ordre de priorité (de 1 à 5)	Commentaires
8. En quelle proportion le matériau te	erre est-il présent	dans le bâti ?	Commentaires	g. Améliorer les équipements			
1 % à 2 %		A Madagascar, le matériau terre est trè d'habitation que ce soit traditionnelle o		h. Sensibiliser les populations locales i. Promouvoir et mettre en valeur le bien j. Autres :	5		
9. La vitesse de dégradation des struc Rapide ☐ Lente Progressive ☐ Stabilise	■ ée □	t:	Commentaires	s 14. Remarques et suggestions complémentaires :	:		
10. Existe-t-il est système régulier de Traditionnel	e maintenance		Commentaires				
Institutionnel Pas de maintenance régulière		La plupart des constructions en terre so tiers qui n'arrivent plus à les entretenir familiaux sur les héritages ou aux insuf	régulièrement dus aux conflits	Ce questionnaire a été rempli par> Nom : RANDRIANJATOVO	ONARIVO, Noël	Position: Conservateur du site	Informations Date: 24/03/2010

Institution: Office du Site Culturel d'Ambohimanga Rova (OSCAR)

Falaises de Bandiagara

1 31313 23 32	001101	iegere						
1. A quelle famille du patrimoine le	bien peut-il être a	ssocié ?		11. Parmi la liste des menaces suivante, pouve	ez vous cl	asser par ord	re de priorité	Commentaires
(cf. Filling the Gaps, ICOMOS 2005) a. Patrimoine archéologique c. Edifices historiques e. Etablissements urbains g. Architecture vernaculaire i. Biens agricoles, industriels et technolo k. Paysages culturels, parcs et jardins m. Monuments et sites funéraires 2. Quelle est l'utilisation actuelle du		 b. Sites d'art rupestre d. Ensembles historiques f. Etablissement ruraux h. Biens religieux j. Biens militaires l. Itinéraires culturels n. Biens symboliques et m 		celles qui affectent le bien (de 1 à 4) a. Erosion naturelle b. Changement climatique c. Pollution d. Développement d'infrastructures e. Non respect des valeurs patrimoniales f. Manque de capacités pour gérer le bien g. Moyens techniques et financiers h. Vandalisme, vol, autres pratiques illégales i. Adaptation aux standards modernes	5 1 2 	menaces importa ment son archite tante est la mise de développeme partenaires techn L'état démuni de manque de resso	antes qui affectent le ecture de terre. Une au e en œuvre incontrôlée ent initiés ou soutenus niques et financiers. es communautés de si	ent climatique constituent des site du pays dogon singulière- utre menace non moins impor- e des projets et programmes par l'Etat avec l'appui des te et de l'Etat (pauvreté et érielles) peut être considéré
a. Il n'est plus utilisé b. Patrimoine vivant c. Il a gardé son usage initial		Plus de deux cents villages sont compris souvent une densité avoisinant les 10 h est actuellement le plus fréquenté par l	abitants/KM². En plus, le site	j. Changement de statut des propriétaires k. Abandon	4			
d. Nouvel usage :		est actuellement le plus riequente pui i	es touristes du maii	12. Jugez-vous satisfaisants les aspects suiva	nts ?			Commentaires
3. Le bien est-il propriété de l'Etat ?	Oui ■	I Non□		a. Documentation du bien	Oui ■	■ Non □	Il faut renforcer les ca	pacités professionnelles des
4. L'institution en charge du bien est a. Traditionnelle □ b. Lo Institutionelle ■ (or) Ré	t: _	La Mission Culturelle est une institution la culture au niveau local. Son rôle est la valeur du périmètre classé (Falaise de B	a conservation et la mise en	 b. Authenticité du bien c. Etat général de conservation des structures en t d. Durabilité des travaux de conservation effectués e. Promotion et mise en valeur du bien f. Efficacité des mécanismes de gestion du bien 	Oui lerre Oui Coui le Oui le O	Non	agents de la MCB don d'engagement et de r	t certains font encore preuve
5. Un plan de gestion existe-t-il pour	r le bien ? Oui l	■ Non □ En préparation		g. Efficacité du cadre juridique h. Efficacité du cadre institutionnel au niveau nationa i. Mayors la pictiques et tagbaigues alloyés au bio		Non 🗆		
6. Quels modes de construction sont a. Pisé (terre compactée) b. Adobe (briques de terre crue) c. Torchis (terre et structure végétale) d. Bauge (terre façonnée) e. Autres	représentés ?	L'architecture traditionnelle au pays dog Différents styles, structures, typologies Les constructions en terre (dont certaine BP) comprennent des édifices monume sanctuaires, autels, églises et mosquée: et les maisons familiales d'habitation (c	et matériaux sont présents. es datent du 3ème – 2ème entaux, religieux (temples, s) en passant par les greniers	 i. Moyens logistiques et techniques alloués au bier j. Nombre de personnel employé Nbr: k. Niveau de compétence du personnel d'encadrer l. Niveau de compétence du personnel technique m. Participation / support des décideurs locaux n. Activités éducatives sur le site o. Participation de la population locale 	Oui I ment Oui C Oui C Oui I Oui C	Non		
	_	d'habitation)		p. Contribution au développement local Oui			Sociale 🗌	Culturelle 🗌
7. Le matériau terre est-il présent da a. Les murs b. Les sols c. Les plafonds et/ou toitures d. Les mortiers e. Les décorations intérieures f. Les décorations extérieures g. Autres:	ans ?	Dans une région caractérisée par la prés étonnement admis que le matériau terr au pays dogon surtout sur le plateau et éboulis. Il n'existe pratiquement pas dai un édifice dans la réalisation duquel le reliefs symboliques en terre sont très vi aussi bien religieuses que profanes.	re prédomine les constructions dans les falaises et leurs ns les anciennes constructions matériau terre est absent. Les	13. Parmi la liste d'activités suivante, pouvez vou celles qui vous semblent nécessaires pour le ba. Documenter le bien b. Renforcer la législation pour le patrimoine c. Réviser le plan de gestion d. Renforcer les capacités des gestionnaires e. Renforcer les capacités des ouvriers	bien : 5	Pour la gestion d' mesures de sensi tions aux progran cette optique il fa l'adaptant aux no Il faut organiser e de restauration p	d'un site aussi vaste et sibilisation pour faire d mmes de gestion et d faut périodiquement re ouvelles priorités. et mettre en œuvre de pour dissuader les com	Commentaires vivant, il faut renforcer les lavantage participer les popula e mise en valeur du site. Dans evisiter le plan de gestion en es chantiers de formation et munautés du bien fondé de la ation du patrimoine qui est ce
8. En quelle proportion le matériau t	erre est-il présent	dans le bâti ?	Commentaires	f. Conserver les structures en terre q. Améliorer les équipements	2	tainement un lev	vier du développemer	nt local. Dans cette dynamique capacités professionnelles à
1 % à 2 % 25 % à		Tous les édifices traditionnels sont faits sement est réalisé en pierre. En plus les de terre	en terre dès que le soubas-	h. Sensibiliser les populations locales i. Promouvoir et mettre en valeur le bien j. Autres :	3	hauteur de mission Un dernier point	ion. cardinal est le renforc mentation sur un site o	ement du programme d'inven où la tradition orale est la règl
9. La vitesse de dégradation des stru	ictures en terre es	t:	Commentaires	14 Democratic et augustic et acceptions acceptions				
Rapide Lente Progressive Stabilis 10. Existe-t-il est système régulier de		Beaucoup d'édifices bénéficient d'une p des rochers) mais ceux exposés aux int dégradation lente	empéries connaissent une	14. Remarques et suggestions complémentai Le site du pays dogon regorge de patrimoine arch nécessite un effort important de sauvetage qui c tique de décentralisation en marche au Mali	itectural re			
Traditionnel		Les pratiques traditionnelles de mainter	Commentaires	ages se secondonsonor en marche du mun				Informations
Institutionnel Pas de maintenance régulière		; ceci étant lié à plusieurs facteurs dont d'eau et de bras valide (lié à l'exode de	essentiellement le manque	Ce questionnaire a été rempli par : La:	ssana Cissé Po	osition:	Directeur	Date: 29 / 12 / 2009

Institution: Mission Culturelle de Bandiagara

Traditionnel

Institutionnel

Pas de maintenance régulière

10. Existe-t-il est système régulier de maintenance

Villes anciennes de Dienné

1. A quelle famille du patrimoine le bien peut- (cf. Filling the Gaps, ICOMOS 2005) a. Patrimoine archéologique c. Edifices historiques e. Etablissements urbains g. Architecture vernaculaire i. Biens agricoles, industriels et technologiques k. Paysages culturels, parcs et jardins m. Monuments et sites funéraires 2. Quelle est l'utilisation actuelle du bien? a. Il n'est plus utilisé b. Patrimoine vivant c. Il a gardé son usage initial	-il être	b. Sites d'art rupestre d. Ensembles historiques f. Etablissement ruraux h. Biens religieux j. Biens militaires l. Itinéraires culturels n. Biens symboliques et mémoriaux Commentaires Le bien est un patrimoine vivant avec comme conséquence, la démographie galopante et la densification du tissu ancien d'une superficie de 48,5 hectares. Il est nécessaire de libérer des espaces pour contenir	11. Parmi la liste des menaces suivante, pouvez vous classer par ordre de priorité celles qui affectent le bien (de 1 à 4) a. Erosion naturelle b. Changement climatique c. Pollution d. Développement d'infrastructures e. Non respect des valeurs patrimoniales f. Manque de capacités pour gérer le bien g. Moyens techniques et financiers h. Vandalisme, vol, autres pratiques illégales i. Adaptation aux standards modernes j. Changement de statut des propriétaires k. Abandon Des changements considérables ont pu intervenir, même s'ils l'harmonie qui a toujours caractérise la ville ètemelle. Ces chan plusieurs ordres: l'harmonie qui a toujours caractérise la ville ètemelle. Ces chan plusieurs ordres: les changements intervenus dans la composition des cellules possée démographique; la flambée des coûts des matériaux ordinaires d'entretien (sor pain de singe, beurre de karité); l'introduction des matériaux modernes (ciment, carreau en te techniques modernes dans l'entretien des anciens bătiments et techniques modernes sur l'ancien bâti en vue de le renforcer ou confort; l'abandon de certains bătiments pour des raisons socioculturell heité) ou économiques (extrême pauvreté des occupants suite in que de la ville); l'abandon de certains bătiments pour des raisons socioculturell heité) ou économiques (extrême pauvreté des occupants suite in que de la ville); l'implantation de constructions nouvelles dans le tissu classé.
d. Nouvel usage :		ce surplus de populations.	12. Jugez-vous satisfaisants les aspects suivants ?
•			Comm
3. Le bien est-il propriété de l'Etat ? 4. L'institution en charge du bien est : a. Traditionnelle □ b. Locale Institutionelle ■ (or) Régionale Nationale 5. Un plan de gestion existe-t-il pour le bien ? 6. Quels modes de construction sont représenté a. Pisé (terre compactée) b. Adobe (briques de terre crue) c. Torchis (terre et structure végétale)		Commentaires Le Mali a mis en place un cadre institutionnel de conservation et de gestion du patrimoine culturel juste après l'inscription du Bien « villes anciennes » de Djenné sur la Liste du Patrimoine mondial et son classement dans le patrimoine national. Il s'agit de la Mission culturelle de Djenné service déconcentré créée par le Décret 93-203 /P-RM du 13 juin 1993 modifé par l'Ordonnace 01-03/P-RM du 13 août 2001. Elle est rattachée à la Direction Nationale du Patrimoine Culturel. Non En préparation Commentaires L'architecture de terre couvre tout le tissu ancien de la ville, soit une superficie de 48,5 ha renfermant les quartiers de Algassouba, Bambara, Yoboucaïna, Sankoré, Dambulsoria, Konofia, Samsey et Dioboro. Il a constitué l'un des critères (iv) de l'inscription du bien sur la liste du	a. Documentation du bien b. Authenticité du bien c. Etat général de conservation des structures en terre d. Durabilité des travaux de conservation effectués e. Promotion et mise en valeur du bien f. Efficacité des mécanismes de gestion du bien b. Efficacité du cadre juridique c. Etficacité du cadre juridique b. Efficacité du cadre institutionnel au niveau national i. Moyens logistiques et techniques alloués au bien j. Nombre de personnel employé k. Niveau de compétence du personnel d'encadrement Oui k. Niveau de compétence du personnel technique m. Participation / support des décideurs locaux Oui Non Des changements considérables ont pu inten nont pas affecté l'harmonie qui a toujours ce ternelle. Des changements considérables ont pu inten nont pas affecté l'harmonie qui a toujours ce ternelle. Non Des changements considérables ont pu inten nont pas affecté l'harmonie qui a toujours ce ternelle. Non Des changements considérables ont pu inten nont pas affecté l'harmonie qui a toujours ce ternelle. Non Des changements considérables ont pu inten nont pas affecté l'harmonie qui a toujours ce ternelle. Non Des changements considérables ont pu inten nont pot nont pas affecté l'harmonie qui a toujours ce ternelle.
d. Bauge (terre façonnée) e. Autres	Ш	Patrimoine mondial de l'UNESCO.	n. Activités éducatives sur le site o. Participation de la population locale Oui □ Non ■
			p. Contribution au développement local Oui ☐ Non ☐ Economique ☐ Sociale ☐ Culturelle ☐
7. Le matériau terre est-il présent dans ? a. Les murs b. Les sols c. Les plafonds et/ou toitures d. Les mortiers e. Les décorations intérieures f. Les décorations extérieures g. Autres:	· _	Commentaires Actuellement, le revêtement du sol, à l'intérieur des maisons est fait en ciment ou en briques cuites. Les murs intérieurs sont crépis avec un enduit composé de terre et de sable. L'ensemble est peint avec de la peinture industrielle. Les façades extérieures sont souvent revêtues de briques cuites pour éviter les crépissages réguliers. At dans le bâti ? Commentaires L'utilisation du ciment et des briques cuites se fait sur les sols, les	13. Parmi la liste d'activités suivante, pouvez vous classer par ordre de priorité (de 1 à 5) celles qui vous semblent nécessaires pour le bien : a. Documenter le bien b. Renforcer la législation pour le patrimoine c. Réviser le plan de gestion d. Renforcer les capacités des gestionnaires e. Renforcer les capacités des gestionnaires e. Renforcer les capacités des ouvriers f. Conserver les structures en terre g. Améliorer les équipements h. Sensibiliser les populations locales Commenter le bien; La Mission culturelle recommande: Documenter le bien; Renforcer la législation nationale pour le patrimoine Conserver la égislation nationale pour le patrimoine Sensionier les structures en terre en multipliant les provation de l'architecture de terre; Sensibiliser les populations locales; Initier des chantiers écoles de restauration; Créer une école d'architecture de terre à Djenné.
1 % à 2 %		revêtements extérieurs surtout les façades exposées aux intempéries.	i. Promouvoir et mettre en valeur le bien j. Autres :
9. La vitesse de dégradation des structures en t	terre e	st : Commentaires	
Rapide Lente Progressive Stabilisée		En l'absence d'entretien, il faut environ 10 ans pour qu'une structure en terre se dégrade	14. Remarques et suggestions complémentaires : L'architecture de terre fait de la ville de Djenné l'une des plus belles villes d'Afrique. Le bien « Villes anciennes de Djenné », est victime aujourd'hui de la pression

l'urbanisation rapide et incontrôlée, des changements dans le bâti, et de nombreux aléas que connaissent les villes en développement. Málgré un programme d'activités très soutenu et la multiplication de partenariats, la Mission Culturelle de Djenné est restée soucieuse face à un certain nombre de menaces. Parmi celles-ci figurent la pression démographique, l'utilisation de matériaux modernes, la dégradation ou la disparition progressive des façades monumentales, suite aux sécheresses récurrentes et à la paupérisation des populations.

Commentaires

Commentaires

Commentaires

Des changements considérables ont pu intervenir, même s'ils n'ont pas affecté l'harmonie qui a toujours caractérisé la ville éternelle. Ces changements sont de

- les changements intervenus dans la composition des cellules familiales et la

la flambée des coûts des matériaux ordinaires d'entretien (son de riz et de mil,

pain de singe, beurre de karité) ; l'introduction des matériaux modernes (ciment, carreau en terre cuite) et des

techniques modernes dans l'entretien des anciens hâtiments et dans la construc-

les interventions sur l'ancien bâti en vue de le renforcer ou d'en améliorer le

l'abandon de certains bâtiments pour des raisons socioculturelles (bien commun

hérité) ou économiques (extrême pauvreté des occupants suite au déclin écono-

Des changements considérables ont pu intervenir, même s'ils n'ont pas affecté l'harmonie qui a toujours caractérisé la ville

De manière générale, l'architecture de terre au Mali connaît une mutation reflétant l'évolution de la société, y compris

l'influence de l'extérieur, notamment en ce qui concerne l'uti-

lisation de nouveaux matériaux. Ce phénomène est plus remarquable à Djenné, ville toute en terre où, la moindre trace

de matériaux modernes dans le paysage se fait tout de suite remarquer. Djenné est aussi paradoxalement la ville où, mal-

gré la fragilité de la terre, principal matériau de construction,

les barey, maçons locaux, arrivent à maîtriser habilement les limites entre tradition et modernité, et à produire un environ-

Dans sa politique de protection, de conservation et de valorisation du patrimoine architectural de Dienné. l'État malien pro-

cède, depuis l'inscription de la ville sur la Liste du Patrimoine mondial de l'UNESCO, à la mise en place de mesures diversifiées

devant contribuer au maintien de la valeur universelle excep-

l'implantation de nouveaux équipements de développement urbain ;

Conserver les structures en terre en multipliant les projets de conser-

					Informations
Ce questionnaire a été rempli par : Institution: Mission Culturelle de Djenné	Yamoussa Fané	Position:	Chef de la Mission	Date:	28/ 01 / 2010

ns complémentaires :

une des plus belles villes d'Afrique. Le bien « Villes anciennes de Djenné », est victime aujourd'hui de la pression démographique, de La Mission Culturelle de Djenné dans le souci de mieux conserver cette belle architecture pour les générations futures en appelle à l'Etat partie et aux partenaires au développement.

Commentaires

Les maisons sont entretenues au moins une fois par an ou à défaut

chaque deux ans selon la capacité financière du propriétaire. L'Etat

malien et les partenaires comme les Pays Bas accordent une attention particulière à la conservation de l'architecture de terre de Djenné

Tombouctou

1. A quelle famille du patrimoine le bien peut-il (cf. Filling the Gaps, ICOMOS 2005) a. Patrimoine archéologique c. Edifices historiques e. Etablissements urbains g. Architecture vernaculaire i. Biens agricoles, industriels et technologiques k. Paysages culturels, parcs et jardins m. Monuments et sites funéraires 2. Quelle est l'utilisation actuelle du bien ? a. Il n'est plus utilisé b. Patrimoine vivant		b. Sites d'art rupestre d. Ensembles historiques f. Etablissement ruraux h. Biens religieux j. Biens militaires l. Itinéraires culturels n. Biens symboliques et mér	noriaux Commentaires	11. Parmi la liste des menaces suivante, pouvez vous classer par ordre de priorité celles qui affectent le bien (de 1 à 4) a. Erosion naturelle b. Changement climatique c. Pollution d. Développement d'infrastructures e. Non respect des valeurs patrimoniales f. Manque de capacités pour gérer le bien g. Moyens techniques et financiers h. Vandalisme, vol, autres pratiques illégales i. Adaptation aux standards modernes j. Changement de statut des propriétaires k. Abandon
c. Il a gardé son usage initial d. Nouvel usage :				12. Jugez-vous satisfaisants les aspects suivants ?
3. Le bien est-il propriété de l'Etat ? 4. L'institution en charge du bien est : a. Traditionnelle ■ b. Locale	Oui	Non 🗆	Commentaires	a. Documentation du bien b. Authenticité du bien c. Etat général de conservation des structures en terre d. Durabilité des travaux de conservation effectués Oui Non Commentaires Non Non Non
Institutionelle ■ (or) Régionale Nationale 5. Un plan de gestion existe-t-il pour le bien ?	Oui E	Non □ En préparation □		e. Promotion et mise en valeur du bien f. Efficacité des mécanismes de gestion du bien g. Efficacité du cadre juridique h. Efficacité du cadre institutionnel au niveau national i. Moyens logistiques et techniques alloués au bien oui Non Non Non Non
 6. Quels modes de construction sont représentés a. Pisé (terre compactée) b. Adobe (briques de terre crue) c. Torchis (terre et structure végétale) d. Bauge (terre façonnée) e. Autres 			Commentaires	j. Nombre de personnel employé Nbr: Oui
7. Le matériau terre est-il présent dans ? a. Les murs b. Les sols c. Les plafonds et/ou toitures d. Les mortiers e. Les décorations intérieures f. Les décorations extérieures g. Autres:			Commentaires	p. Contribution au développement local Oui Non Economique Sociale Culturelle 13. Parmi la liste d'activités suivante, pouvez vous classer par ordre de priorité (de 1 à 5) celles qui vous semblent nécessaires pour le bien: a. Documenter le bien b. Renforcer la législation pour le patrimoine c. Réviser le plan de gestion d. Renforcer les capacités des gestionnaires e. Renforcer les capacités des ouvriers f. Conserver les structures en terre
8. En quelle proportion le matériau terre est-il p 1 % à 2 %	orésent d	lans le bâti ?	Commentaires	g. Améliorer les structures en terre g. Améliorer les équipements h. Sensibiliser les populations locales i. Promouvoir et mettre en valeur le bien j. Autres :
9. La vitesse de dégradation des structures en to Rapide ☐ Lente Progressive ■ Stabilisée	erre est :		Commentaires	14. Remarques et suggestions complémentaires :
10. Existe-t-il est système régulier de maintena Traditionnel Institutionnel Pas de maintenance régulière	nce		Commentaires	Ce questionnaire a été rempli par : Ali ould Sidi Institution: Mission culturelle Tombouctou Position: Chef Mission culturelle de Tombouctou Date: 28 / 12 / 2009

Tombeau des Askia

1. A quelle famille du patrimoine le bier (cf. Filling the Gaps, ICOMOS 2005)	n peut-il être a	ssocié ?			11. Parmi la liste des menaces suivante, pouvez v celles qui affectent le bien (de 1 à 4)	ous cl	asser par ordre de priorité	Commentaires
a. Patrimoine archéologique c. Edifices historiques e. Etablissements urbains g. Architecture vernaculaire i. Biens agricoles, industriels et technologiqu k. Paysages culturels, parcs et jardins m. Monuments et sites funéraires	es	b. Sites d'art rupestre d. Ensembles historiques f. Etablissement ruraux h. Biens religieux j. Biens militaires l. Itinéraires culturels n. Biens symboliques et mé			a. Erosion naturelle b. Changement climatique c. Pollution d. Développement d'infrastructures e. Non respect des valeurs patrimoniales f. Manque de capacités pour gérer le bien g. Moyens techniques et financiers h. Vandalisme, vol, autres pratiques illégales	1	Il y a aussi la difficulté de trouve travaux de restauration.	r les bois () pour les
Quelle est l'utilisation actuelle du bie a. Il n'est plus utilisé b. Patrimoine vivant			Commentaires		 i. Adaptation aux standards modernes j. Changement de statut des propriétaires k. Abandon 	3		
c. Il a gardé son usage initial d. Nouvel usage :					12. Jugez-vous satisfaisants les aspects suivants	?		
3. Le bien est-il propriété de l'Etat ?	Oui 🗆] Non ■	Commentaires		a. Documentation du bien b. Authenticité du bien	Oui	■ Non □ ■ Non □	Commentaires
a. Traditionnelle ■ b. Locale Institutionelle ■ (or) Région Nation	nale 🔲				 c. Etat général de conservation des structures en terre d. Durabilité des travaux de conservation effectués e. Promotion et mise en valeur du bien f. Efficacité des mécanismes de gestion du bien 	Oui Oui	Non	
5. Un plan de gestion existe-t-il pour le		Non□ En préparation ☐]		g. Efficacité du cadre juridique h. Efficacité du cadre institutionnel au niveau national	Oui Oui	Non Non Non Non Non Non Non Non	
 6. Quels modes de construction sont rep a. Pisé (terre compactée) b. Adobe (briques de terre crue) c. Torchis (terre et structure végétale) d. Bauge (terre façonnée) e. Autres 	résentés ?		Commentaires		j. Nombre de personnel employé Nbr: k. Niveau de compétence du personnel d'encadremen l. Niveau de compétence du personnel technique m. Participation / support des décideurs locaux n. Activités éducatives sur le site o. Participation de la population locale	nt Oui Oui Oui Oui	Non ■	
7. Le matériau terre est-il présent dans :	?		Commentaires		p. Contribution au développement local Oui 🗌 Non	E	conomique Sociale Sociale	Culturelle
a. Les murs b. Les sols c. Les plafonds et/ou toitures d. Les mortiers e. Les décorations intérieures f. Les décorations extérieures g. Autres:					13. Parmi la liste d'activités suivante, pouvez vous de celles qui vous semblent nécessaires pour le bien a. Documenter le bien b. Renforcer la législation pour le patrimoine c. Réviser le plan de gestion d. Renforcer les capacités des gestionnaires e. Renforcer les capacités des ouvriers	4 5 1 2	par ordre de priorité (de 1 à 5) Il faut améliorer le niveau des revisiteurs, ventes produits) de faç les petits travaux .	
8. En quelle proportion le matériau terre	e est-il présent	dans le bâti ?	Commentaires		f. Conserver les structures en terre g. Améliorer les équipements h. Sensibiliser les populations locales	3 		
1 % à 2 %		Bois brut pour toitures (poutres, gat	ulettes).		i. Promouvoir et mettre en valeur le bien j. Autres :			
9. La vitesse de dégradation des structur Rapide	res en terre est	:	Commentaires		14. Remarques et suggestions complémentaires	•		
Progressive		Entretien réguier, tous les 3 ans.			L'importance du bien vient aussi de l'espace de prière associé qui est m			
10. Existe-t-il est système régulier de m Traditionnel	aintenance		Commentaires					Informations
Institutionnel Pas de maintenance régulière		L'entretien est facile à organiser ma	nis il est jugé couteux.	236	Ce questionnaire a été rempli par : Klessigue Sanogo Institution: DNPC	Pos	ition: Directeur	Date: 29 / 03 / 2010

Island of Mozambique

1. To which heritage categories can the property (cf. Filling the Gaps, ICOMOS 2005, see annexed to		ociated ?		11. Among the following threats, please indicate by order of priority Comments (from 1 to 4) those affecting the site
a. Archaeological site c. Historic buildings e. Urban settlements g. Vernacular architecture		b. Rock-art sites d. Historic ensembles f. Rural settlements h. Religious properties j. Military properties l. Cultural routes n. Symbolic properties and	memorials	a. Natural erosion b. Weather changes c. Pollution d. Development of infrastructures e. Lack of respect of the value of heritage f. Lack of capacities to manage the site
2. What is the current use of the property?	_	, , ,	Comments	h. Vandalism, theft and other illegal activities i. Need to adapt to modern needs
a. Not in use anymore b. Living heritage c. Used as originally intended d. New use Specify:		The Island is composed of two parts: The Stone Town, which has been almosthe process of changing to tourism and The « Macuti » Town, former native que	st abandoned and is now in I holyday housing.	j. Change of status of the owners k. Abandonment
		living, and is now over populated		12. Do you deem the following aspects satisfactory?
3. Is the property owned by the Government?	Yes 🔳	No II		a. Heritage site documentation Yes No Few conservation works carried out.
National		The executive power is with the Munici adherence to conservation principles is Conservation Office (GACIM). There are : clarity between the two local authoritic (lowest level of central state administra Council - and between the two and the	with the Mozambique Island some overlapping and lack of es – the District Government ation) and the Municipal	b. Authenticity c. General state of conservation of earthen structures d. Durability of conservation works carried out e. Promotion and valorisation of the site f. Efficiency of site management strategies g. Efficiency of legal framework b. Authenticity Yes No No O No O O O O O O O O O O O O O
5. Is there a management plan for the property ?		No □ In preparation		h. Efficiency of institutional framework at a National level Yes No i. Logistic and technical means for the site Yes No
6. What types of construction techniques are fea	tured?		Comments	j. Staff number Nbr: Yes □ No ■
a. Rammed earth (compacted earth) b. Adobe (bricks made with raw earth) c. Wattle and daub (earth and vegetal structure) d. Cob (shaped earth) e. Other		The Stone Town is coral stone masonry beams, coral slabs and lime mortar. The « Macuti » Town is wattle and daul bamboo structure with coconut palm le transformation to cement blocs and cor	with flat roofing of wooden b on mangrove stick or eaf (macuti) roofing – now in	k. Skills of managerial staff Yes □ No ■ I. Skills of technical staff Yes □ No ■ m. Involvementc/support of local decision makers Yes □ No ■
				p. Contribution to local development Yes 🗌 No 📕 Economical 🗎 Social 🗎 Cultural 🗌
7. Earth is featured on a. Walls b. Floors c. Ceilings and/or roofs d. Mortars e. Interior decorations f. Exterior decorations g. Other:			Comments	13. Among the following items, please indicate by order of priority (from 1 to 5) those that seem necessary for the site a. Site documentation b. To reinforce the legal framework c. To update the management plan d. To reinforce the capacities of site managers e. To reinforce the skills of site workers
Q What is the approximate proportion of earths	t-	ei ale		f. To preserve the earthen structures
8. What is the approximate proportion of earthe present within the property? 1 % to 25 %	m mate	In the « Macuti » Town	Comments	g. To improve the facilities h. Sensitization of local populations i. Promotion and valorisation activities j. Other:
9. The speed of degradation of the structure is			Comments	
Fast Slow Progressive ■ Stabilised			Comments	14. Additional general comments and remarks : The Island does not have earth constructions as such, although earth can be a component of mortar and plaster. The Stone Town is threatened by decay due to abandon and uncontrolled transformation. The "Macuti" Town is suffering from general poverty, overcrowding and lack of sanitary installations.
10. Is there a regular maintenance mechanism			Comments	There is a need for a re-evaluation of the "Macuti" town to allow for improvement of housing
Traditional		Traditionally in the « Macuti » Tov		Informations
Institutionally planned No maintenance mechanism		General lack of maintenance in th		Filled out by > Name: Jens Hougaard Position: Adviser Date: 24 / 01 / 2010 Institution: Mozambique Island Conservation Office Ministry of Culture, Mozambique

Historic Centre of Agadez

1. To which heritage categories can the prope		sociated ?			11. Among the following threats, please indicate	by order	of priority	Comments
(cf. Filling the Gaps, ICOMOS 2005, see annex	ed table)	101.	_	_	(from 1 to 4) those affecting the site			
a. Archaeological site		b. Rock-art sites				3		
c. Historic buildings	_	d. Historic ensembles				4		
e. Urban settlements		f. Rural settlements						
g. Vernacular architecture		h. Religious properties				2		
i. Agricultural, industrial and technological propert		j. Military properties						
k. Cultural landscapes, parks and gardens		l. Cultural routes						
m. Burial monuments and sites		n. Symbolic properties and	memorials L					
						1		
2. What is the current use of the property?			Comments		i. Need to adapt to modern needs			
a. Abandoned								
b. Original use					k. Abandonment			
c. New use :								
					12. Do you deem the following aspects satisfactor	•		Comments
	_	_			a. Heritage site documentation		No ■	
3. Is the property owned by the Government	? Yes∟	No ■			b. Authenticity		No 🗌	
			Comments		c. General state of conservation of earthen structures		No 🔲	
4. The institution in charge of the site is :	_				d. Durability of conservation works carried out		No 🗆	
a. Traditional b . Institutional					e. Promotion and valorisation of the site		No 💻	
c. Local d. Regional					f. Efficiency of site management strategies		No 🗆	
e. National \blacksquare					g. Efficiency of legal framework		No 🗆	
			_		h. Efficiency of institutional framework at a National level		No	
5. Is there a management plan for the property	? Yes ■	No 🗌 In preparation 🗌			i. Logistic and technical means for the site		No 🔳	
	_				j. Staff number	Yes 🗌 🗆	No 🔳	
6. What types of construction techniques are	featured?		Comments		k. Skills of managerial staff	Yes 🔳	No 🗆	
a. Rammed earth (compacted earth)					Skills of technical staff	Yes 🔳	No 🗆	
b. Adobe (bricks made with raw earth)					m.Involvementc/support of local decision makers		No 🗆	
c. Wattle and daub (earth and vegetal structure)					n. Educational activities at the site	Yes 🗆 🛚	No 🔳	
d. Cob (shaped earth)					o. Participation of local populations		No 🗆	
e. Other					p. Contribution to local development	Yes 🔳	No 🗆	
					g. Site interpretation		No	
7. Earth is featured on			Comments		r. Risk preparedness	Yes 🗌 🔝	No ■	
a. Walls			Comments		• •			
b. Floors					13. Among the following items, please indicate l	ov order o	f priority (from 1 to 5)	Comments
c. Ceilings and/or roofs					those that seem necessary for the site	•	1 1 1/4 1 11 11	Commence
d. Mortars						2		
e. Interior decorations								
f. Exterior decorations						Ä .		
g. Other:						1		
					,	3		
8. What is the approximate proportion of eart	then mate	erials	Comment			5		
present within the property?			Comments					
1 % to 25 %					•			
50 % to 75 %						4		
_						Ä		
9. The speed of degradation of the structure i	s				j. otici .	_		
Fast Slow			Comments					
Progressive Stabilised					14. Additional general comments and remarks :			
					14. Additional general comments and remarks .			
10. Is there a regular maintenance mechanisr	n							
Traditional			Comments					
Institutionally planned								Informations
No maintenance mechanism	□				Filled out by: Thierry Joffroy Position:		Date:	/ / 2014
				238	Institution: CRAterre		2 3.6.	, ,
				230				

Osun-Osogbo sacred grove

1. To which heritage categories can the proper				11. Among the following threats, please indicate	by or	der of pric	rity	Comments
(cf. Filling the Gaps, ICOMOS 2005, see annexed				(from 1 to 4) those affecting the site	_ (Technical st	aff. craftmen and sec	urity personnel are requi-
a. Archaeological site		b. Rock-art sites		a. Natural erosion				ke visitors carpark are also
c. Historic buildings		d. Historic ensembles		b. Weather changes c. Pollution	븩			becoming scarce and un-
e. Urban settlements		f. Rural settlements		c. Pollution	3	durable so t	here is need to augu	ment with modern needs.
g. Vernacular architecture		h. Religious properties		☐ d. Development of infrastructures ☐ e. Lack of respect of the value of heritage	<u> </u>			
i. Agricultural, industrial and technological propert	H	j. Military properties I. Cultural routes						
k. Cultural landscapes, parks and gardens m. Burial monuments and sites		n. Symbolic properties and		q. Lack of technical or financial means	 7]			
III. Buildi IIIoliulilelits dilu Sites		ii. Symbolic properties and	IIIeiiioiiais	h. Vandalism, theft and other illegal activities	_			
2. What is the current use of the property?	_		Comments	i. Need to adapt to modern needs	2 2 4			
a. Not in use anymore		This is a living heritage where the		j. Change of status of the owners k. Abandonment	\exists			
b. Living heritage c. Used as originally intended d. New use Specify:	🗖	and spiritualism which started hun still in continuity.		k. Adandonment				
	_	_		12. Do you deem the following aspects satisfactor				Comments
3. Is the property owned by the Government?	Yes	No 🗆		<u> </u>	Yes		There are good nur	mbers of staff on site per-
			Comments	· · · · · · · · · · · · · · · · · · ·	Yes		forming various du	ties but middle level man-
4. The institution in charge of the site is:	_	The site is managed by participato		c. General state of conservation of earthen structures				for regular maintenance.
a. Traditional b. Local		different stakeholders at all levels		•	Yes _			ncreased educational arch for the site so as to
Institutional ■ (or) Regional National					Yes Yes		contribute to local	
National	_			, , , , , , , , , , , , , , , , , , , ,	Yes		continuote to local	oevelopine
5. Is there a management plan for the property 3	? Yes ■	No □ In preparation [h. Efficiency of institutional framework at a National level				
			_	•	Yes			
6. What types of construction techniques are fe	atured	?	Comments	: Chaff arrach as All a		No 🗆		
a. Rammed earth (compacted earth)						No 🗆		
b. Adobe (bricks made with raw earth)		The construction techniques also d			Yes 🗆			
c. Wattle and daub (earth and vegetal structure)		architecture with indigeneous tech	mology.		Yes	No 🗆		
d. Cob (shaped earth)					Yes 🗆	No 🔳		
e. Other	🗆					No 🗆		
7 Fasth is fastured as				p. Contribution to local development Yes \square No \blacksquare	Econo	mical \square	Social 🗌 Cu	ultural 🗌
7. Earth is featured on a. Walls	_		Comments				· · · · · · · · · · · · · · · · · · ·	
b. Floors		Structures and sculptures are also	fortified with cement and	13. Among the following items, please indicate by	у ога	er of brioti	ity (from 1 to 5)	Comments
c. Ceilings and/or roofs		iron in order to make them stand f	firm and increase their	those that seem necessary for the site	3	The docume	entation of the flora a	and faunal population has
d. Mortars	H	longevity.		b. To reinforce the legal framework				esearch have yeilded some
e. Interior decorations				c. To update the management plan				t plan for 2010-2014 has
f. Exterior decorations				d. To reinforce the capacities of site managers		be improved		. Visitors facilities need to
g. Other:				e. To reinforce the skills of site workers		be improved	J.	
				f. To preserve the earthen structures	4			
8. What is the approximate proportion of earth	en mat	erials	Comments	g. To improve the facilities	<u>4</u> 5			
present within the property?		Earthen materials are now mixed with	Comments	h. Sensitization of local populations				
1 % to 25 %		Some granites and cement for traditional	I wall fence to increase their	i. Promotion and valorisation activities				
50 % to 75 % T 75 % to 100 %		lifespan		j. Other :				
9. The speed of degradation of the structure is								
Fast Slow			Comments	44 4444				
Progressive Stabilised		Forest vegetation and humid envir	onment accelerate funga	14. Additional general comments and remarks :				
Trogressive Stabilised		growth and deterioration of structu	ıres.	The site has contributed significantly to the preservation of the	he nati	onal heritage	e. And promotion of a	cultural tourism without
				diminishing its authenticity and integrity.				
10. Is there a regular maintenance mechanism			Comments					
Traditional		On sules assistant						Informations
Institutionally planned		Regular maitenanceenance achieve of traditional methods and institut						
No maintenance mechanism		or daditional methods and institut	ional support.	Filled out by > Name: ADEDAYO Oluremi Funsho	Position	N: Heritage Sit	.e Manager	Date: 22 /01 / 2010

Institution: National Commission For Museums and Monuments

Sukur cultural landscape

1. To which heritage categories can the proper (cf. Filling the Gaps, ICOMOS 2005, see annexed		ociated ?				ollowing threats, please indica ose affecting the site	ate by or	der of pric	ority		Comments
a. Archaeological site		b. Rock-art sites	Ē	⊒ à. ∣	Natural erosion	-	1				
c. Historic buildings e. Urban settlements		d. Historic ensembles f. Rural settlements			Weather change Pollution	25	2				
g. Vernacular architecture		h. Religious properties		d.		f infrastructures					
i. Agricultural, industrial and technological propert		j. Military properties				of the value of heritage	3				
k. Cultural landscapes, parks and gardens m. Burial monuments and sites		l. Cultural routes	ials \square			s to manage the site	님				
III. Buriai monuments and sites	Ш	n. Symbolic properties and memor	IdiS L	_		Il or financial means t and other illegal activities					
2. What is the current use of the property?			Comments	i N		o modern needs					
a. Not in use anymore				j. C	Change of status	s of the owners					
b. Living heritagec. Used as originally intended	-			К.	Abandonment						
d. New use Specify:											
						the following aspects satisfac					Comments
3. Is the property owned by the Government?	Yes 🗌	No 🔳	Comments		Heritage site do Authenticity	cumentation	Yes Yes				
4. The institution in charge of the site is :			Comments		,	conservation of earthen structure					
a. Traditional b . Local						nservation works carried out	Yes				
Institutional (or) Regional						valorisation of the site	Yes				
National						management strategies	Yes _				
5. Is there a management plan for the property 3	? Yes 🗌	No 🗌 In preparation 🗌			Efficiency of leg Efficiency of instit	ar framework tutional framework at a National lev					
						nical means for the site	Yes 🗆				
6. What types of construction techniques are fe			Comments	j. S	taff number	Nbr:	Yes				
a. Rammed earth (compacted earth) b. Adobe (bricks made with raw earth)					Skills of manage skills of technica		Yes Yes				
c. Wattle and daub (earth and vegetal structure)	ä					support of local decision makers	Yes				
d. Cob (shaped earth)						vities at the site	Yes				
e. Other	🗆				•	local populations		No 🗆			1
7. Earth is featured on					Contribution to I	local development Yes No	☐ Econ	omical \square	Social	Cultural 🗆	
a. Walls			Comments	13	. Amona the fo	ollowing items, please indicat	e bv ord	er of prior	itv (from 1 t	o 5)	Comments
b. Floors						necessary for the site	-		., .		
c. Ceilings and/or roofs					Site documenta		2				
d. Mortars e. Interior decorations						legal framework nanagement plan	3				
f. Exterior decorations	<u>-</u>					capacities of site managers	H				
g. Other:						skills of site workers					
0 What is the approximate assessing of south	on m-4-	eiale				earthen structures					
8. What is the approximate proportion of earth present within the property?	en mate	ildis	Comments		To improve the	facilities local populations	4				
1 % to 25 %						valorisation activities	Ä				
50 % to 75 %					Other:						
O The second of decord-time of the standard in											
9. The speed of degradation of the structure is Fast Slow			Comments	4.4	Additional	onoral comments and somethe					
Progressive Stabilised	H					eneral comments and remarks eservation of the earthen structures an		cred sites pre	cede the above	e mentioned pri	orities
				COI	.servation and pre	assertation of the continen structures an	outer 30	a. ad sites pie	cede the above	ieritioned pri	
40 to the construction of t											
10. Is there a regular maintenance mechanism Traditional			Comments								
Institutionally planned											Informations
No maintenance mechanism				240	Filled out by >	Name: Sham Anthony Institution: Madagali Local Governm			r World Heritage S	Site Date:	18/01 / 2010

Bassari Country: Bassari, Fula and Bedik Cultural Landscapes

<i>'</i>		, , , , , , , , , , , , , , , , , , ,						
1. To which heritage categories can the property	, be asso	ociated ?		11. Among the following threats, please indicate	by ord	er of prio	ority	Comments
(cf. Filling the Gaps, ICOMOS 2005, see annexed	table)			(from 1 to 4) those affecting the site				
a. Archaeological site		b. Rock-art sites		a. Natural erosion				
c. Historic buildings		d. Historic ensembles	Ē		5			
e. Urban settlements		f. Rural settlements						
					=			
g. Vernacular architecture		h. Religious properties		5. 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	_			
i. Agricultural, industrial and technological propert		j. Military properties		3				
k. Cultural landscapes, parks and gardens		l. Cultural routes						
m. Burial monuments and sites		n. Symbolic properties and mem	orials	g. Lack of technical or financial means				
		, , ,						
2. What is the current use of the property?				i. Need to adapt to modern needs				
			Comments					
a. Abandoned)g				
b. Original use				k. Abandonment				
c. New use :								
				12. Do you deem the following aspects satisfacto	гу?			Commonte
				a. Heritage site documentation	Yes	No 🗌		Comments
3. Is the property owned by the Government?	Ves	No ■		b. Authenticity	Yes	No 🗆	11/2	
3. 15 the property owned by the dovernment.		110 _	Comments	c. General state of conservation of earthen structures		No 🗆		, not an heritage site with Nost criteria on the left are
4 The institution in shares of the site is .			Comments				not applicable.	nost criteria on the left are
4. The institution in charge of the site is :	_ (d. Durability of conservation works carried out	Yes	No 🗆	пот аррисавіс.	
a. Traditional b . Institutional				e. Promotion and valorisation of the site	Yes 🗌	No 🔳		
c. Local d. Regional				f. Efficiency of site management strategies	Yes	No 🗌		
e. National				g. Efficiency of legal framework	Yes 🗆	No		
				h. Efficiency of institutional framework at a National level	Yes 🗆	No		
5. Is there a management plan for the property?	Yes	No 🗌 🛮 In preparation 🗖		i. Logistic and technical means for the site	Yes 🗆	No 🗆		
or is there a management plan for the property .		preperenen 🕒						
/ What two as of construction to shair was are for	443			j. Staff number	Yes 🗌	No 🗆		
6. What types of construction techniques are fea			Comments	k. Skills of managerial staff	Yes 🗌	No 🔲		
a. Rammed earth (compacted earth)				l. Skills of technical staff	Yes 🗆	No 🗆		
b. Adobe (bricks made with raw earth)				m.Involvementc/support of local decision makers	Yes 🗌	No 🔳		
c. Wattle and daub (earth and vegetal structure)				n. Educational activities at the site	Yes 🗌	No		
d. Cob (shaped earth)				o. Participation of local populations	Yes	No 🗆		
e. Other laterite boulders				· · ·				
c. Other				p. Contribution to local development	Yes 🗌	No 🗆		
7 Facth is factored as				q. Site interpretation		No 💻		
7. Earth is featured on			Comments	r. Risk preparedness	Yes 🗀	No 🗌		
a. Walls								
b. Floors				13. Among the following items, please indicate b	v orde	r of priori	ity (from 1 to 5)	Comments
c. Ceilings and/or roofs				those that seem necessary for the site				
d. Mortars						he priorites in	n the management plan ar	e to :
e. Interior decorations	ī				<u>.</u>	Drocoruo th	a acidinality of local culture	
	_						e originality of local cultues e natural heritage	
f. Exterior decorations							ing conditions	
g. Other:				d. To reinforce the capacities of site managers				agement and development
				e. To reinforce the skills of site workers			the whole landscape	
8. What is the approximate proportion of earthe	n mate	rials	Commonts		=			
present within the property?			Comments					
1 % to 25 %								
50 % to 75 %								
				j. Other: see comments				
9. The speed of degradation of the structure is			Comments					
Fast Slow			Comments					
Progressive Stabilised				14. Additional general comments and remarks :				
				• • • • • • • • • • • • • • • • • • •				
10. Is there a regular maintenance mechanism								
Traditional			Comments					
Institutionally planned								Informations
No maintenance mechanism	H			Filled out by: sobartion Marient Position:			Date.	15 / 10 / 2014

Institution: CRAterre

Koutammakou, le pays des Batammariba

	1							
A quelle famille du patrimoine le bien per	ut-il être a	ssocié ?			11. Parmi la liste des menaces suivante, pouvez v	ous cla	asser par ordre de priorité	Commentaires
(cf. Filling the Gaps, ICOMOS 2005)	_		_	_	celles qui affectent le bien (de 1 à 4)	_	Les fortes pluies de ces deux dernières	années dues au changement
a. Patrimoine archéologique		b. Sites d'art rupestre			a. Erosion naturelle	1	climatique, ont causé des dégâts au ni	
c. Edifices historiques		d. Ensembles historiques			b. Changement climatique	2	tionnelles. Ces menaces sont renforcée	
e. Etablissements urbains		f. Etablissement ruraux			c. Pollution		techniques et financiers qui, s'ils exista frein à ces menaces naturelles et huma	
g. Architecture vernaculaire		h. Biens religieux			d. Développement d'infrastructures	3	nem a ces menaces naturenes et nam	sines.
i. Biens agricoles, industriels et technologiques		j. Biens militaires			e. Non respect des valeurs patrimoniales			
k. Paysages culturels, parcs et jardins		l. Itinéraires culturels			f. Manque de capacités pour gérer le bien			
m. Monuments et sites funéraires		n. Biens symboliques et me			g. Moyens techniques et financiers	4		
		, ,			h. Vandalisme, vol, autres pratiques illégales			
2. Quelle est l'utilisation actuelle du bien ?			Commentaires		i. Adaptation aux standards modernes			
a. Il n'est plus utilisé			Commentanes		j. Changement de statut des propriétaires			
b. Patrimoine vivant		Le Koutammakou est un paysage culture			k. Abandon			
c. Il a gardé son usage initial		gible se côtoient :habitat, environnemen	nt, croyances		,			
d. Nouvel usage :					12. Jugez-vous satisfaisants les aspects suivants	7		
d. Nouver dadge .					12. Jugez vous satistaisants les aspects salvants	•		Commentaires
3. Le bien est-il propriété de l'Etat ?	Oui 🗆	Non ■			a. Documentation du bien	0ui □	Non ■	,
3. Le Dien est-il propriete de l'Etat :	Oui _	Noil =	Commentaires		b. Authenticité du bien			
4 1/:			Commentanes			Oui 🗖		
4. L'institution en charge du bien est :					c. Etat général de conservation des structures en terre			
a. Traditionnelle b. Locale					d. Durabilité des travaux de conservation effectués	Oui 🔳		
Institutionelle ■ (or) Régionale					e. Promotion et mise en valeur du bien	Oui 🗀		
Nationale					f. Efficacité des mécanismes de gestion du bien	Oui 🛮		
					g. Efficacité du cadre juridique	Oui 📕	Non 🗆	
5. Un plan de gestion existe-t-il pour le bien	? Oui	Non□ En préparation [h. Efficacité du cadre institutionnel au niveau national	Oui 🛮	Non 🗆	
•					i. Moyens logistiques et techniques alloués au bien	0ui □		
6. Quels modes de construction sont représe	ntés ?		Commontaires		j. Nombre de personnel employé Nbr:	Oui 🗆		
a. Pisé (terre compactée)			Commentaires		k. Niveau de compétence du personnel d'encadremen			
b. Adobe (briques de terre crue)					I. Niveau de compétence du personnel technique	Oui E		
	ੂ							
c. Torchis (terre et structure végétale)	H				m. Participation / support des décideurs locaux	Oui L		
d. Bauge (terre façonnée)					n. Activités éducatives sur le site		Non -	
e. Autres					o. Participation de la population locale	Oui 📕		
					p. Contribution au développement local Oui 🗌 Non	n Ec	conomique Sociale 🗌	Culturelle 🗌
7. Le matériau terre est-il présent dans ?	_		Commentaires					
a. Les murs					13. Parmi la liste d'activités suivante, pouvez vous cl		oar ordre de priorité (de 1 à 5)	Commentaires
b. Les sols					celles qui vous semblent nécessaires pour le bien	1:	Un inventaire général du bien s'avère n	ácoccaira. Los rácultats obtoque
c. Les plafonds et/ou toitures					a. Documenter le bien	1	permettront aux gestionnaires du patri	
d. Les mortiers					b. Renforcer la législation pour le patrimoine		plus approfondie du bien et faciliteront	
e. Les décorations intérieures					c. Réviser le plan de gestion		de laquelle l'on pourra mener d'autres	activités à l'instar de sa mise
f. Les décorations extérieures	=				d. Renforcer les capacités des gestionnaires	3	en valeur	
g. Autres:	_				e. Renforcer les capacités des ouvriers			
g. Addics.					f. Conserver les structures en terre	4		
8. En quelle proportion le matériau terre est	-il prácost	dans la hâti ?			g. Améliorer les équipements	2		
8. En quene proportion le materiau terre est	-ıı present	dans le pati :	Commentaires					
40/ >20/ 🗆					h. Sensibiliser les populations locales	5		
1 % à 2 % \square 25 % à 50 %					i. Promouvoir et mettre en valeur le bien			
50 % à 75 %					j. Autres :	_		
9. La vitesse de dégradation des structures e	n ter <u>re</u> est	:	Commentaires					
Rapide Lente			tommentones		14. Remarques et suggestions complémentaires	:		
Progressive Stabilisée					Malgré son importance due au fait ce site suscite l'admiration		nbreux visiteurs, le Koutammakou	connaît plusieurs problèmes
· ·					à savoir :		·	
					-l'insuffisance du personnel : le Conservateur est le seul profe	ssionnel	formé et émargeant sur le budget	de l'Etat togolais. Il est aidé
10. Existe-t-il est système régulier de mainte	enance				dans sa tâche par trois agents temporaires recrutés et payés p	par le Se	ervice de Conservation du Koutamn	nakou. Ceux-ci, n'ont aucune
Traditionnel			Commentaires		notion en conservation du patrimoine immobilier.			
Institutionnel								Informations
Pas de maintenance réqulière					Ce questionnaire a été rempli par : ALIZIM Badoualou Karka	Po	OSITION: Gestionnaire	Date: 15 / 01 / 2010
ras de maintenance regunere				2.42	Institution: Service de Conservation et de Promotion du Site Ko			13 / 01 / =-10
				242			. ,	

Tombs of Buganda Kings at Kasubi

1. To which heritage categories can the property (cf. Filling the Gaps, ICOMOS 2005, see annexed	y be as	sociated ?		11. Among the following (from 1 to 4) those affecti		by orde	er of prio	rity	•	Comments
a. Archaeological site c. Historic buildings e. Urban settlements g. Vernacular architecture i. Agricultural, industrial and technological propert k. Cultural landscapes, parks and gardens m. Burial monuments and sites 2. What is the current use of the property? a. Not in use anymore		b. Rock-art sites d. Historic ensembles f. Rural settlements h. Religious properties j. Military properties l. Cultural routes n. Symbolic properties and r	memorials Comments	a. Natural erosion b. Weather changes c. Pollution d. Development of infrastruc e. Lack of respect of the valu f. Lack of capacities to mana g. Lack of technical or financ h. Vandalism, theft and othe i. Need to adapt to modern r j. Change of status of the ow	tures le of heritage ge the site ial means r illegal activities needs	2 3 4 1				
b. Living heritage c. Used as originally intended				k. Abandonment						
d. New use Specify:				12. Do you deem the follo	wing aspects satisfacto	rv?				Comments
 3. Is the property owned by the Government? 4. The institution in charge of the site is: a. Traditional b. Local Institutional (or) Regional National 	Yes	No 🔳	Comments	a. Heritage site documentati b. Authenticity c. General state of conservat d. Durability of conservation e. Promotion and valorisation f. Efficiency of site managem	on on earthen structures works carried out not the site	Yes ☐ Yes ■	No N	The site conservation fair but only lack of activities at the site. To understand the the Heritage Site.	f accountabili	ty of the
5. Is there a management plan for the property ?		No □ In preparation □]	g. Efficiency of legal framew h. Efficiency of institutional fram	ork mework at a National level	Yes □ Yes □	No No	Therefore awarenes	s is lacking	
6. What types of construction techniques are fe	atured?			i. Logistic and technical meanj. Staff number Nbr:	ns for the site	Yes □ Yes □	No No			
a. Rammed earth (compacted earth) b. Adobe (bricks made with raw earth) c. Wattle and daub (earth and vegetal structure) d. Cob (shaped earth) e. Other		The previous management plan has been managent plan is soon to be distributed t		k. Skills of managerial staff l. Skills of technical staff m. Involvementc/support of n. Educational activities at th o. Participation of local popu	e site lations	Yes ■ Yes ■ Yes □ Yes □ Yes □	No ☐ No ☐ No ☐ No ☐			
7. Earth is featured on				p. Contribution to local devel	opment Yes 🗌 No 🖿	Econon	nical 🗌	Social 🗌 Cu	Itural 🗌	
a. Walls b. Floors c. Ceilings and/or roofs d. Mortars e. Interior decorations f. Exterior decorations g. Other:			Comments	13. Among the following it those that seem necessary a. Site documentation b. To reinforce the legal fram c. To update the management d. To reinforce the capacities e. To reinforce the skills of sif. To preserve the earthen st	y for the site nework nt plan of site managers te workers cructures	1 	of priori	ty (from 1 to 5)		Comments
8. What is the approximate proportion of earths	en mat	erials	Comments	g. To improve the facilities						
present within the property? 1 % to 25 % □ 25 % to 50 % 50 % to 75 % ■ 75 % to 100 %				h. Sensitization of local popu i. Promotion and valorisation j. Other :		4 5				
9. The speed of degradation of the structure is			Comments							
Fast Slow Progressive Stabilised			Comments	14. Additional general cor	mments and remarks :					
10. Is there a regular maintenance mechanism			Comments							
Traditional Institutionally planned No maintenance mechanism		There are some challenges to implement at the site. This is possibly due to little fur organisation.			ne: Kigongo Remigius Pi ion: Museum Uganda	osition: H	eritage Conse	rvator		ormations / 01 / 2010

Casbah d'Alger

1. A quelle famille du patrimoine le bien peut- (cf. Filling the Gaps, ICOMOS 2005)	il être as:	socié ?			11. Parmi la liste des menaces suivante, pouvez vocelles qui affectent le bien (de 1 à 4)	ous cla	asser par ordre	de priorité	Commentaires
a. Patrimoine archéologique		b. Sites d'art rupestre			a. Erosion naturelle	1			
c. Edifices historiques		d. Ensembles historiques			b. Changement climatique	2			
e. Etablissements urbains		f. Etablissement ruraux			c. Pollution				
g. Architecture vernaculaire		h. Biens religieux			d. Développement d'infrastructures				
i. Biens agricoles, industriels et technologiques		j. Biens militaires			e. Non respect des valeurs patrimoniales				
k. Paysages culturels, parcs et jardins		l. Itinéraires culturels			f. Manque de capacités pour gérer le bien				
m. Monuments et sites funéraires		n. Biens symboliques et mé	émoriaux		g. Moyens techniques et financiers				
2 One Heart Matthewater and the Joseph 2					h. Vandalisme, vol, autres pratiques illégales				
2. Quelle est l'utilisation actuelle du bien ?			Commentaire	25	i. Adaptation aux standards modernes	3			
a. Il n'est plus utilisé					j. Changement de statut des propriétaires	5			
b. Patrimoine vivant					k. Abandon	[2]			
c. Il a gardé son usage initial					43 1	_			
d. Nouvel usage :	🗀				12. Jugez-vous satisfaisants les aspects suivants	f			Commentaires
3. Le bien est-il propriété de l'Etat ?	Oui 🗆	Non□			a. Documentation du bien	∩ui l	■ Non □		tommenton es
5. Le bien est il propriete de l'Etat .	ou. _		Commentaire	25	b. Authenticité du bien		Non 🗆		
4. L'institution en charge du bien est :			Commence		c. Etat général de conservation des structures en terre				
a. Traditionnelle b. Locale					d. Durabilité des travaux de conservation effectués		Non 🗆		
Institutionelle (or) Régionale	_				e. Promotion et mise en valeur du bien		□ Non ■		
Nationale	H				f. Efficacité des mécanismes de gestion du bien		□ Non □		
Nationale					q. Efficacité du cadre juridique		Non 🗆		
5. Un plan de gestion existe-t-il pour le bien ?	Oui ■	Non 🗌 En préparation 🛭			, ,		■ Non □		
3. On plan de gestion existe-t-n pour le bien :	001 =	Non					Non 🗆		
6. Quels modes de construction sont représente	ic ?				j. Nombre de personnel employé Nbr:		□ Non ■		
a. Pisé (terre compactée)			Commentaire	25	k. Niveau de compétence du personnel d'encadremen				
b. Adobe (briques de terre crue)					I. Niveau de compétence du personnel technique		□ Non ■		
c. Torchis (terre et structure végétale)	H				m. Participation / support des décideurs locaux		□ Non ■		
d. Bauge (terre façonnée)	8				n. Activités éducatives sur le site		□ Non ■		
e. Autres					o. Participation de la population locale		Non		
C. Addici					p. Contribution au développement local Oui ■ Non			Sociale□	Culturelle
7. Le matériau terre est-il présent dans ?			Commentaire		p. contribution of developpement local our and inter-		conomique 🗀	Jocidic 🗀	contorenc _
a. Les murs			Commentaire	25	13. Parmi la liste d'activités suivante, pouvez vous cla	asser D	ar ordre de prio	rité (de 1 à 5)	Commentaires
b. Les sols					celles qui vous semblent nécessaires pour le bien			(/	
c. Les plafonds et/ou toitures					a. Documenter le bien				
d. Les mortiers					b. Renforcer la législation pour le patrimoine				
e. Les décorations intérieures					c. Réviser le plan de gestion				
f. Les décorations extérieures					d. Renforcer les capacités des gestionnaires	1			
g. Autres:	_				e. Renforcer les capacités des ouvriers	2			
					f. Conserver les structures en terre	3			
8. En quelle proportion le matériau terre est-il	présent d	ans le bâti ?	Commentaire	25	g. Améliorer les équipements				
					h. Sensibiliser les populations locales	4			
1 % à 2 % 🗌 25 % à 50 %					i. Promouvoir et mettre en valeur le bien	5			
50 % à 75 % 🗌 75 % à 100 %					j. Autres :	-			
9. La vitesse de dégradation des structures en t			Commentaire	es					
Rapide Lente					14. Remarques et suggestions complémentaires	:			
Progressive Stabilisée									
10. Existo-t-il est système ségulies de mainten									
10. Existe-t-il est système régulier de maintena Traditionnel			Commentaire	25					
Institutionnel									Informations
Pas de maintenance régulière					Ce questionnaire a été rempli par : ZEKAGH Abdelouahab	Posi	tion: Gestionnaire of	de site chef	Date: 03 / 12/20
1 do de maintenance reguliere				244	Institution: Office national de gestion et d'expoitation des biens cu		de projet du p	olan de	

Erbil Citadel

1. To which heritage categories can the propert	y be asso	ociated ?		11. Among the following threats, please indicate	by order o	f priority	Comments
(cf. Filling the Gaps, ICOMOS 2005, see annexed	table)			(from 1 to 4) those affecting the site			
a. Archaeological site		b. Rock-art sites		a. Natural erosion	1		
c. Historic buildings		d. Historic ensembles			2		
3					3		
e. Urban settlements		f. Rural settlements			_		
g. Vernacular architecture		h. Religious properties					
i. Agricultural, industrial and technological propert		j. Military properties			4		
k. Cultural landscapes, parks and gardens		I. Cultural routes		f. Lack of capacities to manage the site			
m. Burial monuments and sites		n. Symbolic properties and me					
m. bundi monuments and sites		iii symbolic properties and me	cilionois \Box				
2 What is the success one of the accessor.							
2. What is the current use of the property?			Comments				
a. Abandoned							
b. Original use				k. Abandonment			
c. New use : Cultural							
c. New disc.	•			12. Do you deem the following aspects satisfacto	ru?		
							Comments
		_		a. Heritage site documentation			
3. Is the property owned by the Government?	Yes	No 🗌		b. Authenticity	Yes ■ No	o 🔲	
			Comments	c. General state of conservation of earthen structures	Yes ■ No	o 🔲	
4. The institution in charge of the site is :				d. Durability of conservation works carried out			
				e. Promotion and valorisation of the site		o ■	
						_	
c. Local d. Regional				f. Efficiency of site management strategies		D 🔲	
e. National \square				g. Efficiency of legal framework	Yes ■ No	0 🔲	
				h. Efficiency of institutional framework at a National level	Yes No	o 🗆	
5. Is there a management plan for the property?	Yes ■	No 🗌 🛮 In preparation 🗀		i. Logistic and technical means for the site			
, , , ,				j. Staff number		o ■	
6. What types of construction techniques are fo	aturad?						
6. What types of construction techniques are fe			Comments	k. Skills of managerial staff		D 🔲	
a. Rammed earth (compacted earth)				I. Skills of technical staff	Yes ■ No	o 🔲	
b. Adobe (bricks made with raw earth)				m.Involvementc/support of local decision makers	Yes ■ No	o 🗌	
c. Wattle and daub (earth and vegetal structure)				n. Educational activities at the site		0 ■	
d. Cob (shaped earth)							
				o. Participation of local populations		o =	
e. Other <u>fired brick masonry</u>				p. Contribution to local development		D 🔲	
				q. Site interpretation	Yes ■ No	o 🔲	
7. Earth is featured on			Comments	r. Risk preparedness	Yes ■ No	0 🗆	
a. Walls			Comments	Nisk prepareditess			
b. Floors				42. Among the fellowing items, places indicate h			
	_			13. Among the following items, please indicate b	y oraer or	priority (from 1 to 5)	Comments
c. Ceilings and/or roofs				those that seem necessary for the site			
d. Mortars				a. Site documentation	4		
e. Interior decorations							
f. Exterior decorations				the state of the s			
	占				3		
g. Other:	🗀						
					5		
8. What is the approximate proportion of earth	en matei	rials	Comments		1		
present within the property?			Comments		2		
1 % to 25 %							
50 % to 75 %							
				j. Other :			
9. The speed of degradation of the structure is			Comments				
Fast Slow			Comments				
Progressive Stabilised				4.4. Additional appears comments and compeles .			
Trogressive				14. Additional general comments and remarks :			
10. Is there a regular maintenance mechanism			Commonts				
Traditional			Comments				
Institutionally planned							Informations
No maintenance mechanism				Filled out by: Dara al Yaqoobi Position: Di	rector	Date:	24 / 11 / 2014
				2/15 Institution: High commission for Erbil Citadel Revitalization			, ,

Old Town of Ghadamès

1. To which heritage categories can the propert						wing threats, please indicate	by orde	er of priori	ity		Comments
(cf. Filling the Gaps, ICOMOS 2005, see annexed a. Archaeological site c. Historic buildings e. Urban settlements g. Vernacular architecture i. Agricultural, industrial and technological propert k. Cultural landscapes, parks and gardens m. Burial monuments and sites		b. Rock-art sites d. Historic ensembles f. Rural settlements h. Religious properties j. Military properties l. Cultural routes n. Symbolic properties and	memorials]]]]	a. Natural erosion b. Weather changes c. Pollution d. Development of it e. Lack of respect of f. Lack of capacities g. Lack of technical of h. Vandalism, theft a	nfrastructures the value of heritage to manage the site or financial means and other illegal activities	2 1 3 4 —				
What is the current use of the property? a. Not in use anymore			Comments		i. Need to adapt to rj. Change of status of						
b. Living heritage c. Used as originally intended d. New use		This is a living heritage where there is co lism which started hundred of years ago			k. Abandonment						
3. Is the property owned by the Government ?	Voc	■ No ■			10. Do you deem t a. Heritage site docu	he following aspects satisfact		I No □			Comments
4. The institution in charge of the site is: a. Traditional			Comments		b. Authenticity c. General state of co d. Durability of conso e. Promotion and va f. Efficiency of site m	onservation of earthen structures ervation works carried out lorisation of the site nanagement strategies	Yes Yes Yes Yes Yes	No			
4. Is there a management plan for the property	? Yes	☐ No ■ In preparation	n 🗆			itional framework at a National lev	vel Yes				
5. What types of construction techniques are fe a. Rammed earth (compacted earth) b. Adobe (bricks made with raw earth) c. Wattle and daub (earth and vegetal structure) d. Cob (shaped earth) e. Other	atured	?	Comments		j. Staff number k. Skills of manageri l. Skills of technical s	staff pport of local decision makers ties at the site	Yes Yes Yes Yes Yes Yes Yes	No			
	ப					cal development Yes I No [Social	Cultural 🗌	
a. Walls b. Floors c. Ceilings and/or roofs d. Mortars e. Inte r decorations f. Exterior decorations g. Other:			Comments		those that seem not a. Site documentation b. To reinforce the le c. To update the man	gal framework nagement plan apacities of site managers	2 3 4	er of priori	ty (from 1 to	, 5)	Comments
7. What is the approximate proportion of earth	en mai	erials			f. To preserve the eag. To improve the fa		1				
present within the property? 1 % to 25 % □ 25 % to 50 % 50 % to 75 % □ 75 % to 100	. <u> </u>		Comments		h. Sensitization of lo i. Promotion and va j. Other :	cal populations	5				
8. The speed of degradation of the structure is Fast Slow Progressive Stabilised			Comments		12. Additional gen	eral comments and remarks :	:				
9. Is there a regular maintenance mechanism			Comments								
Traditional Institutionally planned No maintenance mechanism					Filled out by >	Name: Ibrahim B. Malil	Positio				nformations 13 /01/ 2010
				246		Institution: National Commission For I	Museums a	and Monument	š		

Ksar d'Aït-Ben-Haddou

Pas de maintenance régulière

1. A quelle famille du patrimoine le bien peu	t-il être a	ssocié ?		11. Parmi la liste des menaces suivante, pouvez v	ous o	lasser par ordre de priorité	Commentaires
(cf. Filling the Gaps, ICOMOS 2005) a. Patrimoine archéologique c. Edifices historiques e. Etablissements urbains g. Architecture vernaculaire i. Biens agricoles, industriels et technologiques k. Paysages culturels, parcs et jardins m. Monuments et sites funéraires 2. Quelle est l'utilisation actuelle du bien ? a. Il n'est plus utilisé		b. Sites d'art rupestre d. Ensembles historiques f. Etablissement ruraux h. Biens religieux j. Biens militaires l. Itinéraires culturels n. Biens symboliques et mér	Commentaires	 b. Changement climatique c. Pollution d. Développement d'infrastructures e. Non respect des valeurs patrimoniales f. Manque de capacités pour gérer le bien g. Moyens techniques et financiers h. Vandalisme, vol, autres pratiques illégales i. Adaptation aux standards modernes j. Changement de statut des propriétaires 	4 	L'abandon est la principale menace pou repopulation dépendra du niveau de co traditionnels. Le plan de gestion 2007 - 2012 prévoit revitaliser le site.	nfort offert par les logements
b. Patrimoine vivant c. Il a gardé son usage initial d. Nouvel usage :		habitent encore le Ksar. L'usage principal		k. Abandon 12. Jugez-vous satisfaisants les aspects suivants			
6. 1100ver 030ge .				12. jugus 1003 sausiaisanis les aspects santanis			Commentaires
 3. Le bien est-il propriété de l'Etat ? 4. L'institution en charge du bien est : a. Traditionnelle	tés ?	Un comité de gestion rassemblant un vass nantes publiques et privées prend les gra Le suivi et la conservation sont en grande pour le ministère de la Culture.	ndes décisions pour le site. partie assurés par le CERKAS	f. Efficacité des mécanismes de gestion du bien g. Efficacité du cadre juridique h. Efficacité du cadre institutionnel au niveau national i. Moyens logistiques et techniques alloués au bien j. Nombre de personnel employé Nbr: k. Niveau de compétence du personnel d'encadremer l. Niveau de compétence du personnel technique	Oui	Non □	
c. Torchis (terre et structure végétale) d. Bauge (terre façonnée) e. Autres				m. Participation / support des décideurs locaux n. Activités éducatives sur le site o. Participation de la population locale p. Contribution au développement local Oui □ Nor	Oui Oui	Non □ Non ■ Non ■ Sociale □	Culturelle □
7. Le matériau terre est-il présent dans ? a. Les murs b. Les sols c. Les plafonds et/ou toitures d. Les mortiers e. Les décorations intérieures f. Les décorations extérieures g. Autres:			Commentaires	13. Parmi la liste d'activités suivante, pouvez vous celles qui vous semblent nécessaires pour le bier a. Documenter le bien b. Renforcer la législation pour le patrimoine c. Réviser le plan de gestion d. Renforcer les capacités des gestionnaires e. Renforcer les capacités des ouvriers f. Conserver les structures en terre	lasser 1: 3		Commentaires
8. En quelle proportion le matériau terre est-i 1 % à 2 %	il présent □ ■	dans le bâti ?	Commentaires	g. Améliorer les équipements h. Sensibiliser les populations locales i. Promouvoir et mettre en valeur le bien j. Autres :	5		
9. La vitesse de dégradation des structures en Rapide ☐ Lente Progressive ■ Stabilisée	terre es	t:	Commentaires	14. Remarques et suggestions complémentaires	:		
10. Existe-t-il est système régulier de mainter Traditionnel Institutionnel	nance	Le site est nettoyé occasionnellement. Le de conservation sont nombreux, mais pas		Ce questionnaire a été rempli par : Mohamed B	oussa R0	sition:	Informations Date: / / 20

Institution: CERKAS

247

Medina de Marrakech

1. A quelle famille du patrimoine le bien peut-i (cf. Filling the Gaps, ICOMOS 2005) a. Patrimoine archéologique c. Edifices historiques e. Etablissements urbains g. Architecture vernaculaire i. Biens agricoles, industriels et technologiques k. Paysages culturels, parcs et jardins m. Monuments et sites funéraires 2. Quelle est l'utilisation actuelle du bien ? a. Il n'est plus utilisé b. Patrimoine vivant	l être a	b. Sites d'art rupestre d. Ensembles historiques f. Etablissement ruraux h. Biens religieux j. Biens militaires l. Itinéraires culturels n. Biens symboliques et mémoriaux Commentaire: La médina de Marrakech garde toujours sa fonction initiale en tant		11. Parmi la liste des menaces suivante, pouvez vocelles qui affectent le bien (de 1 à 4) a. Erosion naturelle b. Changement climatique c. Pollution d. Développement d'infrastructures e. Non respect des valeurs patrimoniales f. Manque de capacités pour gérer le bien g. Moyens techniques et financiers h. Vandalisme, vol, autres pratiques illégales i. Adaptation aux standards modernes j. Changement de statut des propriétaires k. Abandon	ous classer	r par ordre de priorité	Commentaires
c. Il a gardé son usage initial d. Nouvel usage :		qu'établissement humain urbain. Les divers statuts de propriété et d'occupation s'y côtoient.		12. Jugez-vous satisfaisants les aspects suivants ?			
3. Le bien est-il propriété de l'Etat ? 4. L'institution en charge du bien est : a. Traditionnelle □ b. Locale Institutionelle ■ (or) Régionale Nationale	Oui [Non Commentaire: L'Inspection des monuments historiques et sites de la région Marrakech Tensift Al Haouz sous tutelle du Ministère de la Culture, est la principale institution en charge de la médina de Marrakech en tant que bien culturel inscrit sur la liste du patrimoine mondial depuis	a	a. Documentation du bien b. Authenticité du bien c. Etat général de conservation des structures en terre d. Durabilité des travaux de conservation effectués e. Promotion et mise en valeur du bien f. Efficacité des mécanismes de gestion du bien	Oui	Non Non Non Non Non Non Non Non	Commentaires
5. Un plan de gestion existe-t-il pour le bien ? 6. Quels modes de construction sont représenté a. Pisé (terre compactée) b. Adobe (briques de terre crue) c. Torchis (terre et structure végétale) d. Bauge (terre façonnée)	Oui □	Non□ En préparation ■ Commentaire	s	 h. Efficacité du cadre institutionnel au niveau national i. Moyens logistiques et techniques alloués au bien j. Nombre de personnel employé Nbr: k. Niveau de compétence du personnel d'encadrement l. Niveau de compétence du personnel technique m. Participation / support des décideurs locaux n. Activités éducatives sur le site 	Oui ☐ N Oui ☐ N	Non Non Non Non Non Non Non Non	
e. Autres 7. Le matériau terre est-il présent dans ? a. Les murs b. Les sols c. Les plafonds et/ou toitures d. Les mortiers e. Les décorations intérieures f. Les décorations extérieures g. Autres:		Commentaire	s	o. Participation de la population locale p. Contribution au développement local Oui Non[13. Parmi la liste d'activités suivante, pouvez vous cla celles qui vous semblent nécessaires pour le bien a. Documenter le bien b. Renforcer la législation pour le patrimoine c. Réviser le plan de gestion d. Renforcer les capacités des gestionnaires e. Renforcer les capacités des ouvriers f. Conserver les structures en terre	sser par or	mique Sociale Cu	lturelle Commentaires
8. En quelle proportion le matériau terre est-il p	orésent	dans le bâti ? Commentaire:	s	g. Améliorer les équipements			
1 % à 2 %				h. Sensibiliser les populations locales i. Promouvoir et mettre en valeur le bien j. Autres :	=		
9. La vitesse de dégradation des structures en to Rapide ☐ Lente Progressive ☐ Stabilisée	erre es	t: Commentaire	S	14. Remarques et suggestions complémentaires : 1- renforcement des resources humaines et logistiques et financières de médina de Marrakech en tant que bien patrimonial. Les rôles et pouvoirs de loi.	l'Inspection de de cette insti	tution doivent être clairement défini	es et renforcés par des textes
10. Existe-t-il est système régulier de maintena	_	Commentaire	s	Revoir et mettre à jour les lois de protection de la médina et les texte sauvegarde ou du moins d'aménagement) qui a force de loi. Mettre en place un atelier ou un laboratoire d'étude et d'analyse des l			un pian de gestion (de
Traditionnel Institutionnel Pas de maintenance régulière		Pour les remparts et les monuments historiques. Les gens préfèrent l'utilisation du ciment et les matériaux nouveaux lors des reconstruc- tions		la terre et ses dérivés.	^{uz} Positior	n: Inspecteur Régional des mo- numents et sites à Marrakech	Informations Date: 03 /01/ 2010

248

rakech Tensift Al Haouz (Ministère de la Culture)

Bahla Fort

1. To which heritage categories can the propert (cf. Filling the Gaps, ICOMOS 2005, see annexed a. Archaeological site c. Historic buildings e. Urban settlements g. Vernacular architecture i. Agricultural, industrial and technological propert k. Cultural landscapes, parks and gardens m. Burial monuments and sites 2. What is the current use of the property? a. Not in use anymore b. Living heritage c. Used as originally intended d. New use Specify:	y be asso table)	b. Rock-art sites d. Historic ensembles f. Rural settlements h. Religious properties j. Military properties l. Cultural routes n. Symbolic properties and memorials		11. Among the following threats, please indicate by order of priority (from 1 to 4) those affecting the site a. Natural erosion b. Weather changes c. Pollution d. Development of infrastructures e. Lack of respect of the value of heritage f. Lack of capacities to manage the site g. Lack of technical or financial means h. Vandalism, theft and other illegal activities i. Need to adapt to modern needs j. Change of status of the owners k. Abandonment
3. Is the property owned by the Government? 4. The institution in charge of the site is: a. Traditional b. Local Institutional (or) Regional National	Yes	No 🗆		12. Do you deem the following aspects satisfactory? a. Heritage site documentation Yes No Documentation Not
 5. Is there a management plan for the property? 6. What types of construction techniques are feea. Rammed earth (compacted earth) b. Adobe (bricks made with raw earth) c. Wattle and daub (earth and vegetal structure) d. Cob (shaped earth) e. Other 		No ☐ In preparation ■		g. Efficiency of legal framework h. Efficiency of institutional framework at a National level i. Logistic and technical means for the site j. Staff number k. Skills of managerial staff l. Skills of technical staff m. Involvementc/support of local decision makers n. Educational activities at the site o. Participation of local populations p. Contribution to local development Yes No Economical Social Cultural
7. Earth is featured on a. Walls b. Floors c. Ceilings and/or roofs d. Mortars e. Interior decorations f. Exterior decorations g. Other: 8. What is the approximate proportion of earth present within the property? 1 % to 25 %	en materi	als		13. Among the following items, please indicate by order of priority (from 1 to 5) those that seem necessary for the site a. Site documentation b. To reinforce the legal framework c. To update the management plan d. To reinforce the capacities of site managers e. To reinforce the skills of site workers f. To preserve the earthen structures g. To improve the facilities h. Sensitization of local populations i. Promotion and valorisation activities j. Other:
9. The speed of degradation of the structure is Fast Slow Progressive Stabilised	•			14. Additional general comments and remarks :
10. Is there a regular maintenance mechanism Traditional Institutionally planned No maintenance mechanism			249	Filled out by > Name: Ahmed Mohammed Al- Tamimi Position: Institution: Ministry of Heritage and Culture - Sultanate of Oman Site manager of Bahla fort

249

Historic Jeddah, theh Gate to Makkah

1. To which heritage categories can the propert		ciated ?		11. Among the following threats, please indicate	e by order of prio	ority	Comments
(cf. Filling the Gaps, ICOMOS 2005, see annexed	table)			(from 1 to 4) those affecting the site			
a. Archaeological site	님	b. Rock-art sites		a. Natural erosion			
c. Historic buildings		d. Historic ensembles					
e. Urban settlements		f. Rural settlements					
g. Vernacular architecture		h. Religious properties					
i. Agricultural, industrial and technological propert		j. Military properties		e. Lack of respect of the value of heritage	_		
k. Cultural landscapes, parks and gardens		l. Cultural routes		·			
m. Burial monuments and sites		n. Symbolic properties and memorials	s 🗆	3			
2 101 - 4 1 - 4 1				,			
2. What is the current use of the property?			Comments	i. Need to adapt to modern needs			
a. Abandoned				j. Change of status of the owners			
b. Original use				k. Abandonment			
c. New use : <u>Commercial</u>				42 Danier dans the fallenties are est estisfante			
				12. Do you deem the following aspects satisfacto			Comments
2 Is the accounty award by the Coversment 2	Vac	No.		a. Heritage site documentation	Yes No		
3. Is the property owned by the Government?	res_	No ■		b. Authenticity	Yes ■ No □		
4 The institution in shape of the site is .			Comments	c. General state of conservation of earthen structures			
4. The institution in charge of the site is :				d. Durability of conservation works carried out	Yes ☐ No ■		
a. Traditional D. Institutional				e. Promotion and valorisation of the site	Yes □ No ■		
c. Local				f. Efficiency of site management strategies	Yes ■ No □		
e. National \square				g. Efficiency of legal framework	Yes □ No ■		
5. Is there a management plan for the property ?	Voc =	No 🗌 In preparation 🗌		h. Efficiency of institutional framework at a National level			
5. is there a management plan for the property:	162	NO III preparation		i. Logistic and technical means for the site	Yes □ No ■		
6. What types of construction techniques are fe	aturad?			j. Staff number	Yes ☐ No ■		
a. Rammed earth (compacted earth)	_		Comments	k. Skills of managerial staff	Yes No		
b. Adobe (bricks made with raw earth)				I. Skills of technical staff	Yes ■ No □		
,				m.Involvementc/support of local decision makers	Yes □ No ■		
c. Wattle and daub (earth and vegetal structure)				n. Educational activities at the site	Yes □ No ■		
d. Cob (shaped earth)				o. Participation of local populations	Yes □ No ■		
e. Other <u>Coral Stone</u>				p. Contribution to local development	Yes ■ No □		
7 Fasth is fastured as				q. Site interpretation	Yes ☐ No ■		
7. Earth is featured on			Comments	r. Risk preparedness	Yes □ No ■		
a. Walls b. Floors							
D. FIOOIS							Comments
				13. Among the following items, please indicate b	by order of priori	ity (from 1 to 5)	Comments
c. Ceilings and/or roofs				those that seem necessary for the site		ity (from 1 to 5)	Comments
c. Ceilings and/or roofs d. Mortars				those that seem necessary for the site a. Site documentation	1	ity (from 1 to 5)	Comments
c. Ceilings and/or roofs d. Mortars e. Interior decorations				those that seem necessary for the site a. Site documentation b. To reinforce the legal framework	1	ity (from 1 to 5)	Comments
c. Ceilings and/or roofs d. Mortars e. Interior decorations f. Exterior decorations				those that seem necessary for the site a. Site documentation b. To reinforce the legal framework c. To update the management plan	1 1 2	ity (from 1 to 5)	Comments
c. Ceilings and/or roofs d. Mortars e. Interior decorations				those that seem necessary for the site a. Site documentation b. To reinforce the legal framework c. To update the management plan d. To reinforce the capacities of site managers	1 1 2 4	ity (from 1 to 5)	Comments
c. Ceilings and/or roofs d. Mortars e. Interior decorations f. Exterior decorations g. Other:		iala.		those that seem necessary for the site a. Site documentation b. To reinforce the legal framework c. To update the management plan d. To reinforce the capacities of site managers e. To reinforce the skills of site workers	1 1 2 4	ity (from 1 to 5)	Comments
c. Ceilings and/or roofs d. Mortars e. Interior decorations f. Exterior decorations g. Other: 8. What is the approximate proportion of earth		ials	Comments	those that seem necessary for the site a. Site documentation b. To reinforce the legal framework c. To update the management plan d. To reinforce the capacities of site managers e. To reinforce the skills of site workers f. To preserve the earthen structures	1 1 2 4 1	ity (from 1 to 5)	Comments
c. Ceilings and/or roofs d. Mortars e. Interior decorations f. Exterior decorations g. Other: 8. What is the approximate proportion of earth present within the property?	en mater	ials	Comments	those that seem necessary for the site a. Site documentation b. To reinforce the legal framework c. To update the management plan d. To reinforce the capacities of site managers e. To reinforce the skills of site workers f. To preserve the earthen structures g. To improve the facilities		ity (from 1 to 5)	Comments
c. Ceilings and/or roofs d. Mortars e. Interior decorations f. Exterior decorations g. Other: 8. What is the approximate proportion of earth present within the property? 1 % to 25 %	en mater	ials	Comments	those that seem necessary for the site a. Site documentation b. To reinforce the legal framework c. To update the management plan d. To reinforce the capacities of site managers e. To reinforce the skills of site workers f. To preserve the earthen structures g. To improve the facilities h. Sensitization of local populations		ity (from 1 to 5)	Comments
c. Ceilings and/or roofs d. Mortars e. Interior decorations f. Exterior decorations g. Other: 8. What is the approximate proportion of earth present within the property?	en mater	ials	Comments	those that seem necessary for the site a. Site documentation b. To reinforce the legal framework c. To update the management plan d. To reinforce the capacities of site managers e. To reinforce the skills of site workers f. To preserve the earthen structures g. To improve the facilities h. Sensitization of local populations i. Promotion and valorisation activities		ity (from 1 to 5)	Comments
c. Ceilings and/or roofs d. Mortars e. Interior decorations f. Exterior decorations g. Other: 8. What is the approximate proportion of earth present within the property? 1 % to 25 %	en mater	ials	Comments	those that seem necessary for the site a. Site documentation b. To reinforce the legal framework c. To update the management plan d. To reinforce the capacities of site managers e. To reinforce the skills of site workers f. To preserve the earthen structures g. To improve the facilities h. Sensitization of local populations i. Promotion and valorisation activities		ity (from 1 to 5)	Comments
c. Ceilings and/or roofs d. Mortars e. Interior decorations f. Exterior decorations g. Other: 8. What is the approximate proportion of earth present within the property? 1 % to 25 %	en mater		Comments	those that seem necessary for the site a. Site documentation b. To reinforce the legal framework c. To update the management plan d. To reinforce the capacities of site managers e. To reinforce the skills of site workers f. To preserve the earthen structures g. To improve the facilities h. Sensitization of local populations i. Promotion and valorisation activities		ity (from 1 to 5)	Comments
c. Ceilings and/or roofs d. Mortars e. Interior decorations f. Exterior decorations g. Other: 8. What is the approximate proportion of earth present within the property? 1 % to 25 %	en mater			those that seem necessary for the site a. Site documentation b. To reinforce the legal framework c. To update the management plan d. To reinforce the capacities of site managers e. To reinforce the skills of site workers f. To preserve the earthen structures g. To improve the facilities h. Sensitization of local populations i. Promotion and valorisation activities j. Other:		ity (from 1 to 5)	Comments
c. Ceilings and/or roofs d. Mortars e. Interior decorations f. Exterior decorations g. Other: 8. What is the approximate proportion of earth present within the property? 1 % to 25 %	en mater			those that seem necessary for the site a. Site documentation b. To reinforce the legal framework c. To update the management plan d. To reinforce the capacities of site managers e. To reinforce the skills of site workers f. To preserve the earthen structures g. To improve the facilities h. Sensitization of local populations i. Promotion and valorisation activities		ity (from 1 to 5)	Comments
c. Ceilings and/or roofs d. Mortars e. Interior decorations f. Exterior decorations g. Other: 8. What is the approximate proportion of earth present within the property? 1 % to 25 %	en mater			those that seem necessary for the site a. Site documentation b. To reinforce the legal framework c. To update the management plan d. To reinforce the capacities of site managers e. To reinforce the skills of site workers f. To preserve the earthen structures g. To improve the facilities h. Sensitization of local populations i. Promotion and valorisation activities j. Other:		ity (from 1 to 5)	Comments
c. Ceilings and/or roofs d. Mortars e. Interior decorations f. Exterior decorations g. Other: 8. What is the approximate proportion of earth present within the property? 1 % to 25 %	en mater			those that seem necessary for the site a. Site documentation b. To reinforce the legal framework c. To update the management plan d. To reinforce the capacities of site managers e. To reinforce the skills of site workers f. To preserve the earthen structures g. To improve the facilities h. Sensitization of local populations i. Promotion and valorisation activities j. Other:		ity (from 1 to 5)	Comments
c. Ceilings and/or roofs d. Mortars e. Interior decorations f. Exterior decorations g. Other: 8. What is the approximate proportion of earth present within the property? 1 % to 25 %	en mater			those that seem necessary for the site a. Site documentation b. To reinforce the legal framework c. To update the management plan d. To reinforce the capacities of site managers e. To reinforce the skills of site workers f. To preserve the earthen structures g. To improve the facilities h. Sensitization of local populations i. Promotion and valorisation activities j. Other:		ity (from 1 to 5)	Comments
c. Ceilings and/or roofs d. Mortars e. Interior decorations f. Exterior decorations g. Other: 8. What is the approximate proportion of earth present within the property? 1 % to 25 %	en mater		Comments	those that seem necessary for the site a. Site documentation b. To reinforce the legal framework c. To update the management plan d. To reinforce the capacities of site managers e. To reinforce the skills of site workers f. To preserve the earthen structures g. To improve the facilities h. Sensitization of local populations i. Promotion and valorisation activities j. Other:		ity (from 1 to 5)	Informations
c. Ceilings and/or roofs d. Mortars e. Interior decorations f. Exterior decorations g. Other: 8. What is the approximate proportion of earth present within the property? 1 % to 25 %	en mater		Comments	those that seem necessary for the site a. Site documentation b. To reinforce the legal framework c. To update the management plan d. To reinforce the capacities of site managers e. To reinforce the skills of site workers f. To preserve the earthen structures g. To improve the facilities h. Sensitization of local populations i. Promotion and valorisation activities j. Other: 14. Additional general comments and remarks:			Informations
c. Ceilings and/or roofs d. Mortars e. Interior decorations f. Exterior decorations g. Other: 8. What is the approximate proportion of earth present within the property? 1 % to 25 %	en mater		Comments	those that seem necessary for the site a. Site documentation b. To reinforce the legal framework c. To update the management plan d. To reinforce the capacities of site managers e. To reinforce the skills of site workers f. To preserve the earthen structures g. To improve the facilities h. Sensitization of local populations i. Promotion and valorisation activities j. Other: 14. Additional general comments and remarks:			

Site archéologique de Carthage

Pas de maintenance régulière

J			<u> </u>				
1. A quelle famille du patrimoine le bien peut	-il être as	socié ?		11. Parmi la liste des menaces suivante, pouvez v	ous cl	asser par ordre de priorité	Commentaires
(cf. Filling the Gaps, ICOMOS 2005) a. Patrimoine archéologique c. Edifices historiques e. Etablissements urbains g. Architecture vernaculaire i. Biens agricoles, industriels et technologiques k. Paysages culturels, parcs et jardins m. Monuments et sites funéraires		b. Sites d'art rupestre d. Ensembles historiques f. Etablissement ruraux h. Biens religieux j. Biens militaires l. Itinéraires culturels n. Biens symboliques et mé	émoriaux	celles qui affectent le bien (de 1 à 4) a. Erosion naturelle b. Changement climatique c. Pollution d. Développement d'infrastructures e. Non respect des valeurs patrimoniales f. Manque de capacités pour gérer le bien g. Moyens techniques et financiers h. Vandalisme, vol, autres pratiques illégales	3 	Le développement d'infrastructution qui est une forme d'adapta dernes (le manque des terrains tion dans la région-la charte de zone du bien) présentent les grupes de la comment de la c	ation aux standards mo- qui servent à la construc- e prestige associée à la randes menaces au bien. une menace sérieuse qui sion marine qu'est vigou-
2. Quelle est l'utilisation actuelle du bien ? a. Il n'est plus utilisé			Commentaires	i. Adaptation aux standards modernes j. Changement de statut des propriétaires	2	ie quartier magorij	
c. II nest plus atilise b. Patrimoine vivant c. Il a gardé son usage initial d. Nouvel usage :		Le site archéologique de Carthag historiques classés est un patrimo		k. Abandon 12. Jugez-vous satisfaisants les aspects suivants			
u. 1100ver usage .				12. Jugez-vous satisiaisants les aspects suivants	•		Commentaires
 3. Le bien est-il propriété de l'Etat ? 4. L'institution en charge du bien est : a. Traditionnelle □ b. Locale Institutionelle ■ (or) Régionale 	Oui	Non L'institut national du patrimoine se ch. la conservation du site et du musée de ministère de la culture et de la sauveg	Carthage sous la tutelle du	 a. Documentation du bien b. Authenticité du bien c. Etat général de conservation des structures en terre d. Durabilité des travaux de conservation effectués e. Promotion et mise en valeur du bien 	Oui l	Non Non Non	
Nationale 5. Un plan de gestion existe-t-il pour le bien ?		Non □ En préparation ■		f. Efficacité des mécanismes de gestion du bien g. Efficacité du cadre juridique h. Efficacité du cadre institutionnel au niveau national i. Moyens logistiques et techniques alloués au bien	Oui Oui Oui	Non	
6. Quels modes de construction sont représent a. Pisé (terre compactée)	es ?		Commentaires	 j. Nombre de personnel employé Nbr: k. Niveau de compétence du personnel d'encadremer 		Non Non	
b. Adobe (briques de terre crue) c. Torchis (terre et structure végétale) d. Bauge (terre façonnée) e. Autres		Pisé: Maçonnerie faite en compression moellons = une terre compactée. Les techniques de restauration traditionn de construction adéquats et respectant l' historiques sont dés lors assurées par veillent sur le bien du Patrimoine mondi	nelle utilisant des matérivaux 'authenticité des monuments les services compétents qui	I. Niveau de compétence du personnel technique m. Participation / support des décideurs locaux n. Activités éducatives sur le site o. Participation de la population locale	Oui Oui Oui	Non	
7. Le matériau terre est-il présent dans ?				p. Contribution au développement local Oui 🔳 Nor	ı 🗌 E	conomique Sociale	Culturelle 🗌
b. Les murs b. Les sols c. Les plafonds et/ou toitures d. Les mortiers e. Les décorations intérieures f. Les décorations extérieures g. Autres:		Les plafonds et/ou toitures = par	Commentaires ex. les voutes	13. Parmi la liste d'activités suivante, pouvez vous cl celles qui vous semblent nécessaires pour le bier a. Documenter le bien b. Renforcer la législation pour le patrimoine c. Réviser le plan de gestion d. Renforcer les capacités des gestionnaires e. Renforcer les capacités des ouvriers	1: 5 1	oar ordre de priorité (de 1 à 5)	Commentaires
·		de e de bodos		f. Conserver les structures en terre	4		
8. En quelle proportion le matériau terre est-il 1 % à 2 % □ 25 % à 50 % 50 % à 75 % □ 75 % à 100 %	present □	oans le Dati ?	Commentaires	g. Améliorer les équipements h. Sensibiliser les populations locales i. Promouvoir et mettre en valeur le bien j. Autres :	3 2		
9. La vitesse de dégradation des structures en Rapide ☐ Lente Progressive ■ Stabilisée		:	Commentaires	14. Remarques et suggestions complémentaires	:		
10. Existe-t-il est système régulier de mainten Traditionnel			Commentaires				Informations
Institutionnel Pas de maintenance régulière				Ce questionnaire a été rempli par : Arfaoui Wided	Р	osition: Architecte – gestionnaire	Date: 08/01/2010

Institution: L'Institut National du Patrimoine

du site

Medina de Sousse

1. A quelle famille du patrimoine le bien per (cf. Filling the Gaps, ICOMOS 2005) a. Patrimoine archéologique c. Edifices historiques e. Etablissements urbains g. Architecture vernaculaire i. Biens agricoles, industriels et technologiques k. Paysages culturels, parcs et jardins m. Monuments et sites funéraires 2. Quelle est l'utilisation actuelle du bien ? a. Il n'est plus utilisé	ut-il être as:	b. Sites d'art rupestre d. Ensembles historiques f. Etablissement ruraux h. Biens religieux j. Biens militaires l. Itinéraires culturels n. Biens symboliques et méd		11. Parmi la liste des menaces suivante, pouvez vous classer par ordre de priorité celles qui affectent le bien (de 1 à 4) a. Erosion naturelle b. Changement climatique c. Pollution d. Développement d'infrastructures e. Non respect des valeurs patrimoniales f. Manque de capacités pour gérer le bien g. Moyens techniques et financiers h. Vandalisme, vol, autres pratiques illégales i. Adaptation aux standards modernes i. Changement de statut des propriétaires
b. Patrimoine vivant c. Il a gardé son usage initial d. Nouvel usage :				k. Abandon 12. Jugez-vous satisfaisants les aspects suivants ?
3. Le bien est-il propriété de l'Etat ? 4. L'institution en charge du bien est : a. Traditionnelle b. Locale Institutionelle (or) Régionale Nationale	Oui	Non 🗆	Commentaires	a. Documentation du bien b. Authenticité du bien c. Etat général de conservation des structures en terre d. Durabilité des travaux de conservation effectués e. Promotion et mise en valeur du bien f. Efficacité des mécanismes de gestion du bien Commentaires Non Non Non Non Non Non Non
5. Un plan de gestion existe-t-il pour le bien 6. Quels modes de construction sont représe a. Pisé (terre compactée) b. Adobe (briques de terre crue) c. Torchis (terre et structure végétale) d. Bauge (terre façonnée) e. Autres Chaux Hydraulique, terre et sendre	entés ?	Non□ En préparation ■	Commentaires	g. Efficacité du cadre juridique Oui Non ■ h. Efficacité du cadre institutionnel au niveau national Oui Non □ i. Moyens logistiques et techniques alloués au bien Oui Non ■
7. Le matériau terre est-il présent dans ? a. Les murs b. Les sols c. Les plafonds et/ou toitures d. Les mortiers e. Les décorations intérieures f. Les décorations extérieures g. Autres:			Commentaires	p. Contribution au développement local Oui ■ Non □ Economique □ Sociale □ Culturelle □
8. En quelle proportion le matériau terre es 1 % à 2 % ☐ 25 % à 50 % 50 % à 75 % ■ 75 % à 100 %	t-il présent d	lans le bâti ?	Commentaires	f. Conserver les structures en terre g. Améliorer les équipements h. Sensibiliser les populations locales i. Promouvoir et mettre en valeur le bien j. Autres:
9. La vitesse de dégradation des structures Rapide □ Lente Progressive ■ Stabilisée			Commentaires	 14. Remarques et suggestions complémentaires: La mise en œuvre d'un système de gestion participatif aussi que responsabiliser les services techniques de la collectivité locales et des ONG. Quoi que l'INP a doté la médina de Sousse d'une unité de gestion un renforcement de cette unité est nécessaire pour mieux assurer la bonne gest de ce bien culturel. Un Plan de Sauvegarde et Mise en Valeur, qui assurera la gestion du site, était lancée sans toute fois était mené à terme d'où la nécessité de relar
10. Existe-t-il est système régulier de maint Traditionnel Institutionnel Pas de maintenance régulière	enance		Commentaires	cette procédure d'étude et d'élaboration de ce PSMV. Informations Ce questionnaire a été rempli par : Riadh Hadj Said Position: Architecte Principal Date: 05 / 01 / 200 Institution: Institut National du Patrimoine

Historic town of Zabid

1. To which heritage categories can the property (cf. Filling the Gaps, ICOMOS 2005, see annexed		ociated ?		11. Among the following threats, please indicate by order of priority (from 1 to 4) those affecting the site
a. Archaeological site c. Historic buildings e. Urban settlements g. Vernacular architecture i. Agricultural, industrial and technological propert k. Cultural landscapes, parks and gardens m. Burial monuments and sites 2. What is the current use of the property? a. Not in use anymore b. Living heritage		b. Rock-art sites d. Historic ensembles f. Rural settlements h. Religious properties j. Military properties l. Cultural routes n. Symbolic properties and n	nemorials Comments	a. Natural erosion b. Weather changes c. Pollution d. Development of infrastructures e. Lack of respect of the value of heritage f. Lack of capacities to manage the site g. Lack of technical or financial means h. Vandalism, theft and other illegal activities i. Need to adapt to modern needs j. Change of status of the owners k. Abandonment
c. Used as originally intended d. New use Specify:				
3. Is the property owned by the Government? 4. The institution in charge of the site is: a. Traditional □ b. Local Institutional □ (or) Regional National	Yes	No 🔳	Comments	12. Do you deem the following aspects satisfactory? a. Heritage site documentation Yes No b. Authenticity Yes No c. General state of conservation of earthen structures d. Durability of conservation works carried out Yes No e. Promotion and valorisation of the site Yes No f. Efficiency of site management strategies Yes No
5. Is there a management plan for the property ?		No □ In preparation ■	ſ	g. Efficiency of legal framework h. Efficiency of institutional framework at a National level Yes No
6. What types of construction techniques are feat a. Rammed earth (compacted earth) b. Adobe (bricks made with raw earth) c. Wattle and daub (earth and vegetal structure) d. Cob (shaped earth) e. Other		The main building materials used i buildings are burnt bricks	Comments n the historical	i. Logistic and technical means for the site j. Staff number Nbr: Yes No No k. Skills of managerial staff Yes No I. Skills of technical staff Yes No m. Involvementc/support of local decision makers Yes No n. Educational activities at the site o. Participation of local populations p. Contribution to local development Yes No Economical Social Cultural
7. Earth is featured on a. Walls b. Floors c. Ceilings and/or roofs d. Mortars e. Interior decorations f. Exterior decorations g. Other:			Comments	13. Among the following items, please indicate by order of priority (from 1 to 5) those that seem necessary for the site a. Site documentation b. To reinforce the legal framework c. To update the management plan d. To reinforce the capacities of site managers e. To reinforce the skills of site workers
8. What is the approximate proportion of earther present within the property? 1 % to 25 %	en mate	rials	Comments	f. To preserve the earthen structures g. To improve the facilities h. Sensitization of local populations i. Promotion and valorisation activities j. Other:
9. The speed of degradation of the structure is Fast Slow Progressive Stabilised			Comments	14. Additional general comments and remarks: The site is in world heritage list in danger, therefore we believe in your and others international supports.
10. Is there a regular maintenance mechanism Traditional Institutionally planned No maintenance mechanism			Comments	Filled out by > Name: Eng. Nabil A Monassar Position: Date: 11 /01 / 2010 Institution: GOPHCY

Old city of Sana'a

1. To which heritage categories can the propert (cf. Filling the Gaps, ICOMOS 2005, see annexed a. Archaeological site c. Historic buildings e. Urban settlements g. Vernacular architecture i. Agricultural, industrial and technological propert k. Cultural landscapes, parks and gardens m. Burial monuments and sites 2. What is the current use of the property? a. Not in use anymore b. Living heritage c. Used as originally intended	y be assortable) IIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIII	b. Rock-art sites d. Historic ensembles f. Rural settlements h. Religious properties j. Military properties l. Cultural routes n. Symbolic properties and memoria	ials Comments		b. Weather changes c. Pollution d. Development of infrastructures e. Lack of respect of the value of heritage f. Lack of capacities to manage the site g. Lack of technical or financial means h. Vandalism, theft and other illegal activities i. Need to adapt to modern needs j. Change of status of the owners	e by ord	er of prior	rity		Comments
d. New use Specify: 3. Is the property owned by the Government?	. 🗆	No II	Comments		12. Do you deem the following aspects satisfacto a. Heritage site documentation b. Authenticity		No □ No □			Comments
4. The institution in charge of the site is : a. Traditional □ b. Local Institutional ■ (or) Regional National					c. General state of conservation of earthen structures d. Durability of conservation works carried out e. Promotion and valorisation of the site f. Efficiency of site management strategies	Yes Yes Yes Yes Yes	No No No No No No			
5. Is there a management plan for the property?	Yes 🗌	No ☐ In preparation ■			g. Efficiency of legal framework h. Efficiency of institutional framework at a National level i. Logistic and technical means for the site	Yes ☐ Yes ☐	No 🗖			
6. What types of construction techniques are fe a. Rammed earth (compacted earth) b. Adobe (bricks made with raw earth) c. Wattle and daub (earth and vegetal structure) d. Cob (shaped earth) e. Other	atured? □ □ □ □ □ □ □ □		Comments		j. Staff number Nbr: k. Skills of managerial staff I. Skills of technical staff	Yes Yes Yes Yes Yes Yes	No No No No No No No No			
7. Earth is featured on a. Walls b. Floors c. Ceilings and/or roofs d. Mortars e. Interior decorations			Comments		p. Contribution to local development Yes No No No No. Among the following items, please indicate be those that seem necessary for the site a. Site documentation b. To reinforce the legal framework c. To update the management plan	by order 5 1	mical 🗌	Social □ ty (from 1 to	Cultural □ 5)	Comments
f. Exterior decorations g. Other: 8. What is the approximate proportion of earth	en mater	ials	Comments		e. To reinforce the skills of site workers f. To preserve the earthen structures g. To improve the facilities	2 				
present within the property? 1 % to 25 % 25 % to 50 % 50 % to 75 % 75 % to 100 %						3 				
9. The speed of degradation of the structure is Fast Slow Progressive Stabilised	-		Comments		14. Additional general comments and remarks :					
10. Is there a regular maintenance mechanism Traditional Institutionally planned			Comments						l:	nformations
No maintenance mechanism				254	Filled out by > Name: Mohamed Motaher AL-Dailamy Po Institution: GOPHCY	osition: si	ite manager o	f old city of Sana,a	Date:	10 /01/ 2010

Old Walled City of Shibam

1. To which heritage categories can the proper	ty be as	sociated ?		11. Among the following threats, please indicate b	by order o	of priority	Comments
(cf. Filling the Gaps, ICOMOS 2005, see annexed a. Archaeological site c. Historic buildings e. Urban settlements g. Vernacular architecture i. Agricultural, industrial and technological propert k. Cultural landscapes, parks and gardens m. Burial monuments and sites 2. What is the current use of the property? a. Not in use anymore b. Living heritage	i table)	b. Rock-art sites d. Historic ensembles f. Rural settlements h. Religious properties j. Military properties l. Cultural routes n. Symbolic properties and	d memorials Comments	b. Weather changes c. Pollution d. Development of infrastructures e. Lack of respect of the value of heritage f. Lack of capacities to manage the site	GTZ/: a récc and a Marci Yeme Clima Octol that t apart the fl	ity 2 is f. Lack of capacities to mar SFD's program has been extremel eint Aga Khan award. However, G all of its foreign personnel were re th 2009 suicide bomber killed 4 Sc eni guide at the Shibam overlook ate change has also begun to affe ber 2008 flash flood, the city was the flood came in two different sc t. However, the perimeter wall is lood with soluble salts mobilized in the stone foundation now mig superstructure.	y successful and the site won 12's program will end soon, rmoved from the site after the uth Korean tourists and their itte. It the site. During the 23-24 almost lost except for the fact urces, luckily several hours still exhibiting the effects of rom the cementitious mortars
c. Used as originally intended d. New use Specify:	🗖						
3. Is the property owned by the Government? 4. The institution in charge of the site is: a. Traditional b. Local Institutional (or) Regional National	Yes	GOPHCY (General Organization for Prot Yemen)	Comments ection of Historic Cities in	b. Authenticity c. General state of conservation of earthen structures d. Durability of conservation works carried out e. Promotion and valorisation of the site	Yes N Yes N Yes N Yes N Yes N	f. Efficiency of site mana	Comments agement stratégies is a No.
5. Is there a management plan for the property 3. 6. What types of construction techniques are for a. Rammed earth (compacted earth) b. Adobe (bricks made with raw earth) c. Wattle and daub (earth and vegetal structure) d. Cob (shaped earth) e. Other			Comments	g. Efficiency of legal framework h. Efficiency of institutional framework at a National level i. Logistic and technical means for the site j. Staff number Nbr: k. Skills of managerial staff l. Skills of technical staff m. Involvementc/support of local decision makers n. Educational activities at the site	Yes □ N Yes □ N Yes ■ N Yes □ N		
	⊔			o. Participation of local populations p. Contribution to local development Yes ■ No □		lo□ al□ Social□ Cu	Itural 🗆
7. Earth is featured on a. Walls b. Floors c. Ceilings and/or roofs d. Mortars e. Interior decorations f. Exterior decorations g. Other:			Comments	13. Among the following items, please indicate by those that seem necessary for the site a. Site documentation b. To reinforce the legal framework c. To update the management plan d. To reinforce the capacities of site managers e. To reinforce the skills of site workers			Comments
8. What is the approximate proportion of earth	en mat	erials		f. To preserve the earthen structures q. To improve the facilities 4			
present within the property? 1 % to 25 % □ 25 % to 50 % 50 % to 75 % □ 75 % to 100 %			Comments	h. Sensitization of local populations i. Promotion and valorisation activities j. Other:			
9. The speed of degradation of the structure is Fast Slow Progressive Stabilised			Comments	14. Additional general comments and remarks: Shibam is a unique site that is still a living site, unlike many small WH citi the 20-year Marxist government of South Yemen of the early 1970s-90s. like the perimeter wall (a retaining wall for the edge of the whole city) a	As a result, r	repairs that would normally have	fallen under community effort
10. Is there a regular maintenance mechanism			Commonts	to no one taking care of them. This is why the 100-year flood of 23-24 00 throughout the Valley.			
Traditional		The property has been a GTZ/Social Fu	Comments nd for Development project for	unoughout the valley.			Informations
Institutionally planned No maintenance mechanism		over ten years. Through incentives and of the 500 buildings have been conser	d subsidies approximately half	Filled out by > Name: Pamela Jerome Posi Institution: Social Fund for Development, UNESCO	ition:		Date: / / 20

Cultural Landscape and Archaeological Remains of the Bamiyan Valley

1. To which heritage categories can the proper (cf. Filling the Gaps, ICOMOS 2005, see annexed a. Archaeological site c. Historic buildings e. Urban settlements g. Vernacular architecture i. Agricultural, industrial and technological propert k. Cultural landscapes, parks and gardens m. Burial monuments and sites 2. What is the current use of the property? a. Not in use anymore b. Living heritage	d table)	b. Rock-art sites d. Historic ensembles f. Rural settlements h. Religious properties j. Military properties l. Cultural routes n. Symbolic properties and	memorials Comments	b. Weather changes c. Pollution d. Development of infrastructures e. Lack of respect of the value of heritage f. Lack of capacities to manage the site	Comments
c. Used as originally intended d. New use Specify:					
3. Is the property owned by the Government? 4. The institution in charge of the site is: a. Traditional □ b. Local Institutional ■ (or) Regional National	Yes	No 🗆	Comments	12. Do you deem the following aspects satisfactory? a. Heritage site documentation Yes No Documentation Yes No Documentation Yes No Documentation Yes No Documentation of earthen structures Yes No Documentation Allowed Yes No Documentation Allowed Yes No Documentation Structures Yes No	Comments
5. Is there a management plan for the property	? Yes	No 🗌 In preparation 🗆]	h. Efficiency of institutional framework at a National level Yes No i. Logistic and technical means for the site	
6. What types of construction techniques are for a. Rammed earth (compacted earth) b. Adobe (bricks made with raw earth) c. Wattle and daub (earth and vegetal structure) d. Cob (shaped earth) e. Other	eatured?		Comments	j. Staff number Nbr: Yes No No k. Skills of managerial staff Yes No	
7. Earth is featured on	⊔			o. Participation of local populations Pes No Pocial Social Cultural p. Contribution to local development Yes No Economical Social Cultural	
a. Walls b. Floors c. Ceilings and/or roofs d. Mortars e. Interior decorations f. Exterior decorations g. Other:			Comments	13. Among the following items, please indicate by order of priority (from 1 to 5) those that seem necessary for the site a. Site documentation b. To reinforce the legal framework c. To update the management plan d. To reinforce the capacities of site managers e. To reinforce the skills of site workers	l'avoir une connaissance a documentation à partir
8. What is the approximate proportion of earth	ien matei	rials	Comments	f. To preserve the earthen structures g. To improve the facilities	
present within the property? 1 % to 25 % 25 % to 50 % 50 % to 75 % 75 % to 100 %			Commence	h. Sensitization of local populations i. Promotion and valorisation activities j. Other:	
9. The speed of degradation of the structure is Fast Slow Progressive Stabilised			Comments	14. Additional general comments and remarks :	
10. Is there a regular maintenance mechanism Traditional			Comments		
Institutionally planned No maintenance mechanism				Filled out by > Name: Abdul Ahad Abassi Position: Direct or of restauration & préservation Direct or of restauration préservation prése	Informations ate: 06 /01/ 2010

Minaret and archaeological remains of Jam

1. To which heritage categories can the prope	rty be ass	ociated ?		11. Among the following threats, please indicat	e by order of priority	Comments
(cf. Filling the Gaps, ICOMOS 2005, see annexe	ed table)			(from 1 to 4) those affecting the site		
a. Archaeological site		b. Rock-art sites		a. Natural erosion	1	
c. Historic buildings		d. Historic ensembles		b. Weather changes	2	
e. Urban settlements		f. Rural settlements		c. Pollution		
g. Vernacular architecture		h. Religious properties		d. Development of infrastructures		
i. Agricultural, industrial and technological propert		j. Military properties		e. Lack of respect of the value of heritage		
k. Cultural landscapes, parks and gardens		I. Cultural routes		f. Lack of capacities to manage the site	4	
m. Burial monuments and sites		n. Symbolic properties and n	nemorials \square	g. Lack of technical or financial means	3	
				h. Vandalism, theft and other illegal activities		
2. What is the current use of the property?			Comments	i. Need to adapt to modern needs		
a. Not in use anymore			Comments	j. Change of status of the owners		
b. Living heritage				k. Abandonment		
c. Used as originally intended						
d. New use Specify:						
' <i>'</i>				12. Do you deem the following aspects satisfact	ory?	Comments
3. Is the property owned by the Government?	Yes	No 🗆		a. Heritage site documentation	Yes 🗆 No 🗆	
			Comments	b. Authenticity	Yes 🗌 No 🗌	
4. The institution in charge of the site is :				c. General state of conservation of earthen structures	Yes No No	
a. Traditional D b. Local				d. Durability of conservation works carried out	Yes 🗌 No 🗌	
Institutional (or) Regional				e. Promotion and valorisation of the site	Yes □ No □	
National				f. Efficiency of site management strategies	Yes □ No □	
				g. Efficiency of legal framework	Yes No No	
5. Is there a management plan for the property	? Yes □	No ☐ In preparation ■		h. Efficiency of institutional framework at a National level		
				i. Logistic and technical means for the site	Yes No No	
6. What types of construction techniques are f	eatured?		Comments	j. Staff number Nbr:	Yes No No	
a. Rammed earth (compacted earth)			Comments	k. Skills of managerial staff	Yes No No	
b. Adobe (bricks made with raw earth)				I. Skills of technical staff	Yes No No	
c. Wattle and daub (earth and vegetal structure)				m. Involvementc/support of local decision makers	Yes No No	
d. Cob (shaped earth)				n. Educational activities at the site	Yes No No	
e. Other				o. Participation of local populations	Yes No No	
•	Ш			p. Contribution to local development Yes \(\sigma\) No \(\sigma\)		cial Cultural
7. Earth is featured on				p. contribution to local development 1es - 140 -		.idi 🗀 Cultuldi 🗀
a. Walls			Comments	13. Among the following items, please indicate	by order of priority (fr	rom 1 to 5) Comments
b. Floors				those that seem necessary for the site	by order or priority (ii	om 1 to 3) Comments
c. Ceilings and/or roofs				a. Site documentation		
d. Mortars				b. To reinforce the legal framework		
e. Interior decorations				c. To update the management plan		
f. Exterior decorations				d. To reinforce the capacities of site managers		
g. Other:	_			e. To reinforce the skills of site workers	ä	
g. other.	······•					
8. What is the approximate proportion of eart	hen mate	rials		f. To preserve the earthen structures	H	
present within the property?			Comments	g. To improve the facilities h. Sensitization of local populations		
1 % to 25 %					H	
50 % to 75 %				i. Promotion and valorisation activities		
75 % to 75 % [] 75 % to 100 %				j. Other :		
9. The speed of degradation of the structure is						
Fast Slow			Comments	44 Additional concest comments and consider		
_	H			14. Additional general comments and remarks :		
Progressive Stabilised						
10 Is there a segular maintenance machanism						
10. Is there a regular maintenance mechanism			Comments			
Traditional						Informations
Institutionally planned No maintenance mechanism				Filled out by > Name: Abdul Ahad Abassi	Position: Direct or of restauration	
INO INGINITERIALICE INECHANISIII				THICG OUT Dy . INGINE. ADUULANDU ADDSS	i opidoni. Direct di di lestadiati	ma preservation Date. 00 / 02/ 2010

Institution: Ministre of information& culture

Angkor

1. To which heritage categories can the property be		11. Among the following threats, please indicate	e by order of priority	Comments
(cf. Filling the Gaps, ICOMOS 2005, see annexed table a. Archaeological site c. Historic buildings e. Urban settlements g. Vernacular architecture i. Agricultural, industrial and technological propert k. Cultural landscapes, parks and gardens m. Burial monuments and sites 2. What is the current use of the property?	b. Rock-art sites d. Historic ensembles f. Rural settlements h. Religious properties j. Military properties l. Cultural routes n. Symbolic properties and memorials	 b. Weather changes c. Pollution d. Development of infrastructures e. Lack of respect of the value of heritage f. Lack of capacities to manage the site g. Lack of technical or financial means h. Vandalism, theft and other illegal activities 	En el caso de las murallas : 1. la erosión natural 2. la contaminación 3. la falta de recursos económicos	
a. Not in use anymore b. Living heritage	Comments	j. Change of status of the owners		
c. Used as originally intended d. New use Specify:				
3. Is the property owned by the Government ? Yes	■ No □	12. Do you deem the following aspects satisfacto a. Heritage site documentation	ory? Yes ■ No □	Comments
3. Is the property owned by the dovernment. Tes	Comments	b. Authenticity	Yes ■ No □	
4. The institution in charge of the site is: a. Traditional	APSARA National Authority (Authority for the Protection of the Site and the Management of the Region of Angkor)	c. General state of conservation of earthen structures d. Durability of conservation works carried out e. Promotion and valorisation of the site f. Efficiency of site management strategies	Yes ■ No □	
5. Is there a management plan for the property ? Yes	■ No □ In preparation ■	g. Efficiency of legal framework h. Efficiency of institutional framework at a National level	Yes ■ No □ Yes ■ No □	
6. What types of construction techniques are feature	d? Comments	i. Logistic and technical means for the sitej. Staff numberNbr:	Yes ■ No □ Yes ■ No □	
a. Rammed earth (compacted earth) b. Adobe (bricks made with raw earth) c. Wattle and daub (earth and vegetal structure) d. Cob (shaped earth) e. Other	Laterite, sandstone, brick	k. Skills of managerial staff I. Skills of technical staff m. Involvementc/support of local decision makers n. Educational activities at the site o. Participation of local populations	Yes No Yes	
7. Earth is featured on		p. Contribution to local development Yes No	\square Economical \square Social \square Cultural	
a. Walls b. Floors c. Ceilings and/or roofs d. Mortars e. Interior decorations f. Exterior decorations g. Other:	Comments	 b. To reinforce the legal framework c. To update the management plan d. To reinforce the capacities of site managers e. To reinforce the skills of site workers 	3 3 4 5	Comments
8. What is the approximate proportion of earthen ma	iterials		1 4	
present within the property? 1 % to 25 %	Comments	h. Sensitization of local populations	2	
50 % to 75 %		j. Other :		
9. The speed of degradation of the structure is Fast Slow Progressive Stabilised	Comments	14. Additional general comments and remarks :		
10. Is there a regular maintenance mechanism Traditional	Comments			1.1
Institutionally planned No maintenance mechanism		Filled out by > Namethau sun Kérya osition: 158 Institution: APSARA National Authority	Advisor Date: 03 / 1:	Informations 2/20

Mogao caves

1. To which heritage categories can the propert (cf. Filling the Gaps, ICOMOS 2005, see annexed a. Archaeological site c. Historic buildings e. Urban settlements g. Vernacular architecture i. Agricultural, industrial and technological propert k. Cultural landscapes, parks and gardens m. Burial monuments and sites 2. What is the current use of the property? a. Not in use anymore b. Living heritage c. Used as originally intended		b. Rock-art sites d. Historic ensembles f. Rural settlements h. Religious properties j. Military properties l. Cultural routes n. Symbolic properties and r	memorials Comments	(f) a. b. c. d. e. f. g. h.	rom 1 to 4) those Natural erosion Weather changes Pollution Development of inf Lack of respect of tl Lack of capacities to Lack of technical or	rastructures he value of heritage manage the site financial means Id other illegal activities odern needs	1 2	er of prior	rity	Comments	5
d. New use Specify:	<u> </u>	_				e following aspects satisfact		_		Comments	s
 3. Is the property owned by the Government? 4. The institution in charge of the site is: a. Traditional	Yes	No 🗆	Comments	b. c. d. e. f.	Durability of conser Promotion and valo Efficiency of site ma	nservation of earthen structures vation works carried out orisation of the site inagement strategies	Yes Yes Yes Yes Yes Yes Yes Yes				
5. Is there a management plan for the property ?	Yes 🗌	No 🗌 In preparation 🗆]	ĥ.		ramework onal framework at a National leve al means for the site	Yes ■ Yes ■ Yes ■	No □ No □ No □			
6. What types of construction techniques are feature. Rammed earth (compacted earth) b. Adobe (bricks made with raw earth) c. Wattle and daub (earth and vegetal structure) d. Cob (shaped earth) e. Other Cave and Wall Paintings	atured?		Comments	j. : k. l. : m n.	Staff number N Skills of manageria Skills of technical sta	Nbr: I staff aff port of local decision makers es at the site	Yes Yes Yes Yes Yes Yes	No			
7. Earth is featured on				p.	Contribution to loca	l development Yes No	Econo	mical 🗌	Social 🗌 Cu	Itural 🗆	
a. Walls b. Floors c. Ceilings and/or roofs d. Mortars e. Interior decorations f. Exterior decorations g. Other:			Comments	th a. b. c. d.	tose that seem new Site documentation To reinforce the leg To update the mana	al framework agement plan acities of site managers		r of priorit	ty (from 1 to 5)	Comments	5
8. What is the approximate proportion of earth- present within the property?	en mater	rials	Comments	g.	To preserve the ear To improve the faci Sensitization of loca	lities	4				
1 % to 25 %				i.	Promotion and valo	• •	3				
9. The speed of degradation of the structure is Fast Slow Progressive Stabilised			Comments	14	4. Additional gene	ral comments and remarks					
10. Is there a regular maintenance mechanism			Comments								
Traditional Institutionally planned No maintenance mechanism			Comments	259	Filled out by >	Name: Xudong WANG Institution: Dunhuang Academy		Deputy Directonistorecal mon	r& préservation of uments	Informations Date: 22 /02/2010	_

Silk Road: the Routes Network of Chang'an-Tianshan Corridor

1. To which heritage categories can the property		ociated ?	11. Among the following threats, please indicate	by or	der of priority	Comments
(cf. Filling the Gaps, ICOMOS 2005, see annexed t	able)	h Dool, ast sites	(from 1 to 4) those affecting the site	_	There are no priority for the overall 33 sit	es, but Natural erosion is the
a. Archaeological site		b. Rock-art sites d. Historic ensembles	a. Natural erosion		most frequently indicated threat, and wi	
		d. Historic ensembles f. Rural settlements	b. Weather changes c. Pollution			
		h. Religious properties	d. Development of infrastructures			
		j. Military properties	e. Lack of respect of the value of heritage	_		
		I. Cultural routes		H		
		n. Symbolic properties and memorials	q. Lack of technical or financial means			
m. bundi monuments and sites		iii symbolic properties and memorials	h. Vandalism, theft and other illegal activities	_		
2. What is the current use of the property?		Comments	i. Need to adapt to modern needs			
a. Abandoned		Comments				
b. Original use		Some archaeological sites in remote areas are currently protected by	k. Abandonment			
c. New use : Museums, Heritage Parks		professional institutions but we still recognized as « abandoned » for this kind of sites.				
			12. Do you deem the following aspects satisfacto	гу?		Commonte
			a. Heritage site documentation	Yes	No 🗌	Comments
3. Is the property owned by the Government?	Yes 🔳	No 🗆	b. Authenticity	Yes		
		Comments	c. General state of conservation of earthen structures			
4. The institution in charge of the site is :	_	All component parts are protected at national level, and local/regional	d. Durability of conservation works carried out	Yes		
	_	institutions are in charge of their management, conservation and	e. Promotion and valorisation of the site	Yes _	_	
		research	f. Efficiency of site management strategies	Yes		
e. National -			g. Efficiency of legal framework	Yes		
E is there a management plan for the property 2	Voc =	No 🗆 In propagation 🗆	h. Efficiency of institutional framework at a National level			
5. Is there a management plan for the property?	162	No 🗌 In preparation 🗌	i. Logistic and technical means for the site	Yes		
6. What types of construction techniques are feat	urodz		j. Staff number	Yes		
a. Rammed earth (compacted earth)		Comments	k. Skills of managerial staff I. Skills of technical staff	Yes		
				Yes Yes	_	
c. Wattle and daub (earth and vegetal structure)			m.Involvementc/support of local decision makers n. Educational activities at the site	Yes		
d. Cob (shaped earth)			o. Participation of local populations	Yes		
e. Other Brick, Wooden Structure, Stone			p. Contribution to local development	Yes [
	_		q. Site interpretation	Yes [
7. Earth is featured on		Community (r. Risk preparedness	Yes		
a. Walls		Comments	ii kish preparediless			
b. Floors			13. Among the following items, please indicate l	ov ord	er of priority (from 1 to 5)	Comments
c. Ceilings and/or roofs			those that seem necessary for the site	•	The choice means the site managers w	
d. Mortars			a. Site documentation		capacity in these aspects. However, th	
e. Interior decorations			b. To reinforce the legal framework		current state of work of each aspect goo	
f. Exterior decorations			c. To update the management plan			
g. Other: road, foundation, adhesive, mound			d. To reinforce the capacities of site managers			
O What is the according to the state of		221.	e. To reinforce the skills of site workers			
8. What is the approximate proportion of earther	ı mate	crials	f. To preserve the earthen structures			
present within the property?	_	The great majority of the earthen architecture sites are 50-70%	g. To improve the facilities			
		The great majority of the earther arenteetare sites are 50 70 %	h. Sensitization of local populations			
50 % to 75 % ■ 75 % to 100 %			i. Promotion and valorisation activities			
9. The speed of degradation of the structure is			j. Other :			
Fast Slow		Comments				
		Average degradation rate	14 Additional general comments and remarks :			
Stabilised			14. Additional general comments and remarks :			
10. Is there a regular maintenance mechanism		f				
		Comments				lafati
Institutionally planned		Some sites indicated that the institutional planned mechanism also uses some traditional methods for their efficiency				Informations
No maintenance mechanism			Filled out by: Feng Jian Position: De Institution: ICOMOS International Conservation Center-Xi'an	eputy Dire	ector of IICC-X Date:	25 / 12 / 2014

Churches and convents of Goa

1. To which heritage categories can the property	y be as	sociated ?	11. Among the following threats, please indicate	by order of	priority		Comments
(cf. Filling the Gaps, ICOMOS 2005, see annexed	table)		(from 1 to 4) those affecting the site				
a. Archaeological site		b. Rock-art sites		2			
c. Historic buildings		d. Historic ensembles		1			
e. Urban settlements		f. Rural settlements					
g. Vernacular architecture		h. Religious properties		4			
i. Agricultural, industrial and technological propert		j. Military properties	e. Lack of respect of the value of heritage				
k. Cultural landscapes, parks and gardens		I. Cultural routes					
m. Burial monuments and sites		n. Symbolic properties and memorials \Box	g. Lack of technical or financial means				
			h. Vandalism, theft and other illegal activities				
2. What is the current use of the property?	_	Comments	i. Need to adapt to modern needs				
a. Not in use anymore				3			
b. Living heritage		The 7 churches and convents are partly used as living and	k. Abandonment				
c. Used as originally intended		partly non living.					
d. New use Specify:							
	_		12. Do you deem the following aspects satisfactor				Comments
3. Is the property owned by the Government?	Yes		a. Heritage site documentation	Yes No			
		Comments	b. Authenticity	Yes No			
4. The institution in charge of the site is :		The property is having joint stakeholders as Arhcaeologi-	c. General state of conservation of earthen structures				
a. Traditional D. Local		cal Survey of India and Archidiocèse of Goa and Daman ,	d. Durability of conservation works carried out	Yes No			
Institutional (or) Regional		Panaji, Goa.	e. Promotion and valorisation of the site	Yes No			
National			f. Efficiency of site management strategies	Yes No			
E is there a management plan for the property 2	Voc -	No ■ In preparation □	g. Efficiency of legal framework	Yes No			
5. Is there a management plan for the property?	162	NO III preparation 🗌	h. Efficiency of institutional framework at a National level		=		
6. What types of construction techniques are fea	sturod?		i. Logistic and technical means for the site	Yes No			
a. Rammed earth (compacted earth)		Comments	j. Staff number Nbr:	Yes No			
b. Adobe (bricks made with raw earth)		The churches are of the Indo-European architecture in the	k. Skills of managerial staff	Yes No	_		
c. Wattle and daub (earth and vegetal structure)		Neo-Classical style with the construction of core of laterite	I. Skills of technical staff	Yes No			
d. Cob (shaped earth)		mixed with mud, plastered with lime and at some places	m. Involvementc/support of local decision makersn. Educational activities at the site	Yes No			
e. Other	H	wood is also used specifically for ceiling.	o. Participation of local populations	Yes No			
<u></u>	. Ш		p. Contribution to local development Yes ■ No □	Yes No		Cultural	
7. Earth is featured on			p. contribution to local development les \(\begin{array}{c} \text{No} \\ \end{array} \)	Economical		Cultural	
a. Walls		Comments	13. Among the following items, please indicate l	hy order of n	riority (from 1 to	5)	Comments
b. Floors	Ħ	Lime mixed with earth sometimes for ceiling and some-	those that seem necessary for the site	by order or p	money (moni i de	, ,,	Comments
c. Ceilings and/or roofs		times on walls.		1			
d. Mortars				3			
e. Interior decorations				4			
f. Exterior decorations							
g. Other:							
8. What is the approximate proportion of earth	en mate	erials Comments		2			
present within the property?			h. Sensitization of local populations				
1 % to 25 %		The material is not appropriately quantified.	i. Promotion and valorisation activities				
50 % to 75 %			j. Other :	. <u>-</u>			
9. The speed of degradation of the structure is	_	Comments					
Fast Slow			14. Additional general comments and remarks :				
Progressive Stabilised							
10 Is there a segular maintenance marks since							
10. Is there a regular maintenance mechanism Traditional		Comments					
Institutionally planned		As and where necessary the problem is diagnosed for conservation					Informations
No maintenance mechanism		and treatment is planned as matching to the original fabric of	Filled out by > Name: Dr. V. Shivnanada Rao Position	: Superintending	Archaeologist	Date:	16/ 03/2012

Institution: Archaeological Survey of India, Goa Circle, Goa

monument maintaining the authenticity of the ambiance.

Bam and its cultural landscape

1. To which heritage categories can the proper					11. Among the following threats, please indicate	ate by o	der of prio	rity		Comments
(cf. Filling the Gaps, ICOMOS 2005, see annexed a. Archaeological site c. Historic buildings e. Urban settlements g. Vernacular architecture i. Agricultural, industrial and technological propert k. Cultural landscapes, parks and gardens m. Burial monuments and sites 2. What is the current use of the property?	table)	b. Rock-art sites d. Historic ensembles f. Rural settlements h. Religious properties j. Military properties l. Cultural routes n. Symbolic properties and	memorials Comments]]]	(from 1 to 4) those affecting the site a. Natural erosion b. Weather changes c. Pollution d. Development of infrastructures e. Lack of respect of the value of heritage f. Lack of capacities to manage the site g. Lack of technical or financial means h. Vandalism, theft and other illegal activities i. Need to adapt to modern needs	4 1 2 3	EARTHQUAK	E		
a. Not in use anymore b. Living heritage		Cutural landscape property			j. Change of status of the owners k. Abandonment					
c. Used as originally intended d. New use Specify:	_ _									
3. Is the property owned by the Government?	Yes I	I No □			12. Do you deem the following aspects satisfa a. Heritage site documentation	ctory? Yes □	□ No ■			Comments
		2	Comments		b. Authenticity	Yes	No 🗆			
4. The institution in charge of the site is: a. Traditional		Iran, Cultural Heritage,Handicraft A ІСННТО	and Tourism Organization		c. General state of conservation of earthen structure d. Durability of conservation works carried out e. Promotion and valorisation of the site f. Efficiency of site management strategies	Yes ☐ Yes ☐ Yes ■	No No No No No			
5. Is there a management plan for the property 3	Yes 	No □ In preparation [g. Efficiency of legal framework h. Efficiency of institutional framework at a National lev	_	No 🗆			
6. What types of construction techniques are fe	atured	?	Comments		i. Logistic and technical means for the sitej. Staff number Nbr:	Yes L Yes C				
a. Rammed earth (compacted earth) b. Adobe (bricks made with raw earth) c. Wattle and daub (earth and vegetal structure) d. Cob (shaped earth) e. Other		All kinds of earthen materials	Comments		k. Skills of managerial staff l. Skills of technical staff m. Involvementc/support of local decision makers n. Educational activities at the site o. Participation of local populations	Yes Yes Yes Yes	No ■ No □			
7. Earth is featured on					p. Contribution to local development Yes No			Social 🗌	Cultural [
a. Walls b. Floors c. Ceilings and/or roofs d. Mortars e. Interior decorations f. Exterior decorations g. Other:		More than 80% made with earth	Comments		13. Among the following items, please indicate those that seem necessary for the site a. Site documentation b. To reinforce the legal framework c. To update the management plan d. To reinforce the capacities of site managers e. To reinforce the skills of site workers	5 2 3 4	er of priori	ty (from 1 to !	5)	Comments
8. What is the approximate proportion of earth	en mat	erials			f. To preserve the earthen structures q. To improve the facilities	1				
present within the property? 1 % to 25 %			Comments		h. Sensitization of local populations i. Promotion and valorisation activities					
50 % to 75 %					j. Other :					
9. The speed of degradation of the structure is Fast Slow Progressive Stabilised			Comments		14. Additional general comments and remarks	:				
10. Is there a regular maintenance mechanism			Comments							
Traditional Institutionally planned										Informations
No maintenance mechanism				262	Filled out by > Name: Seyed Hadi Ahmadi Institution: Bam World Heritage Res		Consultant		Date:	03 /02 / 2010

Meidan Emam, Esfahan

1. To which heritage categories can the property l (cf. Filling the Gaps, ICOMOS 2005, see annexed ta		iated ?		11. Among the following threats, please indicate by order of priority Comments (from 1 to 4) those affecting the site
a. Archaeological site c. Historic buildings e. Urban settlements g. Vernacular architecture i. Agricultural, industrial and technological propert k. Cultural landscapes, parks and gardens		b. Rock-art sites d. Historic ensembles f. Rural settlements h. Religious properties j. Military properties l. Cultural routes n. Symbolic properties and i	□ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □	a. Natural erosion b. Weather changes c. Pollution d. Development of infrastructures e. Lack of respect of the value of heritage f. Lack of capacities to manage the site
d. Hot in die diffinore			Comments	i. Need to adapt to modern needs j. Change of status of the owners k. Abandonment
c. Used as originally intended				
	es ■	No 🗆	Comments	12. Do you deem the following aspects satisfactory? a. Heritage site documentation Yes No Documents b. Authenticity Yes No Documentation No Documents c. General state of conservation of earthen structures Yes No Documents d. Durability of conservation works carried out Yes No Documents e. Promotion and valorisation of the site Yes No Documents
\		No ☐ In preparation ■		f. Efficiency of site management strategies g. Efficiency of legal framework h. Efficiency of institutional framework at a National level i. Logistic and technical means for the site Yes No
b. Adobe (bricks made with raw earth) c. Wattle and daub (earth and vegetal structure) d. Cob (shaped earth)	ured?		Comments	j. Staff number Nbr: Yes No \(\) k. Skills of managerial staff Yes No \(\) I. Skills of technical staff Yes No \(\) m. Involvementc/support of local decision makers Yes No \(\) n. Educational activities at the site Yes No \(\) o. Participation of local populations Yes No \(\)
7. Earth is featured on	_			p. Contribution to local development Yes ■ No □ Economical □ Social □ Cultural □
a. Walls b. Floors c. Ceilings and/or roofs d. Mortars e. Interior decorations f. Exterior decorations g. Other:			Comments	13. Among the following items, please indicate by order of priority (from 1 to 5) those that seem necessary for the site a. Site documentation b. To reinforce the legal framework c. To update the management plan d. To reinforce the capacities of site managers e. To reinforce the skills of site workers Comments 4 4 5
	materia	als	Comments	f. To preserve the earthen structures g. To improve the facilities h. Sensitization of local populations i. Promotion and valorisation activities j. Other:
9. The speed of degradation of the structure is Fast Slow			Comments	14. Additional general comments and remarks :
10. Is there a regular maintenance mechanism				
Traditional Institutionally planned			Comments	Filled out by > Name: Fariba Saeidi Anaraki Position: Director Date: 07/03/2010 Institution: Cultural Heritage & Tourisem base of Meidan Emam

Persepolis

1. To which heritage categories can the property by (cf. Filling the Gaps, ICOMOS 2005, see annexed to a. Archaeological site c. Historic buildings e. Urban settlements g. Vernacular architecture i. Agricultural, industrial and technological propert k. Cultural landscapes, parks and gardens m. Burial monuments and sites 2. What is the current use of the property? a. Not in use anymore	b. Rock-art sites d. Historic ensembles f. Rural settlements h. Religious properties j. Military properties l. Cultural routes n. Symbolic properties and memorials	 □ b. Weather changes □ c. Pollution □ d. Development of infrastructures □ e. Lack of respect of the value of heritage □ f. Lack of capacities to manage the site □ g. Lack of technical or financial means h. Vandalism, theft and other illegal activities i. Need to adapt to modern needs 		Comments
b. Living heritage c. Used as originally intended		j. Change of status of the owners k. Abandonment		
d. New use Specify: Museum 3. Is the property owned by the Government? You will be site is: a. Traditional b. Local Institutional (or) Regional National	Comment Iran, Cultural Heritage, Handicraft And Tourism Organization ICHHTO	 12. Do you deem the following aspects satisfactor a. Heritage site documentation b. Authenticity c. General state of conservation of earthen structures d. Durability of conservation works carried out e. Promotion and valorisation of the site f. Efficiency of site management strategies 	Yes ■ No □ Yes ■ No □	Comments
5. Is there a management plan for the property ? Y	res □ No □ In preparation □	g. Efficiency of legal framework h. Efficiency of institutional framework at a National level i. Logistic and technical means for the site	Yes ■ No □	
6. What types of construction techniques are feature a. Rammed earth (compacted earth) b. Adobe (bricks made with raw earth) c. Wattle and daub (earth and vegetal structure) d. Cob (shaped earth) e. Other		i Ctoff number Nha	Yes No Yes	
7. Earth is featured on	_ Comment	p. Contribution to local development Yes $lacksquare$ No \Box	Economical ☐ Social ☐ Cult	tural 🗆
a. Walls b. Floors c. Ceilings and/or roofs d. Mortars e. Interior decorations f. Exterior decorations g. Other:		 b. To reinforce the legal framework c. To update the management plan d. To reinforce the capacities of site managers e. To reinforce the skills of site workers 		Comments
8. What is the approximate proportion of earthen present within the property?	Comment	g. To improve the facilities h. Sensitization of local populations	3 4	
1 % to 25 %		i. Promotion and valorisation activities j. Other :		
9. The speed of degradation of the structure is Fast Slow Progressive Stabilised	Comment	14. Additional general comments and remarks :		
10. Is there a regular maintenance mechanism Traditional	Comment	s		Informations
Institutionally planned No maintenance mechanism		Filled out by > Name: Masoud Rezaie Monfared Position Institution: ICHHTO	on: Director - Persepolis Date: 03	3/03 / 2010

Shustar, Historical Hydraulic System

1. To which heritage categories can the property (cf. Filling the Gaps, ICOMOS 2005, see annexed a. Archaeological site c. Historic buildings e. Urban settlements g. Vernacular architecture i. Agricultural, industrial and technological propert k. Cultural landscapes, parks and gardens m. Burial monuments and sites 2. What is the current use of the property? a. Not in use anymore		b. Rock-art sites d. Historic ensembles f. Rural settlements h. Religious properties j. Military properties l. Cultural routes n. Symbolic properties and memor	orials Comments	b. Weather changes c. Pollution d. Development of infrastructures e. Lack of respect of the value of heritage f. Lack of capacities to manage the site g. Lack of technical or financial means h. Vandalism, theft and other illegal activities	Comments
b. Living heritage c. Used as originally intended d. New use Specify:				k. Abandonment 4	
3. Is the property owned by the Government? 4. The institution in charge of the site is: a. Traditional	Yes	No 🗆	Comments	c. General state of conservation of earthen structures Yes No d. Durability of conservation works carried out Yes No e. Promotion and valorisation of the site Yes No	Comments
National 5. Is there a management plan for the property? 6. What types of construction techniques are fee a. Rammed earth (compacted earth) b. Adobe (bricks made with raw earth) c. Wattle and daub (earth and vegetal structure) d. Cob (shaped earth)	Yes atured?	No □ In preparation □	Comments	g. Efficiency of legal framework h. Efficiency of institutional framework at a National level i. Logistic and technical means for the site j. Staff number Nbr: k. Skills of managerial staff l. Skills of technical staff m. Involvementc/support of local decision makers n. Educational activities at the site Yes No	
e. Other 7. Earth is featured on a. Walls b. Floors c. Ceilings and/or roofs d. Mortars e. Interior decorations f. Exterior decorations			Comments	13. Among the following items, please indicate by order of priority (from 1 to 5) those that seem necessary for the site a. Site documentation b. To reinforce the legal framework c. To update the management plan d. To reinforce the capacities of site managers	Comments
g. Other: 8. What is the approximate proportion of earth present within the property? 1 % to 25 %	en mater	ials	Comments	e. To reinforce the skills of site workers f. To preserve the earthen structures g. To improve the facilities h. Sensitization of local populations i. Promotion and valorisation activities j. Other:	
9. The speed of degradation of the structure is Fast Slow Progressive Stabilised			Comments	14. Additional general comments and remarks :	
10. Is there a regular maintenance mechanism Traditional Institutionally planned No maintenance mechanism			Comments		Informations : 11/03/2010

Soltaniyeh

1. To which heritage categorie	s can the property b	e ass	ociated ?			11. Among the following threats, please indicate	by o	rder of prio	ity		Comments
(cf. Filling the Gaps, ICOMOS 20 a. Archaeological site c. Historic buildings e. Urban settlements g. Vernacular architecture i. Agricultural, industrial and techi k. Cultural landscapes, parks and m. Burial monuments and sites	nological propert gardens		b. Rock-art sites d. Historic ensembles f. Rural settlements h. Religious properties j. Military properties l. Cultural routes n. Symbolic properties and memor	rials		b. Weather changes c. Pollution d. Development of infrastructures e. Lack of respect of the value of heritage f. Lack of capacities to manage the site g. Lack of technical or financial means h. Vandalism, theft and other illegal activities	1 1 4 3 4 4 3 3 3	1 = most 4 = least			
2. What is the current use of the a. Not in use anymoreb. Living heritagec. Used as originally intended]		Comments		j. Change of status of the owners	3 2 4				
d. New use Specify:	Cultural					12. Do you deem the following aspects satisfactor	гу?				Comments
 3. Is the property owned by the 4. The institution in charge of a. Traditional □ to the least the]	No ■	Comments		 a. Heritage site documentation b. Authenticity c. General state of conservation of earthen structures d. Durability of conservation works carried out e. Promotion and valorisation of the site f. Efficiency of site management strategies 	Yes Yes Yes Yes				
5. Is there a management plan	for the property? You	es 🔳	No ☐ In preparation ☐			g. Efficiency of legal framework h. Efficiency of institutional framework at a National level	Yes Yes				
6. What types of construction to a. Rammed earth (compacted ear b. Adobe (bricks made with raw ec. Wattle and daub (earth and veg d. Cob (shaped earth) e. Other	rth) earth)] 	Structure of dome: Body brick. Citadel: Green lime stone – Brick – Adobe.	Comments		i. Logistic and technical means for the site j. Staff number Nbr: k. Skills of managerial staff l. Skills of technical staff m. Involvementc/support of local decision makers n. Educational activities at the site o. Participation of local populations	Yes Yes Yes Yes	No □			
		•				p. Contribution to local development Yes ■ No □			Social	Cultural [
a. Walls b. Floors c. Ceilings and/or roofs d. Mortars e. Interior decorations f. Exterior decorations g. Other:			Interior and exterior decorations: Tile – brick – lime stone	Comments		b. To reinforce the legal framework c. To update the management plan d. To reinforce the capacities of site managers e. To reinforce the skills of site workers	4 4 1 3 3	er of priori 1 = most 5 = least	y (from 1 to	5)	Comments
8. What is the approximate pro	oportion of earthen	mate	erials			f. To preserve the earthen structures g. To improve the facilities	3 2				
present within the property? 1 % to 25 %	25 % to 50 %]		Comments		h. Sensitization of local populations i. Promotion and valorisation activities	1				
_	75 % to 100 %					j. Other :	-				
	f the structure is Slow Stabilised		The structures have been stabilised to som	Comments ne extents.		14. Additional general comments and remarks :					
10. Is there a regular maintena		1		Comments							
Traditional Institutionally planned No maintenance mechanism	•				266	Filled out by > Name: Ali Reza Razeghi Position: Institution: Iranian Cultural Heritage, Handicraft and Tourism Orga		anager		Date:	Informations 11 / 03 / 2012

Tchogha Zanbil

To which heritage categories can the propert (cf. Filling the Gaps, ICOMOS 2005, see annexed)		ociated ?		11. Among the following threats, please indicate by order of priority Comments (from 1 to 4) those affecting the site
a. Archaeological site c. Historic buildings e. Urban settlements g. Vernacular architecture i. Agricultural, industrial and technological propert k. Cultural landscapes, parks and gardens m. Burial monuments and sites 2. What is the current use of the property? a. Not in use anymore		b. Rock-art sites d. Historic ensembles f. Rural settlements h. Religious properties j. Military properties l. Cultural routes n. Symbolic properties and i	memorials Comments	a. Natural erosion b. Weather changes c. Pollution d. Development of infrastructures e. Lack of respect of the value of heritage f. Lack of capacities to manage the site g. Lack of technical or financial means h. Vandalism, theft and other illegal activities i. Need to adapt to modern needs j. Change of status of the owners
b. Living heritage c. Used as originally intended d. New use Specify: Museum		Cutural landscape property		k. Abandonment
3. Is the property owned by the Government? 4. The institution in charge of the site is: a. Traditional b. Local Institutional (or) Regional National	Yes	No 🗆	Comments	12. Do you deem the following aspects satisfactory? a. Heritage site documentation b. Authenticity c. General state of conservation of earthen structures d. Durability of conservation works carried out e. Promotion and valorisation of the site f. Efficiency of site management strategies Comments No No No No No No No No No N
5. Is there a management plan for the property ?	Yes =	No 🗌 In preparation 🗆]	g. Efficiency of legal framework h. Efficiency of institutional framework at a National level i. Logistic and technical means for the site Yes No
6. What types of construction techniques are fee a. Rammed earth (compacted earth) b. Adobe (bricks made with raw earth) c. Wattle and daub (earth and vegetal structure) d. Cob (shaped earth) e. Other	atured?		Comments	j. Staff number Nbr: Yes No No No. k. Skills of managerial staff Yes No No. l. Skills of technical staff Yes No. m. Involvementc/support of local decision makers Yes No. n. Educational activities at the site Yes No. o. Participation of local populations Yes No.
7. Earth is featured on a. Walls b. Floors c. Ceilings and/or roofs d. Mortars e. Interior decorations f. Exterior decorations g. Other:	İ		Comments	p. Contribution to local development Yes No Economical Social Cultural 13. Among the following items, please indicate by order of priority (from 1 to 5) those that seem necessary for the site a. Site documentation b. To reinforce the legal framework c. To update the management plan d. To reinforce the capacities of site managers e. To reinforce the skills of site workers
8. What is the approximate proportion of earth present within the property? 1 % to 25 %	en mate	rials	Comments	f. To preserve the earthen structures g. To improve the facilities h. Sensitization of local populations i. Promotion and valorisation activities j. Other:
9. The speed of degradation of the structure is Fast Slow Progressive Stabilised			Comments	14. Additional general comments and remarks :
10. Is there a regular maintenance mechanism Traditional Institutionally planned No maintenance mechanism			Comments	Filled out by > Name: Mohammad Hassan Talebian Position: Director-General Manager ICHHTO Name: Mohammad Hassan Talebian Position: Director-General Manager ICHHTO Date: 02/03/2010

Changdeokgung palace complex

1. To which heritage categories can the property be as (cf. Filling the Gaps, ICOMOS 2005, see annexed table)			11. Among the following threats, please indicate by order of priority (from 1 to 4) those affecting the site	Comments
a. Archaeological site c. Historic buildings e. Urban settlements g. Vernacular architecture i. Agricultural, industrial and technological propert k. Cultural landscapes, parks and gardens m. Burial monuments and sites 2. What is the current use of the property?	 b. Rock-art sites d. Historic ensembles f. Rural settlements h. Religious properties j. Military properties l. Cultural routes n. Symbolic properties and memoral 		a. Natural erosion b. Weather changes c. Pollution d. Development of infrastructures e. Lack of respect of the value of heritage f. Lack of capacities to manage the site g. Lack of technical or financial means h. Vandalism, theft and other illegal activities i. Need to adapt to modern needs 4	
a. Not in use anymore b. Living heritage c. Used as originally intended d. New use Specify:		Comments	j. Change of status of the owners k. Abandonment	
d. New use Specify:	I No □		12. Do you deem the following aspects satisfactory? a. Heritage site documentation Yes ■ No □	Comments
4. The institution in charge of the site is: a. Traditional		Comments	b. Authenticity c. General state of conservation of earthen structures d. Durability of conservation works carried out e. Promotion and valorisation of the site f. Efficiency of site management strategies Yes □ No □ No □	
5. Is there a management plan for the property ? Yes \blacksquare	No □ In preparation □		g. Efficiency of legal framework Yes No ☐ h. Efficiency of institutional framework at a National level Yes No ☐ i. Logistic and technical means for the site Yes No ☐	
6. What types of construction techniques are featured a. Rammed earth (compacted earth) b. Adobe (bricks made with raw earth) c. Wattle and daub (earth and vegetal structure) d. Cob (shaped earth) e. Other Torchis		Comments	j. Staff number Nbr: Yes No	
7. Earth is featured on		Comments		ltural 🗆
a. Walls b. Floors c. Ceilings and/or roofs d. Mortars e. Interior decorations f. Exterior decorations g. Other:	Earth was used as finishing materials	comments	13. Among the following items, please indicate by order of priority (from 1 to 5) those that seem necessary for the site a. Site documentation b. To reinforce the legal framework c. To update the management plan d. To reinforce the capacities of site managers e. To reinforce the skills of site workers	Comments
8. What is the approximate proportion of earthen mat	erials	Comments	f. To preserve the earthen structures g. To improve the facilities	
present within the property? 1 % to 25 % □ 25 % to 50 % ■ 50 % to 75 % □ 75 % to 100 % □			h. Sensitization of local populations i. Promotion and valorisation activities j. Other:	
9. The speed of degradation of the structure is Fast Slow Progressive Stabilised ■		Comments	14. Additional general comments and remarks :	
10. Is there a regular maintenance mechanism Traditional		Comments		
Institutionally planned No maintenance mechanism			Filled out by > Name: SHIN Geun Shik Position: Archi-terre Institution:	Informations Date: 22 /02/ 2010

Namhansanseong

	*	J						
1. To which heritage categories can the property	be ass	sociated ?		11. Among the following threats, please indicate	by ord	er of prio	rity	Comments
(cf. Filling the Gaps, ICOMOS 2005, see annexed				(from 1 to 4) those affecting the site	-		-	
a. Archaeological site		b. Rock-art sites		a. Natural erosion	2			
c. Historic buildings		d. Historic ensembles			1			
e. Urban settlements		f. Rural settlements			ī l			
g. Vernacular architecture		h. Religious properties						
					3			
i. Agricultural, industrial and technological propert		j. Military properties	_	er zeek er respect er tile reide er nemege				
k. Cultural landscapes, parks and gardens		l. Cultural routes						
m. Burial monuments and sites		n. Symbolic properties and	memorials \square					
					4			
2. What is the current use of the property?	_		Comments					
a. Abandoned			Commence	j. Change of status of the owners				
b. Original use		Some part of Namhansanseong are bei		k. Abandonment				
c. New use : Historic site No.57		Otherwise its original function isn't activ						
c. new die .		county administration office was moved	to Gyeongan village in 1917.	12. Do you deem the following aspects satisfacto	rv?			
				· · · · · · · · · · · · · · · · · · ·	Yes ■	No 🗆		Comments
2 to the account amount by the Comment 2	v =	No 🗆		a. Heritage site documentation				
3. Is the property owned by the Government?	res =	No 🗆		b. Authenticity	Yes 🔳	No 🗌		nme of conservation and
			Comments	c. General state of conservation of earthen structures		No 🗌		Namhansanseong including g of staffs who are in charge
4. The institution in charge of the site is :		The conservation and management of	of Namhansanseong is the	d. Durability of conservation works carried out	Yes	No 🗆		is well facilitated. But risk
a. Traditional 🗆 b. Institutional		reponsibility of Namhansanseong Culture		e. Promotion and valorisation of the site	Yes	No 🗆		e and interpretation to the
c. Local 🗆 d. Regional		is nonprofit organization comprising of cit		f. Efficiency of site management strategies	Yes 🗌	No 🗆	visitors is to more imp	prove and promote.
e. National		Namhansanseong Provincial Park Admini	stration office.	g. Efficiency of legal framework	Yes	No 🗆		
				h. Efficiency of institutional framework at a National level		No 🗆		
5. Is there a management plan for the property?	Yes	No ☐ In preparation ☐	1	i. Logistic and technical means for the site	Yes	No \square		
			_	j. Staff number	Yes	No \square		
6. What types of construction techniques are fea	tured?			k. Skills of managerial staff	Yes	No \square		
a. Rammed earth (compacted earth)	_		Comments	<u> </u>				
` ' '				I. Skills of technical staff	Yes 🔳	No 🗆		
b. Adobe (bricks made with raw earth)				m.Involvementc/support of local decision makers	Yes	No 🔲		
c. Wattle and daub (earth and vegetal structure)				n. Educational activities at the site	Yes	No 🗆		
d. Cob (shaped earth)				o. Participation of local populations	Yes	No 🗆		
e. Other				p. Contribution to local development	Yes	No 🗆		
				g. Site interpretation	Yes	No 🗌		
7. Earth is featured on			Comments	r. Risk preparedness	Yes	No 🗆		
a. Walls			Comments					
b. Floors				13. Among the following items, please indicate b	ny orde	r of priori	ity (from 1 to 5)	Comments
c. Ceilings and/or roofs				those that seem necessary for the site	y order	oi piioii	ty (IIOIII I to 3)	Comments
d. Mortars					_ (
e. Interior decorations	_							
f. Exterior decorations					5			
					1			
g. Other:					2			
				e. To reinforce the skills of site workers	3			
8. What is the approximate proportion of earthe	n mate	eriais	Comments	f. To preserve the earthen structures				
present within the property?			C 0	g. To improve the facilities	4			
1 % to 25 %				h. Sensitization of local populations				
50 % to 75 %								
					i l			
9. The speed of degradation of the structure is				,				
Fast Slow			Comments					
Progressive Stabilised				14 Additional general comments and compeles				
Trogressive	_			14. Additional general comments and remarks :				h 6 7 1 1 1 1 1
				It would be very meaningful to share and cooperate with various mater				
40 to those a secular maintenance sure harden				For example, it would be great that the comprehensive cooperative con through the cooperation in near future.	servation p	ian on earth	architecture in NaiThans	anseong would be implemented
10. Is there a regular maintenance mechanism			Comments	and agriculture to operation in near lattice.				
Traditional								Informations
Institutionally planned								
No maintenance mechanism				Filled out by: Doo-Won CHO Position: Se	enior Resea	rcher	Date	: 15 / 09 / 2014

Royal Tombs of the Joseon Dynasty

1. To which heritage categories can the propert (cf. Filling the Gaps, ICOMOS 2005, see annexed a. Archaeological site		ciated ? b. Rock-art sites		1	11. Among the following threats, please indicate (from 1 to 4) those affecting the site a. Natural erosion	by ore	der of prio	rity		Comments
c. Historic buildings e. Urban settlements g. Vernacular architecture i. Agricultural, industrial and technological propert		d. Historic ensembles f. Rural settlements h. Religious properties j. Military properties]] 	b. Weather changesc. Pollutiond. Development of infrastructurese. Lack of respect of the value of heritage	2				
k. Cultural landscapes, parks and gardens m. Burial monuments and sites		Cultural routes Symbolic properties and memoria	ıls 🗆]	g. Lack of technical or financial means h. Vandalism, theft and other illegal activities	4 1				
What is the current use of the property? a. Not in use anymore b. Living heritage			Comments		j. Change of status of the owners					
c. Used as originally intended d. New use Specify:————————————————————————————————————	. 🗖				12. Do you deem the following aspects satisfacto	rv?				Comments
3. Is the property owned by the Government?	Yes 	No 🗆			a. Heritage site documentation	Yes	No 🗆			
4. The institution in charge of the site is: a. Traditional			Comments		b. Authenticity c. General state of conservation of earthen structures d. Durability of conservation works carried out e. Promotion and valorisation of the site f. Efficiency of site management strategies	Yes Yes Yes Yes	No 🗆 No 🗆 No 🗆			
5. Is there a management plan for the property ?	Yes 	No 🗌 In preparation 🗌			g. Efficiency of legal framework h. Efficiency of institutional framework at a National level i. Logistic and technical means for the site	Yes Yes Yes	No 🔲			
6. What types of construction techniques are fe a. Rammed earth (compacted earth)			Comments		j. Staff number Nbr: k. Skills of managerial staff	Yes Yes	No 🔲			
b. Adobe (bricks made with raw earth) c. Wattle and daub (earth and vegetal structure) d. Cob (shaped earth) e. Other Torchis					I. Skills of technical staff m. Involvementc/support of local decision makers n. Educational activities at the site o. Participation of local populations	Yes Yes Yes	No 🔲			
7 Fasth is fastured as					p. Contribution to local development Yes No	Econo	mical 🗌	Social 🗌	Cultural 🗌	
7. Earth is featured on a. Walls b. Floors c. Ceilings and/or roofs d. Mortars e. Interior decorations f. Exterior decorations g. Other:			Comments		b. To reinforce the legal frameworkc. To update the management pland. To reinforce the capacities of site managerse. To reinforce the skills of site workers		er of priori	ty (from 1 to	5)	Comments
8. What is the approximate proportion of earth	en mater	ials				4				
present within the property? 1 % to 25 %			Comments		h. Sensitization of local populations	5				
50 % to 75 %					j. Other :	-				
9. The speed of degradation of the structure is Fast Slow Progressive Stabilised			Comments		14. Additional general comments and remarks :					
10. Is there a regular maintenance mechanism Traditional			Comments							
Institutionally planned										nformations
No maintenance mechanism				270	Filled out by > Name: SHIN Geun Shik Po Institution:	osition:	Archi-terre		Date:	22 /02/ 2010

Kathmandu Valley

	_	'					
1. To which heritage categories can the property		ociated ?		11. Among the following threats, please indicate	e by order of prio	rity	Comments
(cf. Filling the Gaps, ICOMOS 2005, see annexed	t <u>a</u> ble)			(from 1 to 4) those affecting the site	_		
a. Archaeological site		b. Rock-art sites		a. Natural erosion			
c. Historic buildings		d. Historic ensembles		b. Weather changes			
e. Urban settlements		f. Rural settlements		c. Pollution			
g. Vernacular architecture		h. Religious properties		d. Development of infrastructures	1		
i. Agricultural, industrial and technological propert		j. Military properties		e. Lack of respect of the value of heritage	5		
k. Cultural landscapes, parks and gardens		I. Cultural routes		f. Lack of capacities to manage the site	4		
m. Burial monuments and sites		n. Symbolic properties and memorials		g. Lack of technical or financial means			
The Series Menoritems and sites		symbolic properties and memoricis		h. Vandalism, theft and other illegal activities			
2. What is the current use of the property?				i. Need to adapt to modern needs	2		
a. Not in use anymore		Commen	nts	j. Change of status of the owners	3		
the state of the s				k. Abandonment			
b. Living heritage				k. Audituoliitietit			
c. Used as originally intended	Н						
d. New use Specify:	ш			42 December of the fellowing construction of the st			Comments
		=		12. Do you deem the following aspects satisfactor			Comments
3. Is the property owned by the Government?	Yes 🗌			a. Heritage site documentation	Yes ■ No □		
		Commen	nts	b. Authenticity	Yes No 🗆		
4. The institution in charge of the site is :		However the site incharge for the sites are govt. Institu-	j-	c. General state of conservation of earthen structures			
a. Traditional 🗆 b. Local		tions, some of the incharges are from the local govern-		d. Durability of conservation works carried out	Yes 🗌 No 🔳		
Institutional (or) Regional		ment and semi government as well as local community		e. Promotion and valorisation of the site	Yes 🗌 No 🔳		
National		based organization. So, I cannot tick on only one.		f. Efficiency of site management strategies	Yes 🗆 No 🗆		
				g. Efficiency of legal framework	Yes ■ No □		
5. Is there a management plan for the property?	Yes	No ☐ In preparation ☐		h. Efficiency of institutional framework at a National level			
· · · · ·	_			i. Logistic and technical means for the site	Yes □ No ■		
6. What types of construction techniques are fea	atured?	_		j. Staff number Nbr:	Yes No		
a. Rammed earth (compacted earth)		Commen	nts	k. Skills of managerial staff			
b. Adobe (bricks made with raw earth)		Not only the Adobe, but most of the burnt bricks.					
c. Wattle and daub (earth and vegetal structure)				I. Skills of technical staff	Yes No No		
` '				m. Involvementc/support of local decision makers	Yes No No		
d. Cob (shaped earth)				n. Educational activities at the site	Yes ■ No □		
e. Other				o. Participation of local populations	Yes 📕 No 🗌		
				p. Contribution to local development Yes \square No \blacksquare	Economical 🗆	Social Cultu	ral 🗌
7. Earth is featured on		Commen	nts				
a. Walls				13. Among the following items, please indicate	by order of priori	ity (from 1 to 5)	Comments
b. Floors		Earth is used as the mortars and the plaster material for	οr	those that seem necessary for the site	,	••	
c. Ceilings and/or roofs		floor and walls.		a. Site documentation	5		
d. Mortars				b. To reinforce the legal framework	2		
e. Interior decorations				c. To update the management plan	ī		
f. Exterior decorations	П			d. To reinforce the capacities of site managers	3		
g. Other:				e. To reinforce the skills of site workers			
g. outer.							
8. What is the approximate proportion of earthe	n mate	riale		f. To preserve the earthen structures	4		
	יוו ווומנפ	Commen	nts	g. To improve the facilities			
present within the property?				h. Sensitization of local populations	1		
1 % to 25 % 25 % to 50 %				 Promotion and valorisation activities 			
50 % to 75 %				j. Other:			
9. The speed of degradation of the structure is		Commen	nts				
Fast Slow		Commen	11.3	14. Additional general comments and remarks :			
Progressive Stabilised				•			
10. Is there a regular maintenance mechanism							
Traditional		Commen					
Institutionally planned	H	There is not any periodic maintenance system, but the					Informations
No maintenance mechanism		private building are maintained by individuals who are		Filled out by > Name:	osition: Archaeologica	l Officer	Date: 12 / 01 / 2010
TWO INGINICEDIACE INECTIONISM		owner of them and the public monuments are maintai-	-	Institution: Department of Archaeology Kathmandu Nepal			12, 3, 7, 2010

271

ned by the government agency, municipality of Guthi

Institution: Department of Archaeology, Kathmandu, Nepal

Archaeological Ruins at Moenjodaro

1. To which heritage categories can the proper (cf. Filling the Gaps, ICOMOS 2005, see annexe a. Archaeological site c. Historic buildings e. Urban settlements g. Vernacular architecture i. Agricultural, industrial and technological propert k. Cultural landscapes, parks and gardens m. Burial monuments and sites 2. What is the current use of the property? a. Not in use anymore b. Living heritage c. Used as originally intended	d table)	b. Rock-art sites d. Historic ensembles f. Rural settlements h. Religious properties j. Military properties l. Cultural routes n. Symbolic properties and	memorials Comments	b. Weather changes c. Pollution d. Development of infrastructures e. Lack of respect of the value of heritage f. Lack of capacities to manage the site	Comments
d. New use Specify: 3. Is the property owned by the Government? 4. The institution in charge of the site is: a. Traditional b. Local Institutional (or) Regional National	Yes	No □	Comments	12. Do you deem the following aspects satisfactory? a. Heritage site documentation Yes No Do	Comments
5. Is there a management plan for the property 6. What types of construction techniques are for a. Rammed earth (compacted earth) b. Adobe (bricks made with raw earth) c. Wattle and daub (earth and vegetal structure) d. Cob (shaped earth) e. Other		No □ In preparation [Comments	g. Efficiency of legal framework h. Efficiency of institutional framework at a National level i. Logistic and technical means for the site j. Staff number Nbr: k. Skills of managerial staff l. Skills of technical staff m. Involvementc/support of local decision makers n. Educational activities at the site	
7. Earth is featured on a. Walls b. Floors c. Ceilings and/or roofs d. Mortars e. Interior decorations f. Exterior decorations g. Other:			Comments	o. Participation of local populations p. Contribution to local development Yes ■ No □ Economical □ Social □ Cultura 13. Among the following items, please indicate by order of priority (from 1 to 5) those that seem necessary for the site a. Site documentation b. To reinforce the legal framework c. To update the management plan d. To reinforce the capacities of site managers e. To reinforce the skills of site workers Yes ■ No □ Economical □ Social □ Cultura Cultura 1 4 5 1 4 6 7 7 8 8 9 9 1 1 1 1 1 1 1 1 1 1 1	Comments
8. What is the approximate proportion of earth present within the property? 1 % to 25 %	en mater	rials	Comments	f. To preserve the earthen structures g. To improve the facilities h. Sensitization of local populations i. Promotion and valorisation activities j. Other:	
9. The speed of degradation of the structure is Fast Slow Progressive Stabilised			Comments	14. Additional general comments and remarks :	
10. Is there a regular maintenance mechanism Traditional Institutionally planned No maintenance mechanism			Comments	Filled out by > Name: Position: Director-General Institution: Department of Archaeology & Museums, Government of Pakistan	Informations Date: 13/03/2010

Date: 26 / 03 / 2012

Sarazm

Institutionally planned
No maintenance mechanism

damaged ba the natural

1. To which heritage categories can the property (cf. Filling the Gaps, ICOMOS 2005, see annexed		ociated ?		11. Among the following threats, please indica (from 1 to 4) those affecting the site	te by o	rder of prior	rity	Comments
a. Archaeological site c. Historic buildings e. Urban settlements g. Vernacular architecture i. Agricultural, industrial and technological propert k. Cultural landscapes, parks and gardens m. Burial monuments and sites 2. What is the current use of the property? a. Not in use anymore b. Living heritage		b. Rock-art sites d. Historic ensembles f. Rural settlements h. Religious properties j. Military properties l. Cultural routes n. Symbolic properties and n	Comments	a. Natural erosion b. Weather changes c. Pollution d. Development of infrastructures e. Lack of respect of the value of heritage f. Lack of capacities to manage the site g. Lack of technical or financial means h. Vandalism, theft and other illegal activities i. Need to adapt to modern needs j. Change of status of the owners k. Abandonment	1	inviriment th	cts system of admini negt vandalism and o of neibiring villages	lamagend on the side of
c. Used as originally intended d. New use Specify:		and strictly secured						
3. Is the property owned by the Government ?	Yes =	No 🗆		12. Do you deem the following aspects satisfac a. Heritage site documentation	Yes			Comments
4. The institution in charge of the site is : a. Traditional b. Local Institutional (or) Regional National	i	Since 21 september 2001 the Gover Tajikistan the site is dedared as a hi reserve and is secured by the gover	storical – arhaeological	 b. Authenticity c. General state of conservation of earthen structure d. Durability of conservation works carried out e. Promotion and valorisation of the site f. Efficiency of site management strategies 	Yes S Yes C Yes C Yes C	No ■ No ■ No ■		
5. Is there a management plan for the property?	Yes =	No ☐ In preparation ☐		g. Efficiency of legal framework h. Efficiency of institutional framework at a National leve i. Logistic and technical means for the site	Yes	No 🗆		
6. What types of construction techniques are feat a. Rammed earth (compacted earth) b. Adobe (bricks made with raw earth) c. Wattle and daub (earth and vegetal structure) d. Cob (shaped earth) e. Other	tured?	Under the government,s financing cal sites are covered by shelters w the territory of the site is framed by	hose size 30x30m and	j. Staff number Nbr: k. Skills of managerial staff I. Skills of technical staff m. Involvementc/support of local decision makers n. Educational activities at the site	Yes Yes Yes Yes Yes	No		
				o. Participation of local populations p. Contribution to local development Yes ■ No	Yes Econ		Social 🗆 Cu	Itural 🗆
7. Earth is featured on a. Walls b. Floors c. Ceilings and/or roofs d. Mortars e. Interior decorations f. Exterior decorations g. Other: 8. What is the approximate proportion of earther present within the property?		rials	Comments	13. Among the following items, please indicate those that seem necessary for the site a. Site documentation b. To reinforce the legal framework c. To update the management plan d. To reinforce the capacities of site managers e. To reinforce the skills of site workers f. To preserve the earthen structures g. To improve the facilities h. Sensitization of local populations		On the side and local go financial diff	of the government o vernment there is a	Comments If the republic we hope wide but because of the financial on and mate-
1 % to 25 %				i. Promotion and valorisation activities j. Other :	5			
9. The speed of degradation of the structure is Fast Slow Progressive Stabilised			Comments	14. Additional general comments and remarks	:			
10. Is there a regular maintenance mechanism Traditional Institutionally planned No maintenance mechanism		Except the metallic shelter no othe conserving works are not applied.		Filled out by > Name: Abdyrauf Razzokov et David Positic	On: Gestio	nnaire du site (A	Razzokov) [Informations rate: 26 / 03 / 2012

273

Filled out by > Name: Abdurauf Razzokov et David Position: Gestionnaire du site (A. Razzokov)
Institution: Penjikent Historical and Archaeological reserve Sarazm

Kunya-Urgench

1. To which heritage categories can the property (cf. Filling the Gaps, ICOMOS 2005, see annexed a. Archaeological site c. Historic buildings e. Urban settlements g. Vernacular architecture i. Agricultural, industrial and technological propert k. Cultural landscapes, parks and gardens m. Burial monuments and sites 2. What is the current use of the property? a. Not in use anymore b. Living heritage c. Used as originally intended	table)	b. Rock-art sites d. Historic ensembles f. Rural settlements h. Religious properties j. Military properties l. Cultural routes n. Symbolic properties and memoria	als		11. Among the following threats, please indicate (from 1 to 4) those affecting the site a. Natural erosion b. Weather changes c. Pollution d. Development of infrastructures e. Lack of respect of the value of heritage f. Lack of capacities to manage the site g. Lack of technical or financial means h. Vandalism, theft and other illegal activities i. Need to adapt to modern needs j. Change of status of the owners k. Abandonment	e by ord	ler of prio	rity		Comments
d. New use Specify: 3. Is the property owned by the Government? 4. The institution in charge of the site is: a. Traditional b. Local Institutional (or) Regional	Yes	No 🗆	Comments		12. Do you deem the following aspects satisfactors. Heritage site documentation b. Authenticity c. General state of conservation of earthen structures d. Durability of conservation works carried out e. Promotion and valorisation of the site	Yes ■ Yes ■	No □ No □			Comments
National 5. Is there a management plan for the property? 6. What types of construction techniques are feat a. Rammed earth (compacted earth) b. Adobe (bricks made with raw earth)	Yes	No ☐ In preparation ☐	Comments		Efficiency of site management strategies Efficiency of legal framework Efficiency of institutional framework at a National level Logistic and technical means for the site Staff number Nbr: K. Skills of managerial staff Skills of technical staff	Yes ■ Yes ■	No			
c. Wattle and daub (earth and vegetal structure) d. Cob (shaped earth) e. Other Burned bricks 7. Earth is featured on a. Walls			Comments		m. Involvementc/support of local decision makers n. Educational activities at the site o. Participation of local populations p. Contribution to local development Yes ■ No □ 13. Among the following items, please indicate	Yes ■ Yes ■ Yes ■ Econor	No 🗆 No 🗆 No 🗆 mical 🗆	Social □	Cultural □	Comments
b. Floors c. Ceilings and/or roofs d. Mortars e. Interior decorations f. Exterior decorations g. Other:					those that seem necessary for the site a. Site documentation b. To reinforce the legal framework c. To update the management plan d. To reinforce the capacities of site managers e. To reinforce the skills of site workers					
8. What is the approximate proportion of earther present within the property? 1 % to 25 %	n materi	als	Comments		f. To preserve the earthen structures g. To improve the facilities h. Sensitization of local populations i. Promotion and valorisation activities j. Other:	1 2 3 				
9. The speed of degradation of the structure is Fast Slow Progressive Stabilised 10. Is there a regular maintenance mechanism			Comments		14. Additional general comments and remarks :					
Traditional Institutionally planned No maintenance mechanism			Comments	274	Filled out by > Name: Institution: "Kunya Urgench" State historical-cultural Park	Position: (Director			nformations 11 /01/ 2010

Parthian Fortresses of Nisa

 To which heritage categories can the propert (cf. Filling the Gaps, ICOMOS 2005, see annexed a. Archaeological site c. Historic buildings e. Urban settlements g. Vernacular architecture i. Agricultural, industrial and technological propert k. Cultural landscapes, parks and gardens m. Burial monuments and sites What is the current use of the property? Not in use anymore Living heritage Used as originally intended 	table)	b. Rock-art sites d. Historic ensembles f. Rural settlements h. Religious properties j. Military properties l. Cultural routes n. Symbolic properties and me	morials Comments	 b. Weather changes c. Pollution d. Development of infrastructures e. Lack of respect of the value of heritage f. Lack of capacities to manage the site 	te by order of p	riority	Comments
d. New use Specify:	. 🗆			12. Do you deem the following aspects satisfact	toru?		Comments
3. Is the property owned by the Government? 4. The institution in charge of the site is: a. Traditional b. Local Institutional (or) Regional National	Yes	No 🗆	Comments	a. Heritage site documentation b. Authenticity c. General state of conservation of earthen structures d. Durability of conservation works carried out e. Promotion and valorisation of the site f. Efficiency of site management strategies	Yes ■ No □ Yes ■ No □		Comments
	_			g. Efficiency of legal framework	Yes ■ No 🗆]	
 5. Is there a management plan for the property? 6. What types of construction techniques are feat a. Rammed earth (compacted earth) b. Adobe (bricks made with raw earth) c. Wattle and daub (earth and vegetal structure) d. Cob (shaped earth) e. Other 		No □ In preparation □	Comments	h. Efficiency of institutional framework at a National leve i. Logistic and technical means for the site j. Staff number Nbr: k. Skills of managerial staff l. Skills of technical staff m. Involvementc/support of local decision makers n. Educational activities at the site o. Participation of local populations	Yes ■ No □		
	_			p. Contribution to local development Yes No			Itural 🗆
 7. Earth is featured on a. Walls b. Floors c. Ceilings and/or roofs d. Mortars e. Interior decorations f. Exterior decorations g. Other: 8. What is the approximate proportion of earth		iale	Comments	13. Among the following items, please indicate those that seem necessary for the site a. Site documentation b. To reinforce the legal framework c. To update the management plan d. To reinforce the capacities of site managers e. To reinforce the skills of site workers f. To preserve the facilities	by order of prid	ority (from 1 to 5)	Comments
present within the property? 1 % to 25 %		lais	Comments	g. To improve the facilities h. Sensitization of local populations i. Promotion and valorisation activities j. Other :	3		
9. The speed of degradation of the structure is Fast Slow Progressive Stabilised	-		Comments	14. Additional general comments and remarks :			
10. Is there a regular maintenance mechanism Traditional			Comments				
Institutionally planned No maintenance mechanism				Filled out by > Name:	Position: Director		Informations Date: 11/01/2010

Institution: "Nisa" State historical-cultural Park

State Historical and Cultural Park «Ancient Merv»

1. To which heritage categories can the propert (cf. Filling the Gaps, ICOMOS 2005, see annexed	y be asso	ciated ?		11. Among the following threats, please indicate by order of priority	Comments
a. Archaeological site c. Historic buildings e. Urban settlements g. Vernacular architecture i. Agricultural, industrial and technological propert k. Cultural landscapes, parks and gardens m. Burial monuments and sites 2. What is the current use of the property?		b. Rock-art sites d. Historic ensembles f. Rural settlements h. Religious properties j. Military properties l. Cultural routes n. Symbolic properties and memoria	als Comments	(from 1 to 4) those affecting the site a. Natural erosion b. Weather changes c. Pollution d. Development of infrastructures e. Lack of respect of the value of heritage f. Lack of capacities to manage the site g. Lack of technical or financial means h. Vandalism, theft and other illegal activities i. Need to adapt to modern needs	
a. Not in use anymore b. Living heritage			Comments	j. Change of status of the owners k. Abandonment	
c. Used as originally intended				K. Abditolilicit	
d. New use Specify:				12. Do you deem the following aspects satisfactory?	Comments
3. Is the property owned by the Government?4. The institution in charge of the site is:	Yes	No 🗆	Comments	a. Heritage site documentation Yes ■ No □ b. Authenticity Yes ■ No □ c. General state of conservation of earthen structures Yes ■ No □	
a. Traditional 🔲 b. Local				d. Durability of conservation works carried out Yes ■ No □	
Institutional (or) Regional National				e. Promotion and valorisation of the site Yes ■ No □ f. Efficiency of site management strategies Yes ■ No □	
5. Is there a management plan for the property ?	Yes 	No ☐ In preparation ☐		g. Efficiency of legal framework h. Efficiency of institutional framework at a National level Yes No	
6. What types of construction techniques are fe	_		Comments	i. Logistic and technical means for the site Yes ■ No □ j. Staff number Nbr: Yes ■ No □	
a. Rammed earth (compacted earth) b. Adobe (bricks made with raw earth)				k. Skills of managerial staff Yes \blacksquare No \square I. Skills of technical staff Yes \blacksquare No \square	
c. Wattle and daub (earth and vegetal structure) d. Cob (shaped earth)				m. Involvementc/support of local decision makers Yes ■ No □ n. Educational activities at the site Yes ■ No □	
e. Other	. 🗖			o. Participation of local populations Yes ■ No □	
7. Earth is featured on	_		Comments	p. Contribution to local development Yes No Economical Social Cultu	ral 🗌
a. Walls b. Floors				13. Among the following items, please indicate by order of priority (from 1 to 5) those that seem necessary for the site	Comments
c. Ceilings and/or roofs d. Mortars				a. Site documentation	
e. Interior decorations				b. To reinforce the legal framework c. To update the management plan	
f. Exterior decorations q. Other:				d. To reinforce the capacities of site managers e. To reinforce the skills of site workers	
	on mater	iale		f. To preserve the earthen structures	
8. What is the approximate proportion of earth present within the property?	en mater	Idis	Comments	g. To improve the facilities h. Sensitization of local populations	
1 % to 25 %				i. Promotion and valorisation activities j. Other :	
9. The speed of degradation of the structure is			Comments		
Fast Slow Progressive Stabilised			Comments	14. Additional general comments and remarks :	
10. Is there a regular maintenance mechanism			Comments		
Traditional Institutionally planned			Comments		Informations
No maintenance mechanism	-			Filled out by > Name: Position: Director Institution: "Ancient Merv" State historical-cultural Park	Date: 11 /01/ 2010

The Landscape of Grand Pré

	•						
1. To which heritage categories can th		ociated ?		11. Among the following threats, please	indicate by orde	er of priority	Comments
(cf. Filling the Gaps, ICOMOS 2005, see	annexed table)			(from 1 to 4) those affecting the site			
a. Archaeological site		b. Rock-art sites		a. Natural erosion	1		
Historic buildings		d. Historic ensembles		b. Weather changes	2		
e. Urban settlements		f. Rural settlements		c. Pollution			
g. Vernacular architecture		h. Religious properties		d. Development of infrastructures			
. Agricultural, industrial and technological		j. Military properties		e. Lack of respect of the value of heritage			
k. Cultural landscapes, parks and gardens		l. Cultural routes		f. Lack of capacities to manage the site	4		
m. Burial monuments and sites		n. Symbolic properties and	memorials \square	g. Lack of technical or financial means	3		
				h. Vandalism, theft and other illegal activities			
2. What is the current use of the prope	erty?		Comments	i. Need to adapt to modern needs			
a. Abandoned		Marthy francisco d		j. Change of status of the owners			
o. Original use		Mostly farmland		k. Abandonment			
C. New use :							
				12. Do you deem the following aspects sa		_	Comments
				a. Heritage site documentation	Yes	No 🗌	Comments
3. Is the property owned by the Gover	nment ? Yes 🗌	No ■		b. Authenticity	Yes		of management plan is just
			Comments	c. General state of conservation of earthen str		No beginning.	
4. The institution in charge of the site	is:	Landscape of Grand Pré Society ma	andated to coordinate the	d. Durability of conservation works carried out	t Yes ■	No k) Interim site mana	agement co-ordinator in place.
a. Traditional 🗌 b. Inst	titutional \square	management of the site includes local,		e. Promotion and valorisation of the site	Yes ■	No 🔲	J
c. Local 🔳 d. Reg	gional =	Canada) representation.	· ·	f. Efficiency of site management strategies	Yes 🗌	No 🗆	
e. National 🔳				g. Efficiency of legal framework	Yes 🗌	No ■	
				h. Efficiency of institutional framework at a Natio	nal level Yes ■	No 🗆	
5. Is there a management plan for the p	property? Yes =	No 🗌 In preparation 🗆		 Logistic and technical means for the site 	Yes 🗌	No ■	
				j. Staff number	Yes	No 🗆	
6. What types of construction techniqu	ues are featured?		Comments	k. Skills of managerial staff	Yes ■	No 🗆	
a. Rammed earth (compacted earth)		5 11 11 11	Comments	I. Skills of technical staff	Yes ■	No 🗆	
o. Adobe (bricks made with raw earth)		Earthen works, polders or dykes.		m.Involvementc/support of local decision ma	kers Yes ■	No 🗆	
c. Wattle and daub (earth and vegetal stru	ıcture) 🔲			n. Educational activities at the site	Yes	No 🗆	
d. Cob (shaped earth)				o. Participation of local populations	Yes	No 🗆	
e. Other <u>bricks of sod</u>				p. Contribution to local development	Yes	No 🗆	
				q. Site interpretation	Yes	No 🗆	
7. Earth is featured on			Comments	r. Risk preparedness	Yes ■	No 🗆	
a. Walls			Comments				
o. Floors				13. Among the following items, please in	dicate by order	of priority (from 1 to 5)	Comments
c. Ceilings and/or roofs				those that seem necessary for the site	_		
d. Mortars				a. Site documentation (archaeological)	2		
e. Interior decorations				b. To reinforce the legal framework			
Exterior decorations				c. To update the management plan			
g. Other: <u>dykes</u>				d. To reinforce the capacities of site managers	3		
				e. To reinforce the skills of site workers			
B. What is the approximate proportion	n of earthen mate	erials	Comments	f. To preserve the earthen structures	1		
present within the property?		0.1 1 27.5 (()		g. To improve the facilities			
1 % to 25 % = 25 % to 5	30 /0	Dykes enclose some 2745 acres of farmla	nd.	h. Sensitization of local populations			
50 % to 75 % \square 75 % to 1	100 %			 i. Promotion and valorisation activities 	4		
				j. Other : Improve governances structure	5		
9. The speed of degradation of the str			Comments				
ast Slow	. 🖳	Some emergency stabilization required in					
Progressive	d 🔳	of storm erosion of foreshore.	past couple of years because	14. Additional general comments and rer	marks :		
10. Is there a regular maintenance me	echanism		Comments				
Traditional							Informations
nstitutionally planned		Marsh Body and Nova Scotia Department	ot Agriculture				
No maintenance mechanism	П			Filled out by: claude DeGrâce Pos	sition: co-Chair	Dat	te: 25 / 10 / 2014

Institution: Landscape of Grand Pré Society / La Société du Paysage de Grand-Pré

Canal du Midi

1. A quelle famille du patrimoine le bio (cf. Filling the Gaps, ICOMOS 2005)	en peut-il être ass	socié ?		11. Parmi la liste des menaces suivante, pouvez vo celles qui affectent le bien (de 1 à 4)	us classer par ordre de priorité	Commentaires
 a. Patrimoine archéologique c. Edifices historiques e. Etablissements urbains g. Architecture vernaculaire i. Biens agricoles, industriels et technologiq k. Paysages culturels, parcs et jardins m. Monuments et sites funéraires 2. Quelle est l'utilisation actuelle du bi a. Il n'est plus utilisé 	■ □ en ?	b. Sites d'art rupestre d. Ensembles historiques f. Etablissement ruraux h. Biens religieux j. Biens militaires l. Itinéraires culturels n. Biens symboliques et mé		 a. Erosion naturelle b. Changement climatique c. Pollution d. Développement d'infrastructures e. Non respect des valeurs patrimoniales f. Manque de capacités pour gérer le bien g. Moyens techniques et financiers h. Vandalisme, vol, autres pratiques illégales i. Adaptation aux standards modernes j. Changement de statut des propriétaires 		
b. Patrimoine vivant c. Il a gardé son usage initial						
d. Nouvel usage : 3. Le bien est-il propriété de l'Etat ?	Oui I	Non 🗆	Commentaires		Dui □ Non□	Commentaires
				c. Etat général de conservation des structures en terre (d. Durabilité des travaux de conservation effectués e. Promotion et mise en valeur du bien	Dui	
5. Un plan de gestion existe-t-il pour le	bien ? Oui 🗆	Non□ En préparation ■		h. Efficacité du cadre institutionnel au niveau national	Dui	
6. Quels modes de construction sont re	présentés ?		Commentaires	j. Nombre de personnel employé Nbr:	Oui Non	
a. Pisé (terre compactée) b. Adobe (briques de terre crue) c. Torchis (terre et structure végétale) d. Bauge (terre façonnée) e. Autres		ll s'agit principalement d'ouvrages d (ponts , aqueducs, écluses, barrages	'infrastructures	m. Participation / support des décideurs locaux n. Activités éducatives sur le site	Dui	
7. Le matériau terre est-il présent dans	. 7			p. Contribution au développement local Oui Non] Economique ☐ Sociale ☐ C	ulturelle 🗌
a. Les murs b. Les sols c. Les plafonds et/ou toitures d. Les mortiers e. Les décorations intérieures f. Les décorations extérieures g. Autres: 8. En quelle proportion le matériau terr		dans le bâti ?	Commentaires	 b. Renforcer la législation pour le patrimoine c. Réviser le plan de gestion d. Renforcer les capacités des gestionnaires e. Renforcer les capacités des ouvriers f. Conserver les structures en terre g. Améliorer les équipements 	sser par ordre de priorité (de 1 à 5)	Commentaires
1 % à 2 % ■ 25 % à 50 % à 75 % □ 75 % à 10					3	
9. La vitesse de dégradation des structi Rapide			Commentaires	14. Remarques et suggestions complémentaires :		
10. Existe-t-il est système régulier de n Traditionnel	naintenance		Commentaires			
Institutionnel Pas de maintenance régulière				Ce questionnaire a été rempli par> Nom : MURA Valérie Institution: DIRSO/MPEP	Position: Chargée de la Mission des Politiques Patrimoniales et Environnementales	Informations Date: 16 /03 / 2010

Fortifications de Vauban

1. A quelle famille du patrimoine le bi	en peut-il être as	socié ?		11. Parmi la liste des menaces suivante, pouvez v	ous cl	asser par or	dre de priorité	Commentaires
k. Paysages culturels, parcs et jardins m. Monuments et sites funéraires	Patrimoine archéologique Edifices historiques Etablissements urbains Architecture vernaculaire Biens agricoles, industriels et technologiques Paysages culturels, parcs et jardins Monuments et sites funéraires Quelle est l'utilisation actuelle du bien? Il n'est plus utilisé Patrimoine vivant I a gardé son usage initial		Commentaires	 b. Changement climatique c. Pollution d. Développement d'infrastructures e. Non respect des valeurs patrimoniales f. Manque de capacités pour gérer le bien 		depuis longter architecte du y déblaiement c de casemate, protectrice des ne fascinant p que tout coule tamisée, dame la culture des entreprises, ce	e terre des remparts son mps ; le problème interv patrimoine doit pratique des terres pour recréer u ne remettant pas la cou s voûtes, ne tamisant pa pas, n'engazonnant pas, ve dans les fossés. La cult ée, gazonnée a totalem architectes du patrimoir e qui pose d'énormes pr long terme après interv	vient quand un er un ine étanchéité iche d'argile as ses terres, ce qui signifie ure de la terre ent disparu de ne et des oblèmes de
c. Il a gardé son usage initial		situations varient selon les lieux.		12. Jugez-vous satisfaisants les aspects suivants	?			
3. Le bien est-il propriété de l'Etat ?	Oui 🗆	Non 		a. Documentation du bien	Oui	■ Non □		Commentaires condrait qu'il est satisfaisant
• • •			Commentaires	 b. Authenticité du bien c. Etat général de conservation des structures en terre d. Durabilité des travaux de conservation effectués e. Promotion et mise en valeur du bien f. Efficacité des mécanismes de gestion du bien 	Oui Oui Oui Oui	Non ■Non ■Non □	tant qu'on y touche pa contemporaine	ss, ingérable après intervention
5. Un plan de gestion existe-t-il pour le	e bien ? Oui ■	Non ☐ En préparation ☐]	 g. Efficacité du cadre juridique h. Efficacité du cadre institutionnel au niveau national i. Moyens logistiques et techniques alloués au bien 	Oui	■ Non □ ■ Non □ □ Non ■		
6. Quels modes de construction sont re a. Pisé (terre compactée) b. Adobe (briques de terre crue) c. Torchis (terre et structure végétale) d. Bauge (terre façonnée) e. Autres	présentés ?	Le rempart est composé d'une masse de alternant avec des lits de branchage asso évitant que cette terre meuble ne repren	ociée à un mur d'escarpe	 j. Nombre de personnel employé Nbr: k. Niveau de compétence du personnel d'encadremen l. Niveau de compétence du personnel technique m. Participation / support des décideurs locaux n. Activités éducatives sur le site o. Participation de la population locale 	Oui t Oui Oui Oui Oui Oui	 Non ■ Non ■ Non ■ Non □ Non □ Non □ 		
7. Le matériau terre est-il présent dans			Commentaires	p. Contribution au développement local Oui ■ Non		·		
a. Les murs b. Les sols c. Les plafonds et/ou toitures d. Les mortiers e. Les décorations intérieures f. Les décorations extérieures g. Autres:				 13. Parmi la liste d'activités suivante, pouvez vous cle celles qui vous semblent nécessaires pour le bien a. Documenter le bien b. Renforcer la législation pour le patrimoine c. Réviser le plan de gestion d. Renforcer les capacités des gestionnaires e. Renforcer les capacités des ouvriers f. Conserver les structures en terre 		oar ordre de	priorite (de 1 a 5)	Commentaires
8. En quelle proportion le matériau ter	re est-il présent (dans le bâti ?	Commentaires	g. Améliorer les équipements				
1 % à 2 %				h. Sensibiliser les populations locales i. Promouvoir et mettre en valeur le bien j. Autres :				
9. La vitesse de dégradation des struct Rapide ☐ Lente Progressive ☐ Stabilisée		•	Commentaires	14. Remarques et suggestions complémentaires Je me permets de vous préciser que pour de nombreuses question nous sites. Celles-ci ne valent donc pas obligatoirement à chaque fois pour le	avons p		es situations les plus fréc	quentes qui avaient lieu sur les
10. Existe-t-il est système régulier de i	_		Commentaires					
Traditionnel Institutionnel				Co questionnaire a été compli par	. n-	rition		Informations
Pas de maintenance régulière	-			Ce questionnaire a été rempli par : MONGIN Mari Institution: Réseau des sites majeurs de Vauban FAUCHERRE Ni		sition: Expert : Chargé	scientifique e de mission	Date: 25/03/2010

Historic Centre of Évora

1. To which heritage categories can the property (cf. Filling the Gaps, ICOMOS 2005, see annexed a. Archaeological site c. Historic buildings e. Urban settlements g. Vernacular architecture i. Agricultural, industrial and technological propert k. Cultural landscapes, parks and gardens m. Burial monuments and sites 2. What is the current use of the property? a. Not in use anymore b. Living heritage c. Used as originally intended	•	b. Rock-art sites d. Historic ensembles f. Rural settlements h. Religious properties j. Military properties l. Cultural routes n. Symbolic properties and memorials	 	b. Weather changes c. Pollution d. Development of infrastructures e. Lack of respect of the value of heritage f. Lack of capacities to manage the site g. Lack of technical or financial means h. Vandalism, theft and other illegal activities i. Need to adapt to modern needs j. Change of status of the owners	3 2	After 2005	there is special urban tax ex e world heritage area, the l	
d. New use Specify:								
3. Is the property owned by the Government? 4. The institution in charge of the site is: a. Traditional	■	No Commen The Municipality has decided to modify the responsibilities of th historic centre office in 2005, now it's a relations public office, that anterior responsibilities concern private modifications, interventions and others were turn to Municipality Urban Administration Department. First the name of this office was NCRHE, since 1982, (Núcleo de Recuperação do Centro Histórico de Évora) and after 1996 Department of the historic centre of Évora. No In preparation Commen I should say Évora it's a partial earthen site. The examples of earthen techniques takes place on the Medieval quarter Mourra Northeast of the city and some examples on the Medieval Jew quarter on the Northwest. The other examples are exceptions.	ne ene	a. Heritage site documentation b. Authenticity c. General state of conservation of earthen structures d. Durability of conservation works carried out e. Promotion and valorisation of the site f. Efficiency of site management strategies g. Efficiency of legal framework h. Efficiency of institutional framework at a National level i. Logistic and technical means for the site j. Staff number Nbr: k. Skills of managerial staff m. Involvementc/support of local decision makers n. Educational activities at the site o. Participation of local populations	Yes Yes Yes Yes Yes Yes Yes Yes Yes	NO	donne by the governm	Comments orisation of the site are ent in historic and monumene on the historic city, world
7. Earth is featured on				p. Contribution to local development Yes No] Econ	omical \square	Social 🗆 Cu	Itural 🗆
a. Walls b. Floors c. Ceilings and/or roofs d. Mortars e. Interior decorations f. Exterior decorations g. Other:		Commen	ts	b. To reinforce the legal framework c. To update the management plan d. To reinforce the capacities of site managers e. To reinforce the skills of site workers	by ord	er of prio	rity (from 1 to 5)	Comments
8. What is the approximate proportion of earth	en mate	rials	4.0		4			
present within the property? 1 % to 25 % ■ 25 % to 50 % 50 % to 75 % □ 75 % to 100 %		Commen	6	h. Sensitization of local populations i. Promotion and valorisation activities	5			
9. The speed of degradation of the structure is Fast □ Slow Progressive ■ Stabilised		Commen	ts	14. Additional general comments and remarks :				
10. Is there a regular maintenance mechanism								
Traditional		Commen						Informations
Institutionally planned No maintenance mechanism		It was in the past, traditional maintenance with lime, some ten years ago but not anymore the tendency it's the use of incompatible materials for the maintenance, like plastic paintings and cement mortars or the complete demolition of the house and the	ı	Filled out by > Name: Maria Fernandes P Institution: ICOMOS-Portugal	osition:	Architect		Informations Date: 16/03/2010

Historic Centre of Guimarães

To which heritage categories can the propert	v be ass	ociated ?			11. Among the following threats, please indicate b	ov ore	der of prio	ritv	Comments
(cf. Filling the Gaps, ICOMOS 2005, see annexed a. Archaeological site c. Historic buildings e. Urban settlements g. Vernacular architecture i. Agricultural, industrial and technological propert k. Cultural landscapes, parks and gardens m. Burial monuments and sites 2. What is the current use of the property? a. Not in use anymore	table)	b. Rock-art sites d. Historic ensembles f. Rural settlements h. Religious properties j. Military properties l. Cultural routes n. Symbolic properties and r			(from 1 to 4) those affecting the site a. Natural erosion b. Weather changes c. Pollution d. Development of infrastructures e. Lack of respect of the value of heritage f. Lack of capacities to manage the site g. Lack of technical or financial means h. Vandalism, theft and other illegal activities i. Need to adapt to modern needs j. Change of status of the owners		The site need consequences	s an evaluation, because of the	use we don't know exactly the historic city office. In 2009, a ime as long time ago, takes
b. Living heritage c. Used as originally intended d. New use Specify:					k. Abandonment	J			
3. Is the property owned by the Government? 4. The institution in charge of the site is:	Yes 	No The Municipality has decided to close the state of t	Comments	s	<u> </u>	es 📕	No 🗆	tures. The National	few examples of earthen struc- Government (Direcção Regional) and the Municipality (Câmara
a. Traditional		2007.	ie historic centre office in		d. Durability of conservation works carried out e. Promotion and valorisation of the site f. Efficiency of site management strategies	′es ☐ ′es ☐	No □ No □ No ■	Municipal de Guima conservation of the But as I said before,	raes) they work together on the world heritage area. the situation, the attitude of ange in the last two years, we
5. Is there a management plan for the property ?		No ☐ In preparation ☐]		h. Efficiency of institutional framework at a National level	′es □ ′es ■ ′es ■	No 🔲	haven't a clear idea	
6. What types of construction techniques are feat a. Rammed earth (compacted earth) b. Adobe (bricks made with raw earth) c. Wattle and daub (earth and vegetal structure) d. Cob (shaped earth) e. Other	atured?	In all the interventions on the historic a examples of "taipa de fasquio", wattle it's a stone city on the first and second on the third and sometimes fourth floo presence of evolution technique. It was and it's in timber and lime mortar now.	& daub walls. Guimarães floors and timber frames rs. May I say, we are on a	s	k. Skills of managerial staff I. Skills of technical staff m. Involvementc/support of local decision makers n. Educational activities at the site	/es	No 🗆 No 🗆 No 🗆	special urban tax ex	after 2005 didn't adopted a temption for the houses inside ol area, the historic city (IMI, urban
7. Earth is featured on			Comments	s	p. Contribution to local development Yes ■ No □ E				Cultural 🗆
a. Walls b. Floors c. Ceilings and/or roofs d. Mortars e. Interior decorations f. Exterior decorations g. Other:					13. Among the following items, please indicate by those that seem necessary for the site a. Site documentation b. To reinforce the legal framework c. To update the management plan d. To reinforce the capacities of site managers e. To reinforce the skills of site workers 4]	er of priori	ty (from 1 to 5) Comments
8. What is the approximate proportion of earthopresent within the property? 1 % to 25 %	en mate	rials As I said before there are only two examexceptions.	Comments mples, so they are	s	f. To preserve the earthen structures g. To improve the facilities h. Sensitization of local populations i. Promotion and valorisation activities j. Other:]]]			
9. The speed of degradation of the structure is Fast Slow Progressive Stabilised			Comments	S	14. Additional general comments and remarks :				
10. Is there a regular maintenance mechanism Traditional			Comments	s					Informations
Institutionally planned No maintenance mechanism		The historic office did an excellent work Arq. Alexandra Gesta, she continues to			Filled out by : Maria Fernandes Position	ion:	Architect		Date: / / 20

281

Institution: ICOMOS-Portugal

without responsibility as before, on the historic city.

Historic centre of Porto

1. To which heritage categories can the propert (cf. Filling the Gaps, ICOMOS 2005, see annexed		ociated ?			11. Among the following threats, please indicate (from 1 to 4) those affecting the site	by ord	er of prio	ority	Comments
a. Archaeological site c. Historic buildings e. Urban settlements g. Vernacular architecture i. Agricultural, industrial and technological propert k. Cultural landscapes, parks and gardens m. Burial monuments and sites		b. Rock-art sites d. Historic ensembles f. Rural settlements h. Religious properties j. Military properties l. Cultural routes n. Symbolic properties and	[[[[memorials [a. Natural erosion b. Weather changes c. Pollution d. Development of infrastructures e. Lack of respect of the value of heritage f. Lack of capacities to manage the site g. Lack of technical or financial means h. Vandalism, theft and other illegal activities				
2. What is the current use of the property? a. Not in use anymore b. Living heritage			Comments		j. Change of status of the owners	4 2			
c. Used as originally intended d. New use Specify:									
3. Is the property owned by the Government?	Yes 	No ■	Comments		12. Do you deem the following aspects satisfacto a. Heritage site documentation b. Authenticity	Yes ☐ Yes ☐	No 🗆	adopted a special urba	cipality of Porto, after 2005 on tax exemption for the
4. The institution in charge of the site is : a. Traditional □ b. Local Institutional □ (or) Regional National		The Municipality has decided to close para a Recuperação Urbana da Ribeira situation, change a lot since them.			c. General state of conservation of earthen structures d. Durability of conservation works carried out e. Promotion and valorisation of the site f. Efficiency of site management strategies	Yes Yes Yes Yes Yes	No	ric city (IMI, urban mu The National Governm	ent (Direcção Regional de
5. Is there a management plan for the property ?		No ■ In preparation [g. Efficiency of legal framework h. Efficiency of institutional framework at a National level i. Logistic and technical means for the site	Yes 🗆	No D No D No D	Municipal do Porto) th	the Municipality (Câmara ey work together on the orld heritage area, but in this
6. What types of construction techniques are fe	atured?		Comments		j. Staff number Nbr:	Yes 🗆	No 🗆		
a. Rammed earth (compacted earth) b. Adobe (bricks made with raw earth) c. Wattle and daub (earth and vegetal structure) d. Cob (shaped earth) e. Other		Like in Guimarães we are in presence techniques. On this case they never fo daub walls. Porto it's a stone and a timber frame of	of an evolution of the und any example of wattle		k. Skills of managerial staff l. Skills of technical staff m. Involvementc/support of local decision makers n. Educational activities at the site o. Participation of local populations	Yes Yes	No D No D No D No D		
					p. Contribution to local development Yes \(\square\) No \(\square\)			Social 🗆 Cu	ıltural 🗆
7. Earth is featured on a. Walls b. Floors c. Ceilings and/or roofs d. Mortars e. Interior decorations f. Exterior decorations g. Other:			Comments		b. To reinforce the legal framework c. To update the management plan d. To reinforce the capacities of site managers e. To reinforce the skills of site workers	oy order	of priori	ity (from 1 to 5)	Comments
8. What is the approximate proportion of earth present within the property?	en mate	rials	Comments		g. To improve the facilities				
1 % to 25 % 2 5 % to 50 % 50 % to 75 % 1 75 % to 100 %						<u> </u>			
9. The speed of degradation of the structure is Fast Slow Progressive Stabilised			Comments		14. Additional general comments and remarks :				
10. Is there a regular maintenance mechanism Traditional	_		Comments						
Institutionally planned					Control				Informations
No maintenance mechanism				282	Filled out by : Maria Fernandes Pos Institution: ICOMOS-Portugal	sition: A	rchitect		Date: / / 20

Alhambra, Generalife and Albayzín, Granada

· · · · · · · · · · · · · · · · · · ·			/	•			
1. To which heritage categories can the propert				11. Among the following threats, please indicate	by order	r of priority	Comments
(cf. Filling the Gaps, ICOMOS 2005, see annexed	l table)			(from 1 to 4) those affecting the site			
a. Archaeological site		b. Rock-art sites		a. Natural erosion			
c. Historic buildings		d. Historic ensembles					
e. Urban settlements		f. Rural settlements			3		
g. Vernacular architecture		h. Religious properties		d. Development of infrastructures	2		
i. Agricultural, industrial and technological propert		j. Military properties		e. Lack of respect of the value of heritage	Ħ .		
		I. Cultural routes			_ 1		
k. Cultural landscapes, parks and gardens							
m. Burial monuments and sites		n. Symbolic properties and	memorials \square				
2 10 1 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1					4		
2. What is the current use of the property?			Comments	·			
a. Not in use anymore	ä	Existe tambien propiedad privada	/cosidonsial v	, ,			
b. Living heritage		comercial), pero muy residual	(resideficial y	k. Abandonment			
c. Used as originally intended		confercial), pero may residual					
d. New use Specify: Cultural	=			do o o o de contra de fello de contra de cellefe de c	-		Comments
2 15 th	V =	I No □		12. Do you deem the following aspects satisfactor		No 🗆	Comments
3. Is the property owned by the Government?	Yes •	No 🗌		3		No 🗌	
			Comments	,		No 🗆	
4. The institution in charge of the site is :	_	Es un Organismo Autónomo adscrito al	Gobierno Regional	c. General state of conservation of earthen structures			
a. Traditional $\ \ \ \ \ $ b. Local		pero con representación en sus órganos		,	Yes 📕		
Institutional (or) Regional		Administración Nacional, Local y Univer	sitaria.		Yes		
National				f. Efficiency of site management strategies	Yes 🔳	No 🗆	
				g. Efficiency of legal framework	Yes 🔳	No 🗆	
5. Is there a management plan for the property?	Yes	No 🗌 🛮 In preparation 🗎		h. Efficiency of institutional framework at a National level	Yes 🔳	No 🗆	
				i. Logistic and technical means for the site	Yes 🗆	No 🔳	
6. What types of construction techniques are fe	atured	?	Comments	j. Staff number Nbr:	Yes 🗆	No 🔳	
a. Rammed earth (compacted earth)			Comments	k. Skills of managerial staff	Yes	No 🗆	
b. Adobe (bricks made with raw earth)				I. Skills of technical staff	Yes 🔳	No 🗆	
c. Wattle and daub (earth and vegetal structure)						No 🗆	
d. Cob (shaped earth)					Yes 		
e. Other					Yes =		
				p. Contribution to local development Yes No			Cultural 🗆
7. Earth is featured on				p. contribution to local development (e) 10 11	LCOHOIIII	icai 🗀 💮 Jociai 🗀	contoror 🗀
a. Walls			Comments	13. Among the following items, please indicate b	v order o	of priority (from 1 to 5	(Comments
b. Floors				those that seem necessary for the site	, 0.00. 0	ri pinone, (nom i to z	Comments
c. Ceilings and/or roofs					1		
d. Mortars							
e. Interior decorations	_						
				the opening memory prompting			
f. Exterior decorations	_			_			
g. Other:	-						
0 What is the accession to accession of south					2		
8. What is the approximate proportion of earth	en mat	eriais	Comments		3		
present within the property?	_			_	4		
1 % to 25 %	Ш			i. Promotion and valorisation activities	5		
50 % to 75 % T 75 % to 100 %				j. Other :			
9. The speed of degradation of the structure is	_		Comments				
Fast Slow				14. Additional general comments and remarks :			
Progressive Stabilised				Al tratarse de material frágil y difícil de restaurar se requiere G	uía de bue	enas prácticas de restauració	ón de la Arquitectura de Tierra
10. Is there a regular maintenance mechanism			Comments				
Traditional			Comments				Informations
Institutionally planned							
No maintenance mechanism				Filled out by > Name: MARÍA DEL MAR VILLAFRANCA JIMÉNEZ PO	sition: DIREC	LTORA	Date: 01 / 02 / 2010
				Institution: PATRONATO DE LA ALHAMBRA Y GENERALIFE			

Historic Centre of Cordoba

a war and the bandle and a section of the contract of				aa aa aa aa dha fallaada ahaa da ahaa da ahaa da dhada			••		
 To which heritage categories can the propert (cf. Filling the Gaps, ICOMOS 2005, see annexed a. Archaeological site c. Historic buildings e. Urban settlements g. Vernacular architecture i. Agricultural, industrial and technological propert k. Cultural landscapes, parks and gardens m. Burial monuments and sites What is the current use of the property? Not in use anymore b. Living heritage 	table)			b. Weather changes c. Pollution d. Development of infrastructures		En el caso de 1. la erosión 2. la contami	las murallas : natural	micos	Comment
c. Used as originally intended									
d. New use Specify: 3. Is the property owned by the Government? 4. The institution in charge of the site is: a. Traditional b. Local Institutional (or) Regional National 5. Is there a management plan for the property? 6. What types of construction techniques are fea. Rammed earth (compacted earth) b. Adobe (bricks made with raw earth) c. Wattle and daub (earth and vegetal structure) d. Cob (shaped earth)	YesYes	La construcción de tierra en el Conjunto Histórico no es predominante. Sin embargo, se identifica en algunas estructuras defensivas y, puntualmente, en su arquitectura doméstica. Al identificarse esta ficha con el bien declarado Patrimonio Mundial, e Conjunto Histórico, es complejo dar respuesta a la mayoría de las cuestiones. En este caso, el Ayuntamiento es el encargado de la conservación de las murallas. El resto de construcciones habría que estudiarlo. No In preparation Comment La construcción de muros de tapial se localiza en parte del recinto amuralllado de nuestra ciudad, así como, puntualmente, en su arquitectura doméstica. Sin embargo, las murallas de tapial más significativas se sitúan fuera del ámbito declarado Patrimonio Mundial y no existe un catálogo que registre este tipo de	ts	a. Heritage site documentation b. Authenticity c. General state of conservation of earthen structures d. Durability of conservation works carried out e. Promotion and valorisation of the site f. Efficiency of site management strategies g. Efficiency of legal framework h. Efficiency of institutional framework at a National level i. Logistic and technical means for the site j. Staff number Nbr: k. Skills of managerial staff l. Skills of technical staff m. Involvementc/support of local decision makers n. Educational activities at the site	Yes C Yes C	No			Comment
e. Other	. 🗆	estructuras en la referida arquitectura doméstica.		o. Participation of local populations p. Contribution to local development Yes □ No □		□ No □ omical □	Social	Cultural	П
7. Earth is featured on a. Walls b. Floors c. Ceilings and/or roofs d. Mortars e. Interior decorations f. Exterior decorations g. Other:		Comment	ts	13. Among the following items, please indicate I those that seem necessary for the site a. Site documentation b. To reinforce the legal framework c. To update the management plan d. To reinforce the capacities of site managers e. To reinforce the skills of site workers	by ord	En el caso de 1. Conservar 2. Sensibiliza		de tierra	Comment
8. What is the approximate proportion of earth	on mat	oriale		f. To preserve the earthen structures					
present within the property? 1 % to 25 %		No es posible contestar	ts	g. To improve the facilities h. Sensitization of local populations i. Promotion and valorisation activities j. Other:					
9. The speed of degradation of the structure is Fast Slow Progressive Stabilised		Comment En el caso de las murallas, podríamos indicar Progresiva o Lenta	ts	14. Additional general comments and remarks : Tal y como he expresado anteriormente es complejo adaptar Córdoba, donde las construcciones en tierra no son predomina					
10. Is there a regular maintenance mechanism		Common	•	necesitáis información adicional sobre algunas construcciones					
Traditional		Comment	ts						Information
Institutionally planned No maintenance mechanism			284	Filled out by > Name: Piedad Aroca Pavón Position: Institution: Gerencia Municipal de Urbanismo	Directo Históri	ora de la Oficina c co	lel Casco	Date:	26 / 03 / 2012

Caceres

1. To which heritage categories can the propert (cf. Filling the Gaps, ICOMOS 2005, see annexed a. Archaeological site c. Historic buildings e. Urban settlements g. Vernacular architecture i. Agricultural, industrial and technological propert	table)	b. Rock-art sitesd. Historic ensemblesf. Rural settlementsh. Religious propertiesj. Military properties		() a b c d d e	o. Weather changes :. Pollution d. Development of infrastructures e. Lack of respect of the value of heritage		ority	Comments
 k. Cultural landscapes, parks and gardens m. Burial monuments and sites 2. What is the current use of the property? a. Not in use anymore b. Living heritage c. Used as originally intended 		Cultural routes N. Symbolic properties and m The symbolic properties and m	Comments] g h i. j.	g. Lack of technical or financial means n. Vandalism, theft and other illegal activities . Need to adapt to modern needs . Change of status of the owners			
d. New use Specify: 3. Is the property owned by the Government? 4. The institution in charge of the site is: a. Traditional b. Local Institutional (or) Regional National	Yes	No 🗆	Comments	a b c d	12. Do you deem the following aspects satisfacton. Heritage site documentation on Authenticity conservation of earthen structures d. Durability of conservation works carried out conservation of the site conservation of site management strategies	Yes ■ No □ Yes ■ No □		Comments
 5. Is there a management plan for the property? 6. What types of construction techniques are fee. a. Rammed earth (compacted earth) b. Adobe (bricks made with raw earth) c. Wattle and daub (earth and vegetal structure) d. Cob (shaped earth) e. Other 		No □ In preparation □	Comments	h i. j. k I. n	g. Efficiency of legal framework n. Efficiency of institutional framework at a National level l. Logistic and technical means for the site l. Staff number Nbr: l. Skills of managerial staff l. Skills of technical staff l. Involvementc/support of local decision makers l. Educational activities at the site l. Participation of local populations	Yes ■ No □		
7. Earth is featured on a. Walls b. Floors c. Ceilings and/or roofs d. Mortars e. Interior decorations f. Exterior decorations g. Other:			Comments	1 t a b c d	D. Contribution to local development Yes No 13. Among the following items, please indicate be that seem necessary for the site as Site documentation to be To reinforce the legal framework to To update the management plan and the the capacities of site managers as To reinforce the skills of site workers	by order of prio		tural Comments
8. What is the approximate proportion of earth present within the property? 1 % to 25 %	en mate	rials	Comments	9 h i.	g. To improve the facilities n. Sensitization of local populations	4 5 3 		
9. The speed of degradation of the structure is Fast Slow Progressive Stabilised			Comments	1	14. Additional general comments and remarks :			
10. Is there a regular maintenance mechanism Traditional Institutionally planned No maintenance mechanism			Comments	285	Filled out by > Name: José-Javier Cano Ramos Po		tro de Conservación y Restauración rales de la Junta de Extremadura	Informations Date: 23 / 03 / 200

285

Frontiers of the Roman Empire

1. To which heritage categories can the propert (cf. Filling the Gaps, ICOMOS 2005, see annexed		sociated ?			11. Among the following threat: (from 1 to 4) those affecting the		by ord	er of prior	rity		Comments
a. Archaeological site		b. Rock-art sites		7	a. Natural erosion		2				
c. Historic buildings	_	d. Historic ensembles			b. Weather changes		4				
e. Urban settlements	H	f. Rural settlements			c. Pollution		Ä				
q. Vernacular architecture					d. Development of infrastructures						
		h. Religious properties		╡			3				
i. Agricultural, industrial and technological propert		j. Military properties			e. Lack of respect of the value of he						
k. Cultural landscapes, parks and gardens		l. Cultural routes			f. Lack of capacities to manage the						
m. Burial monuments and sites		n. Symbolic properties and	memorials		g. Lack of technical or financial meah. Vandalism, theft and other illega						
2. What is the current use of the property?			Comments		i. Need to adapt to modern needs						
a. Not in use anymore		Deaparty is assumd 150 miles land	a buse sumber of		j. Change of status of the owners						
b. Living heritage		Property is around 150 miles long uses, including heritage attraction,			k. Abandonment						
c. Used as originally intended		cations routes, housing.	agriculture, communi-								
d. New use Specify:	Ц	cations routes, mousting.			13. Do you door the following						Comments
3. Is the property owned by the Government ?	Yes 	l No □			12. Do you deem the following a. Heritage site documentation	aspects satisfacto	Yes	No □			Comments
,	_		Comments		b. Authenticity		Yes	No 🗆			
4. The institution in charge of the site is :		Property is around 150 miles long, with			c. General state of conservation of e	earthen structures		No \square			
a. Traditional b. Local		and occupiers. No one institution is in cl	harge of the site in any		d. Durability of conservation works		Yes	No 🗆			
Institutional (or) Regional		meaningful sense, albeit management is			e. Promotion and valorisation of the		Yes	No 🗆			
National		Management Plan Committee with buy- all stakeolders. (state part, question 3, o			f. Efficiency of site management str		Yes	No 🗆			
National	_	on stoneologis. (store party question sy	omis part of the site)			ategies		No \square			
5. Is there a management plan for the property?	Vas	No 🗌 In preparation 🗆	٦		g. Efficiency of legal framework	, at a National level	Yes 🔳	=			
5. is there a management plan for the property .	163	in preparation			h. Efficiency of institutional framework			No 🗆			
6. What types of construction techniques are fe	aturad?				i. Logistic and technical means for t	ne site	Yes 🔳	No 🗆			
a. Rammed earth (compacted earth)			Comments		j. Staff number Nbr:		Yes 💻	No 🗆			
		0			k. Skills of managerial staff		Yes =	No 🖳			
b. Adobe (bricks made with raw earth)		Property is a mixture of rammed e			I. Skills of technical staff		Yes 💻	No 🔲			
c. Wattle and daub (earth and vegetal structure)		excavated and placed earth (archa- standing masonry fabric and archa-			m. Involvementc/support of local d	lecision makers	Yes 📕	No 🗆			
d. Cob (shaped earth)		Standing masonly labric and archa-	eological deposits		n. Educational activities at the site		Yes 📕	No 🗆			
e. Other	🔳				o. Participation of local populations		Yes 🗌	No 🔳			
7. Earth is featured on					p. Contribution to local developmen	nt Yes I No 🗆	Econor	nical 🗆	Social	Cultural [
a. Walls	_		Comments		42.4	. 1			/6	_\	
	_	Rammed earth used is initial phase	e of western part of		13. Among the following items,		by order	ot briorit	ty (from 1 to	5)	Comments
b. Floors		property, and also as mortar in core	e of masonry structure.		those that seem necessary for the	ne site	_				
c. Ceilings and/or roofs		Rammed earth elements make up			a. Site documentation						
d. Mortars		property.	•		b. To reinforce the legal framework						
e. Interior decorations					c. To update the management plan		2				
f. Exterior decorations					d. To reinforce the capacities of site		4				
g. Other:					e. To reinforce the skills of site worl	kers					
					f. To preserve the earthen structure	2S	1				
8. What is the approximate proportion of earth	en mat	erials	Comments		g. To improve the facilities						
present within the property?			Comments		h. Sensitization of local populations		3				
1 % to 25 % = 25 % to 50 %					i. Promotion and valorisation activi		5				
50 % to 75 %					j. Other :		_				
9. The speed of degradation of the structure is											
9. The speed of degradation of the structure is Fast Slow			Comments								
		Structure is largely a archaeological ruin,	/denosit that is much		14. Additional general commen	ts and remarks :					
Progressive Stabilised	-	degraded since its period in use : site is	largely stable in terms of its								
		recent (100 years) history									
10. Is there a regular maintenance mechanism			Comments								
Traditional		As an archaeological ruin, the site requir									Information:
Institutionally planned		requiring a huge mixture of appraoches									Informations
No maintenance mechanism		We would, not normally put clay earth b			Filled out by : Mike Collins	Position		nvironment Ad		Date:	22/ 03/2012
	_	mortar however		286	Institution: English Heritage		(Archaeo	logy) : Hadrian	ı's Wall		

Date: 05/01/2010

Position: Site Manager & Asst. Site

Manager

Cahokia Mounds State Historic Site

	_						•	
1. To which heritage categories can the property		ociated ?		11. Among the following threats, please indicate	by ore	der of prio	rity	Comments
(cf. Filling the Gaps, ICOMOS 2005, see annexed	_ ′		_	(from 1 to 4) those affecting the site			1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	
a. Archaeological site		b. Rock-art sites			1	1-Some steep	er mounds subject to ero	sion and gullying
c. Historic buildings		d. Historic ensembles		b. Weather changes	2	2-Increase in	rainfall can cause or contr	ibute to erosion and
e. Urban settlements		f. Rural settlements		c. Pollution		slumping	ramian can cause or conti	iodic to crosion and
g. Vernacular architecture		h. Religious properties		d. Development of infrastructures				
i. Agricultural, industrial and technological propert		j. Military properties					illegal use of all-terrain ve	hicles on some mounds
k. Cultural landscapes, parks and gardens		I. Cultural routes				causes rutting	and erosion	
m. Burial monuments and sites	i i	n. Symbolic properties and memorials	- i			4-Budget cuts	affect some of the maint	enance strategies and
m. bandi monamento ana sites		ii. Symbolic properties and memorials		h. Vandalism, theft and other illegal activities	4 3		of maintenance equipmer	
2. What is the sussent use of the assessing		Com	nments					
2. What is the current use of the property?								
a. Not in use anymore		This is a prehistoric Indian site with 120 earthen mounds						
b. Living heritage		last occupied around AD 1350, of which about 80 survive		k. Abandonment				
c. Used as originally intended		70 on the state historic site property. It is currently a culti- operated by the State of Illinois, with a museum, interpret						
d. New use Specify:		operated by the state of minors, with a moscum, interpre-	cuve trons					
				12. Do you deem the following aspects satisfacto	ry?	_		Comments
3. Is the property owned by the Government?	Yes 🔳	No 🗆		a. Heritage site documentation	Yes 📕	No 🗆	e- need more public rela	ations and advertising fun-
		Com	nments	b. Authenticity	Yes	No 🗆	ding to make people mo	ore aware of the site
4. The institution in charge of the site is :		Owned by the State of Illinois and managed by the Illino	ic Historia	c. General state of conservation of earthen structures	Yes	No 🗆		
a. Traditional D b. Local		Preservation Agency.	וואנטוונ	d. Durability of conservation works carried out	Yes 🔳	_		terpretive and maintenance
Institutional (or) Regional		rieservation rigency.		e. Promotion and valorisation of the site	Yes \square		staff	
_ 、	_							
National				f. Efficiency of site management strategies	Yes _			
F. In the comment also for the assessed 2	V =	N		g. Efficiency of legal framework	Yes 💻			
5. Is there a management plan for the property?	res E	No 🗌 In preparation 🗌		h. Efficiency of institutional framework at a National level				
	_			i. Logistic and technical means for the site	Yes	No 🗆		
6. What types of construction techniques are fea	tured?	Com	ments	j. Staff number Nbr:	Yes 🗆	No 🗖		
a. Rammed earth (compacted earth)				k. Skills of managerial staff	Yes	No 🗆		
b. Adobe (bricks made with raw earth)		Grass covered platform, conical and ridgetop earthen mo		I. Skills of technical staff	Yes 🔳	_		
c. Wattle and daub (earth and vegetal structure)		built by carrying basketloads of earth from borrow pits. V			Yes \blacksquare			
d. Cob (shaped earth)		dimensions from a couple feet high to 100 feet high for I Mound, which covers over 14 acres at the base. It is estir	mated	n. Educational activities at the site	Yes			
out ` '		modilo, which covers over 14 deles at the base. It is esti	moted					
e. Other Earthen Mounds	_			o. Participation of local populations		No 🗆	6 1 0 61	
7. Earth is featured on				p. Contribution to local development Yes $lacktriangle$ No \Box	Econo	mical \square	Social 🗌 Cul	tural 🗆
		Com	nments		_			
a. Walls				13. Among the following items, please indicate b	y orde	er of priori	ty (from 1 to 5)	Comments
b. Floors		Besides the mounds, earth was also deposited to level t form several plazas at the site, including the 40-acre Gra		those that seem necessary for the site				
c. Ceilings and/or roofs		which was filled in as much as three feet in some areas.		a. Site documentation				
d. Mortars		which was filled in as filder as tilled feet in some areas.		b. To reinforce the legal framework				
e. Interior decorations								
f. Exterior decorations								
q. Other: Mounds and plazas					5			
g. Other.								
o what is the construction of a street		3.1.		· · · · · · · · · · · · · · · · · · ·	1			
8. What is the approximate proportion of earthe	n mate	rials	ments		4			
present within the property?				h. Sensitization of local populations	3			
1 % to 25 %		The mounds are composed entirely of earth		i. Promotion and valorisation activities	2			
50 % to 75 %				j. Other:				
	_			j. Other .	•			
9. The speed of degradation of the structure is								
Fast Slow		Com	nments	44 Additional constal comments and compiles.				
		Some mounds are subject to erosion and slumping. Most	t are	14. Additional general comments and remarks :				
Progressive Stabilised		stabilized with a grass cover		There are no original dwellings or other structures surviving, but those w	vould hav	e been pole ar	nd thatch, some with watt	le and daub walls. Only the
				mounds survive. Most of them were plowed over by farmers for decades	s before t	he state acquir	ed the property, or had he	ouses built on top of them,
				and their original dimensions have thus been altered. There are a few re	emote mo	unds that are	tree covered and we hope	to eventually remove the
10. Is there a regular maintenance mechanism		Com	ments	trees and stabilize them with a grass cover.				
Traditional								Information .
Institutionally planned		Occasional mowing of the grass on smaller mounds and						Informations

Filled out by > Name:

287

Institution: Cahokia Mounds State Historic Site

Monks Mound and on the slopes of some, using a special mower;

periodic burning of grass and vegetation on four mounds to deter weeds and woody growth and encourage grass growth.

No maintenance mechanism

Chaco Culture

1. To which heritage categories can the property be			11. Among the following threats, please indicate	by or	der of priority	Comments
(cf. Filling the Gaps, ICOMOS 2005, see annexed tab a. Archaeological site c. Historic buildings e. Urban settlements g. Vernacular architecture i. Agricultural, industrial and technological propert k. Cultural landscapes, parks and gardens m. Burial monuments and sites 2. What is the current use of the property? a. Not in use anymore b. Living heritage	b. Rock-art sites d. Historic ensembles f. Rural settlements h. Religious properties j. Military properties l. Cultural routes	orials Comments	b. Weather changes c. Pollution d. Development of infrastructures e. Lack of respect of the value of heritage f. Lack of capacities to manage the site g. Lack of technical or financial means h. Vandalism, theft and other illegal activities i. Need to adapt to modern needs j. Change of status of the owners			
c. Used as originally intended			K. Abditatiment			
d. New use Specify:3. Is the property owned by the Government? Yes	s No 🗆	Comments	12. Do you deem the following aspects satisfacto a. Heritage site documentation b. Authenticity		l No □ l No □	Comments
4. The institution in charge of the site is : a. Traditional			c. General state of conservation of earthen structures d. Durability of conservation works carried out e. Promotion and valorisation of the site f. Efficiency of site management strategies	Yes Yes Yes Yes Yes	NO	
5. Is there a management plan for the property? Ye	s ■ No 🗌 In preparation 🗌		 g. Efficiency of legal framework h. Efficiency of institutional framework at a National level i. Logistic and technical means for the site 	Yes ☐ Yes ☐ Yes ☐	l No □	
6. What types of construction techniques are featur a. Rammed earth (compacted earth) b. Adobe (bricks made with raw earth) c. Wattle and daub (earth and vegetal structure) d. Cob (shaped earth) e. Other		Comments	j. Staff number Nbr: k. Skills of managerial staff l. Skills of technical staff m. Involvementc/support of local decision makers n. Educational activities at the site	Yes \(\text{Yes} \) \(No	
7. Earth is featured on			o. Participation of local populations p. Contribution to local development Yes \square No \square		No□ omical□ Social□ Cult	ural 🗆
a. Walls b. Floors c. Ceilings and/or roofs d. Mortars e. Interior decorations f. Exterior decorations g. Other:		Comments	 b. To reinforce the legal framework c. To update the management plan d. To reinforce the capacities of site managers e. To reinforce the skills of site workers 		er of priority (from 1 to 5) Note : This questionnaire has been partia United States World Heritage Periodic Rep http://www.nps.gov/oia/topics/worldh	ort, 2005 -
8. What is the approximate proportion of earthen n	naterials	Comments	g. To improve the facilities			
present within the property? 1 % to 25 % ■ 25 % to 50 % □ 50 % to 75 % □ 75 % to 100 % □						
9. The speed of degradation of the structure is Fast Slow Progressive Stabilised			14. Additional general comments and remarks :			
10. Is there a regular maintenance mechanism Traditional		Comments				
Institutional Institutionally planned Institutionally planned Institutionally planned Institutional	Occasional mowing of the grass on smaller mo Monks Mound and on the slopes of some, usin periodic burning of grass and vegetation on to week and woody growth and enougage gras	ng a special mower ; our mounds to deter	Filled out by > Name: Po	osition:	Architect	Informations Date: 05/01/2010

Date: 05/01/2010

Mesa Verde National Park

Institutionally planned

No maintenance mechanism

1. To which heritage categories can the propert	ty be ass	ociated ?		11. Among the following threats, please indicate	by ore	der of priority	Comments
(cf. Filling the Gaps, ICOMOS 2005, see annexed	l t <u>a</u> ble)		_	(from 1 to 4) those affecting the site	_ (
a. Archaeological site		b. Rock-art sites			2		
c. Historic buildings		d. Historic ensembles			1		
e. Urban settlements		f. Rural settlements			3		
g. Vernacular architecture		h. Religious properties		d. Development of infrastructures			
i. Agricultural, industrial and technological propert		j. Military properties		e. Lack of respect of the value of heritage			
k. Cultural landscapes, parks and gardens		I. Cultural routes		f. Lack of capacities to manage the site			
m. Burial monuments and sites		n. Symbolic properties and memor	rials \square	g. Lack of technical or financial means			
		,		h. Vandalism, theft and other illegal activities	4		
2. What is the current use of the property?			Commonte				
a. Not in use anymore			Comments				
b. Living heritage							
c. Used as originally intended				N. / Iooniooniniem			
d. New use Specify:							
d. New date specify.	··· —			12. Do you deem the following aspects satisfacto	urv?		Comments
3. Is the property owned by the Government ?	Vos 🔳	No 🗆		a. Heritage site documentation	Yes 🗆	No 🗆	
3. is the property owned by the dovernment:	163	NO 🗆	Comments	b. Authenticity	Yes 🗌		
4. The institution in shares of the site is .			Comments				
4. The institution in charge of the site is:				c. General state of conservation of earthen structures			
a. Traditional D b. Local	H			d. Durability of conservation works carried out		No 🗆	
Institutional (or) Regional				e. Promotion and valorisation of the site	Yes 🗌		
National				f. Efficiency of site management strategies	Yes 🗆		
F 1.4b	. v =	No C. In accounting C.		g. Efficiency of legal framework	Yes 📙		
5. Is there a management plan for the property ?	Yes _	No 🗌 🛮 In preparation 🗎		h. Efficiency of institutional framework at a National level		_	
				i. Logistic and technical means for the site	Yes 🗌	_	
6. What types of construction techniques are fe			Comments	j. Staff number Nbr:	Yes 🗆	No 🗆	
a. Rammed earth (compacted earth)				k. Skills of managerial staff	Yes 🗆	No 🗆	
b. Adobe (bricks made with raw earth)				I. Skills of technical staff	Yes 🗆	No 🗆	
c. Wattle and daub (earth and vegetal structure)				m. Involvementc/support of local decision makers	Yes 🗆	No 🗆	
d. Cob (shaped earth)				n. Educational activities at the site	Yes 🗆	No 🗆	
e. Other	🗆 🖠			o. Participation of local populations		No 🗆	
				p. Contribution to local development Yes \(\square\) No \(\square\)	_		tural 🗆
7. Earth is featured on			Comments	,			
a. Walls			Comments	13. Among the following items, please indicate l	bv orde	er of priority (from 1 to 5)	Comments
b. Floors				those that seem necessary for the site	-		
c. Ceilings and/or roofs						Note : This questionnaire has been partia	
d. Mortars						United States World Heritage Periodic Re http://www.nps.gov/oia/topics/worldh	
e. Interior decorations	_				H		ge/ periodicatum
f. Exterior decorations	Ħ				$\overline{}$		
g. Other:					Н		
				c. to remittee the skins of site Workers			
8. What is the approximate proportion of earth	en mate	rials			H		
present within the property?	- iiiiiiii		Comments	g. 10 miprove the localities	H		
1 % to 25 %		The mounds are composed entirely of earth		in sensingeneri or rocal populations	H		
<u> </u>				ii i i onio ii ono i ono ii on	ш		
50 % to 75 % T 75 % to 100 %				j. Other:	-		
O The speed of degradation of the structure is							
9. The speed of degradation of the structure is							
Fast Slow				14. Additional general comments and remarks :			
Progressive Stabilised							
10. Is there a regular maintenance mechanism			Comments				
Traditional		Occasional mowing of the grass on smaller mou					Informations
Institutionally planned		occasional moving of the grass on smaller mod	mas and tenaces of				IIII VI III GUIDII

Filled out by > Name: Leticia Delboy

Institution: CRATERRE-ENSAG

289

Position: Architect

Monks Mound and on the slopes of some, using a special mower; periodic burning of grass and vegetation on four mounds to deter

weeds and woody growth and encourage grass growth.

Monumental Earthworks of Poverty Point

 To which heritage categories can the property be as (cf. Filling the Gaps, ICOMOS 2005, see annexed table) 			11. Among the following threats, please indicate (from 1 to 4) those affecting the site	by order of priority	Comments
a. Archaeological site c. Historic buildings e. Urban settlements g. Vernacular architecture i. Agricultural, industrial and technological propert k. Cultural landscapes, parks and gardens m. Burial monuments and sites	b. Rock-art sites d. Historic ensembles f. Rural settlements h. Religious properties j. Military properties l. Cultural routes n. Symbolic properties and me	emorials Comments	a. Natural erosion b. Weather changes c. Pollution d. Development of infrastructures e. Lack of respect of the value of heritage f. Lack of capacities to manage the site g. Lack of technical or financial means h. Vandalism, theft and other illegal activities i. Need to adapt to modern needs	1 2 	
b. Original use					
C. New use : Archaeological Park			12. Do you deem the following aspects satisfacto	•	Comments
3. Is the property owned by the Government ? Yes ■	l No □		 a. Heritage site documentation b. Authenticity 	Yes ■ No □ Yes ■ No □	
4. The institution in charge of the site is: a. Traditional		Comments	c. General state of conservation of earthen structures d. Durability of conservation works carried out e. Promotion and valorisation of the site f. Efficiency of site management strategies g. Efficiency of legal framework	Yes ■ No □ Yes □ No ■ Yes ■ No □ Yes ■ No □	
5. Is there a management plan for the property? Yes ■	No ☐ In preparation ☐		h. Efficiency of institutional framework at a National level i. Logistic and technical means for the site j. Staff number	Yes ■ No □ Yes ■ No □ Yes □ No ■	
6. What types of construction techniques are featured a. Rammed earth (compacted earth) b. Adobe (bricks made with raw earth) c. Wattle and daub (earth and vegetal structure) d. Cob (shaped earth) e. Other piled earth		Comments	k. Skills of managerial staff l. Skills of technical staff m.Involvementc/support of local decision makers n. Educational activities at the site o. Participation of local populations p. Contribution to local development	Yes No No Yes No	
7. Earth is featured on		Comments	q. Site interpretation r. Risk preparedness	Yes ■ No ☐ Yes ■ No ☐	
a. Walls b. Floors c. Ceilings and/or roofs d. Mortars e. Interior decorations f. Exterior decorations g. Other: mounds and ridges		Commence	13. Among the following items, please indicate those that seem necessary for the site a. Site documentation b. To reinforce the legal framework c. To update the management plan d. To reinforce the capacities of site managers		Comments
8. What is the approximate proportion of earthen mat	erials	Comments	f. To preserve the earthen structures		
present within the property? 1 % to 25 %			h. Sensitization of local populations i. Promotion and valorisation activities	2 4 3	
9. The speed of degradation of the structure is		Comments	j. Other :		
Fast □ Slow □ Progressive □ Stabilised ■			14. Additional general comments and remarks :		
10. Is there a regular maintenance mechanism Traditional		Comments			
Institutionally planned No maintenance mechanism			Filled out by: Diana M. Greenlee Position: Sta	ation Archaeologist Date:	Informations 22 / 11 / 2014

Date: 08 / 12 / 2014

QhapaqÑan, Andean Road System

No maintenance mechanism

· · · · · · · · · · · · · · · · · · ·						
1. To which heritage categories can the proper (cf. Filling the Gaps, ICOMOS 2005, see annex a. Archaeological site c. Historic buildings e. Urban settlements g. Vernacular architecture i. Agricultural, industrial and technological proper k. Cultural landscapes, parks and gardens m. Burial monuments and sites 2. What is the current use of the property? a. Abandoned b. Original use	ed table)	b. Rock-art sites d. Historic ensembles f. Rural settlements h. Religious properties j. Military properties l. Cultural routes n. Symbolic properties and me	emorials Comments	11. Among the following threats, please indicate (from 1 to 4) those affecting the site a. Natural erosion b. Weather changes c. Pollution d. Development of infrastructures e. Lack of respect of the value of heritage f. Lack of capacities to manage the site g. Lack of technical or financial means h. Vandalism, theft and other illegal activities i. Need to adapt to modern needs j. Change of status of the owners k. Abandonment	e by order of priority	Comments
c. New use : 3. Is the property owned by the Government		No E		12. Do you deem the following aspects satisfactor a. Heritage site documentation b. Authenticity		Comments
4. The institution in charge of the site is: a. Traditional	=		Comments	c. General state of conservation of earthen structures d. Durability of conservation works carried out e. Promotion and valorisation of the site f. Efficiency of site management strategies g. Efficiency of legal framework h. Efficiency of institutional framework at a National level i. Logistic and technical means for the site	Yes No Yes	
6. What types of construction techniques are a. Rammed earth (compacted earth) b. Adobe (bricks made with raw earth) c. Wattle and daub (earth and vegetal structure) d. Cob (shaped earth) e. Other	featured?		Comments	 j. Staff number k. Skills of managerial staff l. Skills of technical staff m.Involvementc/support of local decision makers n. Educational activities at the site o. Participation of local populations p. Contribution to local development q. Site interpretation 	Yes	
7. Earth is featured on	_		Comments	r. Risk preparedness	Yes ■ No □	
a. Walls b. Floors c. Ceilings and/or roofs d. Mortars e. Interior decorations f. Exterior decorations g. Other:				 b. To reinforce the legal framework c. To update the management plan d. To reinforce the capacities of site managers 	5 2 4	to 5) Comments
8. What is the approximate proportion of ear present within the property? 1 % to 25 %		erials	Comments		3 1	
9. The speed of degradation of the structure Fast □ Slow Progressive ■ Stabilised			Comments	14. Additional general comments and remarks :		
10. Is there a regular maintenance mechanis Traditional Institutionally planned	m		Comments			Informations

Filled out by: Marcos Rodolfo Michel López Position: Director General de Patrimonio

Institution: Ministerio de Culturas y Turismo. Estado Plurinacional de Bolivia

Historic City of Sucre

preservación

· · · · · · · · · · · · · · · · · · ·							
1. To which heritage categories can the		sociated ?		11. Among the following threats, please indicate	by order of pri-	ority	Comments
(cf. Filling the Gaps, ICOMOS 2005, see a. Archaeological site c. Historic buildings e. Urban settlements g. Vernacular architecture i. Agricultural, industrial and technological k. Cultural landscapes, parks and gardens m. Burial monuments and sites	propert	b. Rock-art sites d. Historic ensembles f. Rural settlements h. Religious properties j. Military properties l. Cultural routes n. Symbolic properties and	memorials	b. Weather changes c. Pollution d. Development of infrastructures e. Lack of respect of the value of heritage f. Lack of capacities to manage the site g. Lack of technical or financial means h. Vandalism, theft and other illegal activities	33		
2. What is the current use of the propea. Not in use anymore	erty?		Comments	i. Need to adapt to modern needs j. Change of status of the owners	1 2		
b. Living heritage c. Used as originally intended d. New use Specify:		Centro Histórico de Sucre		k. Abandonment			
3. Is the property owned by the Govern	nment? Ves	No □		12. Do you deem the following aspects satisfactor a. Heritage site documentation	ry? Yes ■ No □		Comments
3. Is the property owned by the dover			Comments		Yes ■ No □	Algunos aspectos ción pendiente	en desarrollo ; ó califica-
a. Traditional □ b. Loca Institutional ■ (or) Regi National	al I ional 🗆	Unidad Mixta Municipal Patrimonio Hist crea en 1994 es una Asociación Civil sin crea la Unidad Mixta Municipal uniendo Histórico del Gobierno Municipal y el PR	fines de lucro, en el 2008 se la Dirección de Patrimonio	e. Promotion and valorisation of the site f. Efficiency of site management strategies	Yes ■ No □ Yes □ No ■ Yes ■ No □	cion pendiente	
5. Is there a management plan for the p	oroperty? Yes	No 🗌 In preparation [h. Efficiency of institutional framework at a National level			
6. What types of construction techniqu a. Rammed earth (compacted earth) b. Adobe (bricks made with raw earth) c. Wattle and daub (earth and vegetal strue d. Cob (shaped earth) e. Other			Comments	 j. Staff number Nbr: k. Skills of managerial staff l. Skills of technical staff m. Involvementc/support of local decision makers n. Educational activities at the site 	Yes		
				p. Contribution to local development Yes No		Social 🗆 Cu	ultural 🗆
7. Earth is featured on a. Walls	_		Comments	12 Among the following items places indicate h	a.da. a6 a.ia.	ity (from 1 to F)	
b. Floors c. Ceilings and/or roofs d. Mortars e. Interior decorations f. Exterior decorations g. Other:		En muros, revoques, cubiertas – er y caña hueca sobre el cual se colo entrepisos, sobre bovedillas ó env revestimientos cerámicos	ca la teja cerámica – En	b. To reinforce the legal framework c. To update the management plan d. To reinforce the capacities of site managers e. To reinforce the skills of site workers	No se cuer por ejemp	nta con los recursos ec lo para emprender pla	comments conómicos suficientes, anes de mejoramiento de con programas estatales
8. What is the approximate proportion	of earthen mate	erials	Comments	f. To preserve the earthen structures q. To improve the facilities	2		
present within the property? 1 % to 25 % ☐ 25 % to 5 50 % to 75 % ☐ 75 % to 1	_	Muros portantes, anchos variables			3		
9. The speed of degradation of the stru	ucture is		Comments				
Fast Slow Progressive Stabilised 10. Is there a regular maintenance me	_	Deterioro natural, falta de manten	Comments imiento	14. Additional general comments and remarks : Existe un marcado prejuicio sobre las edificaciones de tierra; la mado y el cemento generan intervenciones que deterioran la medio no tiene la formación ni la sensibilidad que debiera ser	imágen urbana y ci	ultura tradicional. El a	
Traditional			Comments				Informations
Institutionally planned No maintenance mechanism		Programas y proyectos de Restaur	ación ; normas de	Filled out by : Erland Ovando Leiton Position:	: Coordinador		Informations Date: 20/ 03/2012

292

Institution: Unidad Mixta Municipal Patrimonio Histórico - PRAHS

Historic Centre of Sao Luis

1. To which heritage categories can the property	be asso	ciated ?		1	1. Among the following th	reats, please indicate	by ord	er of prio	rity		Comments
c. Historic buildings e. Urban settlements g. Vernacular architecture i. Agricultural, industrial and technological propert k. Cultural landscapes, parks and gardens m. Burial monuments and sites 2. What is the current use of the property?		b. Rock-art sites d. Historic ensembles f. Rural settlements h. Religious properties j. Military properties l. Cultural routes n. Symbolic properties and me	emorials Comments] a b c d d f f f j	from 1 to 4) those affectin . Natural erosion . Weather changes . Pollution l. Development of infrastructu . Lack of respect of the value Lack of capacities to manage . Lack of technical or financia . Vandalism, theft and other Need to adapt to modern ne Change of status of the own . Abandonment	ores of heritage e the site I means illegal activities eeds					
c. Used as originally intended				.``	riodingoniment						
3. Is the property owned by the Government? 4. The institution in charge of the site is: a. Traditional b. Local Institutional (or) Regional	Yes 🗆	No ■	Comments	a b c d	2. Do you deem the follow . Heritage site documentation . Authenticity . General state of conservation l. Durability of conservation w . Promotion and valorisation . Efficiency of site manageme	n of earthen structures vorks carried out of the site	Yes Yes	No □ No □			Comments
5. Is there a management plan for the property? 6. What types of construction techniques are feat a. Rammed earth (compacted earth) b. Adobe (bricks made with raw earth) c. Wattle and daub (earth and vegetal structure) d. Cob (shaped earth)	Yes 🗌	No ■ In preparation □	Comments	9 h i. j. k l. n	Efficiency of site managements. Efficiency of legal framewor. Efficiency of institutional framents. English and technical means. Staff number Nbr: Eskills of managerial staff. Skills of technical staff. Involvementc/support of le. Educational activities at the	ework at a National level for the site ocal decision makers site	Yes 🗆	No			
7. Earth is featured on					. Contribution to local develo				Social	Cultural [
a. Wallsb. Floorsc. Ceilings and/or roofs			Comments	t a b c d	3. Among the following it hose that seem necessary . Site documentation . To reinforce the legal frame . To update the management l. To reinforce the capacities of . To reinforce the skills of site	for the site work plan of site managers workers	□ □ □ □ 3	of priori	y (from 1 to	5)	Comments
	n materi	als	Comments	9 h i.	To preserve the earthen stru to improve the facilities sensitization of local popular Promotion and valorisation Other:	ntions	1 2 4 5				
			Comments	1	4. Additional general com	ments and remarks :					
10. Is there a regular maintenance mechanism Traditional Institutionally planned No maintenance mechanism			Comments	703	Filled out by : Institution:	Ana Cláudia Batista Peixoto PO: Fundacão Municipal de Patrimônie		ordenadora de P	atrimônio Cultural	Date:	Informations 03/ 03 / 2010

Historic Centre of the town of Diamantina

1. To which heritage categories can the propert		sociated ?			11. Among the following threats, please indicate	by orde	r of priori	ity		Comments
(cf. Filling the Gaps, ICOMOS 2005, see annexed	_ `	1 2 1	_		(from 1 to 4) those affecting the site					
a. Archaeological site		b. Rock-art sites								
c. Historic buildings		d. Historic ensembles			3					
e. Urban settlements		f. Rural settlements								
g. Vernacular architecture		h. Religious properties								
i. Agricultural, industrial and technological propert		j. Military properties			er zeek er respect er tile velde er hentege	1				
k. Cultural landscapes, parks and gardens		l. Cultural routes								
m. Burial monuments and sites		n. Symbolic properties and	memorials \square		3	2				
			Comments		,	4				
2. What is the current use of the property?		Here the question is different for each ty				3				
a. Not in use anymore		are still in use as churches. Most of the h								
b. Living heritage		but they have a commercial activity in present in the old times. And for the Gov			k. Abandonment					
c. Used as originally intended		the most different uses. For sample, in 0								
d. New use Specify:		Palace nowadays is an University, the	old City Hall is nowadays a	1						
		museum.			12. Do you deem the following aspects satisfacto	ry?				Comments
3. Is the property owned by the Government?	Yes 🗌		Comments		a. Heritage site documentation		No 🗆			
		Most of the houses and churches are no			b. Authenticity	Yes 🗆	No 🔳			
4. The institution in charge of the site is :	_	And they are the main earthen constr However, in some cities, the government			c. General state of conservation of earthen structures	Yes 🗌	No 🔳			
a. Traditional 🗌 b. Local		buildings, generally made in stones. E	xample given, in Ouro Preto		d. Durability of conservation works carried out	Yes 🗌	No 🔳			
Institutional (or) Regional		the old Governmental Palace is owned			e. Promotion and valorisation of the site		No 🗆			
National		The old City Hall is owned by IPHAN, Government, the most important house			f. Efficiency of site management strategies	Yes 🗌	No 🗆			
		owned by the government, too.			g. Efficiency of legal framework	Yes 📕	No 🗆			
5. Is there a management plan for the property?	Yes	No 🗌 In preparation			h. Efficiency of institutional framework at a National level	Yes 🔳	No 🗆			
					i. Logistic and technical means for the site	Yes 🔳	No 🗆			
6. What types of construction techniques are fe	atured		Comments		j. Staff number Nbr:	Yes 🗆	No 🗖			
a. Rammed earth (compacted earth)		Here I think that is very important sp	eak about typologies. For the	P	k. Skills of managerial staff	Yes 📕	No 🗆			
b. Adobe (bricks made with raw earth)		churches and government constructions	in order: Rammed Earth, Wood		I. Skills of technical staff	Yes 🗆	No 🔳			
c. Wattle and daub (earth and vegetal structure)		(structure) + adobe and then wattle and			m. Involvementc/support of local decision makers	Yes 🗆	No 🗖			
d. Cob (shaped earth)		For the houses: wattle and daub, wood	+ adobe, adobe, rammed earth	h	n. Educational activities at the site	Yes 🗆	No 🗖			
e. Other	. 🗆				o. Participation of local populations		No 🔳			
					p. Contribution to local development Yes 🗌 No 🔳	Econom	ical 🗌	Social 🗌	Cultural [
7. Earth is featured on			Comments							
a. Walls					13. Among the following items, please indicate b	y order	of priority	y (from 1 to !	5)	Comments
b. Floors					those that seem necessary for the site					
c. Ceilings and/or roofs					a. Site documentation					
d. Mortars					b. To reinforce the legal framework					
e. Interior decorations					c. To update the management plan					
f. Exterior decorations					d. To reinforce the capacities of site managers					
g. Other:					e. To reinforce the skills of site workers	1				
					ii to preserve are continent structures					
8. What is the approximate proportion of earth	en mat	erials	Comments		gr to improve the formines					
present within the property?		As I said the same as ISHAN			h. Sensitization of local populations					
1 % to 25 %		As I said, there was an IPHAN resear about this research we must pay attent	ion because some times, the		i. Promotion and valorisation activities					
50 % to 75 %		conclusions were made only by the sizes			j. Other :					
9. The speed of degradation of the structure is			Comments							
Fast Slow			Commence		14. Additional general comments and remarks :					
Progressive Stabilised					1. To reinforce the skills of site workers					
					2. To preserve the earthen structures					
					3. Sensitization of local populations					
10. Is there a regular maintenance mechanism			Comments		Promotion and valorisation activities To improve the facilities					
Traditional			Comments		5. To improve the facilities					Informations
Institutionally planned					Ell I di					
No maintenance mechanism					Filled out by : Marco Antônio Penido de Rezende POS	ITION: Profe	essor		Date:	18/ 03 / 2010
				291	Institution: Universidade Federal de Minas Gerais					

Historic centre of the town of Olinda

1. To which heritage categories can the property		sociated ?		11. Among the following threats, please indica	te by ore	der of pric	ority		Comments
(cf. Filling the Gaps, ICOMOS 2005, see annexed a. Archaeological site c. Historic buildings e. Urban settlements g. Vernacular architecture i. Agricultural, industrial and technological propert k. Cultural landscapes, parks and gardens m. Burial monuments and sites 2. What is the current use of the property?	table)	b. Rock-art sites d. Historic ensembles f. Rural settlements h. Religious properties j. Military properties l. Cultural routes n. Symbolic properties and		 b. Weather changes c. Pollution d. Development of infrastructures e. Lack of respect of the value of heritage f. Lack of capacities to manage the site g. Lack of technical or financial means h. Vandalism, theft and other illegal activities 					
a. Not in use anymore b. Living heritage c. Used as originally intended			Comments	i. Need to adapt to modern needsj. Change of status of the ownersk. Abandonment					
d. New use Specify: 3. Is the property owned by the Government? 4. The institution in charge of the site is: a. Traditional b. Local Institutional (or) Regional	Yes	No ■	Comments	12. Do you deem the following aspects satisfact a. Heritage site documentation b. Authenticity c. General state of conservation of earthen structure d. Durability of conservation works carried out e. Promotion and valorisation of the site	Yes Yes S Yes Yes	No □ No □			Comments
National 5. Is there a management plan for the property? 6. What types of construction techniques are feat a. Rammed earth (compacted earth) b. Adobe (bricks made with raw earth) c. Wattle and daub (earth and vegetal structure) d. Cob (shaped earth)	Yes =		Comments	f. Efficiency of site management strategies g. Efficiency of legal framework h. Efficiency of institutional framework at a National lev i. Logistic and technical means for the site j. Staff number Nbr: k. Skills of managerial staff l. Skills of technical staff m. Involvementc/support of local decision makers n. Educational activities at the site	Yes	No			
e. Other 7. Earth is featured on	•			o. Participation of local populations p. Contribution to local development Yes ☐ No		No 🗆	Social	Cultural [
a. Walls b. Floors c. Ceilings and/or roofs d. Mortars e. Interior decorations f. Exterior decorations g. Other:		Olinda was built starting from 1535, b and wall of mud as constructive techni Portuguese systems. The following ceni substituted by masonry of brick of cook buildings yet possess dividing internal w	iques, traditional constructive turies those techniques were ked mud. Today, very few old	a. Site documentation b. To reinforce the legal framework c. To update the management plan d. To reinforce the capacities of site managers e. To reinforce the skills of site workers		er of prior	ity (from 1 ta	5)	Comments
8. What is the approximate proportion of earther present within the property? 1 % to 25 %		erials	Comments	f. To preserve the earthen structures g. To improve the facilities h. Sensitization of local populations					
50 % to 75 %				i. Promotion and valorisation activities j. Other :					
9. The speed of degradation of the structure is Fast Slow Progressive Stabilised			Comments	14. Additional general comments and remarks Considering the constructive characteristics of the existent architecture, we can affirm that doesn't exist this construct	structures	in old buildi	ngs of Olinda an	d the characte	eristics of the ear
10. Is there a regular maintenance mechanism Traditional Institutionally planned			Comments	Olinda, Brazil.	ive tecinii	que in the o	ia ballalligs of th	ie nistoric cer	Informations
No maintenance mechanism				Filled out by : André Renato Pina Moreira 1 295 André Renato Pina Moreira 1 Secretariat of Heritage and Co			Brazil	Date:	04/01/2010

Historic Town of Ouro Preto

1. To which heritage categories can the property (cf. Filling the Gaps, ICOMOS 2005, see annexed a. Archaeological site c. Historic buildings e. Urban settlements g. Vernacular architecture i. Agricultural, industrial and technological propert k. Cultural landscapes, parks and gardens m. Burial monuments and sites 2. What is the current use of the property? a. Not in use anymore b. Living heritage			memorials Comments Preto est encore original, mais	s	b. Weather changes c. Pollution d. Development of infrastructures e. Lack of respect of the value of heritage f. Lack of capacities to manage the site g. Lack of technical or financial means h. Vandalism, theft and other illegal activities	_ (Le trafic intens	•		Comments us (tremblements) e
c. Used as originally intended d. New use Specify: 3. Is the property owned by the Government? 4. The institution in charge of the site is: a. Traditional b. Local Institutional (or) Regional National	. 🗆	No L'institution « Instituto Federal de Mi ensemble national d'écoles fédérales e premier cours du Brésil supérieur en « le t la conservation des edifices historique	et gratuites. Nous avons ici le tecnologie pour la restauration	n e	12. Do you deem the following aspects satisfactor a. Heritage site documentation b. Authenticity c. General state of conservation of earthen structures d. Durability of conservation works carried out e. Promotion and valorisation of the site f. Efficiency of site management strategies	Yes Yes Yes Yes	No □ No □ No ■ No □			Comments
 5. Is there a management plan for the property? 6. What types of construction techniques are feat a. Rammed earth (compacted earth) b. Adobe (bricks made with raw earth) c. Wattle and daub (earth and vegetal structure) d. Cob (shaped earth) e. Other 			Comments 2 » qui est comme la « quincha		g. Efficiency of legal framework h. Efficiency of institutional framework at a National level i. Logistic and technical means for the site j. Staff number Nbr: k. Skills of managerial staff l. Skills of technical staff m. Involvementc/support of local decision makers n. Educational activities at the site o. Participation of local populations	Yes Yes Yes Yes Yes Yes Yes	No			
7. Earth is featured on a. Walls b. Floors c. Ceilings and/or roofs d. Mortars e. Interior decorations f. Exterior decorations g. Other:		En general, la terre ici est utilisée pour l	Comments les parois, murs.		p. Contribution to local development Yes No 13. Among the following items, please indicate to those that seem necessary for the site a. Site documentation b. To reinforce the legal framework c. To update the management plan d. To reinforce the capacities of site managers e. To reinforce the skills of site workers	by orde	omical 🗌	Social □ ty (from 1 to	Cultural [Comments
8. What is the approximate proportion of earthoresent within the property? 1 % to 25 %	en mate	erials	Comments		g. To improve the facilities h. Sensitization of local populations	3 4				
9. The speed of degradation of the structure is Fast Slow Progressive Stabilised 10. Is there a regular maintenance mechanism		Nous avons ici a Ouro Preto une ecole o de Oficios) pour les profissionels qui tra conservations des edifices (civiles et reli	vaillent dans le restauration et igieux) historiques.	o et	14. Additional general comments and remarks :					
Traditional Institutionally planned No maintenance mechanism			Comments	296	Filled out by : ALEXANDRE F. MASCARENHAS POSINSTITUTION: Instituto Federal Minas Gerais	sition: ,	Architecte et Profe	sseur	Date:	Informations 28/ 03 / 2010

Historic centre of Santa Cruz de Mompox

1. To which heritage categories can the propert	y be as	sociated ?		1	11. Among the following threats, please indicat	e by or	der of prior	ity		Comments
(cf. Filling the Gaps, ICOMOS 2005, see annexed				((from 1 to 4) those affecting the site	-				
a. Archaeological site		b. Rock-art sites	[a. Natural erosion	2				
c. Historic buildings		d. Historic ensembles			b. Weather changes	4				
e. Urban settlements		f. Rural settlements			c. Pollution	1				
	H									
g. Vernacular architecture		h. Religious properties	L		d. Development of infrastructures	3				
i. Agricultural, industrial and technological propert		j. Military properties			e. Lack of respect of the value of heritage					
k. Cultural landscapes, parks and gardens		l. Cultural routes			f. Lack of capacities to manage the site					
m. Burial monuments and sites		n. Symbolic properties and	l memorials [g. Lack of technical or financial means					
		,		Ě	n. Vandalism, theft and other illegal activities					
2. What is the current use of the property?				:	. Need to adapt to modern needs					
a. Not in use anymore			Comments		. Change of status of the owners	Ħ				
taran da antara da a	$\overline{\Box}$,	<u> </u>	Ħ				
b. Living heritage				K	k. Abandonment					
c. Used as originally intended										
d. New use Specify:										
				1	12. Do you deem the following aspects satisfact	огу?				Comments
3. Is the property owned by the Government?	Yes	No ■		a	a. Heritage site documentation	Yes 🗆	No ■			
			Comments	s b	o. Authenticity	Yes	l No □			
4. The institution in charge of the site is :					c. General state of conservation of earthen structures	Yes	No □			
a. Traditional D b. Local					d. Durability of conservation works carried out	Yes				
					e. Promotion and valorisation of the site	Yes 🗆				
• • •										
National					f. Efficiency of site management strategies	Yes				
			_		g. Efficiency of legal framework	Yes				
5. Is there a management plan for the property?	Yes	No 🗌 In preparation		ŀ	n. Efficiency of institutional framework at a National level	Yes _	No ■			
				i.	. Logistic and technical means for the site	Yes 🗆	No ■			
6. What types of construction techniques are fe	atured?	!	Comments	:	. Staff number Nbr:	Yes 🗆	No ■			
a. Rammed earth (compacted earth)			Comments		k. Skills of managerial staff	Yes 🗆				
b. Adobe (bricks made with raw earth)		Construcciones con muros mixtos, cal y	, canto, ladrillo con argamasa		. Skills of technical staff	Yes =				
c. Wattle and daub (earth and vegetal structure)		de cal, Tapia, adobe, etc.	,,	•						
` ,					m. Involvementc/support of local decision makers	Yes				
d. Cob (shaped earth)					n. Educational activities at the site	Yes				
e. Other				C	o. Participation of local populations	Yes	No 🗆			
				P	o. Contribution to local development $$ Yes $$ $$ No $$	Econo	omical \square	Social 🗆	Cultural 🗌	
7. Earth is featured on			Comments							
a. Walls			Comments		13. Among the following items, please indicate	by orde	er of priorit	v (from 1 to	5)	Comments
b. Floors		Normalmente se encuentran en m	uros divisorios y tambier		those that seem necessary for the site	-,		, (•	Commicing
c. Ceilings and/or roofs	_	encontramos barro haciendo las veces			a. Site documentation					
d. Mortars										
	_				b. To reinforce the legal framework	2				
e. Interior decorations					c. To update the management plan	4				
f. Exterior decorations					d. To reinforce the capacities of site managers					
g. Other:				ϵ	e. To reinforce the skills of site workers	5				
				f.	f. To preserve the earthen structures	1				
8. What is the approximate proportion of earth	en mate	erials	Commonto		g. To improve the facilities	3				
present within the property?			Comments		n. Sensitization of local populations	П				
1 % to 25 % ■ 25 % to 50 %		Es posible encontrar construcciones con		25 :	. Promotion and valorisation activities	Ħ				
50 % to 75 %		de carga en adobe ; pero tambien vem		U						
30 % to 73 % [] 73 % to 100 %	ш	de los Jesuitas en que su segunda plant		n J.	. Other :	··· -				
a who are all of the control of the standard to		adobe y constituyen casi el 40% de la	eunicación							
9. The speed of degradation of the structure is			Comments	•						
Fast Slow				1	14. Additional general comments and remarks :					
Progressive Stabilised		Es lenta si esta debidamente protegid	la, se menciona el desplome	e						
		en el siglo XVIII de la iglesia de San Fra creciente que humedecio el templo y	sus muros eran de adobe	"						
10. Is there a regular maintenance mechanism										
Traditional			Comments	5						
Institutionally planned	_									nformations
· ·					Filled out by: ALVARO CASTRO ABUABARA PO	sition	FUNCIONARIO ESCUE	TA TALLED	Date: 12	/ 04 / 2010
No maintenance mechanism					TITLES OUT Dy . ALVAKU CASIKU ADUABAKA FC	JICIOII.	ONCIONARIO ESCUE	LA IALLEK	Date. 12	/ 04 / 2010

Port, fortresses and group of monuments, Cartagena

1. To which heritage categories can the proper				11. Among the following threats, please indicate	by order of prio	rity	Comments
(cf. Filling the Gaps, ICOMOS 2005, see annexe	d t <u>ab</u> le)			(from 1 to 4) those affecting the site	La Fecala fuò to	omada de mayor (1) a menor (4) qı	rado do importancia
a. Archaeological site		b. Rock-art sites				Jiliada de iliayor (1) a iliellor (4) gi	iado de importancia.
c. Historic buildings		d. Historic ensembles			2		
e. Urban settlements		f. Rural settlements			1		
g. Vernacular architecture		h. Religious properties					
i. Agricultural, industrial and technological propert		j. Military properties		e. Lack of respect of the value of heritage			
k. Cultural landscapes, parks and gardens		l. Cultural routes		f. Lack of capacities to manage the site			
m. Burial monuments and sites		n. Symbolic properties and r	memorials \square				
	_	, , ,	_		ī		
2. What is the current use of the property?							
a. Not in use anymore			Comments				
b. Living heritage		El bien entendido como el conjunto mon	numental représenta hoy dia		4		
c. Used as originally intended		un patrimonio vivo, identificado por toda		K. Abdiloolillelit			
· · · · · · · · · · · · · · · · · · ·		sido adpatdo a las nuevas necesidades de					
d. New use Specify:		valores historicos, culturales y arquitecton	nicos.	13. Do you door the following process entiresess			Comments
2 1. db	.			12. Do you deem the following aspects satisfactor			Comments
3. Is the property owned by the Government?	Yes •	No ■		a. Heritage site documentation	Yes No		
			Comments	b. Authenticity	Yes ■ No □		
4. The institution in charge of the site is :	_	La adminsitracion del bien se hace de fo	rma compartida y concertada	c. General state of conservation of earthen structures			
a. Traditional 🗆 b. Local		desde la adminsitracion local (Cartagena	a de Indias) dado que la Ley	d. Durability of conservation works carried out	Yes No 🗆		
Institutional (or) Regional		768 de 2002 o ley general de Distritos		e. Promotion and valorisation of the site	Yes ■ No □		
National		mismo para la administración de estos t del Ministerio de Cultura.	bienes y la nacion en cabeza	f. Efficiency of site management strategies	Yes ■ No □		
		del Ministerio de Caltara.		g. Efficiency of legal framework	Yes □ No ■		
5. Is there a management plan for the property	? Yes [] No □ In preparation ■		h. Efficiency of institutional framework at a National level	Yes No		
				i. Logistic and technical means for the site	Yes □ No ■		
6. What types of construction techniques are f	eatured [*]	?	C	j. Staff number Nbr:	Yes □ No ■		
a. Rammed earth (compacted earth)			Comments	k. Skills of managerial staff	Yes ■ No □		
b. Adobe (bricks made with raw earth)		to a contact of a continuous de contract (a)	. 4-11-1	I. Skills of technical staff	Yes No		
c. Wattle and daub (earth and vegetal structure)	ä	Los materiales utlizados en la construcción madera, cal a arena, sillares de piedra, y		m. Involvementc/support of local decision makers	Yes No		
d. Cob (shaped earth)	H	modera, car a arena, smares de piedra, y	tejas de barro cocido.	n. Educational activities at the site			
e. Other	H						
e. other	🗀			o. Participation of local populations	Yes ■ No □	6 1 0 6 1 10	1
7. Earth is featured on				p. Contribution to local development Yes \square No \blacksquare	i Economicai 🗆	Social Cultural	J
a. Walls	_		Comments				
				13. Among the following items, please indicate l	by order of priori	ty (from 1 to 5)	Comments
b. Floors		Mas que tierra lo que se utilizò, en la ocr	nstrucciòn del bien fuè arena.	those that seem necessary for the site	La Escala fuè to	omada de mayor (1) a menor (5) gi	rado de importancia
c. Ceilings and/or roofs						sinada de mayor (1) a menor (3) gi	rado de importancia.
d. Mortars					2		
e. Interior decorations					1		
f. Exterior decorations				or to remioree the topotities of site managers			
g. Other:				er to remitate the skins of site fronters			
				f. To preserve the earthen structures			
8. What is the approximate proportion of eart	hen mat	erials	Comments	g. To improve the facilities			
present within the property?			Comments	h. Sensitization of local populations	5		
1 % to 25 % 2 5 % to 50 %				i. Promotion and valorisation activities	3		
50 % to 75 %				j. Other :			
				,			
9. The speed of degradation of the structure is	;						
Fast Slow			Comments	14. Additional general comments and remarks :			
Progressive Stabilised				14. Additional general comments and remarks .			
10. Is there a regular maintenance mechanism							
Traditional			Comments				
Institutionally planned							Informations
No maintenance mechanism	-	A nivel institucional las instituciones que		Filled out by: Dora Carmona Pos	Sition: Jefe de Patrimonio	Date	18/ 04 / 2010
NO Maintenance mechanism		ello, realizan actividades de mantenimier	ino dei bien a su cargo.	Institution: Instituto de Patrimonio y Cultura de Cartagena de Indias	Jeie de radiii/0/110	Date.	.5/ 01/2010

Precolumbian Chiefdom Settlements with Stone Spheres of the Diquis

				The state of the s				
1. To which heritage categories can the propert (cf. Filling the Gaps, ICOMOS 2005, see annexed a. Archaeological site c. Historic buildings e. Urban settlements g. Vernacular architecture i. Agricultural, industrial and technological propert k. Cultural landscapes, parks and gardens	table)	b. Rock-art sites d. Historic ensembles f. Rural settlements h. Religious properties j. Military properties l. Cultural routes		b. Weather changes c. Pollution d. Development of infrastructures e. Lack of respect of the value of heritage f. Lack of capacities to manage the site	2 1 4 4 4	er of prio	rity	Comments
m. Burial monuments and sites 2. What is the current use of the property? a. Abandoned b. Original use c. New use: Protected area		n. Symbolic properties and One of the four sites is open to visitors s going to open for visitation in 2015.	Comments	h. Vandalism, theft and other illegal activities i. Need to adapt to modern needs j. Change of status of the owners	1 3 3 4 4			
3. Is the property owned by the Government?4. The institution in charge of the site is:	Yes■	No □	Comments	 12. Do you deem the following aspects satisfactor a. Heritage site documentation b. Authenticity c. General state of conservation of earthen structures d. Durability of conservation works carried out 	Yes ■ Yes ■	No 🗆 No 🗆 No 🗆	Many of these items are	Comments on the way to be improved.
a. Traditional □ b. Institutional c. Local □ d. Regional e. National ■ 5. Is there a management plan for the property?	Yes	The institution is the National Museum o		e. Promotion and valorisation of the site f. Efficiency of site management strategies g. Efficiency of legal framework h. Efficiency of institutional framework at a National level i. Logistic and technical means for the site	Yes ☐ Yes ☐ Yes ☐	No ■		
6. What types of construction techniques are fe a. Rammed earth (compacted earth) b. Adobe (bricks made with raw earth) c. Wattle and daub (earth and vegetal structure) d. Cob (shaped earth) e. Other			Comments obles mansonry, all around	j. Staff number k. Skills of managerial staff l. Skills of technical staff	Yes	No ■ No ■ No ■		
7. Earth is featured on a. Walls			Comments	q. Site interpretation r. Risk preparedness	Yes ☐ Yes ☐			
b. Floors c. Ceilings and/or roofs d. Mortars e. Interior decorations f. Exterior decorations g. Other: Artificial mounds		We did an experimental use of earth to r made of earth and stone cobles, at the special use of a mortar (small stone pebl	ne original level we found a	those that seem necessary for the site a. Site documentation b. To reinforce the legal framework c. To update the management plan d. To reinforce the capacities of site managers	1 s		• •	Comments anagement plan and public
8. What is the approximate proportion of earth present within the property? 1 % to 25 %	en mat	erials	Comments	 f. To preserve the earthen structures g. To improve the facilities h. Sensitization of local populations i. Promotion and valorisation activities 	1 2 1 1			
9. The speed of degradation of the structure is Fast Slow Progressive Stabilised	:	The structures under ground are stabilise may have a slow degradation specially of		14. Additional general comments and remarks: We are starting to study the constructive system of this archaeological-	precolumbi	ian sites.		
10. Is there a regular maintenance mechanism Traditional	П		Comments					

We are doing special studies to choose the materials and techniques.

Institutionally planned

No maintenance mechanism

Historic Centre of Camagüey

1. To which heritage categories can the proper		ociated ?			11. Among the following threats, please indicate	by ord	er of prior	ity		Comments
(cf. Filling the Gaps, ICOMOS 2005, see annexed			_		(from 1 to 4) those affecting the site					
a. Archaeological site		b. Rock-art sites								
c. Historic buildings		d. Historic ensembles								
e. Urban settlements		f. Rural settlements								
g. Vernacular architecture		h. Religious properties								
i. Agricultural, industrial and technological propert		j. Military properties			e. Lack of respect of the value of heritage					
k. Cultural landscapes, parks and gardens		l. Cultural routes								
m. Burial monuments and sites		n. Symbolic properties and n	nemorials \square		g. Lack of technical or financial means					
		, , ,								
2. What is the current use of the property?			Comments							
a. Not in use anymore			Comments		j. Change of status of the owners					
b. Living heritage										
c. Used as originally intended										
d. New use Specify:										
d. New disc					12. Do you deem the following aspects satisfacto	rv?				Comments
3. Is the property owned by the Government ?	Voc I	l No □			a. Heritage site documentation	Yes 🗆	No 🗆			
5. 13 the property owned by the dovernment.	163		Comments		b. Authenticity	Yes 🗆	No 🗆			
4. The institution in charge of the site is :			Comments		c. General state of conservation of earthen structures		No 🗆			
							No 🗆			
a. Traditional L b. Local					d. Durability of conservation works carried out	Yes 🗆				
Institutional (or) Regional					e. Promotion and valorisation of the site					
National					f. Efficiency of site management strategies					
F. Is there a management also for the acceptant	. Va	l No □ lo occosotio□			g. Efficiency of legal framework	Yes 🗆	No 🗆			
5. Is there a management plan for the property	res E	No 🗌 In preparatio(h. Efficiency of institutional framework at a National level		No 🔲			
4 What to a set of a					i. Logistic and technical means for the site	Yes 🗌	No 🔲			
6. What types of construction techniques are fe			Comments		j. Staff number Nbr:	Yes 🗌				
a. Rammed earth (compacted earth)					k. Skills of managerial staff	Yes 🗆	No 🗆			
b. Adobe (bricks made with raw earth)					I. Skills of technical staff	Yes 🗆	No 🗆			
c. Wattle and daub (earth and vegetal structure)					m. Involvementc/support of local decision makers	Yes 🗆	No 🗆			
d. Cob (shaped earth)					n. Educational activities at the site	Yes 🗆	No 🗆			
e. Other					o. Participation of local populations	Yes 🗆	No 🗆			
					p. Contribution to local development Yes \(\square\) No \(\square\)	Econor	nical 🗌	Social 🗌	Cultural 🗌	
7. Earth is featured on			Comments							
a. Walls			Commence		13. Among the following items, please indicate b	y order	of priorit	y (from 1 to	5)	Comments
b. Floors					those that seem necessary for the site	•		• `		
c. Ceilings and/or roofs										
d. Mortars										
e. Interior decorations										
f. Exterior decorations	$\overline{\Box}$					ā				
g. Other:	_					Ħ I				
8. What is the approximate proportion of earth	en mater	rials				ă l				
present within the property?			Comments							
1 % to 25 %										
50 % to 75 %						_				
30 % to 13 % to 100 %					j. Other :					
9. The speed of degradation of the structure is										
Fast Slow			Comments		44 Additional constal comments and constal					
——————————————————————————————————————					14. Additional general comments and remarks :					
Progressive Stabilised										
10. Is there a regular maintenance mechanism										
10. Is there a regular maintenance mechanism			Comments							
Traditional									Ir	nformations
Institutionally planned					Filled out by : José U. Rodríquez Barreras Pos	ition: Nice	octor Adminis	trador del bien cult		
No maintenance mechanism					Institution: Oficina del Historiador de la Ciudad de Camaguey. Cub	a DIFE	ctor. Administ	rador dei bien Cult	ildi Date. 19	/ 03 / 2012
				300	Olicina dei nistoriador de la ciudad de Carriaguey. Cub	0				

Old Havana and its fortifications

administradora del bien.

					_		
1. To which heritage categories can the prope				11. Among the following threats, please indicate	e by o	rder of priority	Comments
(cf. Filling the Gaps, ICOMOS 2005, see annexe				(from 1 to 4) those affecting the site	2	La vulnerabilidad de estas e	structuras de tierra ante
a. Archaeological site		b. Rock-art sites		a. Natural erosion	3	inundaciones derivadas del cam	
c. Historic buildings	H	d. Historic ensembles	_	b. Weather changes	3	humedecimiento de suelos por	roturas de redes hídricas
e. Urban settlements		f. Rural settlements			4	son las mayores amenazas.	
g. Vernacular architecture		h. Religious properties		d. Development of infrastructures			
i. Agricultural, industrial and technological propert		j. Military properties		e. Lack of respect of the value of heritage	4		
k. Cultural landscapes, parks and gardens		I. Cultural routes		f. Lack of capacities to manage the site			
m. Burial monuments and sites		n. Symbolic properties and	memorials \square	g. Lack of technical or financial means	2		
2 10 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4				h. Vandalism, theft and other illegal activities	3		
2. What is the current use of the property?			Comments		3		
a. Not in use anymore		Conjunto urbano histórico, hoy Ce	ntro Histórico de la ciudad	j. Change of status of the owners	4		
b. Living heritage		de La Habana, cuyo origen data	de 1519 hoy habitado y	k. Abandonment	4		
c. Used as originally intended	H	vivo.					
d. New use Specify:				42. Da way da an tha fallowing a consete antisfact			Comments
2. In the assessing award by the Coverage of	Vac =	l Na 🗆		12. Do you deem the following aspects satisfacto		■ No □	Comments
3. Is the property owned by the Government	res =	No 🗆	Comments	a. Heritage site documentation	Yes		
4 The institution in shores of the site is .			Comments	b. Authenticity	Yes		
4. The institution in charge of the site is:		La arcilla es el material funda		c. General state of conservation of earthen structures	_	_	
a. Traditional b. Local		construcción de los elementos		d. Durability of conservation works carried out	Yes		
Institutional (or) Regional		primero en forma de ladrillos y		e. Promotion and valorisation of the site	Yes		
National		tejas, españolas primeos y criolla	s despues.	f. Efficiency of site management strategies	Yes		
E is there a management plan for the property	2 Voc =	No □ In preparation		g. Efficiency of legal framework	Yes		
5. Is there a management plan for the property	: res	No □ III preparation		h. Efficiency of institutional framework at a National level	_	_	
4 What types of construction techniques are f	anturad'			i. Logistic and technical means for the site	Yes		
6. What types of construction techniques are f		•	Comments	j. Staff number Nbr:	Yes		
a. Rammed earth (compacted earth)		Solo en unas 24 construcciones	conservadas de los siglos	k. Skills of managerial staff	Yes		
b. Adobe (bricks made with raw earth)		XVI y XVII -como el Convento d		I. Skills of technical staff	Yes		
c. Wattle and daub (earth and vegetal structure)		mantienen muros de tapia pisa		m. Involvementc/support of local decision makers	Yes		
d. Cob (shaped earth)		fines del siglo XIX. (1)		n. Educational activities at the site	Yes		
e. Other (1) Casal Iglesias, Francisco Tomás. Ponencia "El Patrim arquitectónico de tapial en La Habana", Versión prelimi	nar,			o. Participation of local populations	Yes		
2011, p-6 (ftcasal@yahoo.es) (2) Ibidem P- 7. Earth is featured on	,			p. Contribution to local development Yes \square No \square	Ecor	nomical 🗌 💮 Social 🗎 🤇 C	ultural 🗆
			Comments				
a. Walls		Tipologías aun presentes: muros	de embarrado simole v	13. Among the following items, please indicate	by ord	ler of priority (from 1 to 5)	Comments
b. Floors		de tapial dentro de encofrados re		those that seem necessary for the site	_	Existe un manejo responsab	le del bien, reconocido
c. Ceilings and/or roofs		algunas soluciones de morteros p		a. Site documentation		internacionalmente, administra	do por una entidad líder,
d. Mortars						con recursos humanos capacitad	
e. Interior decorations				c. To update the management plan		en el tiempo.	
f. Exterior decorations				d. To reinforce the capacities of site managers			
g. Other:				e. To reinforce the skills of site workers			
0 What is the approximate association of east	h4	:-I-		f. To preserve the earthen structures			
8. What is the approximate proportion of eart	nen mat	enais	Comments	g. To improve the facilities			
present within the property? 1 % to 25 % ■ 25 % to 50 %				h. Sensitization of local populations			
50 % to 75 %				j. Other :			
9. The speed of degradation of the structure is							
			Comments	44 4 1 1 4 4 1 1			
				14. Additional general comments and remarks :			
Progressive Stabilised				Incrementar acciones de preservación de estas estructuras			lar programas de estudio
				investigaciones de estas tipologías e los planes de capacitacion	on local	, a especialistas y obreros.	
10 Is there a regular maintenance mechanism							
10. Is there a regular maintenance mechanism Traditional			Comments				
Institutionally planned		Se realizan mantenimientos co	on técnicas tradicionales				Informations
No maintenance mechanism		en estas construcciones, mayo		Filled out by : Alina Ochoa Alomá Po	sition:	Arquitecta especialista	Date: 19 / 03 / 2012
THE THEIR CONTROL OF THE CHARLESTEE		,,		/ . / lillid Oction Albitid		quite especionsto	, 55 / 2512

301 Institution: Oficina del historiador de la ciudad de la Habana, CUBA

Trinidad and the Valley de los Ingenios

1. To which heritage categories can the propert (cf. Filling the Gaps, ICOMOS 2005, see annexed		ociated ?			11. Among the following threats, please indicate (from 1 to 4) those affecting the site	by or	der of prio	ority		Comments
a. Archaeological site c. Historic buildings e. Urban settlements g. Vernacular architecture i. Agricultural, industrial and technological propert k. Cultural landscapes, parks and gardens m. Burial monuments and sites 2. What is the current use of the property? a. Not in use anymore b. Living heritage		b. Rock-art sites d. Historic ensembles f. Rural settlements h. Religious properties j. Military properties l. Cultural routes n. Symbolic properties and	memorials Comments en su mayoria, construidas		a. Natural erosion b. Weather changes c. Pollution d. Development of infrastructures e. Lack of respect of the value of heritage f. Lack of capacities to manage the site g. Lack of technical or financial means b. Vandalism, theft and other illegal activities		todo cuando e turísticos del insuficientes problemática	as amenazas sobre el sitio es considerad país con una gran recursos técnicos y actual que va desc ta las aspiraciones d	o uno de los afluencia de económicos de el increm	mayores atractivos e visitantes, y con para enfrentar la nento de desastres
c. Used as originally intended d. New use Specify:		domestica , uso que continua predom Se han insertado nuevos servicios per originales del conjunto habitacional.	inando en la actualidad.							Comments
3. Is the property owned by the Government?	Voc =	,			12. Do you deem the following aspects satisfacto a. Heritage site documentation	ry? Yes ■	l No □			
4. The institution in charge of the site is: a. Traditional		La institucion se denomina Oficina de el Valle de los Ingenios y fue creada e como maxima responsable de la conse localidad de Trinidad. Es de caracter lo de la municipalidad.	n 1997 por el Estado cubano ervacion del patrimonio en la		b. Authenticity c. General state of conservation of earthen structures d. Durability of conservation works carried out e. Promotion and valorisation of the site f. Efficiency of site management strategies	Yes Yes Yes Yes Yes	No	negativos en los cu mayores prioridade que la población conservación de la que existen desde	iales debemo es y esfuerzos participe má is estructuras hace más de ides educativa	s varios aspectos os concentrar nuestras os sobre todo en lograr os activamente en la os de tierra originales, tres siglos. as pero consideramos
5. Is there a management plan for the property ?	Yes 	No 🗌 In preparation [g. Efficiency of legal framework h. Efficiency of institutional framework at a National level i. Logistic and technical means for the site	Yes Yes Yes Yes	No □	Falta eficacia en e no haber logrado l que intervienen en	l sistema de a integración i el proceso d	manejo del Bien, al de todos los actores le manejo y gestión.
6. What types of construction techniques are fee a. Rammed earth (compacted earth) b. Adobe (bricks made with raw earth) c. Wattle and daub (earth and vegetal structure) d. Cob (shaped earth) e. Other mamposteria		Fue muy usada en las construcciones y XIX , una técnica mixta para cons mamsposteria » , constituida por tierra muros se cubrieron con revoques de empleada por la clase social de men las áreas rurales del Valle de los Inge	struir muros, denominada « a y piedra apisonada , dichos cal y tierra. La otra técnica os recursos y expandida por		j. Staff number Nbr: k. Skills of managerial staff l. Skills of technical staff m. Involvementc/support of local decision makers n. Educational activities at the site o. Participation of local populations	Yes Yes Yes Yes Yes Yes	No	para enfrentar la Ingenios que es extensión.	problemátic la más crític	logísticos y técnicos ca del Valle de los ca por su lejanía y
7. Earth is featured on		embarrado »			p. Contribution to local development Yes No	Econo	omical \square	Social 🗌	Cultural [
a. Walls b. Floors c. Ceilings and/or roofs d. Mortars e. Interior decorations f. Exterior decorations g. Other:		La tierra está presente en la may edificaciones del Bien, tanto en la como en los morteros y revoques de t constructivas que utilizaron la tierra embarrado » y la « mamposteria »	constitución de los muros terminación. Las dos tecnicas		b. To reinforce the legal framework c. To update the management plan d. To reinforce the capacities of site managers e. To reinforce the skills of site workers	3 3 4 5	Se puede o necesidades conjunto arqu tipo de patrin Señalamos qu la tabla no ac nuestras prior	bservar en la esca para el Bien, lo cual : iltectonico mas los rie monio. ue el inciso sobre « Co dmite colocar el No. d ridades como respons	la otorgada se justifica po esgos a los qu onservar las e e clasificacion sables del bie	or la autenticidad del ue está expuesto este estructuras de tierra », n pero está dentro de en.
8. What is the approximate proportion of earth	en mate	erials			f. To preserve the earthen structures q. To improve the facilities	4		s muy importante n la importancia de r		
present within the property? 1 % to 25 % □ 25 % to 50 % 50 % to 75 % ■ 75 % to 100 %		Los muros de embarrado presentan e en su composición y en una escala considerable, está presente la tierra er	menor pero siempre, muy		h. Sensitization of local populations	4		a la actualidad.		
9. The speed of degradation of the structure is			Comments							
Fast Slow Progressive Stabilised		A pesar de la existencia de un clima t considerar que las estructuras se encue nivel lento en su degradacion	ropical y humedo , podemos		14. Additional general comments and remarks :					
10. Is there a regular maintenance mechanism			Comments							
Traditional		Existen planes anuales para la Rehabi								Informations
Institutionally planned No maintenance mechanism		las estructuras de tierra, a partir del inv realiza a los inmuebles.		302	Filled out by : Norberto Carpio Calzada Pos Institution: Oficina del Conservador de Trinidad y Valle de los Inge	sition: nios.	Director ger	neral	Date:	16 / 03 / 2012

302

Viñales valley

11. Among the following threats, please indicate by order of priority Comment
(from 1 to 4) those affecting the site Los frecuentes huracanes hacen muy vulnerables este tipo
d. Natural erosion
c. Pollution accorde a su calidad. Me resultó imposible marcar con 2 la falta de capacidades pa
u. Developitient of infrastructures
e. Lack of respect of the value of heritage
f. Lack of capacities to manage the site
f. Lack of capacities to manage the site g. Lack of technical or financial means
h. Vandalism, theft and other illegal activities
i. Need to adapt to modern needs
j. Change of status of the owners
S S
s
12. Do you deem the following aspects satisfactory?
a Heritage site documentation Voc No
b. Authenticity No Me resultó imposible marcar como negativo la eficacia de los sistemas de manejo.
c. Constal state of consequation of carthon structures. Voc.
d. Durability of conservation works carried out Yes No
e. Promotion and valorisation of the site Yes \sumbox{No } \blacktriangleright \text{No } \b
f. Efficiency of site management strategies Yes \(\sigma \) No \(\sigma \)
g. Efficiency of legal framework Yes No
h. Efficiency of institutional framework at a National level Yes No
i. Logistic and technical means for the site Yes No
j. Staff number Nbr: Yes □ No ■
k. Skills of managerial staff Yes No
I. Skills of technical staff Yes No
m. Involvementc/support of local decision makers Yes No
11. Eddeditorial detivities at the site 163 - 140
o. Participation of local populations Yes No
p. Contribution to local development Yes □ No ■ Economical □ Social □ Cultural □
13. Among the following items, please indicate by order of priority (from 1 to 5)
those that seem necessary for the site
a. Site documentation Me resultó imposible marcar con el 1- Conservar las estructuras diterra.
D. To reinforce the legal framework Considero también como muy importantes el resto de las actividad
c. To update the management plan que no fueron marcadas, pero la documentación del bien es alg
d. To reinforce the capacities of site managers 4 obligatorio para la declaración, al igual que el actualizar el Plan o
e. To reinforce the skills of site workers
f. To preserve the earthen structures
g. To improve the facilities
h. Sensitization of local populations
i. Promotion and valorisation activities
j. Other :
14. Additional general comments and remarks :
u
Information
Filled out by : Nidia Cabrera Huerta Position: Administradora del sitio Date: 23 / 03 / 2012 Institution: Centro Provincial De Patrimonio Cultural Pinar Del Río
La de

City of Quito

1. To which heritage categories can the proper					(from 1 to 4) those affecting the site	e by o	der of prior	rity		Comments
(cf. Filling the Gaps, ICOMOS 2005, see annexed a. Archaeological site	i labie <i>j</i>	b. Rock-art sites		7	a. Natural erosion					
c. Historic buildings	H	d. Historic ensembles			b. Weather changes	Н				
e. Urban settlements		f. Rural settlements		_	c. Pollution					
g. Vernacular architecture	Ē	h. Religious properties			d. Development of infrastructures	4				
i. Agricultural, industrial and technological propert	ä	j. Military properties			e. Lack of respect of the value of heritage	1				
k. Cultural landscapes, parks and gardens		I. Cultural routes			f. Lack of capacities to manage the site	ä				
m. Burial monuments and sites	H	n. Symbolic properties and n			g. Lack of technical or financial means	3				
iii. buildi iiioliuiileiits diiu sites		n. Symbolic properties and n	ilellioliais	_	h. Vandalism, theft and other illegal activities					
2. What is the current use of the property?					i. Need to adapt to modern needs	2				
a. Not in use anymore			Comments		j. Change of status of the owners					
b. Living heritage	_	El uso inicial (centro de gestión y vivien	da) se mantuvo por varias		k. Abandonment	H				
c. Used as originally intended	ă	centurias hasta mediados del siglo XX er de sustitución de los habitantes primero			k. Abditioninent	ш				
· · · · · · · · · · · · · · · · · · ·		al comercial. También la mayor parte de	los ministerios salieron del							
d. New use Specify:		centro histórico en la década de 1970			13. Do you door the following process estisfact					Comments
2 Is the property award by the Coverament 2	Voc =	l No □			12. Do you deem the following aspects satisfactors	-	■ No□			Comments
3. Is the property owned by the Government?	res =	I NO 🗆	Commonte		a. Heritage site documentation	Yes				
# Who in standing in about of the site in .			Comments		b. Authenticity	Yes				
4. The institution in charge of the site is :					c. General state of conservation of earthen structures					
a. Traditional Decisional b. Local					d. Durability of conservation works carried out	Yes				
Institutional (or) Regional					e. Promotion and valorisation of the site	Yes				
National					f. Efficiency of site management strategies	Yes				
5. Is there a management plan for the property ?	Voc =	No 🗆 In propagation 🗆			g. Efficiency of legal framework	Yes -				
5. is there a management plan for the property :	res	No □ In preparation □			h. Efficiency of institutional framework at a National level					
6. What tupes of construction techniques are fo	aturad'	,			i. Logistic and technical means for the site	Yes				
6. What types of construction techniques are fe	_		Comments		j. Staff number Nbr:	Yes				
a. Rammed earth (compacted earth)	Ш	Predomina el uso del adobe			k. Skills of managerial staff	Yes				
b. Adobe (bricks made with raw earth)	_	Predomina er uso der adobe			I. Skills of technical staff	Yes				
c. Wattle and daub (earth and vegetal structure)					m. Involvementc/support of local decision makers	Yes				
d. Cob (shaped earth)					n. Educational activities at the site	Yes				
e. Other	🗆				o. Participation of local populations	Yes				_
7 Footh in foothers does					p. Contribution to local development Yes ■ No □	」 Econ	omical \square	Social 🗌	Cultural L	
7. Earth is featured on	_		Comments							
a. Walls	_				13. Among the following items, please indicate	by ord	er of priori	ty (from 1 to	5)	Comments
b. Floors					those that seem necessary for the site	_				
c. Ceilings and/or roofs	_				a. Site documentation	5				
d. Mortars					b. To reinforce the legal framework	3				
e. Interior decorations					c. To update the management plan					
f. Exterior decorations					d. To reinforce the capacities of site managers	4				
g. Other:					e. To reinforce the skills of site workers					
	_				f. To preserve the earthen structures	1				
8. What is the approximate proportion of earth	en mat	eriais	Comments		g. To improve the facilities					
present within the property?	_	EL USO DE ADOBE ES EXTENSO EN LAS AN			h. Sensitization of local populations	2				
1 % to 25 % 25 % to 50 %		VIVIENDA	IIGUAS CASAS DEDICADAS A		i. Promotion and valorisation activities					
50 % to 75 %					j. Other :					
9. The speed of degradation of the structure is	_		Comments							
Fast Slow	_				14. Additional general comments and remarks :					
Progressive Stabilised										
10. Is there a regular maintenance mechanism	_		Comments							
Traditional										Informations
Institutionally planned	_				Filled out by	citics			Data	
No maintenance mechanism					Filled out by: Olga Woolfson Po Institution: Ministerio Coordinador de Patrimonio	isition:	Directora del Proye del Patrimonio Cult	cto de Emergencia cural del Ecuador	Date:	08/ 04 / 2010
				304	Ministerio Coordinador de Patrintonio					

Historic Centre of Santa Ana de los Ríos de Cuenca

1. To which heritage categories can the property (cf. Filling the Gaps, ICOMOS 2005, see annexed a. Archaeological site c. Historic buildings e. Urban settlements g. Vernacular architecture i. Agricultural, industrial and technological propert k. Cultural landscapes, parks and gardens m. Burial monuments and sites 2. What is the current use of the property? a. Not in use anymore b. Living heritage	table)	b. Rock-art sites d. Historic ensembles f. Rural settlements h. Religious properties j. Military properties l. Cultural routes n. Symbolic properties and	memorials Comments		c. Pollution d. Development of infrastructures e. Lack of respect of the value of heritage f. Lack of capacities to manage the site g. Lack of technical or financial means h. Vandalism, theft and other illegal activities S. Need to adapt to modern needs Change of status of the owners	e by orde	er of prio	rity		Comments
c. Used as originally intended d. New use Specify: 3. Is the property owned by the Government? 4. The institution in charge of the site is: a. Traditional b. Local Institutional (or) Regional National	Yes ■	No 🗆	Comments	6 0 0	12. Do you deem the following aspects satisfactors. Heritage site documentation by Authenticity. Conservation of earthen structures d. Durability of conservation works carried out by Promotion and valorisation of the site for	Yes Yes Yes Yes Yes Yes Yes	No ■ No □ No □ No □ No □ No □ No ■			Comments
 5. Is there a management plan for the property? 6. What types of construction techniques are feat a. Rammed earth (compacted earth) b. Adobe (bricks made with raw earth) c. Wattle and daub (earth and vegetal structure) d. Cob (shaped earth) 	Yes atured?	No □ In preparation ■	Comments	() ; k ! r	g. Efficiency of legal framework n. Efficiency of institutional framework at a National level . Logistic and technical means for the site . Staff number Nbr: c. Skills of managerial staff n. Skills of technical staff n. Involvementc/support of local decision makers n. Educational activities at the site	Yes ☐	No ■			
e. Other 7. Earth is featured on a. Walls b. Floors c. Ceilings and/or roofs d. Mortars e. Interior decorations f. Exterior decorations g. Other:			Comments	1 1 2 2 0	o. To reinforce the legal framework c. To update the management plan d. To reinforce the capacities of site managers	Econom			Cultural [Comments
8. What is the approximate proportion of earth present within the property? 1 % to 25 %	en mater	ials	Comments	f Q I i	f. To preserve the earthen structures g. To improve the facilities n. Sensitization of local populations	5 2				
9. The speed of degradation of the structure is Fast Slow Progressive Stabilised 10. Is there a regular maintenance mechanism			Comments	1	14. Additional general comments and remarks :					
Traditional Institutionally planned No maintenance mechanism			Comments	305	Filled out by : Diego Jaramillo Paredes Pos Institution: I. Municipalidad de Cuenca	sition: _{Din}	ector de Áreas H trimoniales	istóricas y	Date:	Informations 08/ 04 / 2010

Joya de Cerén Archaeological Site

1. To which heritage categories can the propert		sociated ?			11. Among the following threats, please indicate	by or	der of priorit	у		Comments
(cf. Filling the Gaps, ICOMOS 2005, see annexed a. Archaeological site c. Historic buildings e. Urban settlements g. Vernacular architecture i. Agricultural, industrial and technological propert k. Cultural landscapes, parks and gardens m. Burial monuments and sites		b. Rock-art sites d. Historic ensembles f. Rural settlements h. Religious properties j. Military properties l. Cultural routes n. Symbolic properties and memor	ials]]]]]	b. Weather changes c. Pollution d. Development of infrastructures e. Lack of respect of the value of heritage f. Lack of capacities to manage the site g. Lack of technical or financial means h. Vandalism, theft and other illegal activities	3 1 	especialmento época seca. (e el cambio ent Otro problema	tre la époc principal e	nbio de clima, ca de lluvia el la es cuando ocurre durante la época
2. What is the current use of the property? a. Not in use anymore b. Living heritage c. Used as originally intended		Actualmente es un parque arqueológico	Comments		j. Change of status of the owners					
d. New use Specify:		No 🗆			12. Do you deem the following aspects satisfactor		No.			Comments
3. Is the property owned by the Government? 4. The institution in charge of the site is: a. Traditional □ b. Local Institutional □ (or) Regional National	Yes	No 🗆	Comments		 a. Heritage site documentation b. Authenticity c. General state of conservation of earthen structures d. Durability of conservation works carried out e. Promotion and valorisation of the site f. Efficiency of site management strategies 	Yes Yes Yes Yes Yes Yes Yes	No No No No No			
5. Is there a management plan for the property ?	_	No □ In preparation □			g. Efficiency of legal framework h. Efficiency of institutional framework at a National level i. Logistic and technical means for the site	Yes ■ Yes ■	No □ No □			
6. What types of construction techniques are fe a. Rammed earth (compacted earth) b. Adobe (bricks made with raw earth) c. Wattle and daub (earth and vegetal structure) d. Cob (shaped earth) e. Other	atured?		Comments		j. Staff number Nbr: k. Skills of managerial staff l. Skills of technical staff m. Involvementc/support of local decision makers n. Educational activities at the site o. Participation of local populations	Yes Yes Yes Yes Yes Yes	No □ No □ No ■			
7. Earth is featured on			Comments		p. Contribution to local development Yes ■ No □			Social 🗌	Cultural [
a. Walls b. Floors c. Ceilings and/or roofs d. Mortars e. Interior decorations f. Exterior decorations g. Other:			Comments		b. To reinforce the legal framework c. To update the management plan d. To reinforce the capacities of site managers e. To reinforce the skills of site workers	1 2 3	er of priority	(from 1 to 5)	Comments
8. What is the approximate proportion of earth	en mat	erials	Comments		g. To improve the facilities	4				
present within the property? 1 % to 25 % □ 25 % to 50 % 50 % to 75 % □ 75 % to 100 %						5				
9. The speed of degradation of the structure is Fast Slow Progressive Stabilised			Comments		14. Additional general comments and remarks :					
10. Is there a regular maintenance mechanism Traditional			Comments							
Institutionally planned No maintenance mechanism				306	Filled out by : Francisco Roberto Gallardo Mejía Institution: Secretaría de Cultura de la Presidencia	Position	: Gestor Si Joya de C	tio Arqueológico Cerén	Date:	15/ 03 / 2012

de Estructuras de Tierra

Archaeological Zone of Paquimé, Casas Grandes

, wendedragical	_		90	, cosos cromocs					
1. To which heritage categories can the propert				11. Among the following threats, please indicate	e by o	rder of pric	ority		Comments
(cf. Filling the Gaps, ICOMOS 2005, see annexed a. Archaeological site c. Historic buildings e. Urban settlements g. Vernacular architecture i. Agricultural, industrial and technological propert k. Cultural landscapes, parks and gardens m. Burial monuments and sites	table)	b. Rock-art sites d. Historic ensembles f. Rural settlements h. Religious properties j. Military properties l. Cultural routes n. Symbolic properties and	d memorials	b. Weather changes c. Pollution d. Development of infrastructures e. Lack of respect of the value of heritage f. Lack of capacities to manage the site g. Lack of technical or financial means h. Vandalism, theft and other illegal activities	1 3	humedad que provocan la	ación, asociada a los drás e sufre el sitio tanto de m disgregación de sus co pérdida de los materiales	ianera cotidiar omponentes	na como estaciona
2. What is the current use of the property? a. Not in use anymore b. Living heritage c. Used as originally intended d. New use Specify:		Presentación para visita turística.	Comments	j. Change of status of the owners					
Jeeny.				12. Do you deem the following aspects satisfacto	огу?				Comments
3. Is the property owned by the Government?	Yes	No 🗌		a. Heritage site documentation	Yes		La zona arqueológio manejo pero los probl		
4. The institution in charge of the site is: a. Traditional		Zona a cargo del Instituto Nacional de A	Comments Antropología e Historial	 b. Authenticity c. General state of conservation of earthen structures d. Durability of conservation works carried out e. Promotion and valorisation of the site f. Efficiency of site management strategies 	Yes Yes Yes	No N	en crísis a su estructi es insostenible el nive cuenta en la actualida	ura logística y el de interven	y económica pues
5. Is there a management plan for the property ?	Yes [No 🗌 In preparation	-	g. Efficiency of legal framework h. Efficiency of institutional framework at a National level		■ No □			
6. What types of construction techniques are fe	atured	?		i. Logistic and technical means for the site j. Staff number Nbr:	Yes E				
a. Rammed earth (compacted earth) b. Adobe (bricks made with raw earth) c. Wattle and daub (earth and vegetal structure) d. Cob (shaped earth) e. Other		La zona arqueológica posee restos de que fueron aplicados en diferentes mon		k. Skills of managerial staff	Yes Yes Yes Yes	No			
N				p. Contribution to local development Yes No			Social 🗆 Cu	ultural 🗌	
7. Earth is featured on			Comments						
a. Walls b. Floors c. Ceilings and/or roofs d. Mortars e. Interior decorations f. Exterior decorations g. Other:		No se conservan entrepisos ni cu arqueológicas permiten inferir la preser sobre vigas de madera, a veces apoyad postes también de madera.	ncia de estructuras de "terrado"	a. Site documentation b. To reinforce the legal framework c. To update the management plan d. To reinforce the capacities of site managers e. To reinforce the skills of site workers		Además de co así como de indispensable	ontinuar con el desarrollo las actividades de mar la realización de un proy que evite la pérdida total	y ejecución d ntenimiento o yecto de prote	cotidiano, se hace
8. What is the approximate proportion of earth	en mat	erials			1				
present within the property? 1 % to 25 % ☐ 25 % to 50 % 50 % to 75 % ☐ 75 % to 100 %		Todas las áreas habitacionales son de tie recintos ceremoniales eran de piedra	Comments erra y solamente algunos de los	h. Sensitization of local populationsi. Promotion and valorisation activities	3 5				
9. The speed of degradation of the structure is									
Fast Slow Progressive Stabilised		El sitio se encentra en grave riesgo deb locales y a la pérdida de la integralidad		14. Additional general comments and remarks: Ante la inviabilidad de realizar una cubierta para toda la zona, se hestructuras y colocación de superficies de sacrificio sobre geotextiles que su integralidad y relación con el medio natural.					
10. Is there a regular maintenance mechanism Traditional									
Institutionally planned No maintenance mechanism				Filled out by : Luis Fernando Guerrero Baca	Positio	N: Coordinador	del Comité Científico		nformations 27/ 03 / 2010

307 Institution: ICOMOS Mexicano

Institutionally planned

No maintenance mechanism

Historic Centre of Morelia

1. To which heritage categories can the prope				11. Among the following threats, please indicate	by ord	der of priority	Comments
(cf. Filling the Gaps, ICOMOS 2005, see annex a. Archaeological site c. Historic buildings e. Urban settlements g. Vernacular architecture i. Agricultural, industrial and technological propert k. Cultural landscapes, parks and gardens m. Burial monuments and sites 2. What is the current use of the property? a. Not in use anymore		b. Rock-art sites d. Historic ensembles f. Rural settlements h. Religious properties j. Military properties l. Cultural routes n. Symbolic properties and m	nemorials Comments	b. Weather changes c. Pollution d. Development of infrastructures e. Lack of respect of the value of heritage f. Lack of capacities to manage the site g. Lack of technical or financial means h. Vandalism, theft and other illegal activities i. Need to adapt to modern needs		Por tratarse del centro urbano de inmuebles que originalmente eran viv con funciones comerciales, turísticas perdido parte de su valor original aun Otro factor que impacta los edificios mantos freáticos que genera humeda disgregación.	riendas están siendo reutilizado o de oficinas, con lo que se h que su imagen se conserve. s es la absorción capilar de lo
b. Living heritage		Se trata del centro histórico de la ciuc Michoacán, y conserva su uso urbano desd		k. Abandonment			
c. Used as originally intended		Michodean, y conserva sa aso arbano desa	ic 30 origen.				
d. New use Specify:				12. Do you deem the following aspects satisfacto	orv?		Comments
3. Is the property owned by the Government	? Yes ■	I No □		a. Heritage site documentation	Yes 🔳		de Morelia es un ejemplo d
4. The institution in charge of the site is : a. Traditional □ b. Local Institutional □ (or) Regional National		El sitio está a cargo de los tres niveles de del Instituto Nacional de Antropología e Hi		 b. Authenticity c. General state of conservation of earthen structures d. Durability of conservation works carried out e. Promotion and valorisation of the site f. Efficiency of site management strategies 	Yes ■ Yes ■ Yes ■ Yes ■ Yes ■	No	n a nivel nacional.
5. Is there a management plan for the property	, 2 Voc =	No □ In preparation □		g. Efficiency of legal framework h. Efficiency of institutional framework at a National level	Yes		
6. What types of construction techniques are a. Rammed earth (compacted earth) b. Adobe (bricks made with raw earth) c. Wattle and daub (earth and vegetal structure) d. Cob (shaped earth) e. Other	featured	Existen algunos edificios de adobe pero pre de piedra que fueron asentadas utilizando Algunas cubiertas y entrepisos son de tierra viguerías (terrados)	morteros de barro crudo.	 i. Logistic and technical means for the site j. Staff number Nbr: k. Skills of managerial staff l. Skills of technical staff m. Involvementc/support of local decision makers n. Educational activities at the site o. Participation of local populations 	Yes Yes Yes Yes Yes Yes Yes	NO	
7. Earth is featured on			Comments	p. Contribution to local development Yes A No	Econo	omical 🗌 Social 🔲 Ci	ultural 📙
a. Walls b. Floors c. Ceilings and/or roofs d. Mortars e. Interior decorations f. Exterior decorations g. Other:			Comments	 b. To reinforce the legal framework c. To update the management plan d. To reinforce the capacities of site managers e. To reinforce the skills of site workers 		er of priority (from 1 to 5) Se requiere actualizar el plan de mar rectora que se encargue de su ges funciones. Además es necesaria la capacitació conservación a fin de recuperar las de la tierra como material constructi materiales y sistemas constructivos in	stión para evitar duplicidad d un del personal dedicado a l c técnicas tradicionales de us uvo y evitar la incorporación d
8. What is the approximate proportion of ear	then mat	erials	Comments				
present within the property? 1 % to 25 % □ 25 % to 50 % 50 % to 75 % □ 75 % to 100 %		Predomina el uso de la piedra.	Comments	h. Sensitization of local populations	4		
9. The speed of degradation of the structure Fast Slow	is \Box		Comments	14. Additional general comments and remarks :			
Progressive Stabilised		Los edificios contaban con recubrimientos para su conservación pero muchos han sido		Es importante desarrollar campañas en las que se difunda el hecho de tierra fue utilizada como material constructivo, pues la mayor parte de la Muchas actividades y decisiones de conservación se han tomado a espa de su puesta en valor.	la població	ón no lo sabe.	·
10. Is there a regular maintenance mechanis Traditional	m \square		Comments	de su puesta en valoi. Esta toma de consciencia podrá hacer que los pobladores se involucren constructivo patrimonial.	más en la	is labores de conservación y en la valo	ración de la tierra como materi

Filled out by : Luis Fernando Guerrero Baca

Institution: ICOMOS Mexicano

El gobierno local apoya a la conservación de los inmuebles mediante

incentivos fiscales y financiamiento a particulares.

Informations

Position: Coordinador del Comité Científico de Date: 27 / 03 / 2010

Estructuras de Tierra

Date: 27 / 03 / 2010

Historic Centre of Oaxaca and Archaeological Site of Monte Albán

1. To which heritage categories can the propert				11. Among the following threats, please indicate	by ord	er of pri	ority	Comment
(cf. Filling the Gaps, ICOMOS 2005, see annexed	table)			(from 1 to 4) those affecting the site		Existen amer	nazas diferenciada para lo	s dos componentes del b
a. Archaeological site		b. Rock-art sites			4 i	inscrito. El cas	so de Monte Albán enfrent	a el riesgo del crecimiento
c. Historic buildings		d. Historic ensembles		b. Weather changes			bana de la periferia de la ci	
e. Urban settlements		f. Rural settlements		c. Pollution			ción precisa se encuentra e	
g. Vernacular architecture		h. Religious properties		d. Development of infrastructures			de tierra de los edificios no I centro de Oaxaca tiene	
i. Agricultural, industrial and technological propert		j. Military properties		e. Lack of respect of the value of heritage			s inmuebles que originalmer	
k. Cultural landscapes, parks and gardens	ă	I. Cultural routes			[3] I	reutilizados co	on funciones educativas, co	merciales, turísticas u oficin
m. Burial monuments and sites	Н		H				e ha perdido parte de su va	lor original aunque su imag
III. Bullat monuments and sites	ш	n. Symbolic properties and memorials				se conserve.	antidad de inmuebles monur	montalos dostacados que no
							órico, los cuales fueron realiz	
2. What is the current use of the property?	_	Comment			ш,		es considerada valiosa por	
a. Not in use anymore	-	El bien está formado por dos casos con condiciones patrimonia				destruir sin qu	ue se lamente su pérdida.	
b. Living heritage		totalmente distintas. Por una parte está la zona arqueológica de Mo	nte	k. Abandonment	3			
c. Used as originally intended		Albán que ha cambiado su función original para ser abierta a la vi						
d. New use Specify:	. \blacksquare	turística. Por otro lado está el caso del centro histórico de Oaxaca	que					
		conserva su función original.		12. Do you deem the following aspects satisfactor				Comment
3. Is the property owned by the Government?	Yes	No □		a. Heritage site documentation	Yes 🔳	No 🗆	Entre los principales pro	blemas que se enfrentan
		Comment	ts	b. Authenticity	Yes 🔳	No 🗆	ambos sitios se encuentr	a la falta de una visión integ
4. The institution in charge of the site is :		El bien está a cargo de los tres niveles de gobierno, Federal (a través	del	c. General state of conservation of earthen structures	Yes 🗌	No 🔳	de los valores patrimonia	les asociada a lo sobreposicio
a. Traditional D b. Local		Instituto Nacional de Antropología e Historia), Estatal y Municipal.	GCI	d. Durability of conservation works carried out	Yes	No 🗆	de los intereses individ colectivos.	uales y sectoriales sobre l
Institutional (or) Regional		, , , , ,		e. Promotion and valorisation of the site	Yes			re los tres niveles de gobierr
National				f. Efficiency of site management strategies	Yes 🗆			nas con los diversos grup
National	_			g. Efficiency of legal framework	Yes 🗆		sociales.	
5. Is there a management plan for the property ?	Yes	No □ In preparation □		, ,				eles son vistos con objetiv
5. is there a management plan for the property.	163	NO III preparation		h. Efficiency of institutional framework at a National level				ia de la edificación con tier ado como una prioridad (
(What turns of construction techniques are fo	_4			i. Logistic and technical means for the site	Yes 🗆			visión "monumentalista" q
6. What types of construction techniques are fe	atureu	^E Comment	ts	j. Staff number Nbr:	Yes 🔲		gasta sus recursos mat	eriales y esfuerzos human
a. Rammed earth (compacted earth)		Existen algunos edificios de adobe pero predominan las construccio	nes	k. Skills of managerial staff	Yes 💻			itado de edificios y conjunt
b. Adobe (bricks made with raw earth)		de piedra.		I. Skills of technical staff	Yes 🗆	No	destacados, dejando de i	ado los inmuebles de tierra.
c. Wattle and daub (earth and vegetal structure)		Algunas cubiertas y entrepisos son de tierra compactada soportada	por	m. Involvementc/support of local decision makers	Yes	No 🗆		
d. Cob (shaped earth)		viguerías (terrados).		n. Educational activities at the site	Yes	No 🗆		
e. Other	. 🗆			o. Participation of local populations	Yes 🗆	No 🔳		
				p. Contribution to local development Yes No	Econo	mical 🗌	Social Cul	tural 🗌
7. Earth is featured on	_	Comment	ts					
a. Walls				13. Among the following items, please indicate l	by orde	r of prior	rity (from 1 to 5)	Comment
b. Floors				those that seem necessary for the site	-	Casía saguasi	anto un conservión de la visi	án natrimanial da Manta All
c. Ceilings and/or roofs				a. Site documentation		v del centro h	ente un separación de la visi histórico de Oaxaca pues cad	a uno de ellos está sometid
d. Mortars				b. To reinforce the legal framework			muy distintas.	
e. Interior decorations							resulta complicado plantea	
f. Exterior decorations	F			d. To reinforce the capacities of site managers			los bienes son tan distinto	s no existe forma de conci
g. Other:	_					propuestas. Evidentement	te que se debe trabajar en p	aralelo pero la problemática
<u> </u>							eológico que es sólo abierto	
8. What is the approximate proportion of earth	on mai	priale		· · · · · · · · · · · · · · · · · · ·	_ '		r con la multiplicidad de p	
present within the property?	en ma	Comment	ts	J			onómicos de un centro urban	
	_	Aunque no se han publicado los datos arqueológicos del sitio se sabe o					ra de tierra en cada uno de queológica es un problema t	
1 % to 25 % 25 % to 50 %		varios núcleos de pirámides son de tierra además de las habitaciones	de l		ш,		conflicto socioeconómico.	ecinco mientias que en oux
50 % to 75 %		adobe.		j. Other :	5			
O. The second of decredation of the standard in								
9. The speed of degradation of the structure is		Comment	ts					
Fast Slow		En el caso de Monte Albán los elementos de tierra están bien conserva		14. Additional general comments and remarks :				
Progressive Stabilised		pero en el centro histórico de Oaxaca se están perdiendo con q		Sería importante incorporar dentro de los Planes de Manejo una serie de aco	iones tend	ientes a la val	loración de la arquitectura de	tierra y a generar una estruc
		velocidad.		organizativa que los ponga en práctica.			·	
				Convendría realizar talleres de sensibilización, valoración y capacitación p				
10. Is there a regular maintenance mechanism			1.0	conservación de arquitectura de tierra y puedan intervenir adecuadamen con tierra que todavía se mantiene viva en muchas culturas tradicionales e				
Traditional		Comment		con deno que todovio se mondene vivo en mocios colloras didulcionales e		cloud uc Uc	shaca para sa recuperación y	
Institutionally planned		En el caso de Monte Albán los elementos de tierra poseen un programa	de de					Information

Filled out by : Luis Fernando Guerrero Baca

Institution: ICOMOS Mexicano

Position: Coordinador del Comité Científico de

Estructuras de Tierra

mantenimiento pero en el centro histórico de Oaxaca muchos edificios de

П

Institutionally planned

No maintenance mechanism

No maintenance mechanism

Historic Centre of Puebla

1. To which heritage categories can the property b (cf. Filling the Gaps, ICOMOS 2005, see annexed ta a. Archaeological site c. Historic buildings e. Urban settlements g. Vernacular architecture i. Agricultural, industrial and technological propert k. Cultural landscapes, parks and gardens m. Burial monuments and sites 2. What is the current use of the property? a. Not in use anymore	ble) b. Rock-art sites d. Historic ensembles f. Rural settlements h. Religious properties j. Military properties l. Cultural routes n. Symbolic properties and memorials Comments	a. Natural erosion b. Weather changes c. Pollution d. Development of infrastructures e. Lack of respect of the value of heritage f. Lack of capacities to manage the site g. Lack of technical or financial means h. Vandalism, theft and other illegal activities i. Need to adapt to modern needs	tarse del centro urbano de una ciudad muy dinámica los inmuebles iginalmente eran viviendas están siendo reutilizados con funciones tivas, comerciales, turísticas u oficinas, con lo que se ha perdido de su valor original aunque su imagen se conserve. arrollo urbano del sitio ha incidido en la especulación del suelo y el histórico ha perdido parte de la autenticidad de su uso. po a la cantidad de inmuebles monumentales destacados que posee tro histórico, los cuales fueron realizados con cantera, ladrillo y minentos cerámicos, la arquitectura de adobe no es considerada a por lo que se suele transformar y destruir sin que se lamente su
b. Living heritage c. Used as originally intended d. New use Specify:	conserva su uso urbano desde su origen.	j. Change of status of the owners k. Abandonment	
3. Is the property owned by the Government? You 4. The institution in charge of the site is: a. Traditional b. Local Institutional (or) Regional National	Comments El sitio está a cargo de los tres niveles de gobierno, Federal (a través del Instituto Nacional de Antropología e Historia), Estatal y Municipal.	b. Authenticity c. General state of conservation of earthen structures d. Durability of conservation works carried out e. Promotion and valorisation of the site Yes No	Comments Comments Ca imagen urbana del centro histórico de Puebla se conserva en buen estado, pero la arquitectura de tierra prácticamente ha desaparecido para ser substituida por edificios de piedra o ladrillo, y más recientemente de blocks de cemento y estructuras de concreto armado.
5. Is there a management plan for the property? Y 6. What types of construction techniques are feature a. Rammed earth (compacted earth) b. Adobe (bricks made with raw earth) c. Wattle and daub (earth and vegetal structure) d. Cob (shaped earth) e. Other	Existen algunos edificios de adobe pero predominan las construcciones de piedra y ladrillo cocido. Algunas cubiertas y entrepisos son de tierra compactada soportada por viguerías (terrados)	g. Efficiency of legal framework h. Efficiency of institutional framework at a National level i. Logistic and technical means for the site j. Staff number Nbr: k. Skills of managerial staff l. Skills of technical staff m. Involvementc/support of local decision makers Yes No	0
7. Earth is featured on	Comments	p. Contribution to local development Yes ■ No □ Economica	al 🗌 Social 🗆 Cultural 🗆
a. Walls b. Floors c. Ceilings and/or roofs d. Mortars e. Interior decorations f. Exterior decorations g. Other: 8. What is the approximate proportion of earthen	materials	a. Site documentation b. To reinforce the legal framework c. To update the management plan d. To reinforce the capacities of site managers e. To reinforce the skills of site workers f. To preserve the earthen structures momer practic. momer practic. practic. momer practic. practic. momer practic. practic. practic. momer practic. momer practic. practic. momer practic. practic. momer practic. practic. momer practic. momer practic. practic. momer practic. practic. momer prac	armica urbana de la ciudad ha sido muy intensa en diferentes entos de la historia por lo que ha sido tan transformada que camente no queda nada de los restos de arquitectura tradicional de
present within the property? 1 % to 25 % ■ 25 % to 50 % □ 50 % to 75 % □ 75 % to 100 % □	Predomina el uso de la piedra y el ladrillo cocido.	h. Sensitization of local populations i. Promotion and valorisation activities j. Other:	
9. The speed of degradation of the structure is Fast Slow Progressive Stabilised		14. Additional general comments and remarks: El uso del adobe ha sido fundamental en la historia de la arquitectura de Puebla desde la époc Patrimonio de la Humanidad ya quedan pocos ejemplos, es necesario protegerlos e interver física, pero sobre todo incidirá en la revaloración de la tierra como material constructivo patr que existían valiosos ejemplos de tierra, están siendo alterados o destruidos a un ritmo verti	nirlos de manera adecuada. Este proceso conseguirá su preservación rimonial ya que en todos los municipios aledaños a la ciudad, en los
10. Is there a regular maintenance mechanism Traditional Institutionally planned	Comments El gobierno local apoya a la conservación de los inmuebles mediante	Convendría realizar talleres para que los albañiles, artesanos y habitantes en general, conoz intervenir adecuadamente su patrimonio.	

Date: 27 / 03 / 2010

Position: Coordinador del Comité Científico de

Estructuras de Tierra

Filled out by : Luis Fernando Guerrero Baca

Institution: ICOMOS Mexicano

incentivos fiscales y financiamiento a particulares. Los habitantes

participan en la conservación de sus viviendas.

Estructuras de Tierra

Historic Centre of Zacatecas

1. To which heritage categories can the prope	rty be as	sociated ?	11. Among the following threats, please indicate	e by o	rder of prio	rity	Comment
(cf. Filling the Gaps, ICOMOS 2005, see annexed a. Archaeological site c. Historic buildings e. Urban settlements g. Vernacular architecture i. Agricultural, industrial and technological propert k. Cultural landscapes, parks and gardens m. Burial monuments and sites 2. What is the current use of the property? a. Not in use anymore b. Living heritage		b. Rock-art sites d. Historic ensembles f. Rural settlements h. Religious properties j. Military properties l. Cultural routes n. Symbolic properties and memorials Commen Se trata del centro histórico de la ciudad capital del estado	b. Weather changes c. Pollution d. Development of infrastructures e. Lack of respect of the value of heritage f. Lack of capacities to manage the site g. Lack of technical or financial means h. Vandalism, theft and other illegal activities i. Need to adapt to modern needs j. Change of status of the owners	1 3	inmuebles que con funciones e se ha perdido p El desarrollo u	originalmente eran v educativas, comerciale arte de su valor origin	e una ciudad muy dinámica viviendas están siendo reutilizac es, turísticas u oficinas, con lo c nal aunque su imagen se conser cidido en la especulación del su ficado.
c. Used as originally intended d. New use Specify:		Zacatecas, y conserva su uso urbano desde su origen. Algunas de minas que fueron declaradas patrimoniales ya no están explotac sino que son sólo para visita turística.	ción				Commont
 3. Is the property owned by the Government 4. The institution in charge of the site is: a. Traditional b. Local Institutional (or) Regional 	Yes	No Comment El sitio está a cargo de los tres niveles de gobierno, Federal (a tra del Instituto Nacional de Antropología e Historia), Estatal y Municip	aves c. General state of conservation of earthen structures d. Durability of conservation works carried out e. Promotion and valorisation of the site	Yes Yes Yes Yes Yes Yes	No □ No ■ No ■ No □	conflictos por la so naturales y el espa que por su topog crecimiento periféri Estos problemas ur	commento de Zacatecas presenta fuerlobre explotación de sus recurs acio físico. Se trata de una ciud grafía no tiene posibilidades ico y está sobre saturada, irbanos afectan a los edificios os de ellos no han sido valorad
National 5. Is there a management plan for the property 6. What types of construction techniques are to			f. Efficiency of site management strategies g. Efficiency of legal framework h. Efficiency of institutional framework at a National level i. Logistic and technical means for the site	Yes 🗆	No □ No □ No ■	ni protegidos por no que ha hecho que l conservación permi parte del tejido urb Los inmuebles prese	o considerarse "monumentales" las instituciones encargadas de iitan la alteración o demolición pano tradicional. entan crecimientos y subdivision
a. Rammed earth (compacted earth) b. Adobe (bricks made with raw earth) c. Wattle and daub (earth and vegetal structure) d. Cob (shaped earth) e. Other		Existen algunos edificios de adobe pero predominan las construccio de piedra. Algunas cubiertas y entrepisos son de tierra compactada, soport por viguerías (terrados).	k. Skills of managerial staff l. Skills of technical staff	Yes Yes Yes Yes Yes Yes	No	caóticas, muchas v sistemas incompatil	veces realizadas con materiales ibles.
7. Earth is featured on a. Walls		Commen	p. Contribution to local development Yes ■ No □ ts] Econ	omical \square		Cultural 🗆
b. Floors c. Ceilings and/or roofs d. Mortars e. Interior decorations f. Exterior decorations g. Other: 8. What is the approximate proportion of eart present within the property? 1 % to 25 % 25 % to 50 %		erials Commen Predomina el uso de la piedra.	b. To reinforce the legal framework c. To update the management plan d. To reinforce the capacities of site managers e. To reinforce the skills of site workers f. To preserve the earthen structures g. To improve the facilities h. Sensitization of local populations i. Promotion and valorisation activities	2 2 4 1	La participación protección del reciente que es muy limitada. A del patrimonio, el plan de mande su gestión p Además, es no conservación a de la tierra coi	n de la institución e patrimonio (INAH) n el resto del país pi Aunque existen leyes no siempre se respet- ejo y generar una org ara evitar duplicidad ecesaria la capacitad fin de recuperar la	encargada a nivel nacional de ha sido comparativamente mor lo que su actuación ha esta s y reglamentos para la proteccian por lo que es necesario conclaganización rectora que se encarg de funciones. ción del personal dedicado a las técnicas tradicionales de uctivo y evitar la incorporación
50 % to 75 %	s		J. Otter .	5			
Fast Slow Stabilised 10. Is there a regular maintenance mechanism		Commen Los edificios mantienen los recubrimientos de cal y arena que sir para su conservación.	tyen 14. Additional general comments and remarks: Los planes de manejo deben ser realizados con la participación de la may intereses. Se requiere frenar el crecimiento urbano caótico del sitio y ap Se debe difundir el hecho de que la ciudad de Zacatecas posee un núm sabe, ni conoce la manera adecuada de conservarlos.	olicar con	mayor rigor las i	normas y programas y	vigentes.
Traditional	_	Commenia de los inmuebles media conservación de los inmuebles media					Information
Institutionally planned No maintenance mechanism		incentivos fiscales y financiamiento a particulares. Los habitar	otos	Positio	n: Coordinador d	el Comité Científico d	de Date: 27/ 03 / 2010

participan en la conservación de sus viviendas.

ICOMOS Mexicano

Institution:

311

No maintenance mechanism

Historic Monuments Zone of Querétaro

1. To which heritage categories can the propert	-		11. Among the following threats, please indicat	e by or	der of prio	rity	Comments
(cf. Filling the Gaps, ICOMOS 2005, see annexed a. Archaeological site c. Historic buildings e. Urban settlements g. Vernacular architecture i. Agricultural, industrial and technological propert k. Cultural landscapes, parks and gardens m. Burial monuments and sites 2. What is the current use of the property? a. Not in use anymore b. Living heritage		b. Rock-art sites d. Historic ensembles f. Rural settlements h. Religious properties j. Military properties l. Cultural routes n. Symbolic properties and memorials Comments Se trata del centro histórico de la ciudad capital del estado de Querétaro, y conserva su uso urbano desde su origen.	f. Lack of capacities to manage the site		tiene poco co las estructura viviendas son o transformac	nocimiento de los métoc s de tierra. Muchos ha de adobe y cuando real	ad aprecian su arquitectura, se dos apropiados para intervenir abitantes no saben que sus lizan obras de mantenimiento eriales y sistemas constructivos is.
c. Used as originally intended d. New use Specify:	. 🗆	queretato, y conserva su uso urbano desde su origen.					
3. Is the property owned by the Government? 4. The institution in charge of the site is: a. Traditional □ b. Local Institutional □ (or) Regional		No Comments El sitio está a cargo de los tres niveles de gobierno, Federal (a través del Instituto Nacional de Antropología e Historia), Estatal y Municipal.	 12. Do you deem the following aspects satisfact a. Heritage site documentation b. Authenticity c. General state of conservation of earthen structures d. Durability of conservation works carried out e. Promotion and valorisation of the site 	Yes Yes Yes Yes Yes	No	la arquitectura de tierra	Comments conocimiento de los valores de a y los medios apropiados para ventivo y conservación.
National 5. Is there a management plan for the property?	■ Yes [□ No □ In preparation ■	 f. Efficiency of site management strategies g. Efficiency of legal framework h. Efficiency of institutional framework at a National leve i. Logistic and technical means for the site 	Yes Yes Yes Yes	No 🗆		
6. What types of construction techniques are fe a. Rammed earth (compacted earth) b. Adobe (bricks made with raw earth) c. Wattle and daub (earth and vegetal structure) d. Cob (shaped earth) e. Other	atured	Existen algunos edificios de adobe pero predominan las construcciones de piedra. Algunas cubiertas y entrepisos son de tierra compactada soportada por viguerías (terrados).	j. Staff number Nbr: k. Skills of managerial staff l. Skills of technical staff m. Involvementc/support of local decision makers n. Educational activities at the site o. Participation of local populations	Yes Yes Yes Yes Yes Yes Yes	No No No No		
7. Earth is featured on		Comments	p. Contribution to local development Yes I No	Econ	omical 🗌	Social 🗌 Cu	Itural 🗆
a. Walls b. Floors c. Ceilings and/or roofs d. Mortars e. Interior decorations f. Exterior decorations g. Other:		Comments	13. Among the following items, please indicate those that seem necessary for the site a. Site documentation b. To reinforce the legal framework c. To update the management plan d. To reinforce the capacities of site managers e. To reinforce the skills of site workers f. To reserve the earther structure.		El conjunto se falta coordinar se refiere a la	encuentra en buen estad mejor las acciones de cor	Comments do por lo que solamente haría nservación específica en lo que ara propiciar su valoración y el ión.
8. What is the approximate proportion of earth present within the property? 1 % to 25 %	en mat	cerials Comments	 f. To preserve the earthen structures g. To improve the facilities h. Sensitization of local populations i. Promotion and valorisation activities j. Other:	4			
9. The speed of degradation of the structure is Fast Slow Progressive Stabilised		Comments	14. Additional general comments and remarks: Seria importante incorporar dentro del plan del Plan de Manejo una seri y generar una estructura que lo ponga en práctica. Convendría realizar talleres de capacitación para que los albañiles, artes de tierra y puedan intervenir adecuadamente su patrimonio.	ie de accio		· ·	·
10. Is there a regular maintenance mechanism Traditional		Comments	ос асно у росови инстусни воссовоятелие за рашния.				
Institutionally planned		El gobierno local apoya a la conservación de los inmuebles mediante					Informations

Filled out by : Luis Fernando Guerrero Baca

Institution: ICOMOS Mexicano

Position: Coordinador del Comité Científico de Date: 27 / 03 / 2010

Estructuras de Tierra

incentivos fiscales y financiamiento a particulares. Los habitantes

participan en la conservación de sus viviendas.

Date: 27 / 03 / 2010

Historic Town of Guanajuato and Adjacent Mines

incentivos fiscales y financiamiento a particulares. Los habitantes

participan en la conservación de sus viviendas.

No maintenance mechanism

1. To which heritage categories can the				11. Among the following threats, please indicate	e by or	der of prior	ity	Comments
(cf. Filling the Gaps, ICOMOS 2005, see a				(from 1 to 4) those affecting the site	_	Por tratarse de	el centro urbano de u	ına ciudad muy dinámica lo
a. Archaeological site		b. Rock-art sites		a. Natural erosion		inmuebles que o	originalmente eran vivie	endas están siendo reutilizado
c. Historic buildings		d. Historic ensembles						turísticas u oficinas, con lo qu
e. Urban settlements		f. Rural settlements		c. Pollution				aunque su imagen se conserv
g. Vernacular architecture		h. Religious properties		d. Development of infrastructures	4		bano del sitio ha incidid vrico está sobredensifica	lo en la especulación del suelo
i. Agricultural, industrial and technological p		j. Military properties		e. Lack of respect of the value of heritage		Se presentan fu	ertes problemas viales r	nuo. por un manejo inadecuado de
k. Cultural landscapes, parks and gardens		l. Cultural routes				los medios de tr		yor air manejo maaccaaao ac
, ,,							<i>'</i>	
m. Burial monuments and sites		n. Symbolic properties and memoria	IS 🗀					
				h. Vandalism, theft and other illegal activities	2			
2. What is the current use of the proper			Comments	i. Need to adapt to modern needs	1			
a. Not in use anymore				j. Change of status of the owners	3			
b. Living heritage		Se trata del centro histórico de la ciudad capita		k. Abandonment				
c. Used as originally intended		Guanajuato, y conserva su uso urbano desde su orige minas que fueron declaradas patrimoniales ya no e						
d. New use Specify:		sino que son sólo para visita turística.	Stair explotacion					
d. New use specify.		Sino que son solo para visita tansata.		12. Do you doom the following aspects satisfacts				Comments
2 1. 46	w			12. Do you deem the following aspects satisfactor		1		
3. Is the property owned by the Govern	ment? Yes =			a. Heritage site documentation	Yes 🗆			Guanajuato presenta fuertes
			Comments	b. Authenticity	Yes 🗆	No 🔳		explotación de sus recursos
4. The institution in charge of the site is	5:	El sitio está a cargo de los tres niveles de gobierno,	Federal (a través	c. General state of conservation of earthen structures	Yes	No 🗆		físico. Se trata de una ciudad no tiene posibilidades de
a. Traditional D b. Local		del Instituto Nacional de Antropología e Historia), Esta	atal y Municipal.	d. Durability of conservation works carried out	Yes 🗆	No ■		y está sobre saturada,
Institutional (or) Regio	nal 🗆			e. Promotion and valorisation of the site	Yes			nos afectan a los edificios de
Natio				f. Efficiency of site management strategies	Yes =		tierra ya que muchos o	de ellos no han sido valorado:
INGIIO	1101			, , , , , , , , , , , , , , , , , , , ,				onsiderarse "monumentales"
E is there a management plan for the pr	opostu 2 Vos	No □ In preparation ■		g. Efficiency of legal framework	Yes _			as instituciones encargadas de tan la alteración o demolición
5. Is there a management plan for the pr	operty: res_	No □ In preparation ■		h. Efficiency of institutional framework at a National level	_		de parte del tejido urb	
				i. Logistic and technical means for the site	Yes	No 🗆	Los inmuebles present	
6. What types of construction technique	es are teatured?		Comments	j. Staff number Nbr:	Yes	No □	subdivisiones caóticas,	, muchas veces realizadas con
a. Rammed earth (compacted earth)				k. Skills of managerial staff	Yes 🗆	No ■	materiales y sistemas	incompatibles.
b. Adobe (bricks made with raw earth)		Existen algunos edificios de adobe pero predominan la	as construcciones	I. Skills of technical staff	Yes			
c. Wattle and daub (earth and vegetal struct		de piedra.		m. Involvementc/support of local decision makers	Yes 🗆	- ' —		
d. Cob (shaped earth)		Algunas cubiertas y entrepisos son de tierra compa por viquerías (terrados)	ictada, soportada	n. Educational activities at the site	Yes			
e. Other	┌	por viguenas (terrados)						
e. Other				o. Participation of local populations		No 🗆		
w mostly to the town of the				p. Contribution to local development Yes \square No	Econo	omical \square	Social 🗌 Cu	ıltural 🗌
7. Earth is featured on	_		Comments					
a. Walls				13. Among the following items, please indicate l	by ordo	er of priorit	y (from 1 to 5)	Comments
b. Floors				those that seem necessary for the site				
c. Ceilings and/or roofs							leyes y reglamentos pa	
d. Mortars					_		ejo y generar una organi	r lo que es necesario concluir
e. Interior decorations	□			c. To update the management plan	1		gestión para evitar dupl	
f. Exterior decorations					2	Además, es nece	esaria la capacitación de	el personal dedicado a la
				d. To reinforce the capacities of site managers				nicas tradicionales de uso
g. Other:				e. To reinforce the skills of site workers				y evitar la incorporación de
						materiales y sist	temas constructivos inco	лирациеѕ.
8. What is the approximate proportion of	ot earthen mate	erials	Comments					
present within the property?			Comments	h. Sensitization of local populations	5			
1 % to 25 % = 25 % to 50) %	Predomina el uso de la piedra.		i. Promotion and valorisation activities				
50 % to 75 % \(\bigcap \)	00 %			i. Other :				
	_			j. otilci .				
9. The speed of degradation of the struc	rtura is							
<u> </u>			Comments	** * 1100 1 1				
Fast Slow		Los adificios mantianon los combaimientes de sala	arana aug sisuas	14. Additional general comments and remarks :				
Progressive Stabilised		Los edificios mantienen los recubrimientos de cal y para su conservación.	arena que sirven	Los planes de manejo deben ser realizados con la participación de la ma				
				diversos intereses. Se requiere frenar el crecimiento urbano caótico del				
				Se debe difundir el hecho de que la ciudad de Guanajuato posee un núi lo sabe, ni conoce la manera adecuada de conservarlos.	mero imp	ortante de edifici	ios de adobe, pues la m	ayor parte de la población no
10. Is there a regular maintenance med	hanism		Commonts	io save, ili colloce la llialleta auecuada de collsetvallos.				
Traditional			Comments					
Institutionally planned		El gobierno local apoya a la conservación de los inm						Informations

Filled out by:

313 Institution: ICOMOS Mexicano

Luis Fernando Guerrero Baca Position: Coordinador del Comité Científico de

Estructuras de Tierra

Pre-Hispanic City of Teotihuacan

1. To which heritage categories can the proper					11. Among the following threats, please indicate	e by o	rder of pric	rity	Comments
 (cf. Filling the Gaps, ICOMOS 2005, see annexe a. Archaeological site c. Historic buildings e. Urban settlements g. Vernacular architecture i. Agricultural, industrial and technological propert k. Cultural landscapes, parks and gardens m. Burial monuments and sites 2. What is the current use of the property? a. Not in use anymore b. Living heritage 		b. Rock-art sites d. Historic ensembles f. Rural settlements h. Religious properties j. Military properties l. Cultural routes n. Symbolic properties and i	memorials Comments]]]	h. Vandalism, theft and other illegal activities i. Need to adapt to modern needs j. Change of status of the owners	2	3. 4. Me refiero a ni vestigios en lo utilizados en fi	os alrededores que au ines diferentes y constru	icos y económicos.
c. Used as originally intended					K. Abditoriment				
d. New use Specify: 3. Is the property owned by the Government? 4. The institution in charge of the site is: a. Traditional b. Local Institutional (or) Regional National		I No □	Comments		12. Do you deem the following aspects satisfactors. Heritage site documentation b. Authenticity c. General state of conservation of earthen structures d. Durability of conservation works carried out e. Promotion and valorisation of the site f. Efficiency of site management strategies	Yes Yes	No	historia es el principa y aprovechamiento	Comments astituto nacional de antropología de alobstáculo para el engrandecimiento de la zona arqueológica debido a la as y falta de interés en poreservar e
5. Is there a management plan for the property	_	No □ In preparation □	1		g. Efficiency of legal framework h. Efficiency of institutional framework at a National level	Yes [No ■		
6. What types of construction techniques are f a. Rammed earth (compacted earth) b. Adobe (bricks made with raw earth) c. Wattle and daub (earth and vegetal structure) d. Cob (shaped earth) e. Other	eatured	Son estructuras formada con piedra o ro unidas a través de tierra mezclada con elem			i. Logistic and technical means for the site j. Staff number Nbr: k. Skills of managerial staff l. Skills of technical staff m. Involvementc/support of local decision makers n. Educational activities at the site o. Participation of local populations	Yes Yes Yes Yes Yes Yes Yes	No		
7. Earth is featured on			Comments		p. Contribution to local development Yes No			Social	Cultural 🗌
a. Walls b. Floors c. Ceilings and/or roofs d. Mortars e. Interior decorations f. Exterior decorations g. Other:		Sisteme de drenajes	Comments		c. To update the management plan d. To reinforce the capacities of site managers e. To reinforce the skills of site workers		1. 2. 3.		des de los responsables del bien. des de los obreros aciones de nivel local
8. What is the approximate proportion of eart	hen mat	erials	Comments		f. To preserve the earthen structures g. To improve the facilities				
present within the property? 1 % to 25 % ■ 25 % to 50 % 50 % to 75 % □ 75 % to 100 %									
9. The speed of degradation of the structure is Fast Slow Progressive Stabilised			Comments		14. Additional general comments and remarks :				
10. Is there a regular maintenance mechanism			Comments						
Traditional Institutionally planned No maintenance mechanism		Aunque está manejada por una institución escaso en general	nacional el mantenimiento es	314	Filled out by : ÁLVARO SÁNCHEZ MENDOZA PO Institution: H. AYUNTAMIENTO DE TEOTIHUACAN	sition:	PRESIDENTE MU	JNICIPAL	Informations Date: 07 / 01 / 2010
				217					

36

Position: Directora de Sitios del Patrimonio de Date: 02 / 02 / 2010

la Humanidad

Chan Chan Archaeological Zone

No maintenance mechanism

		9					
1. To which heritage categories can the property	, be as	sociated ?		11. Among the following threats, please indicate	by or	der of priority	Comments
(cf. Filling the Gaps, ICOMOS 2005, see annexed	table)			(from 1 to 4) those affecting the site		Las amenazas que tienen may	or incidencia en la conservación de la
a. Archaeological site		b. Rock-art sites			1		las de origen natural (a,b,c); así com
c. Historic buildings		d. Historic ensembles		b. Weather changes	4	las de origen antrópico (d,e) si la ciudad de Trujillo.	endo relevante la expansión urbana d
e. Urban settlements		f. Rural settlements			3	la ciadad de Trajillo.	
g. Vernacular architecture		h. Religious properties		d. Development of infrastructures	2		ctividades delictivas están controlado
i. Agricultural, industrial and technological propert		j. Military properties		e. Lack of respect of the value of heritage			Complejo Arqueológico Chan Chan de
k. Cultural landscapes, parks and gardens		l. Cultural routes		f. Lack of capacities to manage the site		Instituto Nacional de Cultura.	
m. Burial monuments and sites		n. Symbolic properties and memorials					
		,, .,					
2. What is the current use of the property?		Common		i. Need to adapt to modern needs			
a. Not in use anymore		Commen		j. Change of status of the owners			
b. Living heritage		Uso público: investigación, conservación, turismo, activida	ades	k. Abandonment			
c. Used as originally intended		culturales y educativas, museo, etc.					
d. New use Specify:							
specify.				12. Do you deem the following aspects satisfacto	rv?		Comments
3. Is the property owned by the Government?	Yes	I No □		a. Heritage site documentation	Yes □	No Desde el año	2002 se viene realizando el proyect
,,,		Commen	ts	b. Authenticity	Yes	No "Intervención	Operativa para la Conservació
4. The institution in charge of the site is :				c. General state of conservation of earthen structures		dei compiejo	Arqueológico Chan Chan", con
a. Traditional \Box b. Local		El Instituto Nacional de Cultura del Perú es la entidad tutelar Patrimonio Cultural de la Nación y conduce la gestión de Chan Cl		d. Durability of conservation works carried out	Yes 🗖		entar el monumento y su zona d o para la creación de un Sistema d
Institutional (or) Regional		a través de sus instancias nacionales y la Dirección Regional INC		e. Promotion and valorisation of the site	Yes 🗆		rritorial "Parque Arqueológico Cha
National		Libertad.	-,	f. Efficiency of site management strategies	Yes	Chan" que per	mita su empleo en la investigación
National	_			g. Efficiency of legal framework	Yes		ivulgación, promoción, gestión y us umento y su territorio. Este proyecto d
5. Is there a management plan for the property?	Ves	No □ In preparation □		h. Efficiency of institutional framework at a National level			á a cargo la cooperación italiana (CRN
3. 13 there a management plan for the property.		in preparetion [,		ITARC /MIPE) en	convenio con el INC (Perú).
6. What types of construction techniques are fea	tured	,		i. Logistic and technical means for the site i. Staff number Nbr:	Yes		
a. Rammed earth (compacted earth)		Commen		,	Yes 🗆		ruano ha creado el "Proyecto Especia cológico Chan Chan / Unidad Ejecutor
b. Adobe (bricks made with raw earth)		El adobe constituye la tecnología de construcción fundamental de	e las	k. Skills of managerial staff	Yes _	110" con un	inanciamiento importante y sostenid
		edificaciones de Chan Chan. El tapial o tapia pisada solo fue utiliza para las construcciones sacrales que son minoría.	2000	I. Skills of technical staff	Yes	para la ejecucio	n del "Plan Maestro de Conservación
c. Wattle and daub (earth and vegetal structure)		Los barrios populares de Chan Chan fueron construidos con quin	ncha	m. Involvementc/support of local decision makers	Yes		nplejo Arqueológico Chan Chan" con l ulsado y ampliado la cobertura de lo
d. Cob (shaped earth)		(tierra y estructura vegetal) de lo cual sólo quedan algunos vestig	gios	n. Educational activities at the site	Yes	trabains de cons	ervación del monumento.
e. Other		a nivel basal.		o. Participation of local populations		No ■	_
7 Parth in factored an				p. Contribution to local development Yes \square No \blacksquare	Econo	omical 🗆 Social 🗆	Cultural 🗌
7. Earth is featured on	_	Commen	ts		_		
a. Walls		La tecnología constructiva con tierra en Chan Chan empleó vegeta	aloc	13. Among the following items, please indicate b	y ord	er of priority (from 1 t	o 5) Comments
b. Floors		(madera y caña) para fines estructurales (techos, columnas, vigas		those that seem necessary for the site		El conjunto se encuentra en bu	en estado por lo que solamente haría
c. Ceilings and/or roofs		otros. De estos elementos quedan muy pocos vestigios.					es de conservación específica en lo que
d. Mortars							tierra para propiciar su valoración y e
e. Interior decorations				c. To update the management plan	5	uso de medios adecuados de ir	itervencion.
f. Exterior decorations							
g. Other:							
8. What is the approximate proportion of earthe	en mat	erials Commen	te	g. To improve the facilities	3		
present within the property?		Commen		h. Sensitization of local populations	4		
1 % to 25 %							
50 % to 75 %				j. Other :	_		
				,			
9. The speed of degradation of the structure is		Commen	tc				
Fast Slow				14. Additional general comments and remarks :			
Progressive Stabilised		La velocidad de la degradación de las estructuras de adobe de Cl Chan tiene su referente en los agentes que la originan: ager		•			
		climáticos normales y eventuales o catastróficos (Fenómeno El N	liño,				
		napa freática, los sismos y otros).					
10. Is there a regular maintenance mechanism							
Traditional		Commen	t5				
Institutionally planned		El Instituto Nacional de Cultura a través de su sede Regional INC	C/La				Informations

Filled out by : Ana María Hoyle

Institution: Instituto Nacional de Cultura (Perú)

Libertad conduce la gestión local de Chan Chan y el mantenimiento

del mismo contando para ello con personal profesional y técnico

Historic Quarter of the City of Colonia del Sacramento

in Anthronographic size	1. To which heritage categories can the proper (cf. Filling the Gaps, ICOMOS 2005, see annexe					g the following threats, please indicate 4) those affecting the site	e by ord	er of prio	rity		Comments
So Living pertupore control of the site is co	c. Historic buildings e. Urban settlements g. Vernacular architecture i. Agricultural, industrial and technological propert k. Cultural landscapes, parks and gardens m. Burial monuments and sites 2. What is the current use of the property? a. Not in use anymore		d. Historic ensembles f. Rural settlements h. Religious properties j. Military properties l. Cultural routes n. Symbolic properties and	d memorials Comments	b. Weather c. Pollutior d. Develop e. Lack of c f. Lack of c g. Lack of h. Vandalis i. Need to j. Change c	changes n ment of infrastructures respect of the value of heritage apacities to manage the site rechnical or financial means rm, theft and other illegal activities adapt to modern needs of status of the owners					
3. Is the property owned by the Government? Ves	c. Used as originally intended		actualmente Barrio Histórico, en el qu cios, equipamiento cultural y servicios se viene registrando una disminución i	ue conviven viviendas, comer- al turismo. En los últimos años							Comments
A. The institution in charge of the site is: a. Traditional Corp. Decided and institution Decided and	3. Is the property owned by the Government?	Yes 🗆	No ■		-			No 🔳			
S. Is there a management plan for the property? Yes No In preparation 6. What types of construction techniques are featured? 6. What types of construction techniques are featured? 6. Additional general comments 6. Additional general comments 7. Earth is featured on 8. Walls 8. How is the approximate proportion of earthen materials 9. Omments 1. Stills of management plan for the structures 1. Stills of management plan 1. Still of management p	a. Traditional Description b. Local Institutional Regional		actualmente Barrio Histórico, en comercios, equipamiento cultural y serv años se viene registrando una disminuc	d colonial (1680), denominado el que conviven viviendas, vicios al turismo. En los últimos	c. General d. Durabili e. Promoti f. Efficience	state of conservation of earthen structures by of conservation works carried out on and valorisation of the site or of site management strategies	Yes ☐ Yes ☐ Yes ☐	No □ No □ No □ No ■			
A starth types of construction techniques are featured? A Rammed careful (compacted earth) B. Adobe (bricks made with raw earth) Cost (Shaped earth) Cos	5. Is there a management plan for the property	? Yes 🗆	No 🗌 In preparation		h. Efficiency	of institutional framework at a National level	Yes 🗆	No 🔳			
7. Earth is featured on a. Walls b. Floors C. cellings and/or roofs d. Mortars e. Interior decorations g. like the approximate proportion of earthen materials g. What is the approximate proportion of earthen materials g. What is the approximate proportion of earthen materials g. What is the approximate proportion of earthen materials g. What is the approximate proportion of earthen materials g. What is the approximate proportion of earthen materials g. What is the approximate proportion of earthen materials g. What is the approximate proportion of earthen materials g. What is the approximate proportion of earthen materials g. What is the approximate proportion of earthen materials g. What is the approximate proportion of earthen materials g. What is the approximate proportion of earthen materials g. What is the approximate proportion of earthen materials g. What is the approximate proportion of earthen materials g. What is the approximate proportion of earthen materials g. What is the approximate proportion of earthen materials g. What is the approximate proportion of earthen materials g. What is the approximate proportion of earthen materials g. What is the approximate proportion of earthen materials g. What is the approximate proportion of earthen materials g. To improve the facilities g. Other: g. To preserve the earthen structures g. To promotion and valorisation activities g. Other: g. To promotion and valorisation activities g. What is the approximate proportion of the structure is formation and valorisation activities g. Other: g. To promotion and valorisation activities g. What is the approximate proportion of the structure is formation and valorisation activities g. To promoti	a. Rammed earth (compacted earth) b. Adobe (bricks made with raw earth) c. Wattle and daub (earth and vegetal structure) d. Cob (shaped earth)		Construcciones de 1 o 2 plantas en ma (en ocasiones con morteros de barro), c propias del período colonial portug	ampostería de ladrillo o piedra con expresiones arquitectónicas	j. Staff nur k. Skills of I. Skills of m. Involve n. Educatio	nber Nbr: managerial staff echnical staff mentc/support of local decision makers mal activities at the site	Yes ■ Yes □ Yes □ Yes □ Yes □	No ONO NO NO NO NO NO ONO NO ONO ONO ONO			
7. Earth is featured on a. Walls b. Floors c. Cellings and/or roofs d. Mortars e. Interior decorations g. Other: 8. What is the approximate proportion of earthen materials y floor to 15 % to 25 % to 50 % 50 % to 75 % to 100 % 7. So there a regular maintenance mechanism Traditional Institutionally planned No maintenance mechanism 13. Among the following items, please indicate by order of priority (from 1 to 5) Comments 13. Among the following items, please indicate by order of priority (from 1 to 5) Comments 13. Among the following items, please indicate by order of priority (from 1 to 5) Comments 13. Among the following items, please indicate by order of priority (from 1 to 5) Comments 13. Among the following items, please indicate by order of priority (from 1 to 5) Comments 13. Among the following items, please indicate by order of priority (from 1 to 5) Comments 13. Among the following items, please indicate by order of priority (from 1 to 5) Comments 13. Among the following items, please indicate by order of priority (from 1 to 5) Comments 14. Additional items, please indicate by order of priority (from 1 to 5) Comments 15. Information indicates the priority (from 1 to 5) Comments 15. Information indicates the priority (from 1 to 5) Comments 15. Among the following items, please indicate by order of priority (from 1 to 5) Comments 15. Information indicates the priority (from 1 to 5) Comments 15. To reinforce the applicate of site managers 15. To reinforce the applicate of site workers 15. To reinforce the skills of site workers 15. To reinforce the applicate of site managers 15. To reinforce the applicate of site managers 15. To reinforce the applicate of site workers 15. To preserve the earthen structures 15. To preserve the earthen stru		=				• •			Social	Cultural [
b. Floors Latera se encuents presente en los manipuestos cerámicos que conforman los muros, en la teles das cubertas de la época colonial y en ocasiones en morteros de toma de los muros de las cubertas de la época colonial y en ocasiones en morteros de toma de los muros de la courte de la		_		Comments						_,	
8. What is the approximate proportion of earthen materials resent within the property? 1% to 25 %	b. Floorsc. Ceilings and/or roofsd. Mortarse. Interior decorationsf. Exterior decorations		conforman los muros, en las tejas trono la época colonial y en ocasiones en mor	cocónoicas de las cubiertas de rteros de toma de los muros de	those tha a. Site doc b. To reinfo c. To upda d. To reinfo e. To reinfo	t seem necessary for the site umentation orce the legal framework te the management plan orce the capacities of site managers orce the skills of site workers	3 1 4 5	r of priorit	:y (from 1 to !	5)	Comments
Present within the property? 1 % to 25 %	8. What is the approximate proportion of eartl	en mat	erials	Comments							
9. The speed of degradation of the structure is Fast Slow Stabilised Slow Information Institutionally planned Information Institutional Instit	· · · · ·			Comments	h. Sensitiz	ation of local populations					
Fast Slow Stabilised 14. Additional general comments and remarks : 10. Is there a regular maintenance mechanism Comments Institutional Institutio	_										
Traditional Institutionally planned Institutionally planned No maintenance mechanism Institutionally planned Institutionally planned Institution ally planned Institutions (tanto públicos como privados) Filled out by: Lucía Pucci Garmendia Position: Responsable de gestión del sitio Institution: Consejo Ejecutivo Honorario de las Obras de Preservación ante el Centro del Patrimonio ante el Centro del Patrimonio	Fast Slow			Comments	14. Addit	onal general comments and remarks :					
Traditional Institutionally planned Institutionally planned No maintenance mechanism Institutionally planned Institutionally planned Institution ally planned Institutions (tanto públicos como privados) Filled out by: Lucía Pucci Garmendia Position: Responsable de gestión del sitio Institution: Consejo Ejecutivo Honorario de las Obras de Preservación ante el Centro del Patrimonio ante el Centro del Patrimonio											
Institutionally planned No maintenance mechanism El mantenimiento es responsabilidad de los propietarios (tanto públicos como privados) Filled out by: Lucía Pucci Garmendia Position: Responsable de gestión del sitio Institution: Consejo Ejecutivo Honorario de las Obras de Preservación ante el Centro del Patrimonio ante el Centro del Patrimonio		_		Comments							
	Institutionally planned					Consejo Ejecutivo Honorario de las Obras de Preserv	ación	ante el Centr	o del Patrimonio	Date:	Informations 02/ 02 / 2010



United Nations
Educational, Scientific and

Organisation
des Nations Unie
pour l'éducation
science et la culture



World
Heritage
Convention

Convention du patrimoimondial

WORLD HERITAGE EARTHEN ARCHITECTURE PROGRAMME

WHEAP aims at improving and disseminating knowledge about earthen architecture sites and to improve their state of conservation and management. It includes pilot projects at World Heritage sites, capacity building, development and dissemination of appropriate methods and techniques in conservation, management, and scientific research. Expected outputs include a better understanding of the problems, the development of policies, the definition of practical guidelines, the organization of training and awareness activities, as well as the creation of an active global network for the exchange of information and experience. The programme involves the technical support of international institutions, namely CRAterre-ENSAG, ICCROM, and ICOMOS, as well as the regional institutions, EPA (Benin), CHDA (Kenya) and CERKAS (Morocco), and seeks, in the course of future activities, further cooperation and partnerships with other specialized institutions as well as national and local governmental authorities.

For more information on the WHEAP programme: http://whc.unesco.org/en/activities/21/





























