



HAL
open science

Derivation of an anisotropic Darcy-Forchheimer equation including turbulence effects and its application to structured packings

Cyprien Soullaine, Michel Quintard

► **To cite this version:**

Cyprien Soullaine, Michel Quintard. Derivation of an anisotropic Darcy-Forchheimer equation including turbulence effects and its application to structured packings. *Interpore 2012*, May 2012, West Lafayette, United States. pp.0. hal-04021377

HAL Id: hal-04021377

<https://hal.science/hal-04021377v1>

Submitted on 9 Mar 2023

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.



Open Archive TOULOUSE Archive Ouverte (OATAO)

OATAO is an open access repository that collects the work of Toulouse researchers and makes it freely available over the web where possible.

This is an author-deposited version published in : <http://oatao.univ-toulouse.fr/>
Eprints ID : 5799

To cite this document : Soulaine, C. and Quintard, Michel <i>Derivation of an anisotropic Darcy-Forchheimer equation including turbulence effects and its application to structured packings.</i> In: Interpore 2012, 14-16 May 2012, USA.

Any correspondence concerning this service should be sent to the repository administrator: staff-oatao@listes.diff.inp-toulouse.fr

Derivation of an anisotropic Darcy-Forchheimer equation including turbulence effects and its application to structured packings

C. Soulaire¹, and M. Quintard^{1,2}

¹*Université de Toulouse; INPT; UPS; IMFT (Institut de Mécanique des Fluides de Toulouse); Allée Camille Soula, F-31400 Toulouse, France*

²*CNRS; IMFT; F-31400 Toulouse, France*

ABSTRACT:

We propose a methodology to derive a macroscale momentum equation that is free from the turbulence model chosen for the pore-scale simulations and that accounts for large scale anisotropy. In our method, Navier-Stokes equations are first time-averaged to form a new set of equations. Informations that describe the turbulence are embeded in a variable viscosity. This latter results from a pore-scale turbulent simulation and is considered as an input for method. The resulting continuity and momentum equations are then upscaled with regards to the volume averaging methodology to form a Darcy-Forchheimer's equation. The method also provides a closure problem that evaluates the apparent permeability tensor from a turbulent flow field computed over a periodic unit-cell. This approach is validated through 2D and 3D calculations. Finally, the method is used to evaluate the tensorial macro properties of a gas flow through structured packings.