



HAL
open science

On the spreading and instability of gravity current fronts of arbitrary shape

Nadim Zgheib, Thomas Bonometti, Sivaramakrishnan Balachandar

► **To cite this version:**

Nadim Zgheib, Thomas Bonometti, Sivaramakrishnan Balachandar. On the spreading and instability of gravity current fronts of arbitrary shape. 65th Annual Meeting of the APS Division of Fluid Dynamics, Nov 2012, San Diego, United States. pp.0. hal-04021494

HAL Id: hal-04021494

<https://hal.science/hal-04021494>

Submitted on 9 Mar 2023

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.



Open Archive TOULOUSE Archive Ouverte (OATAO)

OATAO is an open access repository that collects the work of Toulouse researchers and makes it freely available over the web where possible.

This is an author-deposited version published in: <http://oatao.univ-toulouse.fr/>
Eprints ID : 11804

To cite this version : Zgheib, Nadim and Bonometti, Thomas and Balachandar, S. *On the spreading and instability of gravity current fronts of arbitrary shape*. In: 65th Annual Meeting of the APS Division of Fluid Dynamics, 18 November 2012 - 20 November 2012 (San Diego, United States). (Unpublished)

Any correspondence concerning this service should be sent to the repository administrator: staff-oatao@listes-diff.inp-toulouse.fr

Experiments, simulations and theoretical analysis were carried out to study the influence of geometry on the spreading of gravity currents. The horizontal spreading of three different initial planforms of initial release were investigated: an extended ellipse, a cross, and a circle. The experiments used a pulley system for a swift nearly instantaneous release. The case of the axisymmetric cylinder compared favorably with earlier simulations. We ran experiments for multiple aspect ratios for all three configurations. Perhaps the most intriguing of the three cases is the "ellipse," which within a short period of release flipped the major and minor axes. This behavior cannot be captured by current theoretical methods (such as the Box Model). These cases have also been investigated using shallow water and direct numerical simulations. Also, in this study, we investigate the possibility of a Rayleigh-Taylor (RT) instability of the radially moving, but decelerating front. We present a simple theoretical framework based on the inviscid Shallow Water Equations. The theoretical results are supplemented and compared to highly resolved three-dimensional simulations with the Boussinesq approximation.