



A new Upper Pleistocene hominin calvarium from West-Turkana (Kenya)

Aurélien Mounier, Ann van Baelen, Federica Crivellaro, Frances Rivera, Alex Wilshaw, Rainer Grün, Robert Foley, Marta Mirazón Lahr

► To cite this version:

Aurélien Mounier, Ann van Baelen, Federica Crivellaro, Frances Rivera, Alex Wilshaw, et al.. A new Upper Pleistocene hominin calvarium from West-Turkana (Kenya). 1846es Journées de la Société d'Anthropologie de Paris, Jan 2021, Paris, France. 10.4000/bmsap.7121 . hal-04023253

HAL Id: hal-04023253

<https://hal.science/hal-04023253v1>

Submitted on 10 Mar 2023

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.



Distributed under a Creative Commons Attribution - NonCommercial - NoDerivatives 4.0 International License

**A new Upper Pleistocene hominin calvarium from
West-Turkana (Kenya)**

*Découverte d'un calvarium d'hominine de la fin du Pléistocène dans l'Ouest
Turkana (Kenya)*

**Aurélien Mounier, Ann Van Baelen, Federica Crivellaro, Frances Rivera,
Alex Wilshaw, Rainer Grün, Robert Foley and Marta Mirazón Lahr**

**Electronic version**

URL: <https://journals.openedition.org/bmsap/7121>
DOI: 10.4000/bmsap.7121
ISSN: 1777-5469

Publisher

Société d'Anthropologie de Paris

Brought to you by Bodleian Libraries of the University of Oxford

**Electronic reference**

Aurélien Mounier, Ann Van Baelen, Federica Crivellaro, Frances Rivera, Alex Wilshaw, Rainer Grün, Robert Foley and Marta Mirazón Lahr, "A new Upper Pleistocene hominin calvarium from West-Turkana (Kenya)", *Bulletins et mémoires de la Société d'Anthropologie de Paris* [Online], 33(S) | 2021, Online since 01 December 2020, connection on 10 March 2023. URL: <http://journals.openedition.org/bmsap/7121> ; DOI: <https://doi.org/10.4000/bmsap.7121>

This text was automatically generated on 16 February 2023.



Creative Commons - Attribution-NonCommercial-NoDerivatives 4.0 International - CC BY-NC-ND 4.0
<https://creativecommons.org/licenses/by-nc-nd/4.0/>

A new Upper Pleistocene hominin calvarium from West-Turkana (Kenya)

Découverte d'un calvarium d'homininé de la fin du Pléistocène dans l'Ouest Turkana (Kenya)

Aurélien Mounier, Ann Van Baelen, Federica Crivellaro, Frances Rivera, Alex Wilshaw, Rainer Grün, Robert Foley and Marta Mirazón Lahr

- ¹ The Upper Pleistocene (UP) African hominin fossil record is extremely scarce. Only two well-preserved specimens dated to 50,000–30,000 years ago are available: the Hofmeyr cranium from South Africa, and the Nazlet Khater 2 (NK2) skeleton from Egypt. Here, we present a new hominin calvarium (NG1) found in 2015 at Ngingolea Idome (West Turkana, Kenya) and directly dated to 30,000–33,000 years ago by U-series. The NG1 calvarium was reconstructed from multiple small fragments which were found on the surface and subsurface of ~2700 m² of the site. The site of Ngingolea preserves both late Middle and Upper Pleistocene sediments that contain Middle Stone Age (MSA) artefacts and fauna. The surface on which the NG1 cranium was found contains eroding fossil fragments of both ages, precluding association of the rich MSA assemblage with any one period of occupation at present. To clarify the phenetic affinities of NG1, we ran a comparative morphological analysis and 3D geometric morphometrics analyses (GPA, PCA and CVA) on a sample of 58 UP specimens from Africa (Hofmeyr and NK2, 12 Ibero-Maurusian, and 12 East-African Humid Period specimens) and Eurasia (n=32) and a group of recent African Khoisan (n=12). NG1 is a large specimen, the calvarium is antero-posteriorly elongated showing a flattening of its superior aspect. CVA results indicate that NG1, along with NK2, share greater affinity with the East-African Humid Period specimens than with Hofmeyr, while the latter presents stronger affinities with Eurasian Early and Middle Upper Palaeolithic specimens and to a lesser extent with Khoisan groups. Our results suggest a possible phenetic relationship between some UP African populations and the East-African Humid Period fossils. However, this affinity pattern is not shared by

all Upper Pleistocene African populations, and the populations that lived in Africa at that time may have shown a high degree of morphological heterogeneity.

AUTHORS

AURÉLIEN MOUNIER

UMR 7194 HNHP, MNHN-CNRS-UPVD, Département Homme et Environnement, Musée de l'Homme, Paris, France
aurelien.mounier[at]mnhn.fr

ANN VAN BAELEN

Leverhulme Centre for Human Evolutionary Studies, Department of Archaeology, University of Cambridge, Cambridge, United Kingdom

FEDERICA CRIVELLARO

Leverhulme Centre for Human Evolutionary Studies, Department of Archaeology, University of Cambridge, Cambridge, United Kingdom

FRANCES RIVERA

Leverhulme Centre for Human Evolutionary Studies, Department of Archaeology, University of Cambridge, Cambridge, United Kingdom

ALEX WILSHAW

Leverhulme Centre for Human Evolutionary Studies, Department of Archaeology, University of Cambridge, Cambridge, United Kingdom
School of Biological and Environmental Sciences, Liverpool John Moores University, Liverpool, United Kingdom

RAINER GRÜN

Research School of Earth Sciences, The Australian National University, Canberra, Australia
Australian Research Centre for Human Evolution, Environmental Futures Research Institute, Griffith University, Nathan, Australia

ROBERT FOLEY

Leverhulme Centre for Human Evolutionary Studies, Department of Archaeology, University of Cambridge, Cambridge, United Kingdom

MARTA MIRAZÓN LAHR

Leverhulme Centre for Human Evolutionary Studies, Department of Archaeology, University of Cambridge, Cambridge, United Kingdom