

Throwing Light on the Past. A New Methodology for Analysing Activity-related Skeletal Changes in Humeri

Elle Liagre, Christopher J. Knüsel, Sébastien Villotte

▶ To cite this version:

Elle Liagre, Christopher J. Knüsel, Sébastien Villotte. Throwing Light on the Past. A New Methodology for Analysing Activity-related Skeletal Changes in Humeri. 3rd Virtual Conference for Women Archaeologists and Paleontologists, Mar 2023, Online, France. hal-04037374

HAL Id: hal-04037374 https://hal.science/hal-04037374v1

Submitted on 20 Mar 2023

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers. L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.



Distributed under a Creative Commons Attribution 4.0 International License

Throwing Light on the Past A New Methodology for Analysing Activity-related Skeletal Changes in Humeri

Liagre Elle^a, Knüsel Christopher J.^a, and Villotte Sébastien^{b, c, d}

The **medial epicondyle of the humerus** is a particularly relevant anatomical area to reveal **physical activities** performed during an individual's lifetime ¹⁻³ (e.g. throwing of objects, the use of axes and stone tool manufacture)^{4.5} and the **sexual division of labour** in past human groups. However, the qualitative recording of osseous alterations in this area remains particularly subjective and prevents large-scale comparisons.

The **main aim** of this research is to develop a novel method to record these alterations quantitatively through non-invasive 3D-imaging.



Collection of data

- **Prerequisite**: 3D model of humerus
- Can be obtained through CT-scanning, 3D surface scanning, or photogrammetry

Pre-processing of models

• Crop

Collection

Preparation

- Orientate
- Filter (i.e. simplification, smoothing)

^a UMR5199 PACEA, University of Bordeaux, Bordeaux, France. | ^b UMR7206 Éco-Anthropologie, CNRS, MNHN, Université Paris Cité. Musée de l'Homme, Paris, France. | ^c Quaternary environments & Humans, OD Earth and History of life, Royal Belgian Institute of Natural Sciences, Brussels, Belgium. | ^d Unité de Recherches Art, Archéologie

Quaternary environments & Humans, OD Earth and History of life, Royal B
Patrimoine, Université de Liège, Liège, Belgium.

Quantitative Analysis

What? Topographical analyses

- quantify the whole-surface morphology,
- through complementary variables such as curvature, relief and complexity

How? molaR package⁶ in an R environment

Which analyses?

- **Dirichlet Normal Energy (DNE)**(curvature measure that quantifies the degree of surface bending)
- Relief Index (RFI) (relief measure calculated through the ratio of the 3D surface area to the 2D footprint)
- Orientation Patch Count (OPC) (complexity measure that counts the number of similarly oriented regions)



Conclusions & Prospects

- **Complementary shape variables** can be applied to **quantify** osseous alterations of the humeral medial epicondyle.
- Through **3D-imaging**, the method offers a **non-invasive** approach to more **objective** recording of these alterations.
- Application to **identified osteological** collections will improve understanding of the analyses' results and their interpretation.
- The method can create new insights into physical activity and sexual division of labour in the past.

References

université

BORDEAUX

1. Dutour O, 1992. Activités physiques et squelette humain : le difficile passage de l'actuel au fossile. bmsap 4, 233–241. | 2. Dutour O, 2000. Chasse et activités physiques dans la Préhistoire : les marqueurs osseuxd'activités chez l'homme fossile. Anthropologie et Préhistoire 111, 156–165. | 3. Villotte S, Churchill SE, Dutour OJ, Henry-Gambier D, 2010. Subsistence activities and the sexual division of labor in the European Upper Paleolithic and Mesolithic: Evidence from upper limb enthesopathies. JHE 59, 35–43. | 4. Knüsel CJ, 1992. The throwing hypothesis and hominid origins. Hum. Evol. 7, 1–7. | 5. Villotte S, Knüsel, CJ, 2014. "I sing of arms and of a man…": medial epicondylosis and the sexual division of labour in prehistoric Europe. J. Archaeol. Sci. 43, 168–174. | 6. Pampush JD, Winchester JM, Morse PE, Vining AQ, Boyer DM, Kay RF, 2016. Introducing molaR: a New R Package for Quantitative Topographic Analysis of Teeth (and Other Topographic Surfaces). J Mammal Evol 23, 397–412.