



The Eye-Tracked Brief Evaluation of Receptive Aphasia: a new tool to assess residual language comprehension abilities in post-comatose patients

Charlène Aubinet, Lucie Mazué, Mélanie Mulero, Jordan Arrigo, Didier Schwab, Steve Majerus, Olivia Gosseries

► To cite this version:

Charlène Aubinet, Lucie Mazué, Mélanie Mulero, Jordan Arrigo, Didier Schwab, et al.. The Eye-Tracked Brief Evaluation of Receptive Aphasia: a new tool to assess residual language comprehension abilities in post-comatose patients. The 14th World Congress on Brain Injury, Mar 2023, Dublin, Ireland. hal-04039719

HAL Id: hal-04039719

<https://hal.science/hal-04039719>

Submitted on 21 Mar 2023

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.

The Eye-Tracker Brief Evaluation of Receptive Aphasia: a new tool to assess residual language comprehension abilities in post-comatose patients

Aubinet C.,^{1,2} Mazué L.,³ Mulero M.,³ Arrigo J.,⁴ Schwab D.,⁴ Majerus S.² & Gosseries O.¹

¹ GIGA Consciousness, Coma Science Group, University and University Hospital of Liège, Belgium

² Psychology and Neuroscience of Cognition Research Unit, Université de Liège, Belgium

³ Centre de Formation Universitaire en Orthophonie, Université Toulouse III – Paul Sabatier, France

⁴ Laboratoire d'Informatique de Grenoble, Université Grenoble Alpes, France

Introduction



The assessment of verbal comprehension after a coma in patients with severe brain injury seems essential to improve their diagnosis and care. Recently, a specific tool has been developed, the *Brief Evaluation of Receptive Aphasia* (BERA), based on visual fixation responses.* Yet judging these fixations by simple observation is often complex and open to interpretation. The use of an eye-tracking setting to accurately and objectively examine eye movements seems the most interesting to improve the sensitivity and reliability of the BERA tool.

Methods



Based on the Delphi method, we investigated the relevance of an eye-tracker in the assessment of verbal comprehension in post-comatose patients, using a computerized version of the BERA assessment (GazePlay-Eval).

Results



Feasibility criteria

Content criteria

Clarity

Relevance

Utility

Form criteria

Temporal accessibility

Ease of handling

Adaptability

Restriction of distractors

Objectification of visual fixations

Human factor

Repeatability

- 100% highlight the need for new tools to specifically assess language comprehension in this population
- 100% consider that the use of an eye-tracker is appropriate in this context
- Both assessment duration and visual distractors should be reduced

Conclusion

The 'eye-tracked BERA' is a promising tool to examine the language profile of post-comatose patients.

Future studies are needed to test and validate the proposed modifications in this challenging population.

Aubinet C, et al. (2021). The Brief Evaluation of Receptive Aphasia test for the detection of language impairment in severely brain-injured patients. *Brain Injury*, 35(6), 705-717.

IBIA INTERNATIONAL BRAIN INJURY ASSOCIATION

LIÈGE université GIGA Consciousness

Psychologie & Neuroscience Cognitives
PsyNCog
Psychology & Neuroscience of Cognition

COMA SCIENCE GROUP

fnrs

CHU de Liège
CENTRE DU CERVEAU²