

Spatial patterning of Middle Palaeolithic lithic assemblages at the Abri du Maras, Southeast France: combining GIS analysis and 3D palaeotopographic reconstructions

Pierre Guillemot, Stéphane Jaillet, M
 Gema Chacón, Véronique Pois, Marie-Hélène Moncel

▶ To cite this version:

Pierre Guillemot, Stéphane Jaillet, M Gema Chacón, Véronique Pois, Marie-Hélène Moncel. Spatial patterning of Middle Palaeolithic lithic assemblages at the Abri du Maras, Southeast France: combining GIS analysis and 3D palaeotopographic reconstructions. Journal of Archaeological Science: Reports, 2023, 49, pp.103999. 10.1016/j.jasrep.2023.103999 . hal-04070818

HAL Id: hal-04070818 https://hal.science/hal-04070818v1

Submitted on 16 Apr 2023 $\,$

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.



Distributed under a Creative Commons Attribution - NonCommercial - NoDerivatives 4.0 International License

1 Authors:

> Pierre GUILLEMOT^{a*}, Stéphane JAILLET^b, M. Gema CHACÓN^{c,d,a}, Véronique POIS^e Marie-Hélène MONCEL^a

4

2 3

^a UMR 7194, CNRS, Département Homme & Environnement, Muséum National d'Histoire Naturelle, UPVD,

Sorbonne Universités, 1 René Panhard, 75013, Paris, France (* Corresponding author: p.guillemot@icloud.com)

5 6 7 8 9 ^b Laboratoire Environnement Dynamiques et Territoires de Montagne (EDYTEM), UMR 5204, 73376 Le Bourget du Lac, France.

- 10 ° Institut Català de Paleoecologia Humana i Evolució Social (IPHES - CERCA), Zona Educacional 4, Campus
- 11 Sescelades URV (Edifici W3), Tarragona 43007, Spain
- 12 ^d Departament d'Història i Història de l'Art, Universitat Rovira I Virgili (URV), Av. Catalunya 35, 43002 13 Tarragona, Spain
- 14 ^e Université de Perpignan Via Domitia (UPVD), UMR 7194 CNRS, MNHN-HNHP, Centre Européen de
- 15 Recherches Préhistoriques de Tautavel, 66720 Tautavel, France 16
- 17 Title:

18

19 Spatial patterning of Middle Palaeolithic lithic assemblages at the Abri du

- Maras, Southeast France: combining GIS analysis and 3D 20
- palaeotopographic reconstructions 21
- 22 23

24 Abstract:

25

26 The intra-site spatial analysis of prehistoric assemblages is a topical way of assessing the use 27 of space by ancient hominins. Such approaches can bring to light how prehistoric groups 28 occupied their living space and organised activity areas, and thus describe their cultural and 29 social behaviours. The Abri du Maras in Southeast France is a major Middle Palaeolithic site 30 with huge potential for characterising the cognitive and technological behaviours of 31 Neanderthals. In this study, we carry out a high-resolution spatial analysis focusing primarily 32 on the lithic assemblages of levels 4.1 and 4.2, dated to MIS 3. The methodology combines 33 two approaches: the use of GIS tools selected from free and open-source QGIS software, and 34 palaeosurface rendering, using 3D software, in order to incorporate palaeotopographic data 35 into the spatial analysis. Data for these palimpsests show a structured spatial patterning of 36 occupations with some differences between the two levels. In level 4.1, a clear spatial pattern 37 is observed with main areas where intense knapping activities were carried out and peripheral 38 areas where specific remains were located. The spatial pattern for level 4.2 appears less clear, but also revealed patterns related to the type of remains. Our analysis provides evidence of 39 40 complex spatial organisation for Neanderthals and corroborates previous results from other 41 Middle Palaeolithic sites. We also highlight the relevance of our methodology, combining 42 free and open-source GIS tools and palaeotopographic rendering, as well as the 43 complementarity of 2D-3D tools, to achieve high-resolution spatial analysis of Palaeolithic 44 sites. 45 46 Keywords: Spatial pattern, GIS analysis, Lithic assemblages, 3D palaeotopographic rendering, Middle Palaeolithic, Abri du Maras 47

- 48
- 49
- 50

51 1. Introduction

52

53 Spatial analysis is an effective tool for assessing the relationship between 54 archaeological material and hominin behaviours and revealing small- and large-scale spatial 55 patterns. It consists of two main approaches: inter-site analysis and intra-site analysis (Coil, 56 2016). Intra-site spatial analysis focuses on the material in individual sites through the study 57 of site formation processes (taphonomy) and spatial patterning in order to assess social, 58 economic or symbolic behaviours. In modern society, specific activities are related to 59 particular areas (Alperson-Afil and Hovers, 2005; Anderson and Burke, 2008). Therefore, one 60 of the assumptions underlying intra-site spatial analysis in archaeology is that similar associations can be observed in the archaeological record. Thus, spatial analysis has been an 61 62 essential tool for many decades now, allowing archaeologists to better understand the 63 behaviour of early hominins through the way they used space.

64 Due to their apparent lack of complexity, Middle Palaeolithic spatial structures have long been debated. Initially, some authors described Neanderthal spatial patterning as less 65 66 complex than that of modern humans, comparing it to carnivores, such as hyenas (Pettitt, 67 1997), or as a simple and instinctive response to the environment (Mellars, 1996). However, 68 these ideas have been criticised and some Lower and Middle Palaeolithic spatial structures have been considered as "modern" and similar to those described for Homo sapiens 69 70 (Alperson-Afil, 2008; Alperson-Afil et al., 2009; Alperson-Afil and Hovers, 2005; Henry, 71 2012; Henry et al., 2004; Neruda, 2017; Oron and Goren-Inbar, 2014; Vaquero et al., 2001; 72 Vaguero and Pastó, 2001). 73 The question of Neanderthal modernity was recently raised at the Abri du Maras. This

74 rock shelter has yielded the oldest evidence of cord making known to date (Hardy et al., 75 2020). This fibre technology requires a complex knowledge of plants and the understanding 76 of mathematical concepts for creating and managing pairs of numbers to create a string 77 structure. Consequently, the authors consider Neanderthals as the cognitive equals of modern 78 humans (Hardy et al., 2020). Therefore, the potential of the Abri du Maras for characterising 79 the behaviour and technological capacities of Neanderthal has already been proven (Hardy et 80 al., 2020, 2013; Moncel et al., 2021, 2014). In this context, this paper presents a high-81 resolution spatial analysis, focusing primarily on the comparison of the lithic assemblages of 82 levels 4.1 and 4.2, dated to MIS3 (Richard et al., 2021, 2015), and considered as short-term 83 occupations by the technological and subsistence strategies (Moncel et al., 2021, 2014). We 84 combine innovative GIS (Geographic Information System) tools and palaeosurface rendering 85 using 3D software. The main objective is to examine the occupation patterns of human groups at the Abri du Maras in relation to the topographical contexts of the site (Guillemot 2021). 86 87 Through the study of two archaeological levels, we analyse and compare how occupants 88 structured their inhabited space in a limited period of time.

89

90 **2.** The dataset

91 92

2.1.Chronological and archaeological context of the Abri du Maras

The Abri du Maras is a vast rock shelter located in a small valley near the Ardèche River, downstream of the Ardèche gorges. It is currently 12 m long, and 3 m deep with a ceiling height of 2 m (Combier, 1967). The first excavations in the 1950s-1960s by R. Gilles and J. Combier unearthed a stratigraphic sequence of eight archaeological layers with Middle Palaeolithic deposits and a Levallois laminar debitage at the top of the sequence (Moncel et al., 1994). Those layers record the gradual collapse of the cave roof over time (Debard, 1988). 99 New excavations in front of the shelter since 2006 have focused on the middle and lower part100 of the stratigraphic sequence, only intermittently excavated during former fieldwork.

101 The new sequence records six stratigraphic units. Stratigraphic layer 6 is currently the 102 oldest known unit bearing evidence of human presence (Moncel et al., 2018) and lies directly 103 on the limestone substratum (Moncel et al., 2021). Layer 5 is made up of an organic brown 104 unit with a sandy-silty matrix (Moncel et al., 2014). Three occupation phases have been 105 identified in this layer and dated to the end of MIS 5 (Marín et al., 2020; Richard et al., 2015). 106 The overlying upper deposit is layer 4, 0.5 to 1 m thick, consisting of blocks of various sizes 107 in loessic lenses. This coarse infilling contains two phases of occupation (levels 4.1 and 4.2) separated by a sterile loessic layer, dated to MIS 3 (level 4.1: between 40 ± 3 ka and 46 ± 3 ka 108 109 ; level 4.2: between 42 \pm 3 ka and 55 \pm 2 ka) (Richard et al., 2015). More recent 110 chronological data confirm these ages and the attribution of the sequence to MIS 3 (Richard et 111 al., 2021). Layer 4 was deposited during progressively colder and drier conditions (Puaud et 112 al., 2015) and the faunal corpus is composed in order of abundance of *Rangifer tarandus*, 113 Equus ferus cf. germanicus, Cervus elaphus, Bison priscus, Capra ibex, Equus hydruntinus 114 and Megaloceros giganteus (Daujeard et al., 2019). While the reindeer largely dominates the 115 level 4.1 faunal assemblage, level 4.2 does not show such a mono-specific spectrum. Core 116 technology consists of diverse, often short debitage sequences, including Levallois type 117 debitage, made on local flint collected within 15-30 km of the site. The lithic assemblage and 118 refits attest to short-term occupations with mostly unretouched flint flakes, blades, bladelets 119 and points. Large ready-to-use flakes, blades and points were also brought to the shelter while 120 additional in situ debitage produced small flakes (Moncel et al., 2021, 2014). The two layers 121 have been considered as evidence of repeated short-term occupations.

122 The new excavations extend over a surface of around 50 m² for levels 4.1 and 4.2, 123 which only represents part of the available surface of the shelter during human occupations. 124 The accumulation and position of blocks from the collapse of the shelter indicate possibly the 125 limits of the shelter ceiling during the occupation of levels 4.1 and 4.2. The ceiling border was 126 estimated to be located in bands 8/9.

Excavations were conducted using a square metre grid. Each object, larger than 2 cm for faunal remains and 1 cm for lithic remains, was georeferenced in three dimensions using X, Y, and Z coordinates and recorded in a GIS database with (vertical and horizontal) spatial distribution data (Moncel et al., 2021).

131 132

133

2.2. Taphonomy and site formation processes

The study of site formation processes is an essential step in deciphering the spatial analysis of Palaeolithic sites. Taphonomy has become crucial for distinguishing natural from anthropogenic accumulation processes (Dibble et al., 1997), and assessing how intact assemblages actually are (Henry et al., 2004). As Romagnoli and Vaquero (2016) point out, determining assemblage integrity is a prerequisite for assessing human behaviours through spatial pattern analysis.

At the Abri du Maras, taphonomy has been investigated in several studies. Both levels have been described as a well-preserved and almost exclusive anthropogenic accumulation, showing a near absence of animal-induced modification on remains such as digested marks or carnivore and rodent tooth marks (Daujeard et al., 2019; Moncel et al., 2015; Vettese et al., 2022). From a spatial point of view, the evidence of bones in anatomical connections, the lithic and bone refits associated with short-distance connection lines, the absence of significant orientation of material, as well as the scarcity of trampling evidence suggest no

147 major disturbance of archaeological remains (Daujeard et al., 2019; Moncel et al., 2021, 2014;

148 Vignes, 2021) allowing us to conclude that the artefacts have not undergone any major spatial149 (horizontal or vertical) displacement (Moncel et al., 2015).

However, one particular part of the site shows post-depositional disturbances that have been identified during fieldwork. Beyond bands 8/9 in the southeast part of the shelter, the site is partially eroded due to the collapse of the shelter and the development of a small valley in front of the site. The material in this sector encountered some disturbances and will not be taken into account for this work.

- 155
- 156 157

158

2.3.Spatial database

159 The lithic database, grouping all the coordinated lithic remains and their characteristics 160 (length, width, type of rock, typological determination) was intensively exploited for the GIS 161 spatial analysis of the lithic assemblages. We also used spatial information on charcoal 162 remains and bone remains. As our research focuses on lithic assemblages, no detailed spatial analysis of bones was undertaken. We merely visualised the general scattering of bones and 163 164 compared them to the more detailed spatial analysis of the lithic material. We also used data from lithic refits; namely the analysis of lithic refits from level 4.2, as the spatial analysis of 165 lithic refits from level 4.1 has been published elsewhere (Moncel et al., 2021). Lithic 166 assemblage composition is quite similar for both levels and mainly composed of flakes and 167 168 flake fragments (including in both cases some Levallois flakes), laminar products, points and

169 cores (Table 1). 170

	Level 4.1	Level 4.2
Flakes (all sizes)	981	984
Flake fragments	340	243
Blades-bladelets	208	100
Points	81	55
Handaxes		1
Cores	51	38
Entire-broken pebbles	32	25
Debris	347	97
Undetermined		72
Total lithic artefacts: Including tools	2040 50	1615 <i>81</i>
Bone remains	2734	3099
Ash lenses	7	3
Charcoal remains	127	97

Table 1. Technological categories of lithic assemblages and other artefacts from levels 4.1 and 4.2

172 *2.4.3D data*

For the palaeotopographic rendering of the two archaeological levels, we used the 3D point cloud of the Abri du Maras. Laser scanning was carried out during the 2019 campaign using a 360 Light Detection And Ranging (LiDAR) terrestrial laser scanner (Faro Focus). During acquisition, 42 scans were performed. These "scenes" were then assembled, using *3DReshaper* software, into a single point cloud of 70 million points, representing the whole shelter.

Since the scan was carried out several years after the excavation of levels 4.1 and 4.2 (excavations have currently reached layer 5), the 3D model does not show their respective topographies. Indeed, the 3D survey is carried out at a given moment of the excavation work and gives a 3D image of the surface in its state of progress during the excavation. Therefore, we used the following methodology to reconstruct them in the 3D model of the Abri du Maras.

186

173

187 **3. Methods**

- 188
- 189

3.1.3D palaeotopographic rendering

190

191 The method of palaeotopographic rendering and analysis was carried out in three 192 stages (Fig. 1). We began by cleaning and meshing the point cloud to obtain cleaned surface-193 based information (Jaillet et al., 2014), more suitable for the next steps. We also performed a 194 rotation and three translations (in X, Y, Z coordinates) to obtain a model in the same 195 coordinate system as the one chosen for excavations at the Abri du Maras.

196 The second stage consisted of surface rendering using the stratigraphic section 197 drawings, which were drawn manually during past excavations and then computerised. Five 198 section drawings were used, showing the stratigraphic limits of the two levels at different 199 locations of the site. We proceeded as follows:

200

205 206 1. we created vertical planes georeferenced at the exact location of the section drawings,

- 201
 2. we built texture on these planes by projecting the computerised section drawings
 202 (previously saved as a JPEG file),
- 3. we digitalised points on the stratigraphic limits of the two archaeological levels shown
 by the projected section drawings,
 - 4. the obtained point clouds were then meshed to obtain surface-based information representing the base of each archaeological level.

The final step was to analyse the 3D topographies in more detail. We chose to go back to 2D by rasterising them on CloudCompare software (using the average cell height method and a cell size of 0,008 x 0,008 m). This process transforms a 3D surface into a Digital

210 Terrain Model (DTM), which is a digital picture where each pixel contains a value

- 211 representing elevation information (ESRI, 2016). Finally, we uploaded these DTM files into
- 212 QGIS software and used the "profile tool" plugin to analyse the topography (Fig. 1). Several
- 213 longitudinal (west-east) and transversal (north-south) profiles were made on the DTM passing

through areas of high material density identified by the spatial analysis, allowing us to study the relationship between archaeological spatial structures and the floor topography during

- 215 the relationship between archaeological spatial structures and the 16 216 human occupation.
 - 217
 - 218
 - 219
 - 220

223

3.2.GIS spatial analysis

The lithic database was imported into QGIS software 3.18 version (QGIS.org, 2021). Due to the high density of artefacts, scattering maps (where each item is represented by a symbol) do not show any clear distribution patterns. We thus used the following method for more in-depth spatial patterning.

228 229

230

238 239

240 241

242

243

244

245

246

247

248

249

250 251

252

253 254

255

256 257 3.2.1 General scattering of artefacts: average nearest neighbour

The first step is to statistically characterise the overall scattering of material. Average nearest neighbour is a method used to estimate whether the general pattern is dispersed, clustered or random (de la Torre et al., 2019; Moncel et al., 2021; Sánchez-Romero et al., 2021). If the null hypothesis is rejected, then we can apply "local methods" to identify subzones with clustering or dispersion phenomena (Sánchez-Romero et al., 2021).

- 237 3.2.2. Local analysis
 - Two different local methods were used to ensure the reliable identification of clusters:

(1) Kernel density. This is one of the most common and effective methods (Baxter et al., 1997). It converts a vectorial point layer into a raster heat map where the colour gradient depends on material density. This method calculates the density of point features around each output raster cell (the pixel size was set at 0.01 m, resulting in a low-pixel image with better resolution). A smoothly curved surface is created over each point and spreads to a specific radius around the points. Density value is highest at the point's location and decreases with increasing distance. It reaches zero at the limit of the search radius distance (set as 0.5 m which is probably the best adapted for our data). The sum of the overlapping Kernel surfaces is then calculated for each pixel (Alperson-Afil, 2008; Alperson-Afil et al., 2009; Oron and Goren-Inbar, 2014; Stavrova et al., 2019). Finally, we standardized densities using maximum values to obtain a uniform scale (from 0 to 1), to facilitate comparisons (Alperson-Afil, 2008; Alperson-Afil et al., 2009, 2007; Coil et al., 2020). Despite the popularity of this method, criticisms of its subjective aspects have emerged (the fact that the analyst has to input a search radius) and of its lack of statistical criteria to identify clusters (Sánchez-Romero et al., 2021; Stavrova et al., 2019).

258 (2) Hotspot analysis. Recently, statistical methods have become widely used tools for 259 conferring statistical significance on the cluster identification process (de la Torre et 260 al., 2019; Gabucio et al., 2023; Giusti et al., 2018; Mora Torcal et al., 2020; Reeves et 261 al., 2019; Romagnoli and Vaquero, 2016; Sánchez-Romero et al., 2021, 2020, 2016; Spagnolo et al., 2020, 2019; Stavrova et al., 2019). Among the various methods, 262 263 hotspot analysis, using the Getis-Ord Gi* statistic (Getis and Ord, 1992; Ord and 264 Getis, 1995), appears to be particularly effective. We used the "Hotspot Analysis" 265 plugin, available on QGIS since 2016 (Oxoli et al., 2018, 2017, 2016). Hotspot analysis detects statistically significant clusters based on quantitative variables and the 266 spatial relationship between artefacts. Qualitative variables must be transformed into 267 268 quantitative inputs using frequency per quadrats. We created a grid of 0.25 m^2 269 quadrats and counted items within each quadrat using the tool "count points in 270 polygon". Hotspot analysis can then be performed. This method identifies high

271 concentration zones, called hotspots, and low concentration zones, called coldspots. 272 The only prerequisite for this analysis is a sample of at least 30 elements. We 273 systematically compared results with kernel density analysis to assess the proficiency of the QGIS hotspot analysis plugin.

274 275

276 Using these methods, we started by visualising the general distribution of archaeological 277 finds considering all the lithics, bones and fire-related artefacts. Regarding the latter, it is 278 important to note that no clearly structured hearth has been brought to light at the Abri du 279 Maras. However, studies have shown that burnt artefacts and charcoal distribution can help to 280 identify the locations of "phantom hearths" (Alperson-Afil, 2017, 2008; Alperson-Afil et al., 281 2007). Moreover, charcoal clusters may indicate dispersed hearths, as fire did not alter the 282 surrounding sediment. Ash lenses can also point to the position of hearths or areas of ash 283 dumping and cleaning. Consequently, we analysed the spatial pattern of fire-related artefacts 284 to locate the position of possible hearths, or at least areas of fire-related activities. 285 Secondly, we carried out analyses by sub-categories of lithic artefacts in order to identify 286 whether specific elements showed a particular pattern compared to others or to overall 287 distribution. Our spatial analysis focuses in particular on stone knapping and the possible 288 identification of the location of reduction sequences. For this purpose, the spatial analysis of 289 Raw Material Units (RMUs) is an effective tool. RMUs incorporate the lithic material from a 290 knapping event, or a series of knapping events carried out for the reduction of a specific 291 nodule (Bargalló et al., 2020b; Chacón et al., 2015; Moncel et al., 2014; Vaquero, 2008; 292 Vaquero et al., 2017). We can thus differentiate pieces brought to the site already knapped 293 (tool kits) (Bargalló et al., 2020a, 2016; Moncel et al., 2021, 2014) from those resulting from 294 in situ knapping events. Fifty-two RMUs have been described for level 4.1 (Moncel et al., 295 2021). Fifteen are composed of pieces introduced to the site already knapped, and a dozen 296 indicate complete or almost complete on-site knapping sequences, with items from all stages 297 of the chaîne opératoire. Thus, the spatial patterns of these RMUs may indicate the location 298 of knapping activities and may differ from those of the tool kits. Cortical flakes represent the 299 initial phase of the reduction sequence (Courbin et al., 2020; Oron and Goren-Inbar, 2014), so 300 they may also indicate the place of knapping areas. Lithic refits of level 4.1 have already been 301 published (Moncel et al., 2021), so we only performed the spatial analysis of the lithic refits 302 from level 4.2. They can provide additional information about the knapping activities carried 303 out on site. The examination of the spatial pattern of retouched artefacts is also a critical 304 component of our spatial analysis as tools have already shown potential to characterize activities at the Abri du Maras (Hardy et al., 2013). We also conduct a spatial analysis based 305 306 on quantitative criteria, such as the length of the artefacts, to determine whether the remains 307 were organised according to their size. In particular, the comparison of these results with the 308 palaeotopographic data may provide taphonomic information. 309

310 4. Results

311 312

313

4.1.General scattering of artefacts

314 Nearest neighbour analysis was carried out to characterise the overall scattering of 315 archaeological finds in levels 4.1 and 4.2. This statistical test was applied to all remains, and shows that spatial distribution is significantly clustered (all remains from level 4.1: score z = -316 55.9, p value < 0.01; all remains from level 4.2: score z = -63.1, p value < 0.01). We also 317 applied this test to the three main categories of artefacts separately (level 4.1: lithics: score z =318 319 -32.7, p value < 0.01; bones: score z = -41.7, p value < 0.01; charcoal remains: score z = -41.7

320 7.24, p value < 0.01; level 4.2: lithics: score z = -34.7, p value < 0.01; bones: score z = -321 49.9, p value < 0.01; charcoal remains: score z = -8.42, p value < 0.01;). In all cases, spatial 322 scattering is statistically clustered. 323 324 4.2. General patterns of lithics, bones and fire-related artefacts in level 4.1 325 326 The hotspot analysis of level 4.1 (Fig. 2) shows that lithic, bone and charcoal clusters 327 overlap in the same areas, especially in the north-eastern part of the excavated zone, except 328 for square I5, where no charcoal concentrations were found. Likewise, kernel density shows 329 the same results (Fig. S1). Statistically significant clusters of charcoals appear to be closely 330 spatially related to the densest accumulations of burnt artefacts (Fig. 2C). Charcoal and ash 331 lenses are observed in areas with high concentrations of lithics and bones. 332 Thus, the main clusters of bones and lithics and indicators of fire activities are 333 concentrated in the north and north-eastern part of level 4.1. Our analysis, therefore, shows 334 that these were probably the main activity areas in level 4.1. 335 336 4.3. Spatial patterns associated with typo-technological aspects of level 4.1 337 338 RMU flint-13 (n=231) and RMU quartz-5 (n=40) are the largest RMUs and include 339 artefacts from all stages of the on-site chaîne opératoire. They are located in the previously 340 identified main accumulation areas (Fig. 3), where most of the lithics, bones and charcoals are 341 clustered. Kernel densities reveal the same spatial distributions (Fig. S2). 342 Eight out of the 10 RMUs with evidence of on-site chaîne opératoires show 343 preferential concentrations in the same areas (square I5-I6 and the north-eastern part of band 344 6). These patterns may indicate that the main knapping areas were the northern and north-345 eastern parts of the site. For the other two RMUs, cluster distribution (Fig. S3 and S4) appears 346 to indicate secondary knapping areas in the western and south-western parts of the site. 347 Fifteen RMUs, made up of 26 pieces, contain artefacts brought to the site already 348 knapped (tool kits). Only kernel density analysis can be performed because they incorporate 349 less than 30 pieces. Their spatial distributions indicate a more random pattern than the 350 previous RMUs (Fig. 4). They seem to be scattered over the whole site without preferential 351 accumulation areas. This confirms that spatial patterns differ for items from *in situ* knapping 352 events and pieces introduced to the site already knapped. 353 Cortical flakes are clustered in the main accumulation areas confirming that knapping 354 activities probably took place in this part of the site (Fig. 5). Kernel density shows the same 355 results (Fig. S5). 356 Figure 6 shows that lithic tools are found in square 15 and also a little in M6, areas 357 already identified for their cluster of lithics. However, the rest of the lithic tool spatial analysis 358 displays a different pattern to those previously highlighted, which is confirmed by kernel 359 density (Fig. S6). A significant cluster of tools is located in the middle of the excavated area, 360 where no other cluster has been found. Very few retouched artefacts are found in the north-361 eastern part, where most lithics, bones and charcoals are located. 362 Several statistically significant clusters of large and small pieces were detected (Fig. 363 7). In the northwest, a cluster of large pieces (hotspot H1) was brought to light in an area 364 where no particular accumulation had yet been identified. The second hotspot (H2) is mainly 365 in square J7, where part of the lithic tools is located. The last hotspot (H3) is located in the 366 eastern part of the site, south of the largest concentration of lithic remains. Two coldspots 367 (clusters of small pieces) were identified. The larger one is located in the main concentration of lithic artefacts. A second coldspot (C2) to the south of H3 is composed of fewer pieces. 368

369 The composition of the aforementioned clusters confirms length differences between hotspots 370 and coldspots (Table S1). 371 372 4.4. General patterns of lithics, bones, and fire-related artefacts in level 4.2 373 374 We performed the same analyses than level 4.1 to identify the main activity areas in 375 level 4.2. The hotspot analysis of lithics, bones and charcoals displays two main cluster areas. 376 The most extensive one is in the north-eastern part, and the second one is in the northwest of 377 the excavated area (Fig. 8). The largest charcoal cluster is in the western part. Kernel density 378 shows the same results as hotspot analysis (Fig. S7). 379 Burnt lithic clusters overlap with charcoal and ash lenses (Fig. 8C). Fire-related 380 artefacts are closely spatially related and are located in the main clusters of lithics and bones. 381 382 4.5. Spatial patterns associated with typo-technological aspects of level 4.2 383 384 We carried out a detailed spatial analysis of the upper level 4.2. Many lithics from this 385 level have been refitted but data from RMU analysis are still being processed. 386 Hotspot analysis (Fig. 9) and kernel density (Fig. S8) show that cortical flakes are 387 clustered in the western part of the site. No dense zone, or meaningful cluster, is visible in the 388 northeast, among the largest concentration of lithic artefacts. As mentioned above, we did not 389 focus on the southeast of the site (from squares K9-L9-M9-N9) as it has undergone extensive 390 post-depositional disturbances. 391 Out of a total of 1615 lithic remains from level 4.2, 81 are retouched artefacts. 392 Statistically significant clusters are found in the western part of the site (Figs. 10 and S9), 393 whereas no tool clusters are visible in the eastern part of level 4.2, where the highest 394 concentrations of lithics and bones are found. However, lithics, bones and charcoals are also 395 clustered in the western part of the site. Lithic tools are concentrated on the margins of those 396 clusters, rather than in them. 397 The spatial analysis of cores also shows clustering in the west of the site (Figs. 11 and 398 S10) and no statistical concentrations in the northeast, where the most significant clusters of 399 remains are located. 400 We performed hotspot analysis according to artefact length to shed more light on these 401 patterns (Fig. 12). Three clusters of large pieces can be identified, two of which are in the 402 disturbed area. The first hotspot (H1) is located in the northwest of the site, close to where 403 cores, tools, and clusters of lithics, bones and charcoals are found. Two other hotspots (H2 404 and H3) are in the disturbed area of the site. A significant cluster of small artefacts (coldspot 405 C1) is located in the north-eastern part of the site, where the highest concentration of lithics 406 and bones was already identified. This area is thus mainly composed of small pieces, and no 407 large pieces are found in this zone. A second coldspot (C2) is in the disturbed part of the site. 408 The composition of the clusters confirms length differences between hotspots and coldspots 409 (Table S2). 410 Level 4.2 comprises 22 refit groups, for a total of 53 pieces, with 29 connection lines 411 (Fig. S11, Table S3). Most of the refits are in the main accumulation areas (northeast of the 412 site) and only two refits are in the western part of the excavated area (Fig. S11). Most of the 413 connection lines are between 0 and 2 m and are within the normal dispersion range for on-site 414 knapping sequences, as shown by experimental archaeology (Cziesla, 1990; Moncel et al., 415 2021, 2014; Vaquero et al., 2019, 2017). Four connection lines are beyond 2 m and could 416 suggest the intentional anthropogenic displacement of some pieces during daily activities. 417

- 419 420 The topography of the base of the surface of level 4.1 was rendered in 3D. Most of the 421 area was successfully interpolated, bringing to light the general topography of the level. Fig. 422 13A shows the dip in an altitude-dependent colour scale. The 4.1 surface shows downward 423 dips from the northwest to the southeast, probably due in part to the compression and 424 compaction of sediment over time. The highest elevation in the northwest corner is about -2 m 425 above level 0, and the lowest in the southeast corner is almost -3.60 m. 426 The DTM and the QGIS "profile tool" plugin allow us to study the topography in more
- 427 detail (Fig. 13B). Several longitudinal (west-east) and transversal (north-south) profiles were 428 made on the DTM, passing through clusters of small and large lithic artefacts previously 429 identified. The longitudinal sections show a slight, progressively decreasing west-east dip, 430 with a steeper slope in the western part, clearly visible on profiles BB' and CC' (at bands E, F 431 and G). Beyond these bands, the dip is negligible or even non-existent, as shown in the 432 eastern half of profile CC'. The difference in elevation from one end to the other is 1 m 433 maximum. The transversal profiles (DD' and EE') show a north-south dip, steeper than the 434 west-east dip, with a negative gradient of almost 1 m over a distance of 3 m (section DD'). 435 However, the slope rises slightly in the middle (band 7) and falls again.
- 436 437

418

4.7.Palaeotopography of level 4.2

4.6.Palaeotopography of level 4.1

439 In the upper level, 3D rendering was successful for most of the area, but part of the 440 eastern trench could not be entirely interpolated. Nevertheless, this surface provides general 441 information on the northwest to southeast dipping topography of level 4.2 (Fig. 14A).

442 In QGIS, profiles were made on the DTM (Fig. 14B) and deliberately run through 443 clusters of small and large remains to detail the topography in these areas. The W-E profiles 444 show a gradual decrease in dip from west to east, with an altitude differential of about 1 m 445 from one end to the other. In the western part of the site, the DD' profile shows a very slight 446 north-south dip in the first part, followed by significant steepening of the slope and 447 subsequent stabilising. In the eastern part, the dip decreases progressively from north to south 448 and then significantly, with an altitudinal difference of 90 cm over a distance of 4 metres 449 (section CC'). However, the slope rises slightly and decreases significantly again towards the centre of the surface (visible on profile EE'). The southern ends of profiles CC' (from square 450 451 M9) and EE' (from square L9) correspond to the beginning of the disturbed area. 452

- 453 5. Discussion
- 454 455
- 5.1. Site formation processes
- 456

457 Site formation processes have to be considered when performing spatial analysis. It is 458 a prerequisite for assessing human behaviours through spatial patterns (Romagnoli and 459 Vaquero, 2016). As previously said, many studies have shown that both levels are well-460 reserved anthropogenic accumulations, with a lack of post-depositional disturbances 461 (Daujeard et al., 2019; Moncel et al., 2021, 2015, 2014; Vettese et al., 2022; Vignes, 2021). 462 Our analysis completes those results. The combination of spatial analysis and 463 topographic data is a powerful tool that can help to assess site formation processes. Indeed, 464 disturbances, such as runoff or water flow, can alter the spatial distribution of remains, 465 causing movement and downslope displacement (Petraglia and Potts, 1994). Spatial analysis 466 and palaeotopographic rendering of levels 4.1 and 4.2 do not show such patterns. The areas

467 with the highest artefact density are located in the northern part of the site and follow a gentle 468 slope. In contrast, the lowest areas (south and southeast of the site) contain fewer remains and 469 no significant clusters of material. This pattern is general across the site and for both levels, 470 the areas of highest densities are found in the highest part of the site, east and west, while 471 towards the south, the artefact densities are much lower. Thus, the material is not located in 472 the more depressed areas and is not organised following the slope, which would have been observed if levels had encountered spatial disturbances caused by water for example. In 473 474 addition, water flows tend to sort archaeological remains by size (Dibble et al., 1997; Gabucio 475 et al., 2023; Petraglia and Potts, 1994; Sánchez-Romero et al., 2020) with displacements of 476 large pieces into hollows and the removal of smaller remains from the assemblage. Both 477 archaeological levels comprise clusters of small items that are found in the northern part of 478 the site, areas with gentle slopes. For level 4.1, section EE' has a slight depression and the 479 majority of the cluster of large lithic artefacts is not located in the deepest part, but at the 480 margins of this depressed zone. Thus, we can say that, for both levels, clusters of large pieces 481 are not in the lowest or most depressed part of the site. The proximity of the large and small 482 artefact clusters, especially for level 4.1, also indicates the absence of significant spatial 483 disturbance, such as water flows.

484 Another important issue and a common feature of Palaeolithic sites is the palimpsest 485 problem (e.g., Bailey, 2007; Galanidou, 2000; Henry, 2012; Machado et al., 2019, 2013; 486 Malinsky-Buller et al., 2011; Mallol and Hernández, 2016; Mora Torcal et al., 2020; Picin and 487 Cascalheira, 2020; Reeves et al., 2019; Vaquero, 2008; Vaquero et al., 2012; Vaquero and 488 Pastó, 2001). Both levels are palimpsests of several occupations (Moncel et al., 2021, 2015), 489 meaning that Neanderthals possibly occupied the same areas repeatedly during short-term 490 stays in the shelter. Multiple short-term occupations of the same site during a short period of 491 time are a common characteristic of Middle Palaeolithic sites (for this specific topic see 492 Cascalheira and Picin, 2020). In those cases, vertical plots are commonly used to decipher 493 palimpsests (e.g., Bargalló et al., 2020, 2016; Coil et al., 2020; Mora Torcal et al., 2020; 494 Sañudo et al., 2012; Vaquero, 2008; Vaquero and Pastó, 2001) and although this paper 495 focuses primarily on horizontal analysis, we also visualised vertical dispersion (Guillemot 496 2021). But it was not possible to untangle any palimpsests.

497 However, in some cases, palimpsests are not necessarily an issue. Indeed, the rapid 498 burial of the levels at the Abri du Maras (Moncel et al., 2021), makes them "rapid-499 accumulation palimpsests" (Malinsky-Buller et al., 2011). According to this model, spatial 500 patterns and anthropogenic clusters can still be observed even though these two sub-levels are 501 palimpsests. Moreover, following the idea of Reeves et al., (2019), palimpsests should not 502 only be viewed as a hindrance to spatial analysis but on the contrary, can be a necessary 503 condition for identifying behaviours. Bailey and Galanidou (2009) already suggested that 504 palimpsests, especially in caves or rock shelters, have a great potential to give information 505 about the use of space. The fact that the same rock shelter was used many times for many 506 short-term occasions and probably by the same groups tends to create patterns that are 507 repeated over time. This is mainly due to the physical conditions of caves and rock shelters 508 (walls, ceiling, interior versus exterior...) that influenced the way of using space, and the fact 509 that palimpsests create a living space where remains of past occupations may influence 510 subsequent occupations (Bailey and Galanidou, 2009). Thus, these characteristics probably influence the way of re-using the same space, especially if the occupations are of similar 511 512 duration. Following that idea, palimpsest does not hinder patterns but creates them. However, 513 even if palimpsest makes patterns distinguishable, we must keep in mind that the different clusters may not be contemporaneous. 514

515

5.2. Significance of level 4.1 spatial patterns

518 The hotspot analysis of level 4.1 identified several main activity areas associated with 519 peripheral areas (Fig. 15A). The largest clusters of lithics, bones and fire-related remains are 520 concentrated in the north-eastern part of the site. The analysis of cortical flakes and RMUs 521 shows that in situ knapping activities took place there. This is confirmed by the presence of 522 clusters of lithic refits in this area, with connection lines within the normal dispersion range 523 for on-site knapping sequences (Moncel et al., 2021). Metrical analysis indicates that this area 524 includes small flakes, which are a reliable indicator of the location of knapping activities 525 (Henry et al., 2004; Sañudo et al., 2012; Vaguero et al., 2001; Vaguero and Pastó, 2001). All 526 the analyses point to areas dedicated to knapping activities and surrounded by some clusters 527 of lithic tools and large lithic artefacts (Fig. 15A). Those types of remains have been 528 described as artefacts moved from the main activity areas to the peripheries (Vaquero et al., 529 2001).

530 This pattern can be compared to the "drop-toss area" model observed among modern 531 hunter-gatherers (Binford, 1983). According to Binford, knapping activities are concentrated 532 in areas around hearths. These areas mainly contain small pieces ("drop zone"). The reason 533 for this is that large pieces, which could potentially hinder the continuation of the activity or 534 are required for use elsewhere, are moved to peripheral areas ("toss zone"). Level 4.1 of the 535 Abri du Maras displays similar spatial patterns. No hearth has been identified but ash lenses, 536 charcoal remains, burnt lithics and their spatial relationship indicate fire-related activities and 537 perhaps the location of short-lived hearths that did not alter the surrounding sediments. 538 Studies have already shown that fire-related artefacts can attest to 'phantom hearths' 539 (Alperson-Afil, 2017, 2008; Alperson-Afil et al., 2007). The knapping areas in level 4.1 seem 540 to be closely related to fire-related activities.

541 The particular case of square I5 should be mentioned. While showing evidence of a 542 drop zone (cluster of cortical flakes, cluster of RMU showing knapping activities and 543 presence of refits), this square also displays a cluster of tools. Length analysis is not helpful as 544 the results do not show statistical evidence for clusters of small or large artefacts. This 545 mixture of features may be due to palimpsests and illustrates that some parts of the site may 546 be difficult to understand due to repeated short-term occupations. This could also explain the 547 presence of few lithic tools in M6.

This paper focuses almost exclusively on lithic material and it is thus difficult to define spatial organisation in greater detail. Level 4.1 contains evidence of intense specialised reindeer butchery activities (Daujeard et al., 2019; Moncel et al., 2021), showing that all the stages of the butchery *chaîne opératoire* were carried out *in situ* (Daujeard et al., 2019; Vettese et al., 2017). A high-resolution spatial analysis of the faunal remains will be required to complete our conclusions.

- 554
- 555 556

5.3. Significance of level 4.2 spatial patterns

557 The spatial organisation of level 4.2 is different to that of level 4.1 (Fig. 15B). We 558 identified two main accumulation areas, possibly related to the aspect of the shelter. It is 559 important to recall that the shelter may have been slightly larger during occupations of level 560 4.2 than level 4.1. Neanderthals could have occupied the site differently, extending activities 561 over a larger surface. Another explanation could be the extension of level 4.2 excavations. 562 Indeed, compared to the above level, level 4.2 was excavated over a larger area, which could 563 generate a bias in the understanding of the site and give the impression that Neanderthals 564 occupied the shelter over a larger surface.

565 Area 1 presents the most significant clusters of lithics and bones. Further investigation 566 showed that this area contains mainly small artefacts. Moreover, most of the lithic refits are 567 from this area, with most connection lines in the normal dispersion range for on-site knapping

568 sequences (Cziesla, 1990; Moncel et al., 2021, 2014; Vaquero et al., 2019, 2017). As with the

569 upper level, these two characteristics appear to reveal an area used for knapping activities.

570 Area 2, located in the western part of the site, comprises smaller clusters of lithics and bones

571 but also contains the largest cluster of charcoals. This area includes clusters of lithic tools, 572 cores and large artefacts. With just two refits and no clusters of small remains, it is unlikely

that the western part of level 4.2 was a central location of knapping activities. Both areas

574 attest to fire-related items, even though more intense fire activities seem to have taken place

575 in Area 2, as shown by the higher density of charcoals. Finally, squares I6 and J6 are 576 intriguing. They are located at the boundary of Area 1, but clusters of cores, cortical flakes

and lithic tools can be observed in this zone.

578 Binford's model seems less relevant here as it would predict more fire-related artefacts and 579 cortical flakes in Area 1, where knapping activities have been identified. Without data on

580 RMUs, it is difficult to describe the spatial patterning of this level in more detail. However,

581 we clearly observe the distribution of different types of artefacts in distinct areas, and these

582 two areas attest to very different typo-technological characteristics. The absence of refits 583 connecting them confirms the organisation of level 4.2 into two different zones, and perhaps 584 different and unrelated phases of site occupation. Moreover, an initial spatial analysis of 585 faunal remains has identified a different pattern between ungulate types and according to

anatomical elements. While the remains of large-sized ungulates (horse, bison, megaceros), as
well as cranial and post-cranial axial skeletons, seem to be more densely concentrated in Area
1, the bones of medium-sized ungulates (reindeer, red deer), and the remains of the
appendicular skeletons are more concentrated in Area 2 (Vignes, 2021). This may confirm the
spatial organisation of level 4.2 into two distinct areas, or unrelated phases of occupation.

591

592 593

5.4. The Abri du Maras in the Middle Palaeolithic cultural context

594 The spatial analysis of Middle Palaeolithic sites is an integral component of debates on 595 the complexity of Neanderthal behaviour and social organisation (e.g., Anderson and Burke, 596 2008; Henry et al., 2004; Oron and Goren-Inbar, 2014; Pettitt, 1997; Vaquero et al., 2001; 597 Vaquero and Pastó, 2001). For many years, no complex spatial organisation was found for 598 Middle Palaeolithic sites (Alperson-Afil and Hovers, 2005), sometimes due to the inherent 599 difficulties in understanding palimpsests. This has led some authors to consider that 600 Neanderthal social organisation was less complex than that of Modern Humans (Oron and 601 Goren-Inbar, 2014).

602 However, that idea has now come under strong criticism, and some authors view 603 Middle Palaeolithic spatial structures as indicative of complex organisation, similar to that of 604 Homo sapiens. At the Abric Romaní (Spain, levels H, I, J, K and L dated between 45 to 52 605 ka), the spatial layout of Neanderthal activities fits the model of hearth-related assemblages, 606 with knapping activities systematically carried out near hearths (Vaquero et al., 2001; 607 Vaquero and Pastó, 2001). The Jordanian Tor Faraj site (floors I and II, average age of $55.1 \pm$ 608 5.6 ka) is spatially organised in a complex way, with butchery areas, final lithic and food 609 processing areas, initial lithic processing areas and bedding areas (Henry, 2012; Henry et al., 610 2004). At the Amud Cave site in Israel (55 to 69 ka), sub-unit B2 comprises knapping areas 611 and specific zones for the disposal of unusable lithic materials (Alperson-Afil and Hovers, 2005). In levels 2.2 and 3 of the Crimean site of Karabi Tamchin (MIS 3), a differential use of 612 613 space was observed according to activities (discard areas, tool manufacturing, bone 614 processing and tool use areas) (Anderson and Burke, 2008). Level VII of the Amalda I Cave

615 (Spain, between ca 42 600 and 44 500 uncal BP) reveals a different spatial layout in keeping 616 with artefact type and the length of remains (Sánchez-Romero et al., 2020). The spatial 617 organisation of the Israeli open-air site of Quneitra (53 ± 5.9 ka BP) is delimited by knapping, 618 butchering or marrow extraction activities (Oron and Goren-Inbar, 2014).

619 Our analysis indicates that the Neanderthal groups of the Abri du Maras structured the 620 spatial management of the shelter, with main activity areas used for intense knapping 621 activities and associated with fire-related activities. Other areas with specific remains, such as 622 the largest pieces or lithic tools, were located elsewhere. These behaviours are similar to those 623 described above; the inhabited space is structured by the type of remains and probably by the 624 type of activities. It is important to emphasise that the spatial pattern of level 4.2 is slightly 625 different and more difficult to interpret than level 4.1, perhaps because the shelter was 626 occupied over a larger area or because activities were different. It is important to remember 627 that while the lithic industry is similar for both levels, the faunal assemblage of level 4.2 is 628 more diverse (Daujeard et al., 2019) perhaps reflecting a different type of occupation. The 629 palaeotopographic reconstructions for the two levels do not show significant differences (a 630 decreasing slope from northwest to southeast for both levels), and the inter-level variation of 631 the spatial organisation was probably dictated by the social organisation or cultural choices of 632 Neanderthal groups, such as types of activities, and not by a change in soil topography. Inter-633 level variations have already been observed for Middle and Upper Palaeolithic sites (e.g., 634 Anderson and Burke, 2008; Caron-Laviolette et al., 2018; Vaquero et al., 2001). A recent 635 study on butchery tradition indicates that different marrow extraction methods occurred 636 between levels 4.1 and 4.2 (Vettese et al., 2022), suggesting that the shelter was used by 637 distinct groups with their own tradition and perhaps different group compositions or structures 638 (more or less specialized Neanderthals). This may explain the difference in the spatial pattern 639 between levels, both groups occupied the site differently. This variation in spatial organisation 640 between sub-levels has yet to be confirmed by further analysis, especially spatial studies of faunal remains, level 4.2 RMU analysis and high-resolution vertical spatial analysis. 641

- 642
- 643 644

645

5.5. Methodological aspects

646 We wanted to demonstrate the efficiency of a spatial analysis carried out under a free 647 and open source GIS software. While some authors have stressed the need to use such open 648 source software in order to ensure a healthier scientific practice (Ducke, 2012; Ince et al., 649 2012; Morin et al., 2012), others have shown the advantages of open source GIS software 650 over proprietary software for archaeological research (Orengo, 2015). This is especially 651 important in a context where GIS has become an indispensable tool for archaeologists 652 (Brouwer Burg, 2017; Howey and Brouwer Burg, 2017; Orengo, 2015; Richards-Rissetto, 2017; Whitley, 2017). So far, hotspot analyses have only been carried out using commercial 653 654 software, including ArcGIS (Mora Torcal et al., 2020; Sánchez-Romero et al., 2021, 2020; 655 Stavrova et al., 2019). Our analysis shows the relevance of performing hotspot analysis using 656 an open source software. We systematically compared hotspot results with kernel density 657 analysis to test the reliability of the plugin and confidently identify clusters by combining methods (Sánchez-Romero et al., 2021). Both methods gave the same results, thus, the QGIS 658 659 "Hotspot Analysis" plugin appears to be an appropriate free and open source tool for studying 660 spatial patterns.

Palaeotopographic reconstruction is a valuable tool to help investigate the spatial
distribution of archaeological remains (Bargalló et al., 2020a; Gabucio et al., 2023; SánchezRomero et al., 2020). Combined with high-resolution spatial analysis, it provides detailed
behavioural and taphonomic information. The 3D method used in this paper is not just a

digitisation of archaeological surfaces but a reconstruction of parts of the site, which no

- longer existed when the laser scanning of the Abri du Maras was carried out. We have used
- available section drawings to reconstruct ancient topographies. While this method seems
- 668 efficient, we must to emphasize that the reconstructed surfaces are imperfect, as some parts 669 could not be interpolated correctly. This was due to the limited number of useful section
- 670 drawings that have been used (some being unavailable to record or to use by the quantity of
- blocks due to the final collapse of the shelter). That point is essential because even if the
- 672 reconstructed topographies seem coherent, we would have needed more stratigraphic section
- 673 drawings, spread over the whole site area, for homogeneous, complete and more precise 674 rendering.

675 Finally, we would like to highlight the complementarity between 2D and 3D analyses. 676 Once the palaeosurfaces had been rendered in 3D, we chose to go back to 2D by analysing them with QGIS. In our view, the possibilities of 2D-3D back and forth have not been 677 678 sufficiently underlined, even though the potentialities of "GIS + 3D" have already been 679 discussed (Dell'Unto and Landeschi, 2022). 3D technologies offer access to new types of 680 analysis and ultimately to a better understanding of archaeological sites (Campana, 2016; 681 Westoby et al., 2012). At the same time, the development of GIS has led to significant 682 advances in how we visualise, process and analyse archaeological data (McCoy and 683 Ladefoged, 2009). But when used together, 2D and 3D methods offer excellent tools for the 684 high-resolution spatial analysis of archaeological sites and the reconstruction of the daily 685 activities of past human groups.

686 687

688

689

6. Conclusion

690 The primary goal of this research was to perform a high-resolution spatial analysis of 691 the lithic assemblages of levels 4.1 and 4.2 (MIS 3) from the Abri du Maras. By combining 692 2D analyses, using a free and open-source GIS software, and 3D palaeotopographic 693 reconstructions we were able to provide evidence about the use of space by Neanderthals. We 694 have to keep in mind that both levels are palimpsests. However, even if Neanderthals 695 repeatedly occupied the shelter in a short period of time, it is still possible to identify spatial 696 patterns.

697 Spatial management is well-defined in level 4.1, where the main areas were used for knapping and probably associated with fire activities. Specific remains, such as large pieces or 698 699 lithic tools were located on the periphery of these main areas. The spatial pattern in level 4.2 700 was somewhat different and not as clear, with two main distinct accumulation areas related to 701 specific typo-technological composition. Those inter-level variations of spatial organisation 702 do not appear to be dictated by a change in soil topography but probably by cultural choices, 703 activities or different ways of occupying the shelter surface (perhaps because the shelter was 704 larger and occupied over a larger area). Our analysis also furnishes new evidence on site 705 formation processes and confirms that levels at the Abri du Maras were not subject to intense 706 post-depositional disturbances. These observations point to a complex organisation at the Abri 707 du Maras, with a structured division of space according to the types of remains and probably 708 the types of activities. These behaviours are similar to those described in modern hunter-709 gatherer models and to those observed in other Middle Palaeolithic sites with complex social 710 organisations.

Future analyses, currently under study, particularly of level 4.2, may provide
additional information to better understand the occupational patterns of some of the last

- 713 Neanderthal groups in the Rhône Valley.
- 714

715	
716	Acknowledgements
717	
718	Fieldwork was backed by the Service de l'Archéologie, Région Auvergne-Rhône-
719	Alpes, French Ministry of Culture.
720	The analyses were financed by the Museum National d'Histoire naturelle, and the
721	CERP (Tautavel, France). M.G.CH.'s research is funded by Research Group nº 2017 SGR
722	836 of the Catalan Government, project PID2019-103987GB-C31) of the Ministry of Science
723	and Innovation, CERCA Programme/Generalitat de Catalunya and the "Spanish Ministry of
724	Science and Innovation through the 'María de Maeztu' program for Units of Excellence
725	(CEX2019-000945-M).
726 727	3D analysis was carried out at the Pôle Images 5D of the Laboratoire EDYTEM. The English manuscript was edited by L. Byrne, an official translator and native
728	English speaker.
729	We thank the editor and the reviewers for their useful comments that enriched and
730	improved our paper.
731	
732	Declarations of interest: none
733	
734	References
135	Alasman Afil N. 2017 Spotial Analysis of Fires Analysis I Amarash to
/30	Alperson-Alli, N., 2017. Spatial Analysis of Fire: Archaeological Approach to
151	https://doi.org/10.1086/602721
/30	https://doi.org/10.1080/092721
740	Alperson-Afil N 2008 Continual fire-making by Hominins at Gesher Benot Vatagoy
741	Israel Quaternary Science Reviews 27 1733–1739
742	https://doi.org/10.1016/i.guascirev.2008.06.009
743	https://doi.org/10.1010/j.quusenev.2000.009
744	Alperson-Afil, N., Hovers, E., 2005, Differential use of space at the Neandertal site of
745	Amud Cave, Israel. Eurasian Prehistory 3, 3–22.
746	, , , , , , , , , , , , , , , , , , ,
747	Alperson-Afil, N., Richter, D., Goren-Inbar, N., 2007. Phantom hearths and the use of fire
748	at Gesher Benot Ya'Aqov, Israël. PaleoAnthropology 7, 1–15.
749	
750	Alperson-Afil, N., Sharon, G., Kislev, M., Melamed, Y., Zohar, I., Ashkenazi, S.,
751	Rabinovich, R., Biton, R., Werker, E., Hartman, G., Feibel, C., Goren-Inbar, N., 2009.
752	Spatial Organization of Hominin Activities at Gesher Benot Ya'aqov, Israel. Science 326,
753	1677-1680. https://doi.org/10.1126/science.1180695
754	
755	Anderson, K.L., Burke, A., 2008. Refining the definition of cultural levels at Karabi
756	Tamchin: a quantitative approach to vertical intra-site spatial analysis. Journal of
757	Archaeological Science 35, 2274–2285. https://doi.org/10.1016/j.jas.2008.02.011
758	
759	Bailey, G., 2007. Time perspectives, palimpsests and the archaeology of time. Journal of
/60	Anthropological Archaeology 26, 198–223. https://doi.org/10.1016/j.jaa.2006.08.002
/01	$\mathbf{D}_{\mathbf{r}}^{\mathbf{r}} = \mathbf{C} - \mathbf{C}_{\mathbf{r}}^{\mathbf{r}} + \mathbf{N} - 2000 - \mathbf{C}_{\mathbf{r}}^{\mathbf{r}} = \mathbf{r}_{\mathbf{r}}^{\mathbf{r}} + 1 + 1 + 1^{\mathbf{r}} + 1 + 1 + 1^{\mathbf{r}} + 1 + $
/02 762	balley, G., Galanidou, N., 2009. Caves, palimpsests and dwelling spaces: examples from
105	the Opper Palaeonthic of south-east Europe. World Archaeology 41, 215–241.
/04	mups.//doi.org/10.1000/00430240702043733

765	
766	Bargalló, A., Gabucio, M.J., Gómez de Soler, B., Chacón, M.G., Vaquero, M., 2020a. A
767	Snapshot of a Short Occupation in the Abric Romaní Rock Shelter: Archaeo-Level Oa, in:
768	Cascalheira, J., Picin, A. (Eds.), Short-Term Occupations in Paleolithic Archaeology,
769	Interdisciplinary Contributions to Archaeology. Springer International Publishing, Cham,
770	pp. 217–235. https://doi.org/10.1007/978-3-030-27403-0_9
771	
772	Bargalló, A., Gabucio, M.J., Rivals, F., 2016, Puzzling out a palimpsest: Testing an
773	interdisciplinary study in level O of Abric Romani Quaternary International Advances in
774	Palimpsest Dissection 417 51-65 https://doi.org/10.1016/j.quaint.2015.09.066
775	1 annipsest Dissection 417, 51 05. https://doi.org/10.1010/j.quant.2015.09.000
776	Bargalló A. Gabucio M.I. Soler B.G. de Chacón M.G. Vaguero M. 2020b
770	Rebuilding the daily scenario of Neanderthal settlement, Journal of Archaeological
778	Science: Reports 20, 102130, https://doi.org/10.1016/j.jasren.2010.102130
770	Science. Reports 29, 102159. https://doi.org/10.1010/j.jasiep.2019.102159
780	Rayter M I Reardah C C Wright P V S 1007 Some archaeological applications of
700	kernel density estimates Journal of Archaeological Science 24, 247, 254
701	Kennel density estimates. Journal of Archaeological Science 24, 547–554.
702 782	Dinford I D 1082 In nursuit of the past: decoding the grade alogical record Themas
/03 701	Billiold, L.K., 1965. In pursuit of the past. decoding the archaeological fecold. Thanks
/04 705	and Hudson, London.
105	Drouwer Dung M. 2017. It must be right CIS told me got Questioning the infollibility of
/80 707	CIS as a methodalagical tool. Journal of Arabasalagical Science 84, 115, 120
/8/	GIS as a methodological tool. Journal of Archaeological Science 84, 115–120.
/88	nttps://doi.org/10.1016/j.jas.2017.05.010
/89	
/90	Campana, S. (Ed.), 2016. Proceedings of the 43rd Annual Conference on Computer
/91	Applications and Quantitative Methods in Archaeology, Archaeopress archaeology.
792 702	Archaeopress Publishing Ltd, Oxford.
/93	
/94	Caron-Laviolette, E., Bignon-Lau, O., Olive, M., 2018. (Re)occupation: Following a
/95 706	Magdalenian group through three successive occupations at Etiolles. Quaternary
/96	International 498, 12–29. https://doi.org/10.1016/j.quaint.2018.10.043
/9/	
798	Cascalheira, J., Picin, A. (Eds.), 2020. Short-Term Occupations in Paleolithic
/99	Archaeology: Definition and Interpretation, Interdisciplinary Contributions to
800	Archaeology. Springer International Publishing, Cham. https://doi.org/10.1007/978-3-
801	030-27403-0
802	
803	Chacón, M.G., Bargalló, A., Gabucio, M.J., Rivals, F., Vaquero, M., 2015. Neanderthal
804	Behaviors from a Spatio-Temporal Perspective: An Interdisciplinary Approach to
805	Interpret Archaeological Assemblages, in: Conrad, Nicolas.J. (Ed.), Settlement Dynamics
806	of the Middle Paleolithic and Middle Stone Age, Tübingen Publications in Prehistory.
807	Kerns, Tübingen, pp. 253–294.
808	
809	Coil, R., 2016. Spatial approaches to site formation and carnivore-hominin interaction at
810	Dmanisi, Georgia. (Ph.D. Dissertation). University of Minnesota.
811	
812	Coil, R., Tappen, M., Ferring, R., Bukhsianidze, M., Nioradze, M., Lordkipanidze, D.,
813	2020. Spatial patterning of the archaeological and paleontological assemblage at Dmanisi,
814	Georgia: An analysis of site formation and carnivore-hominin interaction in Block 2.

815 816	Journal of Human Evolution 143, 102773. https://doi.org/10.1016/j.jhevol.2020.102773
817 818 810	Combier, J., 1967. Le Paléolithique de l'Ardèche dans son cadre bioclimatique. Imprimerie Delmas, Bordeaux.
819 820 821 822 823 824	Courbin, P., Brenet, M., Michel, A., Gravina, B., 2020. Spatial analysis of the late Middle Palaeolithic open-air site of Bout-des-Vergnes (Bergerac, Dordogne) based on lithic technology and refitting. Journal of Archaeological Science: Reports 32, 102373. https://doi.org/10.1016/j.jasrep.2020.102373
824 825 826 827	Cziesla, E., 1990. On refitting of stone artifacts, in: Cziesla, E., Eickhoff, S., Arts, N., Winter (Eds.), The Big Puzzle. International Symposium on Refitting Stone Artefacts. Studies in Modern Archaeology, Holos, Bonn, pp. 9–44.
828 829 830 831 832 833 834 835	Daujeard, C., Vettese, D., Britton, K., Béarez, P., Boulbes, N., Crégut-Bonnoure, E., Desclaux, E., Lateur, N., Pike-Tay, A., Rivals, F., Allué, E., Chacón, M.G., Puaud, S., Richard, M., Courty, MA., Gallotti, R., Hardy, B., Bahain, J.J., Falguères, C., Pons-Branchu, E., Valladas, H., Moncel, MH., 2019. Neanderthal selective hunting of reindeer? The case study of Abri du Maras (south-eastern France). Archaeol Anthropol Sci 11, 985–1011. https://doi.org/10.1007/s12520-017-0580-8
835 836 837 838	de la Torre, I., Vanwezer, N., Benito-Calvo, A., Proffitt, T., Mora, R., 2019. Spatial and orientation patterns of experimental stone tool refits. Archaeol Anthropol Sci 11, 4569–4584. https://doi.org/10.1007/s12520-018-0701-z
839 840 841 842 843 844	Debard, E., 1988. Le Quaternaire du Bas-Vivarais d'après l'étude des remplissages d'avens, de porches de grottes et d'abris sous roche. Dynamique sédimentaire, paléoclimatologie et chronologie. Travaux et Documents des Laboratoires de Géologie de Lyon 103, 3–317.
844 845 846 847	Dell'Unto, N., Landeschi, G., 2022. Archaeological 3D GIS, 1st ed. Routledge, London. https://doi.org/10.4324/9781003034131
847 848 849 850 851	Dibble, H.L., Chase, P.G., McPherron, S.P., Tuffreau, A., 1997. Testing the Reality of a "Living Floor" with Archaeological Data. Am. antiq. 62, 629–651. https://doi.org/10.2307/281882
852 853 854 855	Ducke, B., 2012. Natives of a connected world: free and open source software in archaeology. World Archaeology 44, 571–579. https://doi.org/10.1080/00438243.2012.743259
856 857 858 859	ESRI, 2016. Que sont les données raster ? [WWW Document]. ArcGIS Desktop. URL https://desktop.arcgis.com/fr/arcmap/10.3/manage-data/raster-and-images/what-is-raster-data.htm (accessed 8.28.21).
860 861 862 863 864	Gabucio, M.J., Bargalló, A., Saladié, P., Romagnoli, F., Chacón, M.G., Vallverdú, J., Vaquero, M., 2023. Using GIS and Geostatistical Techniques to Identify Neanderthal Campsites at archaeolevel Ob at Abric Romaní. Archaeol Anthropol Sci 15, 24. https://doi.org/10.1007/s12520-023-01715-6

865	Galanidou, N., 2000. Patterns in Caves: Foragers, Horticulturists, and the Use of Space.
866	Journal of Anthropological Archaeology 19, 243–275.
867	https://doi.org/10.1006/jaar.1999.0362
868	
869	Getis, A., Ord, J.K., 1992. The Analysis of Spatial Association by Use of Distance
870	Statistics. Geographical Analysis 24, 189–206. https://doi.org/10.1111/j.1538-
871	4632.1992.tb00261.x
872	
873	Giusti, D., Tourloukis, V., Konidaris, GeorgeE., Thompson, N., Karkanas, P.,
874	Panagopoulou, E., Harvati, K., 2018. Beyond maps: Patterns of formation processes at the
875	Middle Pleistocene open-air site of Marathousa 1. Megalopolis basin, Greece, Ouaternary
876	International 497, 137–153, https://doi.org/10.1016/i.guaint.2018.01.041
877	
878	Guillemot P 2021 Analyse spatiale des niveaux 4.1 et 4.2 de l'Abri du Maras (Ardèche
879	France) approche combinée · SIG et 3D (M Sc. Dissertation) Muséum national
880	d'Histoire naturelle
881	
882	Hardy B.I. Moncel MH. Daujeard C. Fernandes P. Béarez P. Desclaux F.
883	Chacon Navarro M.G. Puaud S. Gallotti R. 2013 Impossible Neanderthals? Making
884	string throwing projectiles and catching small game during Marine Isotone Stage 4 (Abri
885	du Maras France) Quaternary Science Reviews 82, 23, 40
886	https://doi.org/10.1016/j.guascirey.2013.00.028
887	https://doi.org/10.1010/j.quasenev.2019.09.028
888	Hardy R.I. Moncel M.H. Kerfant C. Lebon M. Bellot Gurlet I. Mélard N. 2020
880	Direct evidence of Neanderthal fibre technology and its cognitive and behavioral
800	implications. Scientific Penarts 10, 4880, https://doi.org/10.1038/s/1508.020.61830.w
890	mpheatons. Scientific Reports 10, 4889. https://doi.org/10.1038/841598-020-01859-w
807	Henry D 2012 The palimpsest problem hearth pattern analysis and Middle Paleolithic
802	site structure. Quaternary International 247, 246, 266
801	https://doi org/10.1016/i quaint 2010.10.013
895	https://doi.org/10.1010/j.quant.2010.10.015
896	Henry D.O. Hietala H.I. Rosen A.M. Demidenko V.F. Usik V.I. Armagan T.I.
807	2004 Human Behavioral Organization in the Middle Paleolithic: Were Neanderthals
808	Different? American Anthropologist 106, 17, 31, https://doi.org/10.1525/ap.2004.106.1.17
890	Different: American Anthropologist 100, $17-51$. https://doi.org/10.1525/aa.2004.100.1.17
000	Howey MCI Brouwer Burg M 2017 Assessing the state of archaeological GIS
900 001	research: Unbinding analyses of past landscapes, Journal of Archaeological Science 84, 1
901 002	0 https://doi.org/10.1016/j.jas.2017.05.002
902	9. https://doi.org/10.1010/J.jas.201/.05.002
905	Inco D.C. Hotton I. Graham Cumming I 2012 The ease for onen computer
904	mee, D.C., Hallon, L., Granam-Cumming, J., 2012. The case for open computer
905	programs. Nature 482, 485–488. https://doi.org/10.1058/nature10850
900	Leillet S. Sadier D. Denerie, C. Delemany, I. I. 2014 Use heire histoire de le 2D en
907	Janiel, S., Sadier, B., Perazio, G., Delannoy, JJ., 2014. Une breve histoire de la 5D en
908	grotte. Karstologia 63, 5–20.
909	Martala I. Haminda C.M. Mallal C. Calain D. 2012 Little and heating site
91U 011	Machado, J., Hernandez, C.M., Mallol, C., Galvan, B., 2013. Lithic production, site
911 012	iormation and whode Palaeoninic paimpsest analysis: in search of human occupation
91Z 012	episodes at Abric del Pasior Straugraphic Unit IV (Alicante, Spain). Journal of
91 <i>5</i>	Archaeological Science 40, 2254–22/3. https://doi.org/10.1016/j.jas.2013.01.002
914	

- Machado, J., Mayor, A., Hernández, C.M., Galván, B., 2019. Lithic refitting and the
 analysis of Middle Palaeolithic settlement dynamics: a high-temporal resolution example
 from El Pastor rock shelter (Eastern Iberia). Archaeol Anthropol Sci 11, 4539–4554.
 https://doi.org/10.1007/s12520-019-00859-8
- 919
 920 Malinsky-Buller, A., Hovers, E., Marder, O., 2011. Making time: 'Living floors',
 'palimpsests' and site formation processes A perspective from the open-air Lower
 922 Paleolithic site of Revadim Quarry, Israel. Journal of Anthropological Archaeology 30,
 923 89–101. https://doi.org/10.1016/j.jaa.2010.11.002
- Mallol, C., Hernández, C., 2016. Advances in palimpsest dissection. Quaternary
 International 417, 1–2. https://doi.org/10.1016/j.quaint.2016.09.021
- Marín, J., Daujeard, C., Saladié, P., Rodríguez-Hidalgo, A., Vettese, D., Rivals, F.,
 Boulbes, N., Crégut-Bonnoure, E., Lateur, N., Gallotti, R., Arbez, L., Puaud, S., Moncel,
 M.-H., 2020. Neanderthal faunal exploitation and settlement dynamics at the Abri du
 Maras, level 5 (south-eastern France). Quaternary Science Reviews 243, 106472.
 https://doi.org/10.1016/j.quascirev.2020.106472
- McCoy, M.D., Ladefoged, T.N., 2009. New Developments in the Use of Spatial
 Technology in Archaeology. J Archaeol Res 17, 263–295. https://doi.org/10.1007/s10814009-9030-1
- Mellars, P., 1996. The Neanderthal Legacy: An Archaeological Perspective from Western
 Europe. Princeton University Press.
- Moncel, M.-H., Allué, E., Bailon, S., Barshay-Szmidt, C., Béarez, P., Crégut, É.,
 Daujeard, C., Desclaux, E., Debard, É., Lartigot-Campin, A.-S., Puaud, S., Roger, T.,
 2015. Evaluating the integrity of palaeoenvironmental and archaeological records in MIS
 5 to 3 karst sequences from southeastern France. Quaternary International 378, 22–39.
 https://doi.org/10.1016/j.quaint.2013.12.009
- Moncel, M.-H., Chacón, M.G., La Porta, A., Fernandes, P., Hardy, B., Gallotti, R., 2014.
 Fragmented reduction processes: Middle Palaeolithic technical behaviour in the Abri du
 Maras shelter, southeastern France. Quaternary International 350, 180–204.
 https://doi.org/10.1016/j.quaint.2014.05.013
- Moncel, M.-H., Chacón, M.G., Vettese, D., Courty, M.-A., Daujeard, C., Eixea, A.,
 Fernandes, P., Allué, E., Hardy, B., Rivals, F., Béarez, P., Gallotti, R., Puaud, S., 2021.
 Late Neanderthal short-term and specialized occupations at the Abri du Maras (South-East
 France, level 4.1, MIS 3). Archaeol Anthropol Sci 13, 45. https://doi.org/10.1007/s12520021-01285-5
- Moncel, M.-H., Daujeard, C., Navarro, M., Vettese, D., Fernandes, P., Hardy, B., Puaud,
 S., Richard, M., Allué, E., Béarez, P., Boulbes, N., Britton, K., Courty, M.-A., Crégut, E.,
 Desclaux, E., Gallotti, R., Joannes-Boyau, R., Kerfant, C., Lateur, N., Falguères, C., 2018.
 L'Abri du Maras. À Saint-Martin d'Ardèche, des habitats néandertaliens du début du
 dernier glaciaire 35, 3–11.
- 963

933

946

964 Moncel, M.-H., Gaillard, C., Patou-Mathis, M., 1994. L'abri du Maras (Ardèche) : une

965 966 967	nouvelle campagne de fouilles dans un site Paléolithique moyen (1993). Bulletin de la Société préhistorique française 91, 363–368. https://doi.org/10.3406/bspf.1994.9786
967 968 969 970 971 972	Mora Torcal, R., Roy Sunyer, M., Martínez-Moreno, J., Benito-Calvo, A., Samper Carro, S., 2020. Inside the Palimpsest: Identifying Short Occupations in the 497D Level of Cova Gran (Iberia), in: Cascalheira, J., Picin, A. (Eds.), Short-Term Occupations in Paleolithic Archaeology, Interdisciplinary Contributions to Archaeology. Springer International Publishing, Cham, pp. 39–69. https://doi.org/10.1007/978-3-030-27403-0_3
973 974 975	Morin, A., Urban, J., Adams, P.D., Foster, I., Sali, A., Baker, D., Sliz, P., 2012. Shining Light into Black Boxes. Science 336, 159–160, https://doi.org/10.1126/science.1218263
976 977 978	Neruda, P., 2017. GIS analysis of the spatial distribution of Middle Palaeolithic artefacts
978 979 980	https://doi.org/10.1016/j.quaint.2015.10.028
981 982 983 984	Ord, J.K., Getis, A., 1995. Local Spatial Autocorrelation Statistics: Distributional Issues and an Application. Geographical Analysis 27, 286–306. https://doi.org/10.1111/j.1538- 4632.1995.tb00912.x
985 986 987 988	Orengo, H., 2015. Open source GIS and geospatial software in archaeology: towards their integration into everyday archaeological practice, in: Wilson, A.T., Edwards, B. (Eds.), Open Source Archaeology: Ethics and Practice. De Gruyter Open, Warsaw Berlin, pp. 64–82.
989 990 991 992	Oron, M., Goren-Inbar, N., 2014. Mousterian intra-site spatial patterning at Quneitra, Golan Heights. Quaternary International 331, 186–202. https://doi.org/10.1016/j.quaint.2013.04.013
993 994 995 996 997	Oxoli, D., Molinari, M., Brovelli, M., 2018. Hotspot Analysis, an open source GIS tool for exploratory spatial data analysis: application to the study of soil consumption in Italy. Rendiconti Online della Società Geologica Italiana 46, 82–87. https://doi.org/10.3301/ROL.2018.56
998 999 1000 1001 1002	Oxoli, D., Prestifilippo, G., Bertocchi, D., Zurbarán, M., 2017. Enabling spatial autocorrelation mapping in QGIS: The hotspot analysis plugin. Geoingegneria Ambientale e Mineraria 151, 45–50.
1002 1003 1004 1005 1006	Oxoli, D., Zurbarán, M.A., Shaji, S., Muthusamy, A.K., 2016. Hotspot analysis: a first prototype Python plugin enabling exploratory spatial data analysis into QGIS. PeerJ Preprints 4, e2204v4. https://doi.org/10.7287/peerj.preprints.2204v4
1007 1008 1009	Petraglia, M.D., Potts, R., 1994. Water Flow and the Formation of Early Pleistocene Artifact Sites in Olduvai Gorge, Tanzania. Journal of Anthropological Archaeology 13, 228–254. https://doi.org/10.1006/jaar.1994.1014
1011 1012 1013 1014	Pettitt, P.B., 1997. High resolution Neanderthals? Interpreting middle palaeolithic intrasite spatial data. World Archaeology 29, 208–224. https://doi.org/10.1080/00438243.1997.9980374

1015 Picin, A., Cascalheira, J., 2020. Introduction to Short-Term Occupations in Palaeolithic 1016 Archaeology, in: Cascalheira, J., Picin, A. (Eds.), Short-Term Occupations in Paleolithic 1017 Archaeology, Interdisciplinary Contributions to Archaeology. Springer International 1018 Publishing, Cham, pp. 1–15. https://doi.org/10.1007/978-3-030-27403-0 1 1019 1020 Puaud, S., Nowak, M., Pont, S., Moncel, M.-H., 2015. Minéraux volcaniques et alpins à 1021 l'abri du Maras (Ardèche, France) : témoins de vents catabatiques dans la vallée du Rhône au Pléistocène supérieur. Comptes Rendus Palevol 14, 331-341. 1022 https://doi.org/10.1016/j.crpv.2015.02.007 1023 1024 1025 QGIS.org, 2021. QGIS Geographic Information System. 1026 1027 Reeves, J.S., McPherron, S.P., Aldeias, V., Dibble, H.L., Goldberg, P., Sandgathe, D., Turg, A., 2019. Measuring spatial structure in time-averaged deposits insights from Roc 1028 1029 de Marsal, France. Archaeol Anthropol Sci 11, 5743-5762. https://doi.org/10.1007/s12520-019-00871-y 1030 1031 1032 Richard, M., Falguères, C., Pons-Branchu, E., Bahain, J.-J., Voinchet, P., Lebon, M., 1033 Valladas, H., Dolo, J.-M., Puaud, S., Rué, M., Daujeard, C., Moncel, M.-H., Raynal, J.-P., 1034 2015. Contribution of ESR/U-series dating to the chronology of late Middle Palaeolithic sites in the middle Rhône valley, southeastern France. Quaternary Geochronology, LED14 1035 1036 Proceedings 30, 529-534. https://doi.org/10.1016/j.quageo.2015.06.002 1037 1038 Richard, M., Pons-Branchu, E., Genuite, K., Jaillet, S., Joannes-Boyau, R., Wang, N., 1039 Genty, D., Cheng, H., Price, G.J., Pierre, M., Dapoigny, A., Falguères, C., Tombret, O., Voinchet, P., Bahain, J.-J., Moncel, M.-H., 2021. Timing of Neanderthal occupations in 1040 1041 the southeastern margins of the Massif Central (France): A multi-method approach. 1042 Quaternary Science Reviews 273, 107241. 1043 https://doi.org/10.1016/j.quascirev.2021.107241 1044 1045 Richards-Rissetto, H., 2017. What can GIS + 3D mean for landscape archaeology? 1046 Journal of Archaeological Science 84, 10-21. https://doi.org/10.1016/j.jas.2017.05.005 1047 1048 Romagnoli, F., Vaquero, M., 2016. Quantitative stone tools intra-site points and 1049 orientation patterns of a Middle Palaeolithic living floor: A GIS multi-scalar spatial and 1050 temporal approach. Quartär 63, 47-60. https://doi.org/10.7485/QU63 3 1051 1052 Sánchez-Romero, L., Benito-Calvo, A., Marín-Arroyo, A.B., Agudo-Pérez, L., Karampaglidis, T., Rios-Garaizar, J., 2020. New insights for understanding spatial 1053 1054 patterning and formation processes of the Neanderthal occupation in the Amalda I cave 1055 (Gipuzkoa, Spain). Sci Rep 10, 8733. https://doi.org/10.1038/s41598-020-65364-8 1056 1057 Sánchez-Romero, L., Benito-Calvo, A., Pérez-González, A., Santonja, M., 2016. 1058 Assessment of Accumulation Processes at the Middle Pleistocene Site of Ambrona (Soria, 1059 Spain). Density and Orientation Patterns in Spatial Datasets Derived from Excavations Conducted from the 1960s to the Present. PLoS ONE 11, e0167595. 1060 1061 https://doi.org/10.1371/journal.pone.0167595 1062 1063 Sánchez-Romero, L., Benito-Calvo, A., Rios-Garaizar, J., 2021. Defining and 1064 Characterising Clusters in Palaeolithic Sites: a Review of Methods and Constraints. J

1065	Archaeol Method Theory. https://doi.org/10.1007/s10816-021-09524-8
1066	
1067	Sañudo, P., Vallverdú-Poch, J., Canals, A., 2012. Spatial Patterns in Level J, in: Carbonell
1068	i Roura, E. (Ed.), High Resolution Archaeology and Neanderthal Behavior, Vertebrate
1069	Paleobiology and Paleoanthropology. Springer Netherlands, Dordrecht, pp. 47–76.
1070	https://doi.org/10.1007/978-94-007-3922-2_3
1071	
1072	Spagnolo, V., Marciani, G., Aureli, D., Berna, F., Toniello, G., Astudillo, F., Boschin, F.,
1073	Boscato, P., Ronchitelli, A., 2019. Neanderthal activity and resting areas from
1074	stratigraphic unit 13 at the Middle Palaeolithic site of Oscurusciuto (Ginosa - Taranto,
1075	Southern Italy). Quaternary Science Reviews 217, 169–193.
1076	https://doi.org/10.1016/j.quascirev.2018.06.024
1077	
1078	Spagnolo, V., Marciani, G., Aureli, D., Martini, I., Boscato, P., Boschin, F., Ronchitelli,
1079	A., 2020. Climbing the time to see Neanderthal behaviour's continuity and discontinuity:
1080	SU 11 of the Oscurusciuto Rockshelter (Ginosa, Southern Italy), Archaeol Anthropol Sci
1081	12. 54. https://doi.org/10.1007/s12520-019-00971-9
1082	12, 0 11 https://doi.org/101100//012020/019/009/11/9
1082	Stavrova T Borel A Daujeard C Vettese D 2019 A GIS based approach to long
1084	bone breakage natterns derived from marrow extraction PL oS ONE 14 e0216733
1085	https://doi.org/10.1371/journal.none.0216733
1086	https://doi.org/10.15/17journal.pone.0210/55
1087	Vaguero M. 2008. The history of stones: helpsyloural inferences and temporal resolution
1087	of an archaeological assemblage from the Middle Palaeolithic. Journal of Archaeological
1080	Science 25, 2178, 2185, https://doi.org/10.1016/j.jog.2008.07.006
1009	Science 55, 51/8–5185. https://doi.org/10.1010/j.jas.2008.07.000
1090	Vaguara M. Chaoán M.C. Caroío Antán M.D. Cámaz da Salar D. Martínaz K
1091	Vaquero, M., Chacon, M.G., Garcia-Anton, M.D., Gomez de Soler, B., Martinez, K., Cuentere, F. 2012. Time and appear in the formation of lithic account lagran. The average of
1092	Cuartero, F., 2012. Time and space in the formation of little assemblages: The example of
1093	Abric Romani Level J. Quaternary International 247, 162–181.
1094	https://doi.org/10.1016/j.quaint.2010.12.015
1095	
1096	Vaquero, M., Fernandez-Laso, M.C., Chacon, M.G., Romagnoli, F., Rosell, J., Sanudo, P.,
1097	2017. Moving things: Comparing lithic and bone refits from a Middle Paleolithic site.
1098	Journal of Anthropological Archaeology 48, 262–280.
1099	https://doi.org/10.1016/j.jaa.2017.09.001
1100	
1101	Vaquero, M., Pastó, I., 2001. The Definition of Spatial Units in Middle Palaeolithic Sites:
1102	The Hearth-Related Assemblages. Journal of Archaeological Science 28, 1209–1220.
1103	https://doi.org/10.1006/jasc.2001.0656
1104	
1105	Vaquero, M., Romagnoli, F., Bargalló, A., Chacón, M.G., Gómez de Soler, B., Picin, A.,
1106	Carbonell, E., 2019. Lithic refitting and intrasite artifact transport: a view from the Middle
1107	Paleolithic. Archaeol Anthropol Sci 11, 4491–4513. https://doi.org/10.1007/s12520-019-
1108	00832-5
1109	
1110	Vaquero, M., Vallverdú, J., Rosell, J., Pastó, I., Allué, E., 2001. Neandertal Behavior at
1111	the Middle Palaeolithic Site of Abric Romaní, Capellades, Spain. Journal of Field
1112	Archaeology 28, 93–114. https://doi.org/10.1179/jfa.2001.28.1-2.93
1113	
1114	Vettese, D., Borel, A., Blasco, R., Chevillard, L., Stavrova, T., Thun Hohenstein, U.,

1113	Arzarello, M., Moncel, MH., Daujeard, C., 2022. New evidence of Neandertal butchery
1116	traditions through the marrow extraction in southwestern Europe (MIS 5-3). PLoS ONE
1117	17, e0271816. https://doi.org/10.1371/journal.pone.0271816
1118	
1119	Vettese, D., Daujeard, C., Blasco, R., Borel, A., Caceres, I., Moncel, M.H., 2017.
1120	Neandertal long bone breakage process: Standardized or random patterns? The example of
1121	Abri du Maras (Southeastern France, MIS 3). Journal of Archaeological Science: Reports
1122	13, 151–163. https://doi.org/10.1016/j.jasrep.2017.03.029
1123	
1124	Vignes, MP., 2021. Approche multidisciplinaire des stratégies de subsistance des
1125	Néandertaliens à l'Abri du Maras (Ardèche): Archéozoologie, taphonomie et analyse
1126	spatiale de la grande faune du niveau 4.2 (MIS 3). (M.Sc. Dissertation). Muséum national
1127	d'Histoire naturelle.
1128	
1129	Westoby, M.J., Brasington, J., Glasser, N.F., Hambrey, M.J., Reynolds, J.M., 2012.
1130	'Structure-from-Motion' photogrammetry: A low-cost, effective tool for geoscience
1131	applications. Geomorphology 179, 300–314.
1132	https://doi.org/10.1016/j.geomorph.2012.08.021
1133	
1134	Whitley, T.G., 2017. Geospatial analysis as experimental archaeology. Journal of
1135	Archaeological Science 84, 103–114. https://doi.org/10.1016/j.jas.2017.05.008
1136	
1137	
1138	Figure caption list
1139	
1140	Figure 1. Methodology used for palaeotopographic rendering and analysis of levels 4.1 and
1141	4.2.
1142	
1143	Figure 2. Spatial patterns of lithics, bones and fire-related artefacts from Maras level 4.1.
1143 1144	Figure 2. Spatial patterns of lithics, bones and fire-related artefacts from Maras level 4.1. Hotspot analysis applied to lithic artefacts (A); hotspot analysis applied to faunal remains (B);
1143 1144 1145	Figure 2. Spatial patterns of lithics, bones and fire-related artefacts from Maras level 4.1. Hotspot analysis applied to lithic artefacts (A); hotspot analysis applied to faunal remains (B); spatial analysis of fire-related artefacts: kernel density of burnt lithics, hotspot analysis of
1143 1144 1145 1146	Figure 2. Spatial patterns of lithics, bones and fire-related artefacts from Maras level 4.1. Hotspot analysis applied to lithic artefacts (A); hotspot analysis applied to faunal remains (B); spatial analysis of fire-related artefacts: kernel density of burnt lithics, hotspot analysis of charcoal remains and ash lenses scattering (C).
1143 1144 1145 1146 1147	Figure 2. Spatial patterns of lithics, bones and fire-related artefacts from Maras level 4.1. Hotspot analysis applied to lithic artefacts (A); hotspot analysis applied to faunal remains (B); spatial analysis of fire-related artefacts: kernel density of burnt lithics, hotspot analysis of charcoal remains and ash lenses scattering (C).
1143 1144 1145 1146 1147 1148	Figure 2. Spatial patterns of lithics, bones and fire-related artefacts from Maras level 4.1. Hotspot analysis applied to lithic artefacts (A); hotspot analysis applied to faunal remains (B); spatial analysis of fire-related artefacts: kernel density of burnt lithics, hotspot analysis of charcoal remains and ash lenses scattering (C).Figure 3. Hotspot analysis of the two RMUs with the most pieces: hotspot analysis of the
1143 1144 1145 1146 1147 1148 1149	 Figure 2. Spatial patterns of lithics, bones and fire-related artefacts from Maras level 4.1. Hotspot analysis applied to lithic artefacts (A); hotspot analysis applied to faunal remains (B); spatial analysis of fire-related artefacts: kernel density of burnt lithics, hotspot analysis of charcoal remains and ash lenses scattering (C). Figure 3. Hotspot analysis of the two RMUs with the most pieces: hotspot analysis of the RMU flint-13 (A), hotspot analysis of the RMU quartz-5 (B) from Maras level 4.1.
1143 1144 1145 1146 1147 1148 1149 1150	 Figure 2. Spatial patterns of lithics, bones and fire-related artefacts from Maras level 4.1. Hotspot analysis applied to lithic artefacts (A); hotspot analysis applied to faunal remains (B); spatial analysis of fire-related artefacts: kernel density of burnt lithics, hotspot analysis of charcoal remains and ash lenses scattering (C). Figure 3. Hotspot analysis of the two RMUs with the most pieces: hotspot analysis of the RMU flint-13 (A), hotspot analysis of the RMU quartz-5 (B) from Maras level 4.1.
1143 1144 1145 1146 1147 1148 1149 1150 1151	 Figure 2. Spatial patterns of lithics, bones and fire-related artefacts from Maras level 4.1. Hotspot analysis applied to lithic artefacts (A); hotspot analysis applied to faunal remains (B); spatial analysis of fire-related artefacts: kernel density of burnt lithics, hotspot analysis of charcoal remains and ash lenses scattering (C). Figure 3. Hotspot analysis of the two RMUs with the most pieces: hotspot analysis of the RMU flint-13 (A), hotspot analysis of the RMU quartz-5 (B) from Maras level 4.1. Figure 4. Kernel density of tool kits from Maras level 4.1.
1143 1144 1145 1146 1147 1148 1149 1150 1151 1152	 Figure 2. Spatial patterns of lithics, bones and fire-related artefacts from Maras level 4.1. Hotspot analysis applied to lithic artefacts (A); hotspot analysis applied to faunal remains (B); spatial analysis of fire-related artefacts: kernel density of burnt lithics, hotspot analysis of charcoal remains and ash lenses scattering (C). Figure 3. Hotspot analysis of the two RMUs with the most pieces: hotspot analysis of the RMU flint-13 (A), hotspot analysis of the RMU quartz-5 (B) from Maras level 4.1. Figure 4. Kernel density of tool kits from Maras level 4.1.
1143 1144 1145 1146 1147 1148 1149 1150 1151 1152 1153	 Figure 2. Spatial patterns of lithics, bones and fire-related artefacts from Maras level 4.1. Hotspot analysis applied to lithic artefacts (A); hotspot analysis applied to faunal remains (B); spatial analysis of fire-related artefacts: kernel density of burnt lithics, hotspot analysis of charcoal remains and ash lenses scattering (C). Figure 3. Hotspot analysis of the two RMUs with the most pieces: hotspot analysis of the RMU flint-13 (A), hotspot analysis of the RMU quartz-5 (B) from Maras level 4.1. Figure 4. Kernel density of tool kits from Maras level 4.1. Figure 5. Hotspot analysis of cortical flakes from Maras level 4.1.
1143 1144 1145 1146 1147 1148 1149 1150 1151 1152 1153 1154	 Figure 2. Spatial patterns of lithics, bones and fire-related artefacts from Maras level 4.1. Hotspot analysis applied to lithic artefacts (A); hotspot analysis applied to faunal remains (B); spatial analysis of fire-related artefacts: kernel density of burnt lithics, hotspot analysis of charcoal remains and ash lenses scattering (C). Figure 3. Hotspot analysis of the two RMUs with the most pieces: hotspot analysis of the RMU flint-13 (A), hotspot analysis of the RMU quartz-5 (B) from Maras level 4.1. Figure 4. Kernel density of tool kits from Maras level 4.1. Figure 5. Hotspot analysis of cortical flakes from Maras level 4.1.
1143 1144 1145 1146 1147 1148 1149 1150 1151 1152 1153 1154 1155	 Figure 2. Spatial patterns of lithics, bones and fire-related artefacts from Maras level 4.1. Hotspot analysis applied to lithic artefacts (A); hotspot analysis applied to faunal remains (B); spatial analysis of fire-related artefacts: kernel density of burnt lithics, hotspot analysis of charcoal remains and ash lenses scattering (C). Figure 3. Hotspot analysis of the two RMUs with the most pieces: hotspot analysis of the RMU flint-13 (A), hotspot analysis of the RMU quartz-5 (B) from Maras level 4.1. Figure 4. Kernel density of tool kits from Maras level 4.1. Figure 5. Hotspot analysis of cortical flakes from Maras level 4.1. Figure 6. Hotspot analysis of lithic tools from Maras level 4.1.
1143 1144 1145 1146 1147 1148 1147 1148 1149 1150 1151 1152 1153 1154 1155 1156	 Figure 2. Spatial patterns of lithics, bones and fire-related artefacts from Maras level 4.1. Hotspot analysis applied to lithic artefacts (A); hotspot analysis applied to faunal remains (B); spatial analysis of fire-related artefacts: kernel density of burnt lithics, hotspot analysis of charcoal remains and ash lenses scattering (C). Figure 3. Hotspot analysis of the two RMUs with the most pieces: hotspot analysis of the RMU flint-13 (A), hotspot analysis of the RMU quartz-5 (B) from Maras level 4.1. Figure 4. Kernel density of tool kits from Maras level 4.1. Figure 5. Hotspot analysis of cortical flakes from Maras level 4.1. Figure 6. Hotspot analysis of lithic tools from Maras level 4.1.
1143 1144 1145 1146 1147 1148 1147 1148 1149 1150 1151 1152 1153 1154 1155 1156 1157	 Figure 2. Spatial patterns of lithics, bones and fire-related artefacts from Maras level 4.1. Hotspot analysis applied to lithic artefacts (A); hotspot analysis applied to faunal remains (B); spatial analysis of fire-related artefacts: kernel density of burnt lithics, hotspot analysis of charcoal remains and ash lenses scattering (C). Figure 3. Hotspot analysis of the two RMUs with the most pieces: hotspot analysis of the RMU flint-13 (A), hotspot analysis of the RMU quartz-5 (B) from Maras level 4.1. Figure 4. Kernel density of tool kits from Maras level 4.1. Figure 5. Hotspot analysis of cortical flakes from Maras level 4.1. Figure 6. Hotspot analysis of lithic tools from Maras level 4.1. Figure 7. Hotspot analysis according to the length of lithic artefacts from Maras level 4.1.
1143 1144 1145 1146 1147 1148 1149 1150 1151 1152 1153 1154 1155 1156 1157 1158	 Figure 2. Spatial patterns of lithics, bones and fire-related artefacts from Maras level 4.1. Hotspot analysis applied to lithic artefacts (A); hotspot analysis applied to faunal remains (B); spatial analysis of fire-related artefacts: kernel density of burnt lithics, hotspot analysis of charcoal remains and ash lenses scattering (C). Figure 3. Hotspot analysis of the two RMUs with the most pieces: hotspot analysis of the RMU flint-13 (A), hotspot analysis of the RMU quartz-5 (B) from Maras level 4.1. Figure 4. Kernel density of tool kits from Maras level 4.1. Figure 5. Hotspot analysis of cortical flakes from Maras level 4.1. Figure 6. Hotspot analysis of lithic tools from Maras level 4.1. Figure 7. Hotspot analysis according to the length of lithic artefacts from Maras level 4.1.
1143 1144 1145 1146 1147 1148 1147 1148 1149 1150 1151 1152 1153 1154 1155 1156 1157 1158 1159	 Figure 2. Spatial patterns of lithics, bones and fire-related artefacts from Maras level 4.1. Hotspot analysis applied to lithic artefacts (A); hotspot analysis applied to faunal remains (B); spatial analysis of fire-related artefacts: kernel density of burnt lithics, hotspot analysis of charcoal remains and ash lenses scattering (C). Figure 3. Hotspot analysis of the two RMUs with the most pieces: hotspot analysis of the RMU flint-13 (A), hotspot analysis of the RMU quartz-5 (B) from Maras level 4.1. Figure 4. Kernel density of tool kits from Maras level 4.1. Figure 5. Hotspot analysis of cortical flakes from Maras level 4.1. Figure 6. Hotspot analysis of lithic tools from Maras level 4.1. Figure 7. Hotspot analysis according to the length of lithic artefacts from Maras level 4.1. Figure 8. Spatial patterns of lithics, bones and fire-related artefacts from Maras level 4.2.
1143 1144 1145 1146 1147 1148 1149 1150 1151 1152 1153 1154 1155 1156 1157 1158 1159 1160	 Figure 2. Spatial patterns of lithics, bones and fire-related artefacts from Maras level 4.1. Hotspot analysis applied to lithic artefacts (A); hotspot analysis applied to faunal remains (B); spatial analysis of fire-related artefacts: kernel density of burnt lithics, hotspot analysis of charcoal remains and ash lenses scattering (C). Figure 3. Hotspot analysis of the two RMUs with the most pieces: hotspot analysis of the RMU flint-13 (A), hotspot analysis of the RMU quartz-5 (B) from Maras level 4.1. Figure 4. Kernel density of tool kits from Maras level 4.1. Figure 5. Hotspot analysis of cortical flakes from Maras level 4.1. Figure 6. Hotspot analysis of lithic tools from Maras level 4.1. Figure 7. Hotspot analysis according to the length of lithic artefacts from Maras level 4.1. Figure 8. Spatial patterns of lithics, bones and fire-related artefacts from Maras level 4.2. Hotspot analysis applied to lithic artefacts (A); hotspot analysis applied to faunal remains (B);
1143 1144 1145 1146 1147 1148 1149 1150 1151 1152 1153 1154 1155 1156 1157 1158 1159 1160 1161	 Figure 2. Spatial patterns of lithics, bones and fire-related artefacts from Maras level 4.1. Hotspot analysis applied to lithic artefacts (A); hotspot analysis applied to faunal remains (B); spatial analysis of fire-related artefacts: kernel density of burnt lithics, hotspot analysis of charcoal remains and ash lenses scattering (C). Figure 3. Hotspot analysis of the two RMUs with the most pieces: hotspot analysis of the RMU flint-13 (A), hotspot analysis of the RMU quartz-5 (B) from Maras level 4.1. Figure 4. Kernel density of tool kits from Maras level 4.1. Figure 5. Hotspot analysis of cortical flakes from Maras level 4.1. Figure 6. Hotspot analysis of lithic tools from Maras level 4.1. Figure 7. Hotspot analysis according to the length of lithic artefacts from Maras level 4.1. Figure 8. Spatial patterns of lithics, bones and fire-related artefacts from Maras level 4.2. Hotspot analysis applied to lithic artefacts (A); hotspot analysis of lithic statefacts from Maras level 4.3.
1143 1144 1145 1146 1147 1148 1147 1148 1149 1150 1151 1152 1153 1154 1155 1156 1157 1158 1159 1160 1161 1162	 Figure 2. Spatial patterns of lithics, bones and fire-related artefacts from Maras level 4.1. Hotspot analysis applied to lithic artefacts (A); hotspot analysis applied to faunal remains (B); spatial analysis of fire-related artefacts: kernel density of burnt lithics, hotspot analysis of charcoal remains and ash lenses scattering (C). Figure 3. Hotspot analysis of the two RMUs with the most pieces: hotspot analysis of the RMU flint-13 (A), hotspot analysis of the RMU quartz-5 (B) from Maras level 4.1. Figure 4. Kernel density of tool kits from Maras level 4.1. Figure 5. Hotspot analysis of cortical flakes from Maras level 4.1. Figure 6. Hotspot analysis of lithic tools from Maras level 4.1. Figure 7. Hotspot analysis according to the length of lithic artefacts from Maras level 4.1. Figure 8. Spatial patterns of lithics, bones and fire-related artefacts from Maras level 4.2. Hotspot analysis applied to lithic artefacts (A); hotspot analysis of charcoal remains (B); spatial analysis of fire-related artefacts: kernel density of burnt lithics, hotspot analysis of charcoal remains and ash lenses scattering (C).
1143 1144 1145 1146 1147 1148 1149 1150 1151 1152 1153 1154 1155 1156 1157 1158 1159 1160 1161 1162	 Figure 2. Spatial patterns of lithics, bones and fire-related artefacts from Maras level 4.1. Hotspot analysis applied to lithic artefacts (A); hotspot analysis applied to faunal remains (B); spatial analysis of fire-related artefacts: kernel density of burnt lithics, hotspot analysis of charcoal remains and ash lenses scattering (C). Figure 3. Hotspot analysis of the two RMUs with the most pieces: hotspot analysis of the RMU flint-13 (A), hotspot analysis of the RMU quartz-5 (B) from Maras level 4.1. Figure 4. Kernel density of tool kits from Maras level 4.1. Figure 5. Hotspot analysis of cortical flakes from Maras level 4.1. Figure 6. Hotspot analysis of lithic tools from Maras level 4.1. Figure 7. Hotspot analysis according to the length of lithic artefacts from Maras level 4.1. Figure 8. Spatial patterns of lithics, bones and fire-related artefacts from Maras level 4.2. Hotspot analysis applied to lithic artefacts (A); hotspot analysis of charcoal remains (B); spatial analysis of fire-related artefacts: kernel density of burnt lithics, hotspot analysis of cortical flakes from Maras level 4.1.

- 11651166 Figure 10. Hotspot analysis of lithic tools from Maras level 4.2.
- 1167
- Figure 11. Hotspot analysis of cores from Maras level 4.2.
- Figure 12. Hotspot analysis according to the length of lithic artefacts from Maras level 4.2
 (dotted circles represent clusters in the disturbed areas of the site).
- 1172
- Figure 13. Palaeotopography of level 4.1: palaeosurface rendering of level 4.1 in the 3D mesh model of the Abri du Maras (A), DTM of the surface of level 4.1 with N-S and W-E
- 1175 palaeotopographic profiles.
- 1176
- Figure 14. Palaeotopography of level 4.2: palaeosurface rendering of level 4.2 within the 3D
 mesh model of the Abri du Maras (A), DTM of the surface of level 4.2 with N-S and W-E
 palaeotopographic profiles.
- 1180
- Figure 15. Spatial patterns identified from the spatial analysis of Maras level 4.1 (A) & level
 4.2 (B).

Figure 1

Preliminary processing on the 3D model



-4,9































