Trophic niche overlap between sympatric harbour seals (*Phoca vitulina*) and grey seals (*Halichoerus grypus*) at the southern limit of their European range (Eastern English Channel)

Yann Planque^{1*}, Jérôme Spitz^{1,2}, Matthieu Authier², Gaël Guillou³, Cécile Vincent¹, Florence Caurant^{1,2}



Centre d'Études Biologique de Chizé¹, Observatoire Pelagis², LIENSs³

CNRS / La Rochelle Université







Contact*: yann.planque@univ-lr.fr

SMM 2022 – 24th Biennial Conference on the Biology of Marine Mammals Palm Beach, Florida, USA & virtual – August 1-5, 2022





Trophic niche overlap between sympatric harbour seals (*Phoca vitulina*) and grey seals (*Halichoerus grypus*) at the southern limit of their European range (Eastern English Channel)

Yann Planque^{1*}, Jérôme Spitz^{1,2}, Matthieu Authier², Gaël Guillou³, Cécile Vincent¹, Florence Caurant^{1,2}



Video of the presentation at the SMM conference:


<u>https://pod.univ-lr.fr/video/3308-smm2022-conference-video-trophic-niche-overlap-</u> <u>between-sympatric-harbour-seals-phoca-vitulina-and-grey-seals-halichoerus-grypus-at-</u> the-southern-limit-of-their-european-range-eastern-english-channel/ (4 minutes)

SMM 2022 – 24th Biennial Conference on the Biology of Marine Mammals Palm Beach, Florida, USA & virtual – August 1-5, 2022



\rightarrow Two sympatric seal species

Can have similar functionnal traits, diets, foraging strategies, feeding areas



Harbour seals Phoca vitulina




Grey seals Halichoerus grypus



Sources of abundances & population trends: Mikkelsen (2007), Blanchet et al. (2014), Brasseur (2015, 2018), Vincent et al. (2017), Granquist & Hauksson (2019), Russell et al. (2019), Thompson et al. (2019), SCOS (2019, 2020), ICES (2021), Poncet et al. (2021).

\rightarrow Two sympatric seal species

Can have similar functionnal traits, diets, foraging strategies, feeding areas



Harbour seals Phoca vitulina




Grey seals Halichoerus grypus



Sources of abundances & population trends: Mikkelsen (2007), Blanchet et al. (2014), Brasseur (2015, 2018), Vincent et al. (2017), Granquist & Hauksson (2019), Russell et al. (2019), Thompson et al. (2019), SCOS (2019, 2020), ICES (2021), Poncet et al. (2021).

\rightarrow Two sympatric seal species

Can have similar functionnal traits, diets, foraging strategies, feeding areas



Harbour seals Phoca vitulina



Grey seals Halichoerus grypus



Sources of abundances & population trends: Mikkelsen (2007), Blanchet et al. (2014), Brasseur (2015, 2018), Vincent et al. (2017), Granquist & Hauksson (2019), Russell et al. (2019), Thompson et al. (2019), SCOS (2019, 2020), ICES (2021), Poncet et al. (2021).


Two sympatric seal species

Southern limit of their European range: potential trophic competition?

Trophic niche overlap

Multi-approaches

- Diet content de Somme (Frai
 - Isotopic niches
 - Foraging areas





Grey seals Halichoerus grypus



Diet composition

From scat content analysis (hard parts)




Harbour seals N = 193 (2002-2019)









Scat content by cluster



Dietary clusters (N = 6)



Scat distribution by cluster



Diet composition

From scat content analysis (hard parts)




Harbour seals N = 193 (2002-2019)









Scat content by cluster



Dietary clusters (N = 6)







Scat distribution by cluster

High dietary overlap = benthic flatfish


Isotopic niches & Foraging areas



Isotopic niches & Foraging areas



Isotopic niches & Foraging areas



All results are consistent



Dietary clusters




Foraging areas






9 Harbour seals

11 Grey seals



Dietary overlap = benthic flatfish

An interspecific trophic overlap: a potential for trophic competition



∖ flatfish supply

(≥ 80% fish biomass for last 30y.) **7 seal numbers** Competitive interactions that could have deleterious effects on harbour seal colonies?

Fish biomass decline in the Baie de Somme (Eastern English Channel, France): McLean et al. (2019)

Some references

Blanchet M et al. (2014) Harbour seal *Phoca vitulina* movement patterns in the high-Arctic archipelago of Svalbard, Norway. Aquat Biol 21:167–181.

Brasseur SMJM et al. (2015) Rapid recovery of Dutch gray seal colonies fueled by immigration. Mar Mammal Sci 31:405–426.

Brasseur SMJM et al. (2018) Echoes from the past: Regional variations in recovery within a harbour seal population. PLoS One 13:e0189674.

Granquist SM, Hauksson E (2019) Population Estimate, Trends and Current Status of the Icelandic Harbour Seal (Phoca vitulina) Population in 2018. REYKJAVÍK, Iceland.

ICES (2021) Working Group on Marine Mammal Ecology (WGMME). ICES Scientific Reports.

McLean MJ et al. (2019) Functional reorganization of marine fish nurseries under climate warming. Glob Chang Biol 25:660–674.

Mikkelsen B (2007) Present knowledge of grey seals (Halichoerus grypus) in Faroese waters. NAMMCO Sci Publ 6:79-84.

Planque Y et al. (2020) Comparing the horizontal and vertical approaches used to identify foraging areas of two diving marine predators. Mar Biol 167:25.

Planque Y et al. (2021) Trophic niche overlap between sympatric harbour seals (*Phoca vitulina*) and grey seals (*Halichoerus grypus*) at the southern limit of their European range (Eastern English Channel). Ecol Evol 11:10004–10025.

Poncet S et al. (2021) Recensement des colonies et reposoirs de phoques en France en 2020 et 2021.

- Riou P (2001) Relative contributions of different sole and plaice nurseries to the adult population in the Eastern Channel: application of a combined method using generalized linear models and a geographic information system. Aquat Living Resour 14:125–135.
- Russell DJF et al. (2019) Monitoring long-term changes in UK grey seal pup production. Aquat Conserv Mar Freshw Ecosyst 29:24–39.

SCOS (2019) Special Committee on Seals: Scientific Advice on Matters Related to the Management of Seal Populations: 2019. St Andrews, Scotland, UK.

SCOS (2020) Special Committee on Seals: Scientific Advice on Matters Related to the Management of Seal Populations: 2020. St Andrews, Scotland, UK.

Selleslagh J et al. (2009) Fish composition and assemblage structure in three Eastern English Channel macrotidal estuaries: A comparison with other French estuaries. Estuar Coast Shelf Sci 81:149–159.

Thompson D et al. (2019) The status of harbour seals (*Phoca vitulina*) in the UK. Aquat Conserv Mar Freshw Ecosyst 29:40–60.

- Vincent C et al. (2017) Grey and harbour seals in France: Distribution at sea, connectivity and trends in abundance at haulout sites. Deep Sea Res Part II Top Stud Oceanogr 141:294–305.
- Wilson LJ, Hammond PS (2019) The diet of harbour and grey seals around Britain: Examining the role of prey as a potential cause of harbour seal declines. Aquat Conserv Mar Freshw Ecosyst 29:71–85.

Thank you!

Results published in an article in *Ecology and Evolution*

Planque Y, Spitz J, Authier M, Guillou G, Vincent C, Caurant F (2021) Trophic niche overlap between sympatric harbour seals (*Phoca vitulina*) and grey seals (*Halichoerus grypus*) at the southern limit of their European range (Eastern English Channel). Ecology and Evolution. 11:10004-10025 <u>https://doi.org/10.1002/ece3.7739</u>



→ All **R scripts** freely available on **GitHub** repositories: <u>https://github.com/YannPlanque/Diet</u> Cluster and Overlap <u>https://github.com/YannPlanque/Isotopic</u> Niche Overlap <u>https://github.com/YannPlanque/Foraging</u> Areas with Dive Data

→ All data available on SeaNoe repositories: https://doi.org/10.17882/76780 ; https://doi.org/10.17882/76528 ; https://doi.org/10.17882/80016