

Supporting Information

Exsolution of Co-Fe Alloy Nanoparticles on the PrBaFeCoO_{5+δ} Layered Perovskite Monitored by Neutron Powder Diffraction and Catalytic Effect on Dry Reforming of Methane

Praveen B. Managutti^a, Haoran Yu^b, Olivier Hernandez^{a,c}, Carmelo Prestipino^a, Vincent Dorcet^{a,d}, Haiqian Wang^b, Thomas Hansen^c, and Mona Bahout^{*a}

*Email: mona.bahout@univ-rennes.fr

^a Univ. Rennes, CNRS, ISCR (Institut des Sciences Chimiques de Rennes) – UMR 6226, F-35000 Rennes, France

^b Hefei National Laboratory for Physical Science at the Microscale, University of Science and Technology of China, Hefei, Anhui 230026, People's Republic of China

^c Laue-Langevin Institute, 71 avenue des Martyrs CS 20156, 38042 Grenoble Cedex 9, France

^d Univ Rennes, CNRS, ScanMAT – UAR 2025, F-35000 Rennes, France

^e Nantes Université, CNRS, Institut des Matériaux de Nantes Jean Rouxel, IMN, F-44000 Nantes, France




Figure S1. Two particles covering the surface of S-PBFC identified by EDS as BaCO₃.




Figure S2. X-ray diffraction of R-PBFC before (black), and (red) after long-term DRM tests. The used sample contains 80% of quartz sand and 20 wt.% of R-PBFC.