

## GenIDA, an international participatory database to better characterize comorbidities of genetic forms of intellectual disability: insights on Koolen-de Vries syndrome

Pauline Burger, Florent Colin, Axelle Strehle, Timothée Mazzucotelli, Nicole Collot, Ariane Bouman, Daphna Landau Prat, David Geneviève, Valentin Ruault, Roseline Caumes, et al.

### ▶ To cite this version:

Pauline Burger, Florent Colin, Axelle Strehle, Timothée Mazzucotelli, Nicole Collot, et al.. GenIDA, an international participatory database to better characterize comorbidities of genetic forms of intellectual disability: insights on Koolen-de Vries syndrome. Genetics in Medicine Open, 2023, 1 (Supplément 1), pp.100699. 10.1016/j.gimo.2023.100699. hal-04089557

HAL Id: hal-04089557

https://hal.science/hal-04089557

Submitted on 4 May 2023

**HAL** is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.





www.journals.elsevier.com/genetics-in-medicine-open

### **Research Methods and Resources**

Key: O is for Platforms; P is for Posters.

#### **O46**

# GenIDA, an international participatory database to better characterize comorbidities of genetic forms of intellectual disability: insights on Koolen-de Vries syndrome



Pauline Burger<sup>1</sup>, Florent Colin<sup>1</sup>, Axelle Strehle<sup>1</sup>, Timothée Mazzucotelli<sup>2</sup>, Nicole Collot<sup>1</sup>, Ariane Bouman<sup>3</sup>, Daphna Landau Prat<sup>4</sup>, David Geneviève<sup>5</sup>, Valentin Ruault<sup>5</sup>, Roseline Caumes<sup>6</sup>, Thomas Smol<sup>7</sup>, Jamal Ghoumid<sup>6</sup>, Joost Kummeling<sup>3</sup>, Charlotte Ockeloen<sup>3</sup>, Tjitske Kleefstra<sup>3</sup>, Pierre Parrend<sup>8</sup>, Amélie Piton<sup>9</sup>, David Koolen<sup>3</sup>, Jean-Louis Mandel<sup>10</sup>

<sup>1</sup>Institut de Génétique et de Biologie Moléculaire et Cellulaire, Université de Strasbourg, INSERM, Illkirch, France; <sup>2</sup>Institut de Génétique et de Biologie Moléculaire et Cellulaire, Université de Strasbourg, INSERM, Illkirch, France; <sup>3</sup>Department of Human Genetics, Donders Institute for Brain, Cognition and Behaviour, RadboudUMC, Nijmegen, The Netherlands; <sup>4</sup>Goldschleger Eye Institute, Sheba Medical Center, Tel Hashomer, Israel; Sackler Faculty of Medicine, Tel Aviv University, Tel Aviv, Israel; <sup>5</sup>Université de Montpellier, CHU Montpellier, CLAD Sud Languedoc-Roussillon, INSERM, Montpellier, France; <sup>6</sup>Clinique de Génétique, CHU Lille, Lille, France; <sup>7</sup>Institut de Génétique Médicale, CHU Lille, Lille, France; <sup>8</sup>ICube, Université de Strasbourg, Strasbourg, France; EPITA, Strasbourg, France; <sup>9</sup>IGBMC INSERM, Illkirch; Laboratoire de diagnostic génétique, IGMA, HUS, Strasbourg; <sup>10</sup>Institut Universitaire de France; IGBMC, Université de Strasbourg, INSERM, Illkirch, France; Université de Strasbourg

**Introduction:** GenIDA (https://genida.unistra.fr/) is an international online research project initiated to better characterize the clinical manifestations and natural history of genetic forms of intellectual disability with or without ASD or epilepsy.

**Methods:** Clinical information reported and updated by the patient's family using a structured questionnaire is analyzed to identify new medically relevant information for families and professionals concerned with a given condition. The current questionnaire consists of 41 multiple-choice questions exploring physical parameters, cognitive and behavioral aspects, the presence or absence of neurological disorders or problems affecting major physiological functions (cardiac, renal, etc), etc. Five open-ended questions explore families' perception of the events that most affect their relative's health and quality of life, the secondary effects of treatments, etc.

**Results:** Currently, the questionnaire is available in 7 languages and has been completed for over 1670 patients from over 60 nationalities, the main cohorts being Koolen-de Vries/KdVS (n=249), and Kleefstra (n=191) syndromes. Other cohorts have experienced significant growth over the last year, including the MED13L (n=45), KBG (n=48) and DDX3X (n=50) syndromes.

Analysis of the data collected for 237 individuals with KdVS was conducted and showed no significant differences between patients with KdVS caused by a deletion of 17q21.31 that includes the *KANSL1* gene and those with a heterozygous intragenic pathogenic variant in *KANSL1*. GenIDA findings on KdVS were consistent with the existing literature and revealed a previously unreported susceptibility of these patients to respiratory problems including recurrent pneumonia, and childhood asthma. The frequency of epilepsy reported in GenIDA is consistent with data from the medical literature, but GenIDA data analysis provided further information on the nature of the seizures associated with KdVS, as well as information on the efficacy and possible adverse effects of the antiepileptic treatments used to treat these disorders.

Two incidental studies conducted by collaborators using the GenIDA platform to rapidly reach out concerned people with KdVS likely to participate, have then emerged:

(i) an international retrospective cohort study including 54 participants aimed to characterize the prevalence, clinical and radiological characteristics of musculoskeletal problems in people with KdVS, as GenIDA results indicated the occurrence of scoliosis and abnormal thoracic kyphosis in more than 27% of these individuals (compared with a prevalence of 2-4% in the general population). It showed that scoliosis is common among the respondents (56%) with a clear increase of the prevalence with age.

(ii) another study including 67 GenIDA participants with KdVS was conducted to deepen insight on known ophthalmological manifestations of KdVS (occurrence and frequency of ocular and oculofacial malformations) while uncovering novel ocular associations. It indicated that KdVS is associated with various ophthalmic manifestations such as amblyopia, strabismus, refractive errors, and upper eyelid ptosis, while retinal abnormalities and nasolacrimal disorders were described for the first time in KdVS.

Comparative results on Kleefstra, KBG, DDX3X and MED13L cohorts regarding notably sleep and epilepsy aspects will also be presented.

**Conclusion:** These results validate the interest of our participatory approach: through their direct involvement, families can reveal aspects of the pathology that were previously underestimated, and thus lead to the implementation of incidental studies on specific aspects of rare forms of ID.

https://doi.org/10.1016/j.gimo.2023.100699