

Exploring Patient Path Through Sankey Diagram: A Proof of Concept

Antoine Lamer, Gery Laurent, Sylvia Pelayo, E L Amrani, Emmanuel Chazard, Romaric Marcilly

▶ To cite this version:

Antoine Lamer, Gery Laurent, Sylvia Pelayo, E L Amrani, Emmanuel Chazard, et al.. Exploring Patient Path Through Sankey Diagram: A Proof of Concept. Studies in Health Technology and Informatics, 2020, 270, 10.3233/SHTI200154. hal-04100047

HAL Id: hal-04100047

https://hal.science/hal-04100047

Submitted on 17 May 2023

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.



© 2020 European Federation for Medical Informatics (EFMI) and IOS Press.
This article is published online with Open Access by IOS Press and distributed under the terms of the Creative Commons Attribution Non-Commercial License 4.0 (CC BY-NC 4.0).

doi:10.3233/SHT1200154

Exploring Patient Path Through Sankey Diagram: A Proof of Concept

Antoine LAMER^{a,b,¹}, Gery LAURENT^a, Sylvia PELAYO^a, Mehdi EL AMRANI^c, Emmanuel CHAZARD^b and Romaric MARCILLY^a

^aUniv. Lille, INSERM, CHU Lille, CIC-IT/Evalab 1403 - Centre d'Investigation clinique, EA 2694, F-59000 Lille, France

^b Univ. Lille, CHU Lille, Public Health Department, EA 2694, F-59000 Lille, France ^cUniv. Lille, CHU Lille, Department of Digestive Surgery and Transplantation, F- 59000 Lille, France

Abstract. Managers, physicians and researchers need to study patient's path for purposes of management, quality of care and research. We present the proof of concept of the use of a flow diagram, the Sankey diagram, to visualize the trajectory of a population that experienced an event. This representation was tested with two case studies in populations from the anesthesia data warehouse of Lille University Hospital. For the 551 patients undergoing a pancreaticoduodenectomy, Sankey diagram helped us identify atypical care paths of patient being transferred too late in an intensive care unit. For 473953 patients who have had anesthesia procedure, Sankey diagram highlighted that mortality and re-operation rates increase with the number of operations. This preliminary work has been well received by end-users and allowed managers, physicians and researchers to visualize the paths of patients and to provide visualization support for research questions. This work will be followed by generalization.

Keywords. Data Visualization, Data Reuse, Patient Path, Sankey Diagram

1. Introduction

To display complex information in a most effective way, graphical representations are more appropriate than tables and figures [1, 2]. In healthcare facilities, to have access to visual representations of patients' path would be of great value for assessing quality of care (e.g. to detect atypical care paths) and for management purpose [3]. From a research perspective, studying patient flows may generate hypotheses about patient care that can be assessed later with classical biostatistics methods.

Designing and providing clear and efficient visualization of patients' paths faces several issues:

Hospital Information Systems (HIS) generate a huge amount of data and the
patient path is documented by many variables (admission and discharges
modes, type of units, succession of interventions and re-interventions, medical
acts, diagnostics, etc). This makes it difficult to extract relevant information;

¹ Corresponding Author, Antoine Lamer, 2 avenue Oscar Lambret, 59037 Lille cedex, France; E-mail: antoine.lamer@chru-lille.fr.

 Patients' stays differ in complexity and may represent a large number of patterns (e.g. one patient went through two care units and underwent one operation while another went through 6 units and underwent two operations).

Several kinds of diagrams are commonly used to represent flows. From a practical point of view, a flow is a succession of steps, each one defined by an initial state, a final state, and a quantity. From a graphical point of view, it is represented by links carrying information about quantity from start nodes to end nodes. Table 1 compares 8 types of flows diagrams [4]. Most of these representations enable to visualize only one step of a process. On the contrary, the Sankey diagram enables to represent several steps along with the information about flows' volumes, and to manage the complexity of the patient paths.

This work aims to assess whether the Sankey diagram is feasible to represent patient paths, in a way that would be readable and understandable by clinicians. With this goal in mind, two cases were used: (i) paths of patients with the pancreaticoduodenectomy and (ii) association between re-operation and mortality.

Table 1. Comparison of flow diagrams

Flow diagram	Advantage	Limit
Network Diagram highlights connections	The connections may be	It addresses only one step of
between nodes at a given step.	directed and weighted.	the whole path.
Chord Diagram is similar to network	The same as Network	It addresses only one step of
diagram, except that nodes are represented in a circle.	diagram.	the whole path and presents reading difficulties.
	It displays successive	It displays as many final nodes
Dendrogram is a tree displaying paths from the first to last step and considering	steps of the path with	as paths, which overwhelms
the intermediate states.	detail about the count.	the diagram.
Sunburst Diagram is a circular	It displays successive	The number of steps must be
representation of the dendrogram: the inner	steps of the path with	limited. At each step, patients
circle represents the first step of the	detail about the count,	with the same criteria are
process and each additional layer	and aggregate links at	displayed on different parts of
represents a new step.	every steps.	the circle, which makes the
represents tinew step.	every steps.	reading harder.
Sankey Diagram displays flows between	It displays successive	For clarity sake, the number of
successive steps through arrows whose	steps of the path with	steps must be limited.
thickness is proportional to flow quantity.	detail about the count.	
In the Agenda Diagram , each row	It displays every detail	It does not synthesize
represents an individual and each cell	for each patient.	information on the whole
represents a time unit.	1	population.
Connection Map is connecting locations	It highlights flows	It represents only one step of
placed on a map.	between distant places.	the path and does not consider
	•	the volume of flows and the
		temporal sequence.
Funnel Chart represents the successive	Readability.	Only one final sub-population.
proportions of a given population that meet	-	
given criteria.		

2. Materiel and methods

We worked on two different cases to illustrate the design of the Sankey diagram used to represent patient paths. Each case aimed to answer a question: (i) in the digestive surgery department, what is the patient volume in each care unit after surgical operation for pancreaticoduodenectomy and what are the atypical patient paths? (ii) how mortality is related to the number of surgical operations during an hospital stay?

To design the Sankey diagrams and representing answers to those questions, we used data from the anesthesia data warehouse of Lille University Hospital. This data warehouse stores and organizes data about surgery and anesthesia procedures (drugs, vital signs, steps of surgery) with administrative data (hospital stay characteristics, medical unit, entry and discharge modes, medical and surgical acts, diagnoses) [5,6].

The Sankey diagrams were designed following three stages. The first stage is crucial and consists in determining information needed to answer the question. The information are summarized in Table 2.

Table 2. Aggregated data to upload in the graphical library

Source node	Case study 1	Case study 2
Population	Patients who undergo a	Patients who undergo an
_	duodenopancreatectomy	operation
	(HNFA007 code)	
Event under scrutiny	Admission to unplanned critical	Death and re-operation rates
-	care unit after operation	
Steps of the path	Successive medical units after	Discharge status after each
	operation	operation

The second stage consists in aggregating the data and compute the count of patients in each step between two successive states of the path. For each link, we had to provide a source node, a target node and the quantity between the two nodes. Finally, these aggregated data are loaded into graphical libraries (D3.js and D3sankey [7]).

The resulting Sankey diagrams were presented to clinicians to get their feedback on the readability, the understandability of this visual representation and its impact.

3. Results

3.1 Case study 1: Patient flow for pancreaticoduodenectomy

Operations of pancreaticoduodenectomy were selected based on the code HNFA007 of the French medical act classification (CCAM, Classification Commune des Actes Médicaux). For operations between 2010 and 2018, 551 patients were included. We selected two significant states of the hospital stay for pancreaticoduodenectomy: the post-operative unit and the last unit before discharge from the hospital. These two states were characterized with the type of unit (conventional, continuous care or intensive care unit) and final discharge status (mortality) was reported. The Figure 2 is the Sankey representation for this population.

Two managers and two physicians examined the Sankey diagram. They were able to describe patient flows in each unit after operation. Moreover, physicians highlighted atypical paths: some patients were transferred from conventional care unit to critical care after operation, and some patient died even thought they did not go through critical care beforehand. They reported that this Sankey diagram was intuitive to read, more understandable than a table but that they needed contextual information when the graph is accessed for the first time. Physicians will now investigate why these patients were not treated earlier in an appropriate care unit.




Figure 1. Patient flow for pancreaticoduodenectomy

3.2 Case study 2: Mortality rates after re-operation

Between 2010 and 2018, 473953 patients underwent operation. For each patient, we computed the number of operations, and final discharge status (death). In order to get the most out of the diagram, two key points were relevant. First, we had to define a maximum number of operations to be covered. Secondly, we had to display results in percentages to compare modalities with small numbers (3rd and 4th surgical procedures) with larger modalities (1st and 2nd surgical procedures). With the Sankey diagram in Figure 2, we can see that mortality and re-operation rates increase with the number of operations performed during the same hospital stay. This diagram has been shown to 2 managers and 2 physicians, and they all agreed on the intuitiveness of the information displayed. They only asked for contextual information to know the source of the data. According to them, this result will be the starting point of research program about how going through multiple operations could impact mortality rates.




Figure 2. Sankey diagram representing the mortality and re-operation rates according to the number of operations during a hospital stay

4. Discussion

In this paper, we offer a way of visualizing patients' path with the Sankey diagram. This representation allowed managers, physicians and researchers to visualize the paths of patients, to detect atypical patient flows between units and to provide visualization support for research questions. We will now investigate which signals in operating room and post-anesthesia care unit could be use to detect patients prone to complications and refer them to an intensive care unit as soon as possible.

Usually, end-users are provided with data in a table format, on a case-by-case basis, or for a single step of the patient path. With the Sankey diagram, the benefits reported by users are that this representation is easily understandable, gives a useful overview of patient path and offers the opportunity to identify atypical paths that they may not have seen otherwise. It could also be used as a way to validate their hypotheses and further investigate.

However, the implementation of such diagrams might be challenging as patient paths have more than two steps and are complex. Thus, the data aggregation must be adapted to the specific issue to deal with. Morevover, the steps displayed must be selected to highlight important facts and avoid overload of information.

A limitation of the Sankey diagram, with its current implementation, is that it is not possible to follow an individual path from the first to the last node. The next step is to improve the current Sankey representation by adding a traceable multi-level feature. This would represent a more precise way to highlight a specific path.

Another perspective would be to offer an online Sankey visualisation tool, in which the users would select the targeted population (e.g. a surgical act) and predefined steps (e.g. surgical complication) to have a display of the corresponding patients' path.

References

- [1] West VL, Borland D, Hammond WE. Innovative information visualization of electronic health record data: a systematic review. J Am Med Inform Assoc JAMIA. mars 2015;22(2):330-9.
- [2] Few S. Information Dashboard Design : The Effective Visual Communication of Data / S. Few. 1 janv 2006;
- [3] Chittaro L. Information visualization and its application to medicine. Artif Intell Med. mai 2001;22(2):81-
- [4] Holtz Y, Healy C. From data to Viz | Find the graphic you need [Internet]. [cited on 24 th sept 2019].
- [5] Available on : data-to-viz.com
- [6] Lamer A, Jeanne M, Vallet B, Ditilyeu G, Delaby F, Tavernier B, et al. Development of an anesthesia data warehouse: Preliminary results. IRBM. 2013 Dec;34(6):376–8.
- [7] A. Lamer, G. Ficheur, L. Rousselet, M. van Berleere, E. Chazard, A. Caron, From Data Extraction to Analysis: Proposal of a Methodology to Optimize Hospital Data Reuse Process, Stud. Health Technol. Inform 247 (2018), 41–45.
- [8] Bostock M. D3.js Data-Driven Documents [Internet]. [cited on 9th July 2019]. Available on: https://d3js.org/
- [9] CCAM en ligne CCAM [Internet]. [cited on 8th January 2019]. Available on: http://www.ameli.fr/accueil-de-la-ccam/index.php