



## Electrochemical Study of Metal and Alloys Corrosion by Molten Glasses

Jean Di Martino, Christophe Rapin, Renaud Podor, Patrice Berthod, Pierre Steinmetz

### ► To cite this version:

Jean Di Martino, Christophe Rapin, Renaud Podor, Patrice Berthod, Pierre Steinmetz. Electrochemical Study of Metal and Alloys Corrosion by Molten Glasses. 15th International Corrosion Congress, Sep 2002, Grenade, Spain. hal-04100685

HAL Id: hal-04100685

<https://hal.science/hal-04100685>

Submitted on 18 May 2023

**HAL** is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.



Distributed under a Creative Commons Attribution - NonCommercial - NoDerivatives 4.0 International License

# ELECTROCHEMICAL STUDY OF METAL AND ALLOYS CORROSION BY MOLTEN GLASSES


J. DI MARTINO, C. RAPIN, P. BERTHOD, R. PODOR, P. STEINMETZ  
 Laboratoire de Chimie du Solide Minéral-UMR 7555 - BP 239  
 54500 Vandoeuvre-Les-Nancy FRANCE




In the glass industry, the lifetime of many metallic parts in contact with molten glass is mainly controlled by high temperature corrosion. The damages caused to alloys are governed by oxido-reduction reactions. Preliminary studies have demonstrated that electrochemical methods can be used for the characterization of alloys corrosion in molten glasses. A typical experimental apparatus was developed to work in the 950-1200°C temperature range. It allows studies under controlled atmosphere, using static or rotating working electrodes.

## EXPERIMENTAL EQUIPMENT

Adapted for high temperature and molten glass contact



Yttria stabilized reference electrode




## ELECTROCHEMICAL STUDY OF GLASSES


### A few industrial glasses

| Oxide wt%                      | Sodicalcic TC 22 | CS7 without zinc | E-glass | C3 glass | Basicitic glass |
|--------------------------------|------------------|------------------|---------|----------|-----------------|
| SiO <sub>2</sub>               | 73.76            | 60.8             | 54.5    | 65       | 45.7            |
| Al <sub>2</sub> O <sub>3</sub> | 0.96             | 4.4              | 14      | 3.31     | 14.3            |
| Fe <sub>2</sub> O <sub>3</sub> | 0.16             | -                | 0.31    | 0.13     | 1.16            |
| TiO <sub>2</sub>               | -                | 0.11             | 0.19    | 0.19     | 2.6             |
| CaO                            | 8.75             | 5.4              | 22.2    | 7.3      | 9.65            |
| MgO                            | 2.71             | -                | 0.35    | 3.5      | 8.5             |
| Na <sub>2</sub> O              | 13.66            | 7.2              | 0.6     | 15.7     | 2.9             |
| K <sub>2</sub> O               | -                | -                | 0.6     | 1.25     | 1.24            |
| MnO                            | -                | -                | 0       | 0        | 0.22            |
| B <sub>2</sub> O <sub>3</sub>  | 18.8             | 7.4              | 4.1     | 0        | -               |
| Li <sub>2</sub> O              | 2.7              | -                | -       | -        | -               |
| ZnO                            | 0.7              | -                | -       | -        | -               |
| P <sub>2</sub> O <sub>5</sub>  | -                | 0                | 0       | 0        | 0               |
| Temperature (°C)               | 1100             | 1150             | 1250    | 1050     | 1300            |

### Structure of a simple SiO<sub>2</sub>-Na<sub>2</sub>O glass




A molten glass is a good electrolyte, by the way of the O<sup>2-</sup> ions exchange :




Classical electrochemistry techniques are then possible *in situ* in a molten glass :

### Electroactivity domain of the C glass (Linear polarization curve)



The use of Cyclic and Square Wave voltammetries allows the determination of redox couples potentials (addition of electroactive elements in the glass) :



These information are needed to identify the corrosion reactions of metals and alloys.

## PURE METALS AND ALLOYS CORROSION BY MOLTEN GLASS


### Pure metals

|   | Cr  | Fe  | Co  | Ni  |
|---|---|---|---|---|
| E <sub>corr</sub> (mV)                  | -1300   | -1100   | -850  | -650  |
| Anodic reaction                         | Cr → Cr <sup>II</sup> + 2 e <sup>-</sup>              | Fe → Fe <sup>II</sup> + 2 e <sup>-</sup>                | Co → Co <sup>II</sup> + 2 e <sup>-</sup>                | Ni → Ni <sup>II</sup> + 2 e <sup>-</sup>                |
| Main cathodic reaction                  | Si <sup>IV</sup> + 4 e <sup>-</sup> → Si <sup>0</sup> | Fe <sup>III</sup> + 1 e <sup>-</sup> → Fe <sup>II</sup> | Fe <sup>III</sup> + 1 e <sup>-</sup> → Fe <sup>II</sup> | Fe <sup>III</sup> + 1 e <sup>-</sup> → Fe <sup>II</sup> |
| R <sub>p</sub> (Ω cm <sup>2</sup> )     | 9   | 14  | 15  | 35  |
| I <sub>corr</sub> (mA/cm <sup>2</sup> ) | 4.2   | 5.4   | 5.1   | 2.2   |
| State                                   | Active  | Active  | Active  | Active  |

The comparison of E<sub>corr</sub> with the redox potential values allows the assignment of the anodic and cathodic reactions.

The R<sub>p</sub> values are low and characteristic of both material in the activation state and high corrosion rates.


### Linear polarization curves




Only Cr curve exhibits an interesting passivation domain (wide plateau with low currents).

⇒ High chromium superalloys could be tested in molten glasses.

### Ni-Cr alloys




⇒ Minimum I<sub>corr</sub> for Cr = 30%.  
 ⇒ One magnitude corrosion rate gain when the alloy is in the passive state.



⇒ When the alloy is passivated, E<sub>corr</sub> and R<sub>p</sub> are higher and the polarization curve begins in the passivation domain.


Active alloy after 2h in a C glass at 1050°C :

⇒ Glass penetration at the grain boundaries.



Passive alloy after 14h in a C glass at 1050°C :

⇒ No glass penetration, due to the presence of a Cr<sub>2</sub>O<sub>3</sub> protective layer.



The electrochemical methods allow the identification of the reaction involved in the corrosion of metals and superalloys in a molten glass. As in aqueous solution, the corrosion rate of high chromium superalloys is decreased when a protective Cr<sub>2</sub>O<sub>3</sub> layer is present at the glass/alloy interface. The passive state can be reached by the use of anodic polarization or preoxidation.