



HAL
open science

Author Correction: Collective behaviour in 480-million-year-old trilobite arthropods from Morocco

Jean Vannier, Muriel Vidal, Robin Marchant, Khadija El Hariri, Khaoula Kouraiss, Bernard Pittet, Abderrazak El Albani, Arnaud Mazurier,
Emmanuel Martin

► To cite this version:

Jean Vannier, Muriel Vidal, Robin Marchant, Khadija El Hariri, Khaoula Kouraiss, et al.. Author Correction: Collective behaviour in 480-million-year-old trilobite arthropods from Morocco. *Scientific Reports*, 2020, 10.1038/s41598-020-58756-3. hal-04130657

HAL Id: hal-04130657

<https://hal.science/hal-04130657v1>

Submitted on 25 Oct 2024

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.



Distributed under a Creative Commons Attribution 4.0 International License

OPEN

Author Correction: Collective behaviour in 480-million-year-old trilobite arthropods from Morocco

Jean Vannier, Muriel Vidal, Robin Marchant, Khadija El Hariri, Khaoula Kouraiss, Bernard Pittet, Abderrazak El Albani, Arnaud Mazurier  & Emmanuel Martin

Correction to: *Scientific Reports* <https://doi.org/10.1038/s41598-019-51012-3>, published online 17 October 2019

This Article contains errors in Figure 5: the red circles depicting chemical signals are missing in panel f and the labelling of panels b, c, e and f, as well as the antennule, genal and glabellar spine, are incorrect. As a result, the Figure legend,

“(a–c) Response to oriented environmental stress (e.g. storms); hydrodynamic signal (higher current velocity represented by white arrows) received by motion sensors triggers re-orientation of individuals; mechanical stimulation and/or possible chemical signals cause gathering, alignment and locomotion in group. (d–f) Seasonal reproductive behaviour; chemical signals (e.g. pheromones; see red circles and red arrows) cause attraction and gathering of sexually receptive individuals (males and females) and migration to spawning grounds. The alignment of individual may have been controlled by mechanical stimuli (as in a–c). Olfactive and mechanical sensors were probably located on the antennules (pink areas 4, 5), and genal and glabellar spines (green areas 1–3), respectively. The exact location of mechanoreceptors is uncertain (possibly on high-relief exoskeletal features such as the glabella).”

should read:

“(a–c) Response to oriented environmental stress (e.g. storms); hydrodynamic signal (higher current velocity represented by white arrows) received by motion sensors triggers re-orientation of individuals; mechanical stimulation (small green circles) and/or possible chemical signals cause gathering, alignment and locomotion in group. (d–f) Seasonal reproductive behaviour; chemical signals (e.g. pheromones; see red circles and red arrows) cause attraction and gathering of sexually receptive individuals (males and females) and migration to spawning grounds. The alignment of individual may have been controlled by mechanical stimuli (as in a–c). Olfactive and mechanical sensors were probably located on the antennules (pink areas 1, 2), and genal and glabellar spines (green areas 3–5), respectively. The exact location of mechanoreceptors is uncertain (possibly on high-relief exoskeletal features such as the glabella).”

Published online: 30 January 2020

The correct Figure 5 and the correct Figure legend appear below as Figure 1.




Figure 1. Two non-exclusive hypotheses to explain the linear clusters of *Ampyx priscus* from the Lower Ordovician of Morocco. (a–c) Response to oriented environmental stress (e.g. storms); hydrodynamic signal (higher current velocity represented by white arrows) received by motion sensors triggers re-orientation of individuals; mechanical stimulation (small green circles) and/or possible chemical signals cause gathering, alignment and locomotion in group. (d–f) Seasonal reproductive behaviour; chemical signals (e.g. pheromones; see red circles and red arrows) cause attraction and gathering of sexually receptive individuals (males and females) and migration to spawning grounds. The alignment of individual may have been controlled by mechanical stimuli (as in a–c). Olfactive and mechanical sensors were probably located on the antennules (pink areas 1, 2), and genal and glabellar spines (green areas 3–5), respectively. The exact location of mechanoreceptors is uncertain (possibly on high-relief exoskeletal features such as the glabella).



Open Access This article is licensed under a Creative Commons Attribution 4.0 International License, which permits use, sharing, adaptation, distribution and reproduction in any medium or format, as long as you give appropriate credit to the original author(s) and the source, provide a link to the Creative Commons license, and indicate if changes were made. The images or other third party material in this article are included in the article's Creative Commons license, unless indicated otherwise in a credit line to the material. If material is not included in the article's Creative Commons license and your intended use is not permitted by statutory regulation or exceeds the permitted use, you will need to obtain permission directly from the copyright holder. To view a copy of this license, visit <http://creativecommons.org/licenses/by/4.0/>.

© The Author(s) 2020