





Timing of dawn chorus in songbirds along an anthropization gradient

Laurent Godet • Abel Prampart Vincent Lostanlen • Pierre Aumond













Introduction

How bird song is impacted by landscape anthropization?



The Auk 123(3):639-649, 2006

The American Ornithologists' Union, 2006.
Printed in USA.

OVERVIEW

AVIAN COMMUNICATION IN URBAN NOISE: CAUSES AND CONSEQUENCES OF VOCAL ADJUSTMENT

GAIL L. PATRICELLI¹ AND JESSICA L. BLICKLEY



Contents lists available at SciVerse ScienceDirect

Animal Behaviour

journal homepage: www.elsevier.com/locate/anbehav



Special Issue

Songs of the city: noise-dependent spectral plasticity in the acoustic phenotype of urban birds

Hans Slabbekoorn*

Molecular Ecology (2008) 17, 72-83

doi: 10.1111/j.1365-294X.2007.03487.x

Birdsong and anthropogenic noise: implications and applications for conservation

HANS SLABBEKOORN and ERWIN A. P. RIPMEESTER



What is known?

In human dominated landscapes, birds tend to sing **louder**, at a **higher frequency**; they may change their **song structure** and their **vocal activity**, and sing **earlier**



Knowledge gaps

Dissociating different factors and <u>hierarchizing</u> their importance

LANDSCAPE



LIGHT & NOISE



BIODIVERSITY




Knowledge gaps

Dissociating different factors and <u>hierarchizing</u> their importance



Exploring further the timing of dawn chorus beyond chorus onset





Methods

Sampling







One day, from midnight to noon, for each station, one minute every 10 minutes: number of individuals of each species heard singing



One day, from midnight to noon, for each station, one minute every 10 minutes: number of individuals of each species heard singing



- First hour of the song
- Mean hour of the song
- Part of nocturnal song
- Song duration

- First hour of the song
- Mean hour of the song
- Part of nocturnal song
- Song duration



« The mean song hour of Robins in station #22 is 50 min after midnight »

- First hour of the song
- Mean hour of the song
- Part of nocturnal song
- Song duration



« The mean song hour of Robins in station #22 is 50 min after midnight »



Each species All stations

« The mean song hour of Robins in the whole area is 70 min after midnight »

- First hour of the song
- Mean hour of the song
- Part of nocturnal song
- Song duration



« The mean song hour of Robins in station #22 is 50 min after midnight »




Each species All stations

« The mean song hour of Robins in the whole area is 70 min after midnight »



Community

« The mean song hour of the community of station #36 is40 min after midnight»



Community



LANDSCAPE



- Landscape diversity
- Wooded area
- Built area

LANDSCAPE

LIGHT & NOISE





Landscape diversity

- Traffic Noise (L50)

- Wooded area

- ALAN (VIIRS data - April 2022)

- Built area

Number of street lights

LANDSCAPE



LIGHT & NOISE



BIODIVERSITY



- Landscape diversity
- Wooded area
- Built area

- Traffic Noise (L50)
- ALAN (VIIRS data April 2022)
- Number of street lights

- Total abundance
- Species richness
- Species diversity
- Abundance conspecific

- Mean hour of the song Temporal turnover
- Part of nocturnal song
- Song duration
- First hour of the song Temporal nestedness



Multiple linear regressions

+ Hierar. partitionning of variance

Factors

LANDSCAPE (3)


LIGHT & NOISE (3)

BIODIVERSITY (4)




Results


A well-defined dawn chorus around sunrise



Each species has his own song timing



Each species has his own song timing



Community mean hour index

Community mean hour index





Community mean hour index




100 minutes after midnight



200 minutes after midnight


Community mean hour index




When the community index is high, the community is dominated by late singing species

When the community index is low, the community is dominated by early singing species

Community mean hour index








Highly built and lit areas promote abundance of late singing species




Community duration index



Highly built and lit areas promote abundance of late singing species






% of Independant effects

Community duration index

If high: the community is dominated by long-term singing species


If low: the community is dominated by short-term singing species


Highly built and lit areas promote abundance of late singing species




Highly built and lit areas promote abundance of late singing species

Highly built, lit, noisy areas promote abundance of short-time singing species









Number of species whose song characteristics are significantly linked to factors


Song mean hour



Song duration



The most lit and noisy area promote temporal song turnover but decrease temporal nestedness






Discussion

On old story: each species has his own song timing

Shakespeare, 1597





Allard, 1930

THE FIRST MORNING SONG OF SOME BIRDS OF WASHINGTON, D. C.; ITS RELATION TO LIGHT¹

H. A. ALLARD

BUREAU OF PLANT INDUSTRY, U. S. DEPARTMENT OF AGRICULTURE

A broadening of knowledge: ndividuals of the same species adjust their song timing to their environment

Birds sing earlier and during shorter periods in anthropized areas

Birds sing earlier and during shorter periods in anthropized areas



9 species among 20 sang earlier in the more artificially lit areas







Kempenaers et al. 2010 Da Silva et al. 2014



Miller 2006

Birds sing earlier and during shorter periods in anthropized areas



9 species among 20 sang earlier in the more artificially lit areas







Kempenaers et al. 2010 Da Silva et al. 2014



Miller 2006



6 species among 20 sing earlier in noisy areas

Nordt & Klenke 2013, Arroyo-Solís et al. 2012, Dorado-Correa et al. 2016

Birds sing earlier and during shorter periods in anthropized areas



9 species among 20 sang earlier in the more artificially lit areas







Kempenaers et al. 2010 Da Silva et al. 2014



Miller 2006



6 species among 20 sing earlier in noisy areas

Nordt & Klenke 2013, Arroyo-Solís et al. 2012, Dorado-Correa et al. 2016



Da Silva et al. 2014, Lee et al. 2017, Marín-Gómez 2022



Fuller et al. 2007, Dorado-Correa et al. 2016

Birds sing earlier and during shorter periods in anthropized areas



9 species among 20 sang earlier in the more artificially lit areas







Kempenaers et al. 2010 Da Silva et al. 2014



Miller 2006



6 species among 20 sing earlier in noisy areas

Nordt & Klenke 2013, Arroyo-Solís et al. 2012, Dorado-Correa et al. 2016



Da Silva et al. 2014, Lee et al. 2017, Marín-Gómez 2022



Fuller et al. 2007, Dorado-Correa et al. 2016



7 species among 20 sing earlier in highly built areas

Birds sing earlier and during shorter periods in anthropized areas



9 species among 20 sang earlier in the more artificially lit areas







Kempenaers et al. 2010 Da Silva et al. 2014



Miller 2006



6 species among 20 sing earlier in noisy areas

Nordt & Klenke 2013, Arroyo-Solís et al. 2012, Dorado-Correa et al. 2016



Da Silva et al. 2014, Lee et al. 2017, Marín-Gómez 2022




Fuller et al. (2007), Dorado-Correa et al. (2016



7 species among 20 sing earlier in highly built areas

Birds sing during longer periods where conspecific are abundant

A new step: anthropization changes song timing of bird communities



CONCLUSION

