

Tell me how you write and I'll tell you what you read: a study on the writing style of book reviews

Chiara Alzetta, Felice Dell'Orletta, Alessio Miaschi, Elena Prat, Giulia Venturi

▶ To cite this version:

Chiara Alzetta, Felice Dell'Orletta, Alessio Miaschi, Elena Prat, Giulia Venturi. Tell me how you write and I'll tell you what you read: a study on the writing style of book reviews. Journal of Documentation, 2023, 10.1108/JD-04-2023-0073. hal-04137185

HAL Id: hal-04137185

https://hal.science/hal-04137185

Submitted on 27 Jun 2023

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers. L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.



Tell me how you write and I'll tell you what you read: a study on the writing style of book reviews

Chiara Alzetta, Felice Dell'Orletta, Alessio Miaschi, Elena Prat, Giulia Venturi

▶ To cite this version:

Chiara Alzetta, Felice Dell'Orletta, Alessio Miaschi, Elena Prat, Giulia Venturi. Tell me how you write and I'll tell you what you read: a study on the writing style of book reviews. Journal of Documentation, 2023, 10.1108/JD-04-2023-0073. hal-04137185

HAL Id: hal-04137185

https://hal.science/hal-04137185

Submitted on 22 Jun 2023

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers. L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.



Tell Me How You Write and I'll Tell You What You Read:A Study on the Writing Style of Book Reviews

Journal:	Journal of Documentation							
Manuscript ID JD-04-2023-0073.R1								
Manuscript Type: Article								
Keywords:	stylometric analysis, genre detection, book reviews, machine learning, reading platform, computational linguistics							
Note: The following files were submitted by the author for peer review, but cannot be converted to PDF. You must view these files (e.g. movies) online.								
main_revised.tex references_revised.bib								

SCHOLARONE™ Manuscripts

Tell Me How You Write and I'll Tell You What You Read: A Study on the Writing Style of Book Reviews

Chiara Alzetta, Felice Dell'Orletta, Alessio Miaschi, Elena Prat and Giulia Venturi

Anonymized for peer review

Abstract

Purpose - Our goal is to investigate variations in the writing style of book reviews published on different social reading platforms and referring to books of different genres, which enables acquiring insights into communication strategies adopted by readers to share their reading experiences.

Design/methodology/approach - We propose a corpus-based study focused on the analysis of *A Good Review*, a novel corpus of online book reviews written in Italian, posted on Amazon and Goodreads, and covering six literary fiction genres. We rely on stylometric analysis to explore the linguistic properties and lexicon of reviews and we conducted automatic classification experiments using multiple approaches and feature configurations to predict either the review's platform or the genre.

Findings - The analysis of user-generated reviews demonstrates that language is a quite variable dimension across reading platforms, but not as much across book genres. The classification experiments revealed that features modelling the syntactic structure of the sentence are reliable proxies for discerning Amazon and Goodreads reviews, whereas lexical information showed a higher predictive role for automatically discriminating the genre.

Originality - The high availability of cultural products makes information services necessary to help users navigate these resources and acquire information from unstructured data. This study contributes to a better understanding of the linguistic characteristics of user-generated book reviews, which can support the development of linguistically-informed recommendation services. Additionally, the authors release a novel corpus of online book reviews meant to support the reproducibility and advancements of the research.

Keywords: stylometric analysis, genre detection, book reviews, machine learning, reading platform, computational linguistics.

1 Introduction

The internet has revolutionized the way we read and write and led the way to the advent of Digital social reading (DSR), a series of practices devoted to the use of digital technologies and platforms to share with other people thoughts and impressions about the reading experience (Bronwen, 2020;

Pianzola, 2021). The popularity of such platforms has led to the creation of new social valences of reading (Nakamura, 2013) and, most importantly, of massive corpora of user-generated book reviews (see, e.g., Kousha et al., 2017; Sabri and Weber, 2021; Walsh and Antoniak, 2021). The insights that such reviews provide into readers' opinions are commonly exploited by publishers and authors for understanding the preferences of their readers (Aerts et al., 2017; Dimitrov et al., 2015; Maity et al., 2019; Thelwall, 2019; Wang et al., 2019). Among these studies, we notice that still little is known about the diverse communication strategies adopted by readers to share their reading experiences with others in terms of stylistic variations between reviews written across different platforms or referring to books belonging to different genres (Hajibayova, 2019; Rebora et al., 2021; Scofield et al., 2022), especially when it comes to book reviews written in Italian. However, the analysis of stylistic variations of reviewers' writing style can contribute useful perspectives to information behaviour research, especially in the context of Digital Social Reading practices. Not only it offers a novel perspective on the phenomena of information acquisition, use and sharing (Savolainen, 2020), but it can also offer new empirical data to gain insights into how readers communicate their diverse reading experiences across different types of books and platforms, thus allowing the investigation on the nature of the review enterprise as a vehicle of cultural production (Hajibayova, 2019). Additionally, stylistic analysis of book reviews holds value for library studies since it may foster the integration between digital libraries and new technologies for managing, organising and supporting the analysis of large amounts of unstructured information, which so far remains mostly an unexplored opportunity (Jeonghyun, 2021).

This study examines the linguistic properties and lexicon of Italian book reviews published on two leading platforms for DSR, Amazon Books¹ and Goodreads². The different purpose of these platforms makes them an interesting testbed to explore the diverse attitudes of online book reviewers: while Goodreads gathers a large community of amateur readers to exchange opinions and reading recommendations, Amazon has a marked commercial vocation and treats books mainly as a consumer good. Given their different nature, large-scale analyses of Goodreads users' behaviour were aimed at predicting the orientation of the book market (Maity et al., 2019; Wang et al., 2019), as well as to map reading preferences across various communities of users (Bourrier & Thelwall, 2020). Goodreads reviews have also proven to be an extremely valuable source to detect responses to reading (e.g. absorption) (Lendvai et al., 2020), and to analyze the linguistic style adopted by readers to describe their reading experiences (Driscoll & Rehberg Sedo, 2019; Nuttall & Harrison, 2020). Conversely, reviews posted on Amazon Books have mostly been investigated within marketing and buyers' behaviour studies, often relying on sentiment analysis (Chiavetta et al., 2016; Kaur & Singh, 2021; Srujan et al., 2018). Despite such widespread attention, there hasn't been a thorough comparison between them in terms of the communication strategies emerging from different writing styles in user-generated reviews. One of the few studies tackling this topic has suggested that, because of their inherent differences in terms of purpose (commercial/non-commercial), the two platforms elicit contrasting reading behaviours with regards to rating and review length (Dimitrov et al., 2015).

Our work contributes to this research area by introducing a novel corpus called A Good Review

¹https://www.amazon.it/

²https://www.goodreads.com/

(Amazon and GOODreads REVIEWs) which covers reviews of 300 books belonging to six literary fiction genres and reviewed by users of Amazon and Goodreads. We expect book reviews published on these two platforms to show multiple facets of readers' behaviour not only in terms of their content but also accounting for the various communication strategies employed by readers. The primary goal of the study is thus to investigate whether the stylistic variations between the reviews are associated with different writing styles across platforms and genres.

Additionally, we explored whether stylistic properties of reviews allow us to automatically discriminate the reviews' venue and to identify the genre of the reviewed book. To this aim, we conducted two automatic classification experiments, Automatic Platform Classification (APC) and Automatic Genre Classification (AGC), the task concerned with automatically detecting the genre of textual documents (Kessler et al., 1997). While the first task is relatively straightforward, albeit unexplored, due to the distinctive characteristics of the two platforms, the second task is more challenging, particularly when using user-generated reviews as information sources.

Genre identification has been regarded as a key factor in library and information sciences (Andersen, 2008) for reducing inadequate results of search engines (Lim et al., 2004; Santini, 2007; Santini, 2004), or for automatically enhancing documents with metadata (Lüschow & Tello, 2021). In addition, AGC is employed in the publishing industry to develop book recommendation systems (Alharthi et al., 2018) and in DSR activities such as the organization of books through digital shelves and wish lists (Pianzola, 2021).

Despite the long-standing and widespread attention, the AGC task is extremely challenging due to multiple factors. Previous works differ with respect to i) the notion of genre, which represents a quite heterogeneous object of study (Biber & Conrad, 2009), ii) the typologies of text properties, either token- (Crossley & Louwerse, 2007; HaCohen-Kerner et al., 2020; Mehler et al., 2010; Santini, 2004) or sentence-based characteristics (Cimino et al., 2017; Fang & Cao, 2010; Stamatatos et al., 2001; Wan et al., 2019) or also accounting for the discourse structure of texts (Sun et al., 2021) iii) the machine learning approach adopted (Worsham & Kalita, 2018), and iv) the source exploited to classify the genre, either the book content (Rahul et al., 2021; Shamir, 2020; Worsham & Kalita, 2018), title or summary (Ozsarfati et al., 2019), descriptions on websites (Sobkowicz et al., 2018), or cover design (Buczkowski et al., 2018). Less attention has been paid to exploiting user-generated reviews written by readers. To the best of our knowledge, the main exception is Saraswat, 2022, which used Amazon book reviews for genre classification using recurrent neural networks, and the study conducted by Scofield et al. (2022), which relied on multiple machine learning algorithms to categorize 24 fiction genres starting from a collection of 325 Portuguese book reviews posted on Goodreads.

The present study provides a comprehensive and detailed analysis of the lexical and stylistic features of written communication on reading platforms and it contributes valuable evidence to the field of Digital Social Reading activity, which has been lacking extensive empirical studies (Pianzola, 2021). The findings on the variations in the writing style of book reviews have implications for the development of linguistically-informed recommender systems that offer personalized reading suggestions: in an era where readers face a multitude of options, such systems have become increasingly important (Alharthi et al., 2018). Information about the diverse writing styles of user-generated book reviews could be leveraged, for example, to develop more effective book recommendation sys-

tems that target specific groups of readers with tailored communication strategies, as suggested by Ye et al., 2023. Overall, the study not only expands our understanding of written communication on reading platforms but also has practical applications in improving book recommendation systems. It bridges the gap in empirical research and provides valuable insights for both researchers and developers in the field.

2 The A Good Review Corpus

The present study relies on the A Good Review corpus (Amazon and GOODreads REVIEWs), a novel collection of book reviews acquired from Amazon and Goodreads across various literary fiction genres. The corpus is particularly suited for exploring whether the genre of a book impacts the writing style of its reviews and if reviews within the same genre have a distinctive writing style.

The creation of the A Good Review corpus starts by selecting the genres to be covered. Considering that the classification of books into fiction genres remains ambiguous, we relied on Goodreads' genre classification system based on 'shelves', i.e. user-curated collections complemented by brief descriptions specifying the type of books allowed in the list. Specifically, we identified six popular Goodreads 'shelves', corresponding to as many genres of narrative fiction: thriller, historical fiction, romance, science fiction, horror, and fantasy. We acquired the titles of the 50 most frequently reviewed books of each genre and used their ISBN number to unambiguously identify them on Amazon and Goodreads and to collect their reviews written in Italian. If a book appears on several shelves (e.g. Frankenstein classified both as horror and science fiction), it is assigned to the genre with which it is most frequently associated. Indeed, although Amazon users may not agree with the classification proposed on Goodreads platform, we expect that Amazon users are not likely to consistently disagree with it since the selection is based on the 50 most frequently assigned books in each genre. We obtained the reviews by extracting them from the Goodreads and Amazon websites using a web scraping technique. The reviews were gathered in June 2022.

Goodreads Amazon Genre Reviews Sentences **Tokens** Reviews Sentences Tokens 1,701,735 Fantasy 8,608 31,229 567,472 8,316 75,402 1,037,555 Historical Fiction 296,361 4,455 16,050 5,196 43,486 Horror 3,958 16,677 329,801 6,219 51,815 1,205,617 Romance 6,885 28,970 527,996 7,855 76,992 1,707,373 7,070 505.177 56.875 Science Fiction 26,595 6,255 1,336,165 Thriller 5,952 21,699 383,449 4,847 34,484 765,947 Total 36,928 141,220 2,610,256 339,054 7,754,392 38,688

Table 1: Dataset statistics for each genre and in total for each platform.

Table 1 describes the A Good Review corpus detailing the number of reviews collected from each platform and genre, as well as their length in terms of the number of sentences and tokens. We maintained the number of reviews balanced across platforms by collecting around 140 reviews for

each considered book. However, Goodreads reviews turned out to be longer than Amazon's, causing the Goodreads portion of the corpus to be larger. In fact, while Goodreads reviews feature around 200 tokens each, Amazon reviews show an average of around 70 tokens per review. The tendency to produce longer reviews on Goodreads is attested for all genres and represents a specific property of the data used in this study.

3 Approach

The study on variations in the writing style of book reviews is articulated in two main phases. In the first phase, we automatically acquired a set of stylistic properties (detailed in Section 3.1) from the reviews including (morpho-)syntactic and lexical properties. We analyzed the variation of these features across the review's venue (i.e. the platform), and the genre of the reviewed book. The goal was to determine if the platform has an impact on the writing style of the reviews and to compare the writing styles across different genres.

In the second phase, we conducted a series of classification experiments using multiple approaches and feature configurations described in Section 3.2. The experiments target two tasks: Automatic Platform Classification (APC) and Automatic Genre Classification (AGC). APC is devoted to predicting if a review was posted on either Amazon or Goodreads. In AGC, we aim at classifying the genre of the book being reviewed based on its review. AGC is addressed as a multi-class classification problem conducted separately for each platform by using only the reviews published on either Amazon or Goodreads. The different configurations of features used in both classification tasks are meant to investigate whether it is possible to predict the platform and the book's genre based on the review's writing style, as well as the effectiveness of various types of features in making this prediction.

3.1 Stylistic Properties

3.1.1 Linguistic Characteristics

The comparative analysis of the linguistic variation across the reviews has been inspired by research on linguistic profiling, a methodology originally developed for authorship recognition that detects and quantifies differences and similarities across texts representative of distinct language varieties relying on the distribution of a large number of linguistic features (van Halteren, 2004). In this study, we relied on the linguistic profiling methodology described in Brunato et al. (2020) and implemented in Profiling-UD, a web-based tool conceived to linguistically profile multilingual texts by relying on the Universal Dependencies (UD) formalism (De Marneffe et al., 2021), a de facto standard schema for morpho-syntactic annotation of corpora, based on the dependency syntactic representation paradigm. Figure 1 exemplifies the dependency tree representation based on the UD formalism of reviews acquired from the A Good Review corpus. As it can be noted, each word (token) of the two sentences is associated with a Part-Of-Speech (POS). Syntactic relations between words are represented as dependency links marked by a label indicating the type of relationship established between the two (e.g., nsubj for nominal subjects, det for determiners).




Figure 1: Amazon (1) and Goodreads (2) reviews linguistically annotated according to the UD schema.

Profiling-UD computes a large set of linguistic features derived from raw, morpho-syntactic, and syntactic levels of UD annotations. In this study, we relied on the 150 most frequent features occurring in the A Good Review corpus to prevent data sparsity issues.

As shown in Table 2, the features can be grouped according to nine main aspects. They range from quite simple aspects related to raw text properties (i.e. sentence and word length), to the distribution of UD Parts-Of-Speech and of inflectional properties specific in particular to verbal predicates (i.e. mood, tense, person).

More complex features concern the global and local syntactic structure of the UD dependency tree. For instance, the average length of dependency links, a feature occurring in the *Tree Structure* group, refers to a local property of a sentence and it is computed as the average number of words linearly occurring between a syntactic head and its dependent (excluding punctuation). Accordingly, in Figure 1, the average dependency length of review (1) is 1.25, and 1.86 in (2). The maximum link length complements the latter feature and refers to the longest link in the dependency tree. In (1), the longest link is the two-token long link connecting the pair [pena 'effort', vale 'worth']³, while in (2) we have two three-token long links: [film 'movie', meglio 'better'] and [libro 'book', meglio 'better']. The maximum tree depth, on the other hand, represents a global property of the sentence structure, and it is computed as the path (in terms of occurring dependency links) from the root of

³The syntactic head is always the second element of the pair.

Table 2: Morpho-syntactic characteristics acquired from reviews.

Linguistic Feature	Label
Raw Text Pı	roperties (RawText)
Document length	tokens, sentences
Avg sentence length	sent_length
Avg word length	char_per_tok
Vocabulary R	ichness (Vocabulary)
Type/Token Ratio for words and lemmas	${ m ttr}_{ m F}~(100/200),~{ m ttr}_{ m L}~(100/200)$
(first 100 and 200 tokens)	
Lexical density	lexical_density
New Basic Italian Vocabulary for words	NBIV
and lemmas	
Fundamental/High usage/High availabil-	in_FO_*, in_AU_*, in_AD_*
ity words of NBIV for words and lemmas	
Morphosyntact	tic information (POS)
Distribution of UD POS	POS label
Inflectional morp	phology (VerbInflection)
Inflectional morphology of lexical verbs	,
and auxiliaries	
Verbal Predicate S	$Structure\ (\textit{VerbPredicate})$
Distribution of verbal heads and verbal	verbal head, verbal root perc
roots	
Verb arity and distribution of verbs by ar-	avg verb edges, verbal arity *
ity	
	Tree Structures (TreeStructure)
Avg depth of syntactic trees	parse depth
Avg length of dependency links and of the	
longest link	9
Avg length of prepositional chains and dis-	avg_prep_chain_len, prep_dist_1, prep_dist_*
tribution by depth	
Avg clause length	avg_token_per_clause
9	color = colo
Relative order of subject and object	subj_pre, subj_post, obj_pre, obj_post
	ations $(SyntacticDep)$
Distribution of dependency relations	dep label
1	ordination $(Subord)$
Distribution of subordinate clauses	subord prop dist
Avg length of subordination chains and	avg subord chain len, subord dist 1
distribution by depth	
Relative order of subordinate clauses	subord_pre, subord_post
	pro, babota_pool

the tree to the furthest leaf node. In (1), it corresponds to the two intermediate dependency links that are crossed in the path going from the root of the sentence *vale* 'worth' to each of the most

distant leaf nodes, represented by the words Questa 'This', la 'the'.

Among the set of considered features, we also include the quantitative distribution of a few vocabulary characteristics (*Vocabulary* group). This group covers a varied set of properties, such as the Type/Token Ratio (TTR), which refers to the ratio between the number of lexical types and the number of tokens within a text computed for both the first 100 and 200 tokens in the review, and the lexical density of a text, calculated as the percentage of content words in the review. Additionally, this group accounts for the distribution of word forms and lemmas belonging to the New Basic Italian Vocabulary (NBIV) (De Mauro & Chiari, 2016), also articulated into the usage classification classes of 'fundamental' (very frequent), 'high usage' (frequent) and 'high availability' words (relatively lower frequency words referring to everyday objects or actions and thus well known to speakers).

3.1.2 Lexical Variations

To complement the quantitative lexical analysis introduced above, we performed a qualitative analysis of the reviews' lexicon devoted to identifying the main topics addressed by the readers, as well as the main semantic fields associated with reading experiences. This analysis is based on the frequency lists of words acquired from the linguistically annotated corpus of Amazon and Goodreads reviews. To reduce data sparsity, frequency lists are based on words base forms (lemmas) having at least 5 occurrences in the corpus and grouped by POS. In particular, the analysis focuses on words annotated as verbs (VERB), nouns (NOUN), and adjectives (ADJ). These are among the most relevant morpho-syntactic categories conveying the informational content of sentences in a document.

3.2 Models

The classification experiments rely on multiple machine learning (ML) algorithms that vary with respect to their architecture and features used for training. Specifically, as detailed below, we exploited a suite of classifiers based on Linear Support Vector Machines (LinearSVM) and one of the most prominent Neural Language Models (NLMs), i.e. BERT (Devlin et al., 2019). These models were trained and tested by adopting a 5-fold cross-validation approach, i.e. models are trained iteratively on $\frac{4}{5}$ of the reviews and use the remaining fifth as a test set. This ensured that the model was trained using a representative sample of the dataset at each iteration. The train and test sets always contained reviews of different books to ensure that those used for training are not seen during the test phase, thus increasing the complexity of the classification tasks. Models' performance on both platform and genre classification tasks is evaluated based on Accuracy, Precision, Recall, and F-score.

3.2.1 Linear Support Vector Machine

LinearSVM is a machine learning discriminative algorithm that, given a set of training examples each marked as belonging to a class (e.g. Amazon and Goodreads, or one of the six genres), builds a model that assigns new unseen examples to one of the available classes. Specifically, an SVM model maps training examples to points in space in order to maximize the width of the gap between

classes. New examples are then mapped into that same space and assigned to one of the available classes.

We chose this model over the other commonly used Machine Learning algorithms since it represents a reliable trade-off between the interpretability and accuracy of the results. In fact, similarly to other models, it allows the identification of the most significant features that contribute to predicting the class of a document. However, it is particularly capable of handling high-dimensional feature spaces and finding accurate and robust decision boundaries that can generalize well to new, unseen documents.

For the purposes of this study, we define two LinearSVM models, referred to as Profiling and Ngrams models. The former is linguistically informed since it takes the set of linguistic characteristics extracted using the Profiling-UD tool as input features. The latter exploits only lexical information since it uses as input feature a contiguous sequence of n words acquired from the reviews (i.e. n-grams, with n equal to 1, 2, and 3).

3.2.2 Neural Language Model

Neural network models of language, i.e. Neural Language Models (NLMs), have recently become the most commonly used algorithms for the resolution of NLP tasks. In particular, introducing the Transformer model (Vaswani et al., 2017) allowed these algorithms to perform astonishingly well across several tasks. For APC and AGC, we relied on one of the most prominent NLM based on the Transformer architecture, i.e. BERT (Devlin et al., 2019). BERT (Bidirectional Encoder Representations from Transformers) is an Encoder model trained to approximate the Masked Language Modeling function, i.e. randomly masking part of the input tokens in a sentence and asking the model to predict them, and fine-tuned for the resolution of a target task. For the purpose of the present work, we relied on an Italian pre-trained version of the model (12 layers, 768 hidden units), i.e. the one developed by the MDZ Digital Library Team and available through the Huggingface's Transformers library (Wolf et al., 2020)⁴. The model was trained using the Italian Wikipedia and the Italian portion of the OPUS corpus (Tiedemann & Nygaard, 2004), a multilingual collection of translated open source documents available on the Internet.

3.2.3 LinearSVM + NLM

We combined the previous models into a classifier based on LinearSVM and trained using the internal representations of the BERT model fine-tuned either on APC or AGC tasks. We refer to this model as SVM (BERT). SVM (BERT+Profiling) is an additional LinearSVM model trained using both the fine-tuned representations produced by BERT and Profiling-UD features. The BERT representations used as input features of the SVM model result from averaging the embeddings of all the tokens in each review.

⁴https://huggingface.co/dbmdz/bert-base-italian-xxl-cased

3.2.4 Baselines

We compared the performance of the above models against multiple baselines. For what concerns APC, we relied on two baseline models: i) Majority class, which assigns the most frequent class as the output label for the review, and ii) Sent-length, a LinearSVM taking as input a single feature capturing the length of the review in terms of tokens. For AGC, we relied on the Sent-length model described above and on a random uniform classifier, i.e. a model that uniformly generates random predictions for each possible class (namely, all genres have equal prediction probability).

4 Analysis of Reviews' Style

The investigation of the writing style of the A Good Review corpus started with the analysis of the (morpho-)syntactic properties of reviews, discussed in Section 4.1. As a second study (see Section 4.2), we explored the lexicon used by the readers in terms of semantic domains adopted to describe their reading experience. In both investigations, we followed a two-level analysis, devoted on the one hand to highlighting differences and similarities across the two platforms, and on the other hand to comparing the style of reviews of books belonging to different genres. We refer to the former as 'platform-level analysis' and to the latter as 'genre-level analysis'.

4.1 Linguistic Analysis

4.1.1 Platform-level analysis

As a first step, we verified whether a statistical analysis reveals significant differences between the monitored linguistic characteristics when computed over the set of Amazon and Goodreads reviews. To this aim, we relied on the Mann-Whitney U rank test for independent samples, which revealed that all characteristics vary significantly (p < 0.05). This result suggests a quite different writing style across platforms. To assess which characteristics show major differences, we computed their rank-biserial correlation score r (Wendt, 1972), which ranges between +1 (when the distribution values of a given characteristic occurring in Goodreads reviews are higher than those in Amazon) and -1 (when the values are higher in Amazon reviews). The higher the r score, the greater the distribution difference between the platforms. Table 3 shows characteristics with $|r| \ge 0.2$ and their mean and standard deviation in Amazon and Goodreads reviews.⁵

Among the features showing higher |r|, we find the three raw text properties. As suggested in Section 2, it appears that users are more likely to write a long review on Goodreads. Accordingly, we count 5.4% (around 2,000) of reviews whose length corresponds to 1 or 2 tokens on Amazon, while they are only 1% (less than 400) on Goodreads. Additionally, readers tend to write longer sentences when they write on Goodreads (sent length).

In the set of the most varying features, we also find characteristics modeling aspects related to the local syntactic structure of a sentence (*TreeStructure*). In particular, Goodreads sentences contain a higher number of embedded complement chains governed by a nominal head (*n prep chains*), and

⁵See Appendix for the full set of Profiling-UD features.

Table 3: Platform-level feature analysis: for each characteristic whose $|r| \geq 0.2$, we report the mean and standard deviation values computed on Amazon and Goodreads reviews. Features in each group are ordered by decreasing rank-biserial correlation value (r).

	T	Amazon	Goodreads	
Group	Feature	Mean (stdev)	Mean (stdev)	r
	tokens	$70.69 (\pm 128.56)$	$200.43 \ (\pm 286.13)$	(+).416
RawText	sentences	$3.82 (\pm 5.24)$	$8.76 (\pm 11.70)$	(+).385
	sent_length	$16.38 \ (\pm 10.87)$	$20.80 \ (\pm 11.22)$	(+).270
	ttr_F (100)	$0.10 \ (\pm 0.26)$	$0.35\ (\pm0.37)$	(+).333
	ttr_L (100)	$0.09 \ (\pm 0.22)$	$0.30 \ (\pm 0.33)$	(+).332
Vocab.	lexical_density	$0.56 \ (\pm 0.14)$	$0.51\ (\pm0.09)$	(-).235
	NBIV	$0.87 (\pm 0.14)$	$0.84 \ (\pm 0.12)$	(-).230
	$ttr_F (200)$	$0.04 \ (\pm 0.15)$	$0.18 \ (\pm 0.29)$	(+).218
	ttr_L (200)	$0.03 \ (\pm 0.13)$	$0.15 \ (\pm 0.25)$	(+).218
	PROPN	$2.10 \ (\pm 7.37)$	$2.72 (\pm 4.52)$	(+).283
POS	ADJ	$12.56 \ (\pm 16.28)$	$8.09 (\pm 8.05)$	(-).220
	NUM	$0.55 \ (\pm 1.85)$	$0.99 (\pm 3.37)$	(+).217
Verb	aux_3 st prs-plr	$7.11 (\pm 18.23)$	$10.70 \ (\pm 17.56)$	(+).215
Inflection	$verbs_3^{st}prs-plr$	$7.80 \ (\pm 19.45)$	$11.48 \ (\pm 18.20)$	(+).213
Verb	verbal_heads	$2.01\ (\pm 1.60)$	$2.51 \ (\pm 1.54)$	(+).237
Predicate	verb_edges_dist_5	$4.51 \ (\pm 10.94)$	$6.38 (\pm 9.81)$	(+).234
	avg_verb_edges	$2.21\ (\pm 1.06)$	$2.53\ (\pm0.86)$	(+).214
	n_prep_chains	$2.63 \ (\pm 5.23)$	$7.32 (\pm 11.09)$	(+).366
	$\max_{\text{links_len}}$	$11.88 \ (\pm 9.53)$	$18.97 \ (\pm 13.66)$	(+).351
Tree	avg_links_len	$2.25\ (\pm0.67)$	$2.52 \ (\pm 0.52)$	(+).282
Structure	$avg_max_links_len$	$7.29 \ (\pm 5.19)$	$8.99 (\pm 4.92)$	(+).252
	avg_prep_chain_len	$0.78 \ (\pm 0.59)$	$0.94 \ (\pm 0.48)$	(+).214
	avg_max_depth	$3.67 (\pm 1.85)$	$4.23 (\pm 1.74)$	(+).206
	root	$12.06 \ (\pm 17.81)$	$7.28 (\pm 8.77)$	(-).270
	det:poss	$0.61 \ (\pm 1.64)$	$0.84 (\pm 1.41)$	(+).234
Syntactic Dep	expl	$0.78 \ (\pm 1.58)$	$1.06 (\pm 1.42)$	(+).225
	iobj	$0.59 (\pm 1.48)$	$0.72 (\pm 1.31)$	(+).206
	ccomp	$0.67 (\pm 1.42)$	$0.84 (\pm 1.32)$	(+).201
	nummod	$0.45 \ (\pm 1.37)$	$0.74\ (\pm 2.45)$	(+).200
Subord	avg_sub_chain_len	$0.95 (\pm 0.61)$	$1.11\ (\pm0.52)$	(+).229
	subord_dist_2	$11.99 \ (\pm 23.48)$	$15.54 \ (\pm 19.86)$	(+).212

longer syntactic dependency relations (avg_links_len, max_links_len). Note that all the above represent aspects of a more complex and articulated writing style (Frazier, 1985; Gibson, 1998; Gildea & Temperley, 2010).

Amazon and Goodreads book reviews strongly differ also with respect to their lexical richness. Namely, Goodreads readers tend to use a more diverse lexicon, corresponding to lower values of

words belonging to the NBIV (NBIV) and higher values of Type/token ratio both at the level of forms and lemma computed for the first 100 words of the document (ttr_F_100 , ttr_L_100). Our intuition is that on a domain-specific platform such as Goodreads users possibly describe several aspects of their reading experiences. In contrast, reviews on a more commercial platform such as Amazon are restricted to a few semantic domains. This is what we investigated in the qualitative analysis of our study (Section 4.2). The relatively high rank-biserial correlation score of the distribution of proper nouns (PROPN), more frequent on Goodreads, could be similarly related to the diverse content of the book reviews. A qualitative investigation revealed that Goodreads reviews tend to contain more names of book characters and of places where the story is set, while Amazon readers tend to refer more frequently to publishing companies, actors and directors involved in film adaptations, and e-reader devices.

4.1.2 Genre-level analysis

To investigate cross-genre variations, we analysed the distribution of linguistic characteristics in the reviews of books belonging to the six considered fiction genres. We release these distributions as supplementary materials. Below, we discuss characteristics showing significant variations across genres as determined by the Mann-Whitney U statistical test. Table 4 shows the percentage of characteristics of a group that vary significantly (p < 0.05) for a genre compared to all the others. The higher the number of varying characteristics, the more different the review style for that genre.

Note that even though a total high number of characteristics varies across genres (i.e. about 50-60%, see All row), the six genres only share a very small subset of characteristics that vary significantly for all of them (i.e. 19 on Goodreads and 4 on Amazon, out of 150). This seems to indicate that Amazon's reviews have a more homogenous writing style across genres compared to Goodreads' since they have a lower number of the same characteristics that vary significantly for all genres. Additionally, their distribution values are quite similar, as confirmed by the low r scores (see Appendix) which are not worth discussing in more depth. We will limit ourselves to point out that, among the characteristics showing the highest r scores, we find many features falling in the Vocabulary group, suggesting that variations in reviews' style may mostly lie in different use of the lexicon.

However, if we focus on the amount and type of statistically varying characteristics rather than on their values, we notice that on both platforms each genre differs from the others with respect to a different group of linguistic characteristics. In most cases, the writing style varies significantly considering two groups of characteristics: raw text and the distribution of morpho-syntactic categories (POS). The latter is also among the characteristics showing a greater variation for most genres, based on their r score. As already noted, these groups contain linguistic phenomena which can possibly affect the distribution of other characteristics of a sentence. For example, longer sentences are possibly characterized by deeper syntactic trees or longer dependency relations; sentences containing a higher percentage of verbs or conjunctions may feature more subordinate constructions. Horror and Fantasy books on Goodreads represent exceptions: they differ significantly in the syntactic structure of their sentences and the order of subjects and objects with respect to the main verb (Order). Thriller books on Amazon, on the other hand, vary mainly for vocabulary characteristics.

Vocabulary

All

84.62

69.23

67.33

Table 4: For each platform and genre, we report (in percentage) the number of linguistic characteristics within groups that vary significantly (p < 0.05) compared to all the other genres. Results are ordered based on the values of the All row, i.e. the percentage obtained considering the whole set of significant characteristics.

			Ama	azon			
Features Group	Fantasy	Horror	Romance	Science	${f Thriller}$	Historical	
				Fiction		Fiction	
Raw text	100	100	50	100	25	25	
POS	64.71	70.59	76.47	58.82	58.82	70.59	
VerbInflection	60.53	47.37	47.37	50	52.63	42.11	
VerbPredicate	80	50	70	60	40	40	
TreeStructure	72.73	90.91	54.55	81.82	27.27	54.55	
Order	75	50	25	100	50	50	
SyntacticDep	62.79	62.79	65.12	44.19	48.84	48.84	
Subord	70	60	30	60	50	60	
Vocabulary	53.85	76.92	69.23	30.77	92.31	53.85	
All	65.33	62.67	58	54	52	50	
			Good	reads			
Features Group	${f Thriller}$	Romance	Historical	Horror	Fantasy	Science	
			Fiction			Fiction	
Raw text	100	75	50	50	50	100	
POS	82.35	82.35	76.47	64.71	58.82	76.47	
VerbInflection	81.58	55.26	36.84	50	42.11	39.47	
VerbPredicate	VerbPredicate 60		60	40	50	_	
TreeStructure	81.82	81.82	72.73	72.73	63.64	90.91	
Order	50	50	50	50	7 5	50	
SyntacticDep	46.51	76.74	72.09	48.84	48.84	48.84	
Subord	50	60	50	40	40	20	

Interestingly, we notice that readers of the same genre tend to adopt a different writing style based on the platform where their review is published. For example, the reviews of Thriller books written on Amazon differ for a higher percentage of characteristics (68%) than those written on Goodreads (52%). They also vary mostly with respect to different groups: raw text (100%) for Goodreads and vocabulary (92.31%) for Amazon. In fact, Thriller reviews posted on Goodreads are on average shorter than the other reviews and contain shorter sentences and words. Conversely, reviews posted on Amazon feature a higher percentage of NBIV words belonging in particular to the Fundamental repository and are characterized by a lower lexical variability (in terms of TTR), compared to the reviews of the other genres.

53.85

58.67

69.23

53.33

53.85

61.54

Table 5: For each genre, the frequency distribution (expressed in percentage) of words according to their grammatical category. Lexical overlap and Spearman correlation coefficients (p < 0.05) are computed for each genre between word lists acquired from Amazon and Goodreads.

		Frequency	Distribution		
POS	Genre	Amazon	Goodreads	Lexical Overlap	Spearman Correlation
	Fantasy	17.10	15.53	42.11	.770
Fantasy	Historical Fiction	17.67	16.76	40.84	.814
	39.94	.805			
Nouns	Romance	16.09	15.07	40.80	.823
	Science Fiction	17.41	16.68	44.51	.821
	Thriller	17.04	16.48	50.10	.834
	All	16.97	15.99	45.57	.837
Fantasy	Fantasy	7.76	6.37	42.78	.768
	Historical Fiction	7.99	6.63	38.73	.820
	Horror	7.28	6.69	37.42	.811
	.837				
	.829				
	Thriller	storical Fiction 17.67 16.76 40.84 .814 rror 17.01 16.69 39.94 .805 mance 16.09 15.07 40.80 .823 ence Fiction 17.41 16.68 44.51 .821 riller 17.04 16.48 50.10 .834 16.97 15.99 45.57 .837 atasy 7.76 6.37 42.78 .768 storical Fiction 7.99 6.63 38.73 .820 error 7.28 6.69 37.42 .811 mance 7.58 6.30 41.28 .837 ence Fiction 7.90 6.72 43.02 .829 riller 7.87 6.60 50.58 .839 7.73 6.50 46.92 .834 atasy 10.25 10.56 45.29 .826 storical Fiction 10.37 10.21 43.67 .852 error 10.25			
	All	7.73	6.50	46.92	.834
	Fantasy	10.25	10.56	45.29	.826
Verbs	Historical Fiction	10.37	10.21	43.67	.852
	Horror	10.25	10.25	44.77	.856
	Romance	11.01	10.86	43.09	.887
	Science Fiction	10.27	10.23	48.40	.861
	Thriller	10.54	10.53	55.65	.861
	All	10.48	10.50	46.86	.901

4.2 Lexical Analysis

4.2.1 Platform-level analysis

The qualitative investigation of the reviews' lexicon focuses on the nouns, verbs and adjectives having at least five occurrences in the corpus. Their distributions across genres and overall for each platform are reported in Table 5.

As can be noted, the frequency distribution values of the three considered POS are quite similar across platforms and genres despite the reviews' different lengths. The lower distribution of nouns and adjectives on Goodreads reviews is simply due to the greater presence of function words introducing, e.g., subordinates and embedded complement chains (see Section 4.1), which lowers the relative amount of content words on this platform.

To determine if this similarity also extends to the use of the lexicon, we used two metrics, presented in Table 5. *Lexical overlap* measures the rate of words used in both Amazon and Goodreads reviews. This is computed – for each POS and overall – as a ratio of the lemmas appearing at

least once in both platforms and the total amount of distinct lemmas in the A Good Review corpus. Spearman's rank correlation coefficient, on the other hand, is meant to determine if words sharing the same grammatical category occur with a similar relative frequency in both platforms, which would indicate that readers refer to the same topics.

Table 5 reveals that the reviews posted on the two platforms share about half of their lexicon (see lexical overlap values above 45% for all POS). If we look at this value in light of the high Spearman correlation scores, we can conclude that readers rely on a similar lexicon on both platforms to convey their opinions.

In order to further analyse this shared lexicon and the recurring topics that it might convey, we manually categorized the adjectives, verbs and nouns appearing within Amazon and Goodreads reviews into one of the eight semantic classes listed in Table 6. We defined the classes on the basis of previous research on recurring topics, reading-related metaphors and signs of emotional engagement in online reading reviews (Dimitrov et al., 2015; Nuttall & Harrison, 2020; Pianzola et al., 2020). The result of this process is an annotated lexicon comprising 1,074 lemmas, each assigned to a semantic class which we distribute for future research.

Based on the frequency distribution values, we noticed that some classes are equally represented in the reviews of Amazon and Goodreads. Consider in particular the case of the *Other media* and *Reading-related* classes. The former covers terms related to the transposition of a book into another audiovisual medium and to artistic performances, also not directly related to reading (e.g. cantare 'to sing'). The *Reading-related* class includes terms referring to narrative elements and the act of reading and it is also the most represented class of annotated lexicon (around 55% on both platforms). Interestingly, the names of the six genres appear in this class among the most frequent terms. This not only confirms our assumption that users of both Amazon and Goodreads share a similar understanding of the main fiction genres, but also shows that they are very much concerned with assigning books to a genre. In addition, we notice that reviewers on Goodreads and Amazon also tend to attach great significance to the pace of their reading, as suggested by the high frequency of terms such as *incalzante* 'fast-paced', as well as to the level of likelihood of the story (e.e., credibile 'credible', inverosimile 'unlikely').

Conversely, some classes are more represented within Amazon reviews, even though their distribution percentages remain quite low on both platforms. These are the Advice-related class, which covers terms explicitly related to sharing advice and ratings, the Commercial class, which includes terms referring to the book's price and shipping conditions, and the Book's materiality class, containing terms referring to material properties of the books. The frequency gap is especially marked within the Commercial class (5.26% on Amazon, 1.79% on Goodreads). This shows that Amazon users are prone to evaluate books also as generic consumer goods. This assumption is strengthened by the higher frequency, on Amazon, of terms related to the visual and tactile features of the book, which range from aesthetic elements (illustrazione 'illustration') to types of binding. Moreover, we noticed that some terms falling into this category - e.g. imballato 'packed' and graffiato 'scratched' only appear in the Amazon dataset. Finally, the slightly higher frequency of the Advice-related class suggests that Amazon users tend to turn to this platform more for giving and receiving advice on whether to buy and read a book, rather than for commenting on their reading experience. Overall, these three classes point towards a more spread concern with practical aspects of books and book

Table 6: Distribution of lexical classes across Amazon and Goodreads platforms. Examples cover words annotated at the POS level as adjectives (A), nouns (N) and verbs (V).

	Frequency Di	stribution %	
Class	Amazon	Goodreads	Examples
Reading-related	55.41	55.59	A: classico 'classic', scorrevole 'smooth'; N: libro
			'book', storia 'story'; V: leggere 'to read', nar-
			rare 'to recount'
Affect-related	21.07	26.79	A: interessante 'interesting', avvincente 'engag-
			ing'; N: emozione 'emotion', aspettativa 'expec-
			tation'; V: deludere 'to disappoint', piacere 'to
			like'
Advice-related	4.69	3.27	A: consigliato 'recommended'; N: recensione 're-
			view', giudizio 'rating'; V: suggerire 'to suggest'
Book's materiality	5.43	3.21	A: rigido 'hardcover', flessibile 'paperback'; N:
			publicazione 'publication', illustrazione 'illus-
			tration'; V: rilegare 'to bind', stampare 'to print'
Commercial	5.26	1.79	A: gratuito 'for free', caro 'pricy'; N: acquisto
			'purchase', corriere 'courier'; V: prenotare 'to
			book', regalare 'to give'
Other media	3.08	2.83	A: cinematografico 'cinematographic', teatrale
			'theatrical'; N: film 'movie', smartphone; V:
			cantare 'to sing', dipingere 'to paint'
Travel-related	3.76	4.52	A: n/a N: mondo 'world', viaggio 'trip'; V: par-
			tire 'to leave', viaggiare 'to travel'
Food-related	1.30	1.99	A: amaro 'bitter', piccante 'spicy'; N: gusto
			'taste', cena 'dinner'; V: assaporare 'to taste',
			divorare 'to devour'

circulation among Amazon readers.

In contrast, Goodreads users seem to be more concerned with the exploration of their own subjective reading responses. This is suggested by the higher frequency of the Affect-related class on Goodreads compared to Amazon, as shown in Table 6. This class encompasses the expressions of feelings, ideas and opinions driven (more or less explicitly) by an affect. Drawing on core theories in the field of affect theory and emotion studies (Scherer, 2005; Tomkins, 1984), we included terms pertaining to basic emotions (e.g. noia 'boredom'), to the bodily reactions associated with them (e.g. piangere 'to cry'), to aesthetic emotions (e.g. ammirare 'to be in awe'), as well as terms generically referring to affective phenomena, including moods (e.g. allegro 'cheerful'), affect dispositions (e.g. geloso 'jealous') and preferences (e.g. appassionato 'passionate').

Finally, Table 6 also reports two semantic classes - Food-related and Travel-related - which include terms possibly associated with two recurring metaphors used to discuss the intensity of readers' engagement with a book: metaphors related to eating (e.g. I have devoured this book) and to travel or transportation (e.g. I was transported by the story). Whilst the data might

Table 7: Distribution of the annotated lexical classes according to genres on Amazon (A) and Goodreads (G).

		Advice	Comme	r- Food	Book	Other	Reading	Affect	Travel
			cial		Mater.	media			
Fantagy	Α	4.67	7.17	0.89	9.28	3.02	53.41	16.72	4.83
Fantasy	G	3.31	1.63	1.39	3.65	2.57	58.03	23.52	5.90
Hist-Fi	Α	4.72	3.39	1.29	3.88	2.12	59.75	21.29	3.55
	G	3.16	1.56	1.61	2.98	1.92	59.28	25.10	4.38
Horror	Α	4.25	4.05	1.31	5.59	3.65	58.48	18.78	3.87
1101101	G	3.04	1.72	1.53	3.48	2.98	59.81	23.44	4.01
Co: T:	Α	4.47	4.37	1.06	4.40	4.63	57.85	18.86	4.36
Sci-Fi	G	3.23	1.83	1.57	3.15	3.98	57.73	22.58	5.93
Thriller	Α	5.18	3.96	1.09	4.24	2.91	59.81	20.08	2.73
1 nriller	G	3.62	1.81	1.81	3.68	2.80	61.85	21.08	3.34
Domonoo	Α	4.78	4.60	1.84	3.68	2.15	52.69	27.50	2.76
Romance	G	3.65	1.82	2.17	2.97	1.90	52.61	31.59	3.30

point towards a more frequent use of metaphorical reading-related language on Goodreads, the low percentages of the annotated lexicon call for caution when evaluating these results.

4.2.2 Genre-level analysis

Having assessed how the terms annotated with the semantic classes are distributed on the two platforms, we proceeded to examine their distribution across the six genres.

The results are reported in Table 7. Overall, the class distributions are consistent with the percentages displayed in Table 6, with some noticeable exceptions which seem to be mainly driven by the recurring narrative elements of selected genres. For instance, we noticed that the class *Other media* is the most frequent one within the Science Fiction reviews posted on both platforms: this might suggest that Science Fiction readers tend the most to compare the book to the existing film adaptation and/or to employ a lexicon related to other media in order to discuss the plot and the characters. This is not surprising, given that Science Fiction books often touch upon the topic of other media, in particular technology.

A closer observation of the affect-related lexicon offers some hints as to how a certain genre might inform the readers' perceptions and responses. For Horror and Thriller reviews, we have noticed a high frequency of terms relating to the fulfilment or disappointment of the reader's expectations, such as 'deludere' to disappoint and 'sorprendente' surprising. Readers of Thriller and Horror want to be surprised and occasionally end up being disappointed. As expected, reviews of horror also feature a high frequency of terms relating to fear and bewilderment, such as 'paura' fear and 'inquietante' unsettling.

In contrast, reviews of Romance and Historical Fiction feature a stronger presence of terms relating to being moved - such as 'commovente' *moving* - as well as generic terms relating to the sphere of emotions and love, such as 'amare' to love and 'sentimento' feeling.

Table 8: APC Results.

Model	Accuracy	Precision	Recall	F-score
Majority class	0.31	0.39	0.61	0.48
Sent-length	0.53	0.51	0.61	0.56
Profiling	0.64	0.63	0.66	0.64
Ngrams	0.59	0.55	0.63	0.59
BERT	0.82	0.86	0.76	0.81
SVM (BERT)	0.86	0.85	0.89	0.87
SVM (BERT+Profiling)	0.86	0.85	0.89	0.87

Lastly, it is interesting to notice that terms belonging to the *Commercial* and the *Book's materiality* classes are particularly frequent in reviews of Fantasy books posted by Amazon users, possibly due to the higher reviewing activity of fantasy readers on this platform.

5 Classification Experiments

5.1 Automatic Platform Classification

Table 8 reports the results of the APC task in terms of *i*) Precision, measured as the ratio between the number of correct predictions for a platform and the total amount of reviews assigned by a model to that platform, *ii*) Recall, i.e. the ratio between the number of correct predictions for a platform and the number of reviews actually belonging to each platform, and *iii*) F-score which combines the previous two metrics since it represents the harmonic mean of the model's Precision and Recall.

As a general remark, we observe that all models outperform the two baselines Majority class and Sent-length. However, models that exploit BERT representations achieve the highest results, especially when used as training features for the SVM model. Interestingly, although one may assume that reviews are easily distinguished based on their lexical properties, the linguistic features of Profiling-UD drive higher results than n-grams (0.64 vs. 0.59 F-score). This suggests that morpho-syntactic and syntactic properties can be used as reliable proxies for discerning reviews written by Amazon or Goodreads users. However, adding linguistic features to the SVM model trained with BERT fine-tuned representations does not provide any performance improvement. The result seems to suggest that BERT internal representations already implicitly encode the (morpho)syntactic information explicitly conveyed by the set of linguistic features considered, as previously shown by Miaschi et al., 2020; Rogers et al., 2020.

5.2 Automatic Genre Classification

Table 9 reports the results obtained by the classification models for the AGC task we performed AGC separately for Amazon and Goodreads reviews. For each genre, we computed precision and

Table 9: AGC results: precision (P), recall (R), F-score (F) and accuracy (A) on Amazon (A) and Goodreads (G) reviews.

		Ran	$\overline{\mathrm{dom}}$	Sent							\mathbf{SV}	$^{\prime}{f M}$	SV	\overline{M}	
		Unif	\mathbf{form}	Len	gth	Prof	iling	Ngr	ams	BERT		(BERT)		(BERT+	
														Profiling)	
Genre	\mathbf{M}	A	G	A	\mathbf{G}	Α	G	A	G	A	\mathbf{G}	Α	G	A	$\overline{\mathbf{G}}$
	Р	.11	.17	.12	0	.15	.22	.47	.55	.7	.62	.58	.8	.57	.8
Hor.	R	.18	.18	.06	0	.15	.17	.45	.51	.5	.59	.58	.77	.58	.76
	F	.14	.17	.08	0	.15	.19	.46	.53	.58	.6	.58	.78	.57	.78
	Р	.09	.13	0	0	.18	.22	.33	.46	.52	.56	.5	.73	.5	.73
Hist-Fi	R	.16	.15	0	0	.19	.26	.46	.45	.37	.52	.5	.77	.5	.76
	F	.11	.14	0	0	.18	.24	.38	.45	.43	.54	.5	.75	.5	.74
Sci-Fi	Р	.25	.16	.05	.08	.23	.23	.65	.55	.61	.72	.65	.78	.65	.78
	R	.17	.16	0	.01	.18	.19	.54	.51	.53	.63	.57	.77	.57	.78
	F	.2	.16	.01	.01	.2	.21	.59	.53	.57	.67	.6	.77	.61	.78
	Р	.21	.12	0	.10	.24	.2	.57	.53	.59	.61	.63	.72	.62	.72
Thril.	R	.18	.17	0	.17	.24	.24	.49	.53	.54	.58	.56	.76	.56	.76
	F	.19	.14	0	.13	.24	.22	.53	.53	.56	.6	.59	.74	.59	.74
	Р	.26	.2	.22	.18	.26	.28	.58	.56	.54	.61	.63	.79	.62	.79
Rom.	R	.17	.17	.03	.22	.27	.34	.5	.58	.51	.68	.6	.79	.59	.77
	F	.21	.18	.06	.20	.27	.31	.54	.57	.52	.64	.61	.79	.6	.78
	Р	.12	.22	.11	.19	.32	.28	.32	.56	.54	.66	.6	.81	.6	.81
Fant.	R	.16	.17	.83	.47	.36	.24	.53	.59	.79	.68	.73	.78	.71	.79
	F	.14	.19	.19	.27	.34	.26	.4	.58	.64	.67	.66	.8	.65	.8
	A	.17	.17	.11	.17	.25	.24	.5	.54	.57	.63	.6	.78	.6	.77
All	Р	.17	.17	.08	.09	.23	.24	.49	.53	.58	.63	.6	.77	.59	.77
A11	R	.16	.17	.06	.10	.23	.24	.48	.53	.55	.62	.59	.77	.59	.77
	F	.16	.17	.06	.10	.23	.24	.48	.53	.55	.62	.59	.77	.59	.77

recall as above, whereas, for the scores obtained on the full corpus (All), we report their overall unweighted mean.

As can be noted, the tested models outperform the baselines in all the configurations, but, unlike APC, the SVM trained using the linguistic characteristics (Profiling), shows the lowest performance overall and for each genre. In fact, as observed in Section 4.1, the distribution values of the (morpho)syntactic characteristics are quite similar across the six genres on both platforms. On the other hand, higher results are obtained when relying on models that exploit lexical information, such as Ngrams and BERT. As already noted for the APC task, the best-performing model turned out to be SVM (BERT), which points to the lexical and semantic nature of the AGC task. Interestingly, adding the set of linguistic features extracted by Profiling-UD to the SVM trained with BERT representations did not improve the results. Similarly to what was observed above, this could suggest that Transformer-based models already encode within their representations information about the morpho-syntactic and syntactic structure of a document and, therefore, explicitly adding

such information does not enhance the discriminatory ability of the model for this task.

When looking at the differences between the two platforms, we can observe that the scores are generally higher on Goodreads reviews. This seems in line with what we observed in Section 4.1, where we highlighted that the readers' writing style on Goodreads is more heterogeneous across different genres, thus probably making it easier for the classifier to distinguish between their corresponding reviews. This can be noticed in particular for the models that exploit BERT representations as input features for the SVM model. In contrast, few differences can be observed when the (morpho-)syntactic characteristics are used. A quite peculiar case is represented by Fantasy, which is the only genre whose reviews have been classified with higher accuracy when written on Amazon. Notably, it is also the best-classified genre by the three models that exploit BERT's representations, regardless of the platform. Further investigations of this result are discussed in the following Section.

5.2.1 Error Analysis

Figure 2 complements the above results by reporting the confusion matrices with the percentage of the predictions made by all models. The analysis shows:

- which genres are more confusing. Regardless of the platform, we observe that, as the model performance improves, the erroneous predictions tend to be quite similarly distributed over all possible genres. In line with the overall higher classification results, this is particularly the case of Goodreads matrices obtained by the analysis of the SVM (BERT) and SVM (BERT+Profiling) models. Conversely, the matrices of the Profiling and Ngrams models are the most sparse. Consider for example the Goodreads Historical Fiction reviews: they have been confused most of the time with the Romance ones, i.e. 20% of times by the Profiling model and 17% by the Ngrams one. This is possibly due to the fact that books belonging to these genres often have plots at the crossroads between the two genres;
- which are the most wrongly classified genres. It resulted that Romance is the most confusing genre for Goodreads reviews in particular for Profiling-UD, while for Amazon the most misleading genre is Fantasy, which is the most predicted class, even more frequently than the correct one. Note that it is the most confusing genre also for the other classification models including BERT. Our intuition is that the high frequency of Fantasy and Romance reviews in A Good Review could explain these errors. In fact, according to the statistics about the internal composition of the corpus (cf. Table 1), they represent the most numerous classes in terms of number of tokens. This may suggest that the length of the review may impact the accuracy of the AGC task.

To investigate this hypothesis further, we explored the models' performance variation with respect to the review length (in tokens). Namely, we ordered Amazon and Goodreads reviews based on their increasing length and split the rankings into ten portions (bins) of equal size: each bin comprises 3,691 reviews for Amazon and 3,867 for Goodreads. Bins are aimed at covering




Figure 2: Confusion matrices of the AGC task for all models: cells report the percentage of reviews automatically assigned to a genre by each classification model (column) with respect to their actual genre (row). The diagonal refers to the percentage of correct predictions.




Figure 3: For the AGC task, the percentage of incorrect predictions of each model at different intervals of review length.

different ranges of review lengths, from very small (bin 1 = 7.77 tokens on average) to very long reviews (bin 2 = 855.83 tokens on average)⁶.

Figure 3 shows the percentage of incorrect predictions made by each model for each bin on the two platforms. As can be observed, the models' trends are quite similar also across platforms. The Profiling model is the one showing the most different performance, as it makes a similar amount of classification errors regardless of the reviews' length. Conversely, the other models reduce the percentage of errors as the length of the reviews increases. Interestingly, although Ngrams achieved lower results than BERT, the two models made approximately the same amount of errors when classifying long reviews (> 491 tokens). Possibly, the Ngrams model keeps learning as the review gets longer, whereas BERT is restricted to the sequence length it was trained with (i.e. 512 subwords maximum). As seen in Table 9, SVM (BERT) and SVM (BERT+Profiling) show nearly identical performance.

6 Conclusions

The work introduced A Good Review, a new corpus of Italian book reviews posted on Amazon and Goodreads, which allowed investigating multi-faceted writing-style variations across the two platforms and across fiction genres.

Specifically, the stylistic analysis shows that Goodreads' users tend to write longer reviews characterized by a more complex and articulated writing style. This is in contrast to a previous comparative analysis conducted by Dimitrov et al., 2015, and further investigations could determine whether this difference is language-dependent. In addition, it revealed that on Amazon, the readers' writing style is more homogeneous across genres compared to Goodreads, and readers of the same genre tend to adopt a different style based on the platform on which their review is published. Regarding the use of the lexicon, we highlight a greater use of commercial-related terms and terms

⁶The distribution values of the (morpho-)syntactic characteristics across the 10 bins are reported as supplementary materials in Appendix.

related to the material properties of the book on Amazon and a different distribution of terms referring to readers' affective responses across genres. This seems to support the hypothesis that certain genres are more likely to reach specific areas of the emotional sphere of readers, or at least to lead them to express their feelings (Kim et al., 2017). This analysis was based on a lexicon manually annotated with semantic classes, which we distribute to support researchers interested in analysing book reviews or in developing software programs or applications for text classification, sentiment analysis, or book recommendation.

The two classification experiments enabled us to assess the impact of various stylistic properties extracted from reviews on the prediction of the venue and genre of the books reviewed. The results showed that lexical information, in particular those contained in BERT's deep semantic representations, are more predictive than properties modeling the syntactic structure of the sentence. This emerges clearly in genre classification, which points to the lexical and semantic nature of the task. Furthermore, review length turned out to be a crucial factor for the task as longer reviews were more accurately predicted than shorter ones. However, in line with the high variations observed in the stylistic analysis, the linguistic features of Profiling-UD proved to be reliable proxies for discerning Amazon and Goodreads reviews.

The study offers several directions for future research. Firstly, the approach adopted can foster multilingual studies since the set of linguistic characteristics we considered is based on the UD formalism, which guarantees the comparative encoding of language phenomena across different languages (Nivre, 2015). Additionally, the A Good Review corpus and the annotated lexicon could be expanded with novel genres and books. Furthermore, the promising results of the classification experiments suggest that user-generated reviews can be exploited to develop linguistically-informed book recommendation systems providing personalized reading recommendations based on a user's writing style. Finally, in a broader perspective, we believe that this study can contribute to the understanding of the complex and multifaceted phenomenon of Digital Social Reading, taking as an innovative starting point the user-generated book reviews. It is precisely the reviews, understood as cultural products, and the communication strategies adopted by readers, which become themselves writers, that provide a privileged observation point on the practice of reading as a collective sharing activity of individual experiences.

References

- Aerts, G., Smits, T., & Verlegh, P. W. (2017). How online consumer reviews are influenced by the language and valence of prior reviews: A construal level perspective. *Computers in Human Behavior*, 75, 855–864.
- Alharthi, H., Inkpen, D., & Szpakowicz, S. (2018). A survey of book recommender systems. *Journal of Intelligent Information Systems*, 51, 139–160.
- Andersen, J. (2008). The concept of genre in information studies. Annual review of information science and technology, 42(1), 339.
- Biber, D., & Conrad, S. (2009). Genre, register, style. Cambridge University Press.
- Bourrier, K., & Thelwall, M. (2020). The social lives of books: Reading victorian literature on goodreads. J. of Cultural Analytics, 5(1), 12049.

- Bronwen, T. (2020). Literature and social media. Routledge.
- Brunato, D., Cimino, A., Dell'Orletta, F., Venturi, G., & Montemagni, S. (2020). Profiling-UD: A tool for linguistic profiling of texts. *Proc. of LREC*, 7147–7153.
- Buczkowski, P., Sobkowicz, A., & Kozlowski, M. (2018). Deep learning approaches towards book covers classification. *Proc. of ICPRAM* (pp. 309–316).
- Chiavetta, F., Bosco, G. L., & Pilato, G. (2016). A lexicon-based approach for sentiment classification of amazon books reviews in italian language. WEBIST (2), 2016, 159–170.
- Cimino, A., Wieling, M., Dell'Orletta, F., Montemagni, S., & Venturi, G. (2017). Identifying predictive features for textual genre classification: The key role of syntax. In R. Basili, M. Nissim, & G. Satta (Eds.), *Proc. of CLiC-it*. CEUR.
- Crossley, S. A., & Louwerse, M. (2007). Multi-dimensional register classification using bigrams. *Int. J. of Corpus Linguistics*, 453–478.
- De Marneffe, M.-C., Manning, C. D., Nivre, J., & Zeman, D. (2021). Universal dependencies. Computational linguistics, 47(2), 255–308.
- De Mauro, T., & Chiari, I. (2016). Il nuovo vocabolario di base della lingua italiana. Internazionale [accessed on 06/04/2023]. https://intern.az/1w1U
- Devlin, J., Chang, M.-W., Lee, K., & Toutanova, K. (2019). BERT: Pre-training of deep bidirectional transformers for language understanding. *Proc. of NACL*, vol.1, 4171–4186.
- Dimitrov, S., Zamal, F., Piper, A., & Ruths, D. (2015). Goodreads versus amazon: The effect of decoupling book reviewing and book selling. *Proc. of Int. AAAI ICWSM*, 9(1), 602–605.
- Driscoll, B., & Rehberg Sedo, D. (2019). Faraway, so close: Seeing the intimacy in goodreads reviews. Qualitative Inquiry, 25(3), 248–259.
- Fang, A. C., & Cao, J. (2010). Enhanced genre classification through linguistically fine-grained postag. *Proc. of PACLIC*, 223–232.
- Frazier, L. (1985). Syntactic complexity. Natural Language Parsing: Psychological, Computational, and Theoretical Perspectives, Cambridge: Cambridge University Press, 129–189.
- Gibson, E. (1998). Linguistic complexity: Locality of syntactic dependencies. *Cognition*, 24 (11), 1–76.
- Gildea, D., & Temperley, D. (2010). Do grammars minimize dependency length? *Cognitive Science*, 34(2), 286–310.
- HaCohen-Kerner, Y., Daniel, M., & Yigal, Y. (2020). The influence of pre-processing on text classification using a bag-of-words representation. *PloS one*, 15(5).
- Hajibayova, L. (2019). Investigation of goodreads' reviews: Kakutanied, deceived or simply honest? J. of Documentation, 75(3), 612–626.
- Jeonghyun, K. (2021). Determining research data services maturity: The role of library leadership and stakeholder involvement. Library & Information Science Research, 101092.
- Kaur, K., & Singh, T. (2021). Impact of online consumer reviews on amazon books sales: Empirical evidence from india. J. of Theoretical and Applied Electronic Commerce Research, 16(7), 2793–2807.
- Kessler, B., Numberg, G., & Schütze, H. (1997). Automatic detection of text genre. *Proc. of EACL*, 32–38.

- Kim, E., Padó, S., & Klinger, R. (2017). Prototypical emotion developments in literary genres. *Proc.* of SIGHUM Workshop, 17–26.
- Kousha, K., Thelwall, M., & Abdoli, M. (2017). Goodreads reviews to assess the wider impacts of books. *JASIST*, 68(8), 2004–2016.
- Lendvai, P., Darányi, S., Geng, C., Kuijper, M., de Lacalle, O. L., Mensonides, J.-C., Rebora, S., & Reichel, U. D. (2020). Detection of reading absorption in user-generated book reviews: Resources creation and evaluation. LREC 2020-12th Conference on Language Resources and Evaluation, 4835–4841.
- Lim, C., Kong, L., & Gil, K. (2004). Multiple sets of features for automatic genre classification of web documents. *Information processing and management*, 41, 1263–1276.
- Lüschow, A., & Tello, J. C. (2021). Towards genre classification in the library catalog. *Proceedings* of the Conference on Digital Curation Technologies (Qurator 2021).
- Maity, S. K., Panigrahi, A., & Mukherjee, A. (2019). Analyzing social book reading behavior on goodreads and how it predicts amazon best sellers. *Influence and Behavior Analysis in Social Networks and Social Media*, 211–235.
- Mehler, A., Sharoff, S., & Santini, M. (2010). Genres on the web: Computational models and empirical studies (Vol. 42). Springer Science & Business Media.
- Miaschi, A., Brunato, D., Dell'Orletta, F., & Venturi, G. (2020). Linguistic profiling of a neural language model. *Proc. of COLING*, 745–756.
- Nakamura, L. (2013). "Words with friends": Socially networked reading on goodreads. *Pmla*, 128(1), 238–243.
- Nivre, J. (2015). Towards a universal grammar for natural language processing. In A. Gelbukh (Ed.), Computational linguistics and intelligent text processing (pp. 3–16). Springer.
- Nuttall, L., & Harrison, C. (2020). Wolfing down the twilight series: Metaphors for reading in online reviews. *Contemporary media stylistics*, 35–60.
- Ozsarfati, E., Sahin, E., Saul, C. J., & Yilmaz, A. (2019). Book genre classification based on titles with comparative machine learning algorithms. *Proc. of ICCCS*, 14–20.
- Pianzola, F. (2021). Digital social reading: Sharing fiction in the 21st century. MIT Press.
- Pianzola, F., Rebora, S., & Lauer, G. (2020). Wattpad as a resource for literary studies. quantitative and qualitative examples of the importance of digital social reading and readers' comments in the margins. *PloS one*, 15(1).
- Rahul, Ayush, Agarwal, D., & Vijay, D. (2021). Genre classification using character networks. *Proc.* of ICICCS, 216–222.
- Rebora, S., Boot, P., Pianzola, F., Gasser, B., Herrmann, J. B., Kraxenberger, M., Kuijpers, M. M., Lauer, G., Lendvai, P., Messerli, T. C., & Sorrentino, P. (2021). Digital humanities and digital social reading. *Digital Scholarship in the Humanities*, 36 (Supplement₂), ii230–ii250.
- Rogers, A., Kovaleva, O., & Rumshisky, A. (2020). A primer in BERTology: What we know about how BERT works. *TACL*, 8, 842–866.
- Sabri, N., & Weber, I. (2021). A global book reading dataset. Data, 6(8), 83.
- Santini, M. (2007). Enhanced genre classification through linguistically fine-grained postag. *Proc.* of PACLIC, 223–232.


- Santini, M. (2004). Identification of genres on the web: A multi-faceted approach. *Language Learning* and *Technology*, 1–8.
- Saraswat, M. (2022). Leveraging genre classification with rnn for book recommendation. *Int. J. of Information Technology*, 1–6.
- Savolainen, R. (2020). Sharing information through book reviews in blogs: The viewpoint of rosenblatt's reader-response theory. *Journal of Documentation*, 76(2), 440-461.
- Scherer, K. R. (2005). What are emotions? and how can they be measured? Social science information, 44(4), 695–729.
- Scofield, C., Silva, M. O., de Melo-Gomes, L., & Moro, M. M. (2022). Book genre classification based on reviews of portuguese-language literature. *Proc. of PROPOR*, 188–197.
- Shamir, L. (2020). UDAT: Compound quantitative analysis of text using machine learning. Digital Scholarship in the Humanities, 36(1), 187-208.
- Sobkowicz, A., Kozlowski, M., & Buczkowski, P. (2018). Reading book by the cover Book genre detection using short descriptions. In e. a. Gruca A. (Ed.), *Man-machine interactions* (pp. 439–448). Springer.
- Srujan, K., Nikhil, S., Raghav Rao, H., Karthik, K., Harish, B., & Keerthi Kumar, H. (2018). Classification of amazon book reviews based on sentiment analysis. *Information systems design and intelligent applications* (pp. 401–411). Springer.
- Stamatatos, E., Nikos, F., & George, K. (2001). Automatic text categorization in terms of genre and author. *Computational Linguistics*, 26, 471–495.
- Sun, K., Wang, R., & Xiong, W. (2021). Investigating genre distinctions through discourse distance and discourse network. *Corpus Linguistics and Linguistic Theory*, 17(3), 599–624.
- Thelwall, M. (2019). Reader and author gender and genre in goodreads. *Journal of Librarianship* and Information Science, 51(2), 403–430.
- Tiedemann, J., & Nygaard, L. (2004). The OPUS corpus parallel and free. Proc. of LREC.
- Tomkins, S. S. (1984). Affect theory. Approaches to emotion, 163 (163-195), 31-65.
- van Halteren, H. (2004). Linguistic profiling for author recognition and verification. *Proc. of ACL*, 200–207.
- Vaswani, A., Shazeer, N., Parmar, N., Uszkoreit, J., Jones, L., Gomez, A. N., Kaiser, Ł., & Polosukhin, I. (2017). Attention is all you need. In I. Guyon & alii (Eds.), Advances in neural information processing systems. Curran Associates, Inc.
- Walsh, M., & Antoniak, M. (2021). The goodreads "classics": A computational study of readers, amazon, and crowdsourced amateur criticism. *J. of Cultural Analytics*, 4, 243–287.
- Wan, C., Yuling, W., Yaoze, L., Jinchao, J., & Guozhong, F. (2019). Composite feature extraction and selection for text classification. *IEEE*, 7, 35208–35219.
- Wang, K., Liu, X., & Han, Y. (2019). Exploring goodreads reviews for book impact assessment. *J. of Informetrics*, 13(3), 874–886.
- Wendt, H. W. (1972). Dealing with a common problem in social science: A simplified rank-biserial coefficient of correlation based on the statistic. *European J. of Social Psychology*.
- Wolf, T., Debut, L., Sanh, V., & alii. (2020). Transformers: State-of-the-art natural language processing. *Proc. of EMNLP*, 38–45.

Worsham, J., & Kalita, J. (2018). Genre identification and the compositional effect of genre in literature. Proc. of COLING, 1963–1973.

Ye, J., Xiong, H., Guo, J., & Meng, X. (2023). A group recommender system for books based on fine-grained classification of comments. The Electronic Library, 1–21. https://doi.org/https: //doi.org/10.1108/EL-11-2022-0252


Appendix

available at this 1.
:/folders/1Og4MWK. The supplementary files are available at this link https://drive.google.com/drive/folders/10g4MWKZbh44WIDljqT97 bvd8xz1 2E6.




Amazon (1) and Goodreads (2) reviews linguistically annotated according to the UD schema.

327x261mm (72 x 72 DPI)




Confusion matrices of the AGC task for all models: cells report the percentage of reviews automatically assigned to a genre by each classification model (column) with respect to their actual genre (row). The diagonal refers to the percentage of correct predictions.

561x709mm (39 x 39 DPI)



For the AGC task, the percentage of incorrect predictions of each model at different intervals of review length.

332x198mm (72 x 72 DPI)



For the AGC task, the percentage of incorrect predictions of each model at different intervals of review length.

332x198mm (72 x 72 DPI)