

# Editorial: Insights in food microbiology: 2021

Laurent Dufossé, Dario de Medici

## ▶ To cite this version:

Laurent Dufossé, Dario de Medici. Editorial: Insights in food microbiology: 2021. Frontiers in Microbiology, 2022, 10.3389/fmicb.2022.1068066 . hal-04148818

# HAL Id: hal-04148818 https://hal.science/hal-04148818v1

Submitted on 4 Jul 2023

**HAL** is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers. L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.



Distributed under a Creative Commons Attribution 4.0 International License

See discussions, stats, and author profiles for this publication at: https://www.researchgate.net/publication/366015882

## Insights in Food Microbiology: 2021

Book · December 2022

CITATIONS
READS

0
102

2 authors, including:

2 authors, including:

Laurent Dufossé
University of La Réunion
307 PUBLICATIONS 6,181 CITATIONS

SEE PROFILE

Some of the authors of this publication are also working on these related projects:



Fungal pigments 2021 View project



Arômes alimentaires et traçabilité View project

# INSIGHTS IN FOOD MICROBIOLOGY: 2021

EDITED BY: Laurent Dufossé and Dario De Medici PUBLISHED IN: Frontiers in Microbiology





#### Frontiers eBook Copyright Statement

The copyright in the text of individual articles in this eBook is the property of their respective authors or their respective institutions or funders. The copyright in graphics and images within each article may be subject to copyright of other parties. In both cases this is subject to a license granted to Frontiers.

> The compilation of articles constituting this eBook is the property of Frontiers.

Each article within this eBook, and the eBook itself, are published under the most recent version of the Creative Commons CC-BY licence. The version current at the date of publication of this eBook is CC-BY 4.0. If the CC-BY licence is updated, the licence granted by Frontiers is automatically updated to the new version.

When exercising any right under the CC-BY licence, Frontiers must be attributed as the original publisher of the article or eBook, as applicable.

Authors have the responsibility of ensuring that any graphics or other materials which are the property of others may be included in the CC-BY licence, but this should be checked before relying on the CC-BY licence to reproduce those materials. Any copyright notices relating to those materials must be complied with.

Copyright and source acknowledgement notices may not be removed and must be displayed in any copy, derivative work or partial copy which includes the elements in question.

All copyright, and all rights therein, are protected by national and international copyright laws. The above represents a summary only. For further information please read Frontiers' Conditions for Website Use and Copyright Statement, and the applicable CC-BY licence.

ISSN 1664-8714 ISBN 978-2-83250-871-8 DOI 10.3389/978-2-83250-871-8

#### **About Frontiers**

Frontiers is more than just an open-access publisher of scholarly articles: it is a pioneering approach to the world of academia, radically improving the way scholarly research is managed. The grand vision of Frontiers is a world where all people have an equal opportunity to seek, share and generate knowledge. Frontiers provides immediate and permanent online open access to all its publications, but this alone is not enough to realize our grand goals.

#### **Frontiers Journal Series**

The Frontiers Journal Series is a multi-tier and interdisciplinary set of open-access, online journals, promising a paradigm shift from the current review, selection and dissemination processes in academic publishing. All Frontiers journals are driven by researchers for researchers; therefore, they constitute a service to the scholarly community. At the same time, the Frontiers Journal Series operates on a revolutionary invention, the tiered publishing system, initially addressing specific communities of scholars, and gradually climbing up to broader public understanding, thus serving the interests of the lay society, too.

#### **Dedication to Quality**

Each Frontiers article is a landmark of the highest quality, thanks to genuinely collaborative interactions between authors and review editors, who include some of the world's best academicians. Research must be certified by peers before entering a stream of knowledge that may eventually reach the public - and shape society; therefore, Frontiers only applies the most rigorous and unbiased reviews.

Frontiers revolutionizes research publishing by freely delivering the most outstanding research, evaluated with no bias from both the academic and social point of view. By applying the most advanced information technologies, Frontiers is catapulting scholarly publishing into a new generation.

#### What are Frontiers Research Topics?

Frontiers Research Topics are very popular trademarks of the Frontiers Journals Series: they are collections of at least ten articles, all centered on a particular subject. With their unique mix of varied contributions from Original Research to Review Articles, Frontiers Research Topics unify the most influential researchers, the latest key findings and historical advances in a hot research area! Find out more on how to host your own Frontiers Research Topic or contribute to one as an author by contacting the Frontiers Editorial Office: frontiersin.org/about/contact

# INSIGHTS IN FOOD MICROBIOLOGY: 2021

Topic Editors: Laurent Dufossé, Université de la Réunion, France Dario De Medici, National Institute of Health (ISS), Italy

**Citation:** Dufossé, L., De Medici, D., eds. (2022). Insights in Food Microbiology: 2021. Lausanne: Frontiers Media SA. doi: 10.3389/978-2-83250-871-8

# Table of Contents

- 05 Editorial: Insights in Food Microbiology: 2021 Laurent Dufossé and Dario De Medici
- 08 Uses of Bacteriophages as Bacterial Control Tools and Environmental Safety Indicators

Paula Rogovski, Rafael Dorighello Cadamuro, Raphael da Silva, Estêvão Brasiliense de Souza, Charline Bonatto, Aline Viancelli, William Michelon, Elmahdy M. Elmahdy, Helen Treichel, David Rodríguez-Lázaro and Gislaine Fongaro

- 19 Occurrence, Diversity, and Character of Bacillaceae in the Solid Fermentation Process of Strong Aromatic Liquors
   Wenhua Tong, Ping He, Ying Yang, Zongwei Qiao, Dan Huang, Huibo Luo
- and Xinjun Feng
   31 Dimensional Analysis Model Predicting the Number of Food Microorganisms

Cuiqin Li, Laping He, Yuedan Hu, Hanyu Liu, Xiao Wang, Li Chen and Xuefeng Zeng

41 Two Faces of Fermented Foods—The Benefits and Threats of Its Consumption

Krzysztof Skowron, Anna Budzyńska, Katarzyna Grudlewska-Buda, Natalia Wiktorczyk-Kapischke, Małgorzata Andrzejewska, Ewa Wałecka-Zacharska and Eugenia Gospodarek-Komkowska

- 58 Microbiota Survey of Sliced Cooked Ham During the Secondary Shelf Life Gloria Spampinato, Francesco Candeliere, Alberto Amaretti, Fabio Licciardello, Maddalena Rossi and Stefano Raimondi
- 71 Prudent Antimicrobial Use Is Essential to Prevent the Emergence of Antimicrobial Resistance in Yersinia enterocolitica 4/O:3 Strains in Pigs Juho Koskinen, Pilar Ortiz-Martínez, Riikka Keto-Timonen, Suvi Joutsen, Maria Fredriksson-Ahomaa and Hannu Korkeala
- 82 Prevalence and Diversity of Staphylococcus aureus and Staphylococcal Enterotoxins in Raw Milk From Northern Portugal Ricardo Oliveira, Eva Pinho, Gonçalo Almeida, Nuno F. Azevedo and Carina Almeida
- 94 Phylogenetic and Evolutionary Genomic Analysis of Listeria monocytogenes Clinical Strains in the Framework of Foodborne Listeriosis Risk Assessment

Antonietta Gattuso, Eleonora Cella, Silvia Fillo, Marco Francesco Ortoffi, Silvia Angeletti, Massimo Ciccozzi, Dario De Medici, Florigio Lista and Alfonsina Fiore

105 Bacterial Resistance Toward Antimicrobial Ionic Liquids Mediated by Multidrug Efflux Pumps

Tobias Gundolf, Roland Kalb, Peter Rossmanith and Patrick Mester

114 Optimization of Monascus purpureus for Natural Food Pigments Production on Potato Wastes and Their Application in Ice Lolly

Hossam E. F. Abdel-Raheam, Sulaiman A. Alrumman, Samir I. Gadow, Mohamed H. El-Sayed, Dalia M. Hikal, Abd El-Latif Hesham and Maysa M. A. Ali

- 128 Revealing Probiotic Potential of Enterococcus Strains Isolated From Traditionally Fermented Chhurpi and Healthy Human Gut Kriti Ghatani, Subarna Thapa, Shankar Prasad Sha, Sourav Sarkar, Debabrata Modak and Soumen Bhattacharjee
- 146 Clustered Regularly Interspaced Short Palindromic Repeats Genotyping of Multidrug-Resistant Salmonella Heidelberg Strains Isolated From the Poultry Production Chain Across Brazil

Daniel F. M. Monte, Matthew A. Nethery, Hanna Berman, Shivaramu Keelara, Nilton Lincopan, Paula J. Fedorka-Cray, Rodolphe Barrangou and Mariza Landgraf

160 Microbial Antagonism in Food-Enrichment Culture: Inhibition of Shiga Toxin-Producing Escherichia coli and Shigella Species

Tanis C. McMahon, Cesar Bin Kingombe, Amit Mathews, Karine Seyer, Alex Wong, Burton W. Blais and Catherine D. Carrillo

#### Check for updates

#### **OPEN ACCESS**

EDITED BY Hongshun Yang, National University of Singapore, Singapore

REVIEWED BY Steve Flint, Massey University, New Zealand

\*CORRESPONDENCE Laurent Dufossé laurent.dufosse@univ-reunion.fr

SPECIALTY SECTION This article was submitted to Food Microbiology, a section of the journal Frontiers in Microbiology

RECEIVED 12 October 2022 ACCEPTED 26 October 2022 PUBLISHED 08 November 2022

CITATION Dufossé L and De Medici D (2022) Editorial: Insights in food microbiology: 2021. *Front. Microbiol.* 13:1068066. doi: 10.3389/fmicb.2022.1068066

#### COPYRIGHT

© 2022 Dufossé and De Medici. This is an open-access article distributed under the terms of the Creative Commons Attribution License (CC BY). The use, distribution or reproduction in other forums is permitted, provided the original author(s) and the copyright owner(s) are credited and that the original publication in this journal is cited, in accordance with accepted academic practice. No use, distribution or reproduction is permitted which does not comply with these terms.

# Editorial: Insights in food microbiology: 2021

### Laurent Dufossé<sup>1\*</sup> and Dario De Medici<sup>2</sup>

<sup>1</sup>ESIROI agroalimentaire, Université de la Réunion, Saint-Denis, France, <sup>2</sup>Microbiological Foodborne Hazard Unit, National Institute of Health (ISS), Rome, Italy

#### KEYWORDS

food, microbiology, safety, human health, new trends

#### Editorial on the Research Topic Insights in food microbiology: 2021

This Research Topic is part of the Insights in Frontiers in Microbiology series launched in 2021. As we are entering the third decade of the twenty-first century, and, especially in the last years, the achievements made by scientists in the field of Microbiology have been exceptional, leading to major advancements. Frontiers has organized a series of Research Topics to highlight the latest advancements in science in order to be at the forefront of science in different fields of research. This specific Editorial initiative was focused on new insights, novel developments, current challenges, latest discoveries, recent advances, and future perspectives in the field.

The Research Topic solicited brief, forward-looking contributions from the Editorial board members that describe the state of the art, outlining recent developments and major achieved accomplishments, future challenges and how to address those challenges to move the field forward. Reviews, Mini-Reviews, Perspectives, and Opinions summarizing the current state and future directions of the field were particularly welcome in this Research Topic. This Research Topic aimed to inspire, inform, and provide direction and guidance to researchers in the field.

We are pleased to note that our Research Topic has attracted contributions from many highly regarded researchers deeply involved for many years in Food Microbiology around the world, including from Austria, Brazil, Canada, China, Egypt, Finland, India, Italy, Poland, Portugal, and USA. We received 15 submissions, 13 of which were accepted (10 original research articles, two reviews, one mini-review) for publication after rigorous peer-reviews, with a total of 90 authors.

As usual with food microbiology, articles deal with good and beneficial aspects of microorganisms in food, when others list and investigate detrimental effects of unwanted microorganisms in food. Among the list of microorganisms under scrutiny, we can list the followings (non-exhaustive list): *Salmonella, Shigella, Shiga toxins* producing *Escherichia coli (STEC), Yersinia enterocolitica, Listeria monocytogenes,* and *Staphylococcus aureus.* 

The fermentation of foodstuffs is one of the foundations for the past, current and future developments of humanity on the planet Earth. The literature review by Skowron et al. first lists all the advantages of fermented products (extension of the shelf life of food, inhibition of the growth of pathogenic microorganisms, improvement of the organoleptic properties, enhancement of product digestibility...). Fermentation of food can also be a source of risk if carried out under uncontrolled conditions (presence of unwanted, pathogenic microorganisms, enterotoxigenic or enterohemorrhagic bacteria). Even after millennia of practice, much remains to be done to ensure that all countries in the world provide healthy fermented products to their populations.

As a continuation of the previous work, Ghatani et al. investigated soft chhurpi, a traditionally Hymalayan Yak fermented milk, prepared by the indigenous community of Sikkim Himalayas. The two main strains found in this fermented product, *Enterococcus durans* and *Enterococcus lactis* present probiotic aspects, such as hypocholesterolemic activity and tolerance to bile salts and acid pH. It is essential for humanity to continue to isolate microbial strains with pro-health effect, from sea level to high mountain altitudes, from oceans to primary forests.

Even if current food research trends are pushing toward insect proteins, cellular meat or meat made up of 100% plant proteins, animal proteins are still widely consumed, and everyone is now aware of the intricacy between animal health and human health (see also the One-Health concept). Monte et al. conducted a large study on the biodiversity of multidrugresistant *Salmonella* Heidelberg strains isolated from the poultry production chain across Brazil, one the largest poultry producer in the world. Authors emphasized the need for continuous mitigation programs to monitor the dissemination of this highpriority pathogen, combining molecular techniques such as WGS and CRISPR-based genotyping.

Pigs are another large source of animal proteins in the world. Large-scale animal production, often synonymous with many animals on a small surface area, induces pathologies treated with antibiotics. The use, abuse, and inappropriate use of antibiotics in livestock farms can lead to the antimicrobial resistance (AMR) in different microorganisms. Koskinen et al. defined the AMR of 1,016 pathogenic porcine *Yersinia enterocolitica* 4/O:3 strains originating from the United Kingdom, Belgium, Germany, Italy, Russia, Spain, Finland, Latvia, and Estonia. Among the conclusions of these authors, the health situation varies from country to country. More antibiotics for animal health are imported and used by the country and more the AMR increases. Parenteral medications should be preferred to orally administered mass medications, and the prudent use of antimicrobials is essential to control AMR at the farm level.

Microorganisms that are pathogenic to humans can be spread in animal husbandry but can also be present in the food processing chain. Sometimes food factories are huge and a contamination on a slicing line can cause thousands of food poisoning cases. Spampinato et al. surveyed the microbial load and the chemical-physical features of cooked hams, in modified atmosphere packaging (MAP), from five Italian producers which were monitored for a period of 12 days after the opening of the packages (i.e., the secondary shelf life). A whole set of techniques (sensorial properties, volatile metabolites, microbiota monitored by 16S ribosomal RNA gene profiling, and culturedependent techniques...) allowed the authors to make some recommendations to the food industry. The current period tends to prohibit the use of nitrites in charcuterie and this type of study is therefore of major importance.

Raw milk, consumed as is, or used to prepare cheeses or other dairy products without any heat treatment, is also a microbiologically sensitive food. Oliveira et al. explored the prevalence and genetic diversity of *Staphylococcus aureus* and staphylococcal enterotoxins (SEs) in raw milk from the main dairy region of mainland Portugal. Recommendation is done to develop a broader SEs screening in food safety control as the majority of enterotoxigenic isolates were found to contain genes encoding SEs (SEG, SEH, and SEI) not routinely screened.

Another well-known bacterium, *Listeria monocytogenes* is difficult to control along the whole food production chain. Only long-term studies are indicated to understand how some strains are able to survive and spread as others "disappear." Gattuso et al. reported the complete sequences of 132 clinical strains, sequences that were used to define the evolutionary relatedness among subtypes of *L. monocytogenes* isolated in Italy from 2010 to 2016. Authors stressed that phylogenic studies, based on *Listeria monocytogenes* whole-genome sequence data, using the core genome multilocus sequence type, are able to identify the emergence of highly persistent pathogenic variants, contributing to the improvement of the human hazard characterization of *L. monocytogenes*.

Listing microbial threats to animals and humans is an important task. Finding ways to better control or defeat them is also of crucial importance.

Bacteriophages are beginning to be used in some parts of the world to fight bacterial infections in humans, especially when no active antibiotics are available. Rogovski et al. propose to use the bacteriophages as bacterial control tools and environmental safety indicators in a food chain context. The ecology of the food chain is a process that is very sensitive to the environment, the microorganisms present and their succession over time. In the past, mistakes have been made, for example in trying to have zero microbial life in processes, thus creating a virgin field for contaminants. Many additional studies will be required in the coming years in order to fully appreciate the benefits of using bacteriophages in the food chain.

The elimination of (pathogenic) microorganisms by disinfectants in food processing plants is desirable and mandatory. However, it is confronted with the appearance of increasing resistance. Gundolf et al. used ionic liquids (ILs), considered as a new class of promising antimicrobials, which have been reported to be effective against resistant strains as they interact with bacterial cells in multiple ways. Structure–activity relationships, side-chain effects, cationic head groups, impact on multidrug efflux pumps were among the characteristics under study.

Food microbiology is also a question of (i) detection of microbial pathogens in a large variety of foods and (ii) development of accurate predictive models for growth, survival, or death of these microbial pathogens, in a large variety of foods, too. The detection of foodborne pathogens is increasingly based on molecular techniques but older techniques, well-established techniques are still relevant and interesting. As an example, McMahon et al. demonstrated that microbial antagonism may occur in food-enrichment culture, resulting in inhibition of Shiga toxin-producing Escherichia coli (STEC) and Shigella species. The impressive production of antimicrobial compounds in cell-free extracts from 200 bacterial strains and 332 foodenrichment broths was assessed in this paper. Considering all the results presented, the recovery of some foodborne pathogens, such as Shigella sonnei is an important challenge for food microbiologists and technicians.

Predicting the number of food microorganisms through modeling is a fast-growing research area. Models presented are numerous and adequation with some foods were demonstrated. Li et al. developed a Dimensional Analysis Model (DAM) they applied for *Pseudomonas* in Niuganba, a traditional Chinese fermented dry-cured beef. The study showed that the DAM model was a simple, unified and effective model to predict the number of microorganisms and storage time.

At the end of the presentation of the Research Topic content, we are back to fermentation of food, to the use of fermentation in order to produce useful food and feed ingredients. For thousands of years, humans have fermented various agricultural products to produce alcohol. This is spread all around the planet.

In their experiments, about a strong aromatic liquor, also known as strong aromatic Baijiu in China, Tong et al. described the diversity, functionality, and influence of *Bacillaceae* in the process of this beverage. Multi-microbe mixing and cooperative fermentation process are the key points.

Also initiated in Asia, a few thousand years ago, *Monascus* pigments are spreading in all the world, year after year, and the use of such pigments in food will soon increase with the development of mycotoxin-free, i.e., citrinin-free filamentous fungi strains. Abdel-Raheam et al., instead of using steamedrice, as usually done, chose to produce pigments on a food waste, generated during potato chips manufacturing. The fungal pigments biosynthesized were then incorporated as coloring agents for ice lollies, with high acceptability from consumers.

This Editorial summarizes the articles published in this Research Topic. We hope that this Research Topic of articles will contribute to the advancement of research in Food Microbiology. Feeding the world's inhabitants without depleting the resources of the planet is a major goal for humanity.

Finally, we want to thank all the authors who contributed their original work to our Research Topic and the reviewers for their valuable comments. We would like to express our sincere gratitude to the Editorial office of Frontiers in Microbiology for their excellent support and for providing us with this opportunity to successfully conduct this Research Topic.

### Author contributions

LD drafted the manuscript. LD and DD revised the draft. All authors made a direct and intellectual contribution to the work and approved the final version for publication.

### Acknowledgments

LD deeply thanks the Conseil Régional de La Réunion and the Conseil Régional de Bretagne for continuous support of research activities dedicated to food microbiology and food biotechnology. We would like to thank the authors and reviewers for their valuable contributions and constructive criticisms to this Research Topic. Deep thanks to the whole Frontiers team, efficient as usual.

### **Conflict of interest**

The authors declare that the research was conducted in the absence of any commercial or financial relationships that could be construed as a potential conflict of interest.

## Publisher's note

All claims expressed in this article are solely those of the authors and do not necessarily represent those of their affiliated organizations, or those of the publisher, the editors and the reviewers. Any product that may be evaluated in this article, or claim that may be made by its manufacturer, is not guaranteed or endorsed by the publisher.