



Calibration of a complex population dynamics model: from its development to results validation

Hilaire Drouineau hilaire.drouineau@inrae.fr

Jocelyn Domange

Laurent Beaulaton

Patrick Lambert


Stéphanie Mahévas

Victor Picheny


Robert Faivre




Calibration of a complex population dynamics model : a long process




Calibration of a complex population dynamics model : a long process




Calibration of a complex population dynamics model : a long process





Calibration of a complex population dynamics model : a long process





Calibration of a complex population dynamics model : a long process




Calibration of a complex population dynamics model : a long process



Calibration of a complex population dynamics model : a long process




Calibration of a complex population dynamics model : a long process




How to decrease the number of iterations?


How many eels are killed by hydropower plant turbines in France ?




How many eels are killed by hydropower plant turbines in France ?



How many eels are killed by hydropower plant turbines in France ?




hungry... and lost!



Atelier GDR Mascot-Num



How many eels are killed by hydropower plant turbines in France ?




hungry... and lost!

INRAE
Atelier GDR MASCOT-Num

Groupement de Recherche
MASCOT-NUM
Méthodes d'Analyse Stochastique pour
les Oiseaux et Traitements numériques



How many eels are killed by hydropower plant turbines in France ?





hungry... and lost!




Atelier GDR Mascot-Num



How many eels are killed by hydropower plant turbines in France ?



How many eels are killed by hydropower plant turbines in France ?




hungry... and lost!

INRAE
Atelier GDR Mascot-Num

Groupement de Recherche
MASCOT-NUM
Méthodes d'Analyse Stochastique pour les Oiseaux et Tronçonneuses numériques



How many eels are killed by hydropower plant turbines in France ?



hungry... and lost!



Atelier GDR Mascot-Num



How many eels are killed by hydropower plant turbines in France ?



The IUCN Red List of Threatened Species™

2017-1

[Login](#) | [FAQ](#) | [Contact](#) | [Terms of use](#) | [IUCN.org](#)

[::About](#) [::Initiatives](#) [::News](#) [::Photos](#) [::Partners](#) [::Sponsors](#) [::Resources](#) [::Take Action](#)

Enter Red List search term(s)

GO

OTHER SEARCH OPTIONS

[Discover more](#)



[Home](#) » Anguilla anguilla (European Eel)

Anguilla anguilla

<http://dx.doi.org/10.2305/IUCN.UK.2014-1.RLTS.T60344A45833138.en>

Scope: Global

Language: English

[Download assessment](#)



© Janez Gregori

22.9.2007

FR

Journal officiel de l'Union européenne

L 248/17

RÈGLEMENT (CE) N° 1100/2007 DU CONSEIL

du 18 septembre 2007

instituant des mesures de reconstitution du stock d'anguilles européennes

How many eels are killed by hydropower plant turbines in France ?



The IUCN Red List of Threatened Species™

2017-1

[Login](#) | [FAQ](#) | [Contact](#) | [Terms of use](#) | [IUCN.org](#)

[::About](#) [::Initiatives](#) [::News](#) [::Photos](#) [::Partners](#) [::Sponsors](#) [::Resources](#) [::Take Action](#)

Enter Red List search term(s)

GO

OTHER SEARCH OPTIONS

[Discover more](#)

DONATE NOW!

[Home](#) » Anguilla anguilla (European Eel)

Anguilla anguilla

<http://dx.doi.org/10.2305/IUCN.RL.2017-1.en.vANGUILLAA>

NOT EVALUATED	DATA DEFICIENT
NE	DD

© Janez Gregori



22.9.2007

FR

L 248/17

Scope: Global
Language: English
[Download assessment](#)

CRITICALLY ENDANGERED	EXTINCT IN THE WILD	EXTINCT
CR	EW	EX

RÈGLEMENT (CE) N° 1100/2007 DU CONSEIL

du 18 septembre 2007

instituant des mesures de reconstitution du stock d'anguilles européennes

How many eels are killed by hydropower plant turbines in France ?




Hydrographic network:
>>900 river basins
>>280 000 km

How many eels are killed by hydropower plant turbines in France ?




Hydrographic network:
>900 river basins
>280 000 km



>70 000 dams/weirs

How many eels are killed by hydropower plant turbines in France ?



Hydrographic network:
>900 river basins
>280 000 km


To know how many eels die, I need to know:
how many eels are in basins
where they are with respect to hydropower plants




How many eels are killed by hydropower plant turbines in France ?



Hydrographic network:
>900 river basins
>280 000 km



>70 000 dams/weirs



Abundance estimates + sd through
electrofishing monitoring
8531 operations
from 1990 to 2009

How many eels are killed by hydropower plant turbines in France ?




Hydrographic network:
>900 river basins
>280 000 km

Objective: Calibrate a model to estimate yearly abundance and location of eels using electrofishing data



Abundance estimates + sd through electrofishing monitoring
8531 operations
from 1990 to 2009



Tabasco a random walk model




INRAE


Atelier GDR Mascot-Num



Tabasco a random walk model




Tabasco a random walk model




Tabasco a random walk model

$$\begin{bmatrix} 1/3 & 1/3 & 0 & 1/3 \end{bmatrix}$$



Tabasco a random walk model

$$\begin{bmatrix} 1/3 & 1/3 & 0 & 1/3 \\ 1/3 & (1-\lambda) \cdot 1/3 & \lambda \cdot 1/3 & 1/3 \end{bmatrix}$$



Tabasco a random walk model

$$\begin{bmatrix} 1/3 & 1/3 & 0 & 1/3 \\ 1/3 & (1 - \lambda) \cdot 1/3 & \lambda \cdot 1/3 & 1/3 \\ 0 & \lambda \cdot 1/2 & (1 - \lambda) \cdot 1/2 + 1/2 & 0 \\ 1/3 & 1/3 & 0 & 1/3 \end{bmatrix}$$

b?




Tabasco a random walk model

$$\begin{bmatrix} 1/3 & 1/3 & 0 & 1/3 \\ 1/3 & (1-\lambda) \cdot 1/3 & \lambda \cdot 1/3 & 1/3 \\ 0 & \lambda \cdot 1/2 & (1-\lambda) \cdot 1/2 + 1/2 & 0 \\ 1/3 & 1/3 & 0 & 1/3 \end{bmatrix}$$


b?

No way to compare how densities decreases when there is a dam to a situation when there is no dam =>
Impossible to estimate λ

N?



Tabasco a random walk model




Tabasco a random walk model

1/2	1/2	0	0	0	0	0	0
1/3	0	1/3	1/3	0	0	0	0
0	1/3	0	1/3	0	1/3	0	0
0	1/3	1/3	0	1/3	0	0	0
0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0

b?

From 180 000 reaches to 225 000 => bigger matrices => large increase in computation time


N?



Tabasco objective function

- Likelihood function

- $$\begin{cases} f(Y=0) \sim \text{Binomial}(\theta) \\ f(Y=x \mid Y>0) \sim \text{Gamma}(\theta) \end{cases}$$
- $$\begin{cases} f(Y=0) = \text{PGamma}(1, \theta) \\ f(Y=X \mid Y \geq 1) \sim \text{Gamma}(\theta) \end{cases}$$
- $f(y=X) = \text{PGamma}(X+1.96 \text{ sd}) - \text{Pgama}(X-1.96 \text{ sd})$



Tabasco – unknown parameters

b?



élier GDR Mascot-Num



Tabasco - unknown parameters

b?



Log b

Tabasco - unknown parameters

b?



Log b

6.2 ↔ 12

Tabasco - unknown parameters

b?



Log b

6.2 ↔ 12

N?

Tabasco – unknown parameters

b?



Log b

6.2 ↔ 12

N?



Year effect (20)

Zone effect (8)

S^d

Tabasco – unknown parameters

b?



Log b

6.2 ↔ 12

N?



Year effect (20)

$$N(y, z, bv) = Z(z) \cdot Y(y) \cdot S_{bv}^b$$

Zone effect (8)

S^d

Tabasco – unknown parameters

b?



Log b

6.2 ↔ 12

N?



Year effect (20)

$$N(y, z, bv) = Z(z) \cdot Y(y) \cdot S_{bv}^b$$

Zone effect (8)

S^d

Tabasco - unknown parameters

b?



Log b

6.2 ↔ 12

N?



Year effect (20)

$$N(y, z, bv) = Z(z) \cdot Y(y) \cdot S_{bv}^b$$

Zone effect (8)

$$N(y, z, bv) = \mu_{ref} \cdot e^{\delta_z(z)} \cdot e^{\delta_y(y)} \cdot S_{bv}^b$$

S^d

Tabasco - unknown parameters

b?



Log b

6.2 ↔ 12

N?



Year effect (20)

$$N(y, z, bv) = Z(z) \cdot Y(y) \cdot S_{bv}^b$$

Zone effect (8)

$$N(y, z, bv) = \mu_{ref}^{??} \cdot e^{\delta_z(z)} \cdot e^{\delta_Y(y)} \cdot S_{bv}^b$$

S^d

Tabasco - unknown parameters

b?



Log b

6.2 ↔ 12

N?



Year effect (20)

$$N(y, z, bv) = Z(z) \cdot Y(y) \cdot S_{bv}^b$$

Zone effect (8)

$$N(y, z, bv) = \mu_{ref} \cdot e^{\delta_z(z)} \cdot e^{\delta_Y(y)} \cdot S_{bv}^b$$

$$N(y, z, bv) = e^{\mu_{ref}} \cdot e^{\delta_z(z)} \cdot e^{\delta_Y(y)} \cdot S_{bv}^b \cdot N(y-1, z, bv)$$

S^b

Tabasco – unknown parameters

b?



Log b

6.2 ↔ 12

N?




Year effect (20)


Zone effect (8)

S^d


Tabasco – unknown parameters




Tabasco – unknown parameters




Tabasco – unknown parameters




Tabasco – unknown parameters



Tabasco - unknown parameters



Tabasco - unknown parameters




Tabasco objective function

- Model in C++
 - Computation time depends on b !!!!
 - Largest sparse matrices $55893 \times 55893\dots$ impossible to decompose?
- Parallel computation
 - By river basin :
 - Not ideal since there are large basins (Loire River) and very small basin => most cores are not working waiting for large basins
 - By simulation :
 - Not ideal since computation time depend on b => many cores wait for simulations with large b



Tabasco exploration

- LHS
 - 31 parameters
 - 1000 simulations
- GAM model to
 - Quantify the sensitivity to parameters => choosing year 1998 and Rhone as intercept
 - Choose plausible initial values
 - Check concurnity





Tabasco calibration

- First tests with BOBYQA
 - Local search through quadratic approximation
 - No need of derivatives
 - Fast... but sensitive to starting point





Tabasco calibration

- First tests with BOBYQA
 - Local search through quadratic approximation
 - No need of derivatives
 - Fast... but sensitive to starting points
- CMA-ES (Hansen, 2006) - python
 - Metaheuristic local sampling
 - Several tests
 - Modifications of starting points
 - Size of population CMA-ES
 - Converge (almost always to the same solution)




Tabasco calibration

- First tests with BOBYQA
 - Local search through quadratic approximation
 - No need of derivatives
 - Fast... but sensitive to starting points
- CMA-ES (Hansen, 2006) - python
 - Metaheuristic local sampling
 - Several tests
 - Modifications of starting points
 - Size of population CMA-ES
 - Converge (almost always to the same solution)
- Coupling with Autodif




Tabasco postcalibration

- Check traces of CMA-ES




Tabasco postcalibration

- Check traces of CMA-ES
- Check Hessian matrix from Autodif




Tabasco postcalibration

- Check traces of CMA-ES
- Check Hessian matrix from Autodif
- Check patterns in outputs => selection of most relevant model structure




Repeatability? Transferring?

- Disciplinary skills
- Computer skills
- Statistics skills
- Mathematics skills



Mexico: ODDO and decision trees


Mahévas, S., Picheny, V., Lambert, P., Dumoulin, N., Rouan, L., Soulié, J.-C., Brockhoff, D., et al. 2019, December 19. A Practical Guide for Conducting Calibration and Decision-Making Optimisation with Complex Ecological Models. Preprints. <https://www.preprints.org/manuscript/201912.0249/v1>



Model	Performance	Time per model run
	parallelisation	
	language	
Development	Implementation of the optimisation algorithm	
Pre-processing	Problem Formulation	Model Question Data Parameters Bounds&constraints Uncertainty (process and data) Initial objective function
	Objective Function	building reshaping final
	Exploratory Analysis	data Reduction dimension
Algorithm	Family Description-Justification Changes in the algorithm Settings	
Post-processing	Convergence Optimum properties including Identifiability Residual analysis Multicriteria	
Comment	Number of simulations required Duration Reached stopping criteria	

INRAe

MERCI !!!



MEXICO
WEXICO

Groupement de Recherche
MASCOT-NUM
cnrs
Méthodes d'Analyse Stochastique pour
les CÔdes et Traitements NUMériques