



## Hexagonal Ge on self-assisted GaAs Nanowires for light emission

Iuliia Dudko, Thomas Dursap, Anne Lamirand, Claude Botella, Philippe Regreny, Alexandre Danescu, Solène Brottet, Matthieu Bugnet, Sumeet Walia, Nicolas Chauvin, et al.

### ► To cite this version:

Iuliia Dudko, Thomas Dursap, Anne Lamirand, Claude Botella, Philippe Regreny, et al.. Hexagonal Ge on self-assisted GaAs Nanowires for light emission. Conférence GdR MatÉpi, GdR MatÉpi, Jul 2023, Paris, France. hal-04155534

HAL Id: hal-04155534

<https://hal.science/hal-04155534v1>

Submitted on 7 Jul 2023

**HAL** is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.

**Hexagonal Ge on self-assisted GaAs Nanowires for light emission**

Iuliia Dudko<sup>1,2</sup>, Thomas Dursap<sup>1</sup>, Anne D. Lamirand<sup>1</sup>, Claude Botella<sup>1</sup>, Philippe Regreny<sup>1</sup>, Alexandre Danescu<sup>1</sup>, Solène Brottet<sup>1</sup>, Matthieu Bugnet<sup>3</sup>, Sumeet Walia<sup>2</sup>, Nicolas Chauvin<sup>1</sup>, Jose Penuelas<sup>1\*</sup>

<sup>1</sup> Univ Lyon, Ecole Centrale de Lyon, CNRS, INSA Lyon, Université Claude Bernard Lyon 1, CPE Lyon, INL, UMR 5270, 69130 Ecully, France

<sup>2</sup> School of Engineering, RMIT University, Melbourne 3001, Victoria, Australia

<sup>3</sup> Univ Lyon, CNRS, INSA Lyon, UCBL, MATEIS, UMR 5510, 69621 Villeurbanne, France

\* jose.penuelas@ec-lyon.fr

Soumission pour une présentation orale

**Abstract :**

The recent demonstration of direct band gap emission in hexagonal Ge is attracting great interest in the field of optoelectronics. So far, hexagonal (Si)Ge have been fabricated by epitaxial growth on the facets of wurtzite GaAs or GaP nanowires [1].

In our work, hexagonal Ge has been grown on the facets of self-assisted GaAs nanowires by MBE using VLS mechanism [2]. An extended pure wurtzite segment was maintained by tuning the V/III ratio to appropriate values [3]. Following the growth of the GaAs core, a Ge shell has been grown with a long hexagonal segment. The crystal structure of the nanowires has been characterized with high-resolution scanning transmission electron microscopy (STEM) and dark field transmission electron microscope (TEM). The Ge surface chemistry was studied by X-ray photoelectron spectroscopy (XPS) showing a strong As contamination that can be decreased by tuning some growth parameters.

Photoluminescence spectroscopy (PL) was performed to investigate the optical properties of the hexagonal Ge phase. Furthermore, the quantum confinement can be achieved in hexagonal Ge, leading to a blueshift of the emission.

**References:**

- [1] Fadaly, E.M.T. *et al.* (2020). Nature, 580, 205.
- [2] Dudko, I. (2022). Hexagonal Ge Grown by Molecular Beam Epitaxy on Self-Assisted GaAs Nanowires. Crystal Growth & Design, 22, 32-36.
- [3] Dursap, T. (2021). Wurtzite phase control for self-assisted GaAs nanowires grown by molecular beam epitaxy. Nanotechnology, 32, 155602.

**Acknowledgment:**

This project has received funding from the European Union's Horizon 2020 research and innovation programme under the Marie Skłodowska-Curie grant agreement No 801512.