



Comparison of the innate immune response to infection by mycobacteria and SARS-CoV-2 in humans using an ex vivo physiological lung model

Sébastien Eymieux, Aude Remot, Marianne Maquart, Anne Bull- Maurer, Fabienne Arcanger, Florence Carreras, Marion Horta, Damien Sizaret, Antoine Legras, Denys Brand, et al.

► To cite this version:

Sébastien Eymieux, Aude Remot, Marianne Maquart, Anne Bull- Maurer, Fabienne Arcanger, et al.. Comparison of the innate immune response to infection by mycobacteria and SARS-CoV-2 in humans using an ex vivo physiological lung model. Journées d'animations du réseau RTR FéRI, Jul 2023, Tours, France. hal-04161184

HAL Id: hal-04161184

<https://hal.science/hal-04161184>

Submitted on 13 Jul 2023

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.



Distributed under a Creative Commons Attribution - NonCommercial - NoDerivatives 4.0 International License



Workflow:

Patient with adenocarcinoma lobectomy

Thoracic surgery Department

Fragment resection
Pathology laboratory

Precision Cut Lung Slices (PCLS)

MAVIVH ISP

SARS-CoV-2 Infection/Detection

MAVIVH

Electron Microscopy Confocal Microscopy Transcriptomic

ISP département des MICROSCIENCES

Mycobacterium Infection/Detection


ISP



To compare the innate immune response to infection by mycobacteria and SARS-CoV-2 in humans using an ex vivo physiological lung model


Uninfected

- ✓ PCLS: Lung environment preserved, and all cell types present (imaging)
- ✓ Excellent viability (LDH release assay + ciliary activity)




M. tuberculosis

Ex vivo infection triggered macrophages (CD163+ cells) recruitment in alveoli




Mtb (*) were in close contact to epithelial cells and activated macrophages (#)




SARS-CoV-2

Detection of viral genome by qPCR at 5 dpi



Visualisation of infected cells by confocal microscopy (dsRNA antibody)



TEM : no virus or infected cells observed so far

Our next steps:

- Transcriptomic signature of infected PCLS (Fluidigm Biomark) : differences between pathogens?
- Production of effectors by infected PCLS (ELISA)
- SARS-CoV-2: improving infection/detection
- Quantification of macrophages' recruitment to infected alveoli after mycobacterial infection: comparison of human and cattle strains