



# **Harnessing crop models to pinpoint the establishment quality of field crops under the 21 st century climate change**

Jay Ram Lamichhane, Jean-Noel Aubertot, Julie Constantin, Elana Dayoub, Philippe Debaeke, Pierre Maury, Céline Schoving, Carolynne Durr

## **► To cite this version:**

Jay Ram Lamichhane, Jean-Noel Aubertot, Julie Constantin, Elana Dayoub, Philippe Debaeke, et al.. Harnessing crop models to pinpoint the establishment quality of field crops under the 21 st century climate change: case studies of soybean and sugar beet in northern france. 16th European Society of Agronomy Conference, Sep 2020, Seville (Spain), Spain. hal-04165896

**HAL Id: hal-04165896**

**<https://hal.science/hal-04165896>**

Submitted on 19 Jul 2023

**HAL** is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.



# **Harnessing crop models to pinpoint the establishment quality of field crops under the 21 st century climate change: case studies of soybean and sugar beet in northern france**

Jay-Ram Lamichhane, Jean-Noël Aubertot, Julie Constantin, Elana Dayoub, Philippe Debaeke, Pierre Maury, Céline Schoving, Carolyne Durr

## **► To cite this version:**

Jay-Ram Lamichhane, Jean-Noël Aubertot, Julie Constantin, Elana Dayoub, Philippe Debaeke, et al.. Harnessing crop models to pinpoint the establishment quality of field crops under the 21 st century climate change: case studies of soybean and sugar beet in northern france. 16th European Society of Agronomy Conference, Sep 2020, Seville, Spain. hal-02937490

**HAL Id: hal-02937490**

**<https://hal.inrae.fr/hal-02937490>**

Submitted on 14 Sep 2020

**HAL** is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.



Distributed under a Creative Commons Attribution| 4.0 International License

## **HARNESSING CROP MODELS TO PINPOINT THE ESTABLISHMENT QUALITY OF FIELD CROPS UNDER THE 21<sup>ST</sup> CENTURY CLIMATE CHANGE: CASE STUDIES OF SOYBEAN AND SUGAR BEET IN NORTHERN FRANCE**

*Jay Ram LAMICHHANE<sup>1</sup>, Jean-Noël AUBERTOT<sup>1</sup>, Julie CONSTANTIN<sup>1</sup>, Elana DAYOUB<sup>2</sup>,  
Philippe DEBAEKE<sup>1</sup>, Pierre MAURY<sup>2</sup>, Céline SCHOVING<sup>1</sup>, Carolyne DÜRR<sup>3</sup>*

<sup>1</sup>INRAE, Université Fédérale de Toulouse, UMR AGIR, F-31326 Castanet-Tolosan, France

<sup>2</sup>Université Fédérale de Toulouse, INRAE, INP-ENSAT Toulouse, UMR AGIR, F-31326 Castanet-Tolosan, France

<sup>3</sup>INRAE, UMR IRHS, 42 rue George Morel, 49071, Beaucauzé, France

\*Corresponding author: [jay-ram.lamichhane@inrae.fr](mailto:jay-ram.lamichhane@inrae.fr) (J. R. Lamichhane)

Ongoing climate change has been reported to have far-reaching impact on agriculture worldwide owing to increased mean temperatures, higher precipitation variability and higher frequency of extreme temperature events. However, there is paucity of information on the potential effect of climate change on crop establishment that includes three stages: seed germination, seedling emergence and beginning of competition among young plantlets. A better understanding on the evolution of seedbed conditions under future climate change not only facilitates adaptation of crops in their original area of production but also helps explore new areas that were not suitable in the past for a given field crop establishment, but may result opportune in the future.

Here we used a model-based framework to pinpoint whether the establishment quality of soybean and sugar beet in northern France will be affected by future climate change. To this objective, we first parameterized the SIMPLE crop emergence model and tested its prediction quality on seed germination and seedling emergence in relation to temperatures, water content, and soil structure. We then performed a simulation study over the 2020-2100 period, for early, conventional and late sowing dates. We generated soil temperatures and water contents of seedbeds for these three sowing dates using the STICS soil-crop model with the most pessimistic IPCC scenario (RCP 8.5). We then used these data to feed the SIMPLE crop emergence model to run simulations.

Our results showed that, when analyzed by sowing date and for successive 20-year period from 2020 to 2100, there was a significant increase in average seedbed temperatures 30 days after sowing by 2 °C after 2060, while no change in cumulative rainfall 30 days after sowing was found, compared with the past. Emergence rate of sugar beet was generally higher for 2081–2100 while there was no significant change for that of soybean. Main causes of non-emergence for both crops were: seedling death due to clods or soil surface crust, non-germination, and seedling mortality due to drought. Our study shows that the use of future climate scenarios coupled with crop

models provide an important insight into future sowing conditions, and result particularly helpful to better project future adaptation of cropping systems.

**Keywords:** *seed germination, seedling emergence, seedbed conditions, modeling*