

# Evolution of $\mu$ pollutants in a constructed wetland treating road runoff of Paris

*Évolution des  $\mu$ polluants dans un filtre planté pour le  
traitement de ruissellement de voirie à Paris*

J. Roux, M. Seidl, N. Bousserrhine, P. Branchu, M.C. Gromaire, P. Neveu,



# Background



# History



## Water Pollution Research and Control Brighton

Proceedings of the Fourteenth Biennial Conference of the International Association on Water Pollution Research and Control, held in Brighton, U.K., 18–21 July, 1988  
1988, Pages 1665-1668



PII: S0273-1223(97)00569-6

Pr  
0273-1

## SEWAGE TREATMENT IN CONSTRUCTED REED BEDS – DANISH EXPERIENCES

# 35 years

Hans Brix, Hans-Henrik Schierup

Lienart et al 1990

Boutin et al 2004

....

## Reed bed filters for wastewater treatment in France: major design and history of development

- The type of wastewater treatment used in France is the fact that the country has a large number of small reed bed filters.
- CATHERINE BOUTIN and ALAIN LIÉNARD review the rise in pop

## EXPERIMENTAL REEDBED SYSTEMS FOR THE TREATMENT OF AIRPORT RUNOFF

D. M. Revitt\*, R. B. E. Shutes\*, N. R. Llewellyn\* and P. Worrall\*\*


# 25 years



# Literature data

## planted filters for runoff treatment

- 



- Water treatment efficiency (TSS, N, P, metals, PAH/THC) (Walaszek et al. 2018)
- - **Dissolved /particulate** pollutants (LeFevre et al. 2015,
- - Fate of **metallic** (Dechesne et al. 2004, .... )
- - Process and operation (Molle et al. 2013 ...)
- - Fate of **organic** µpollutants (PAH/THC...) (Leroy et al. 2015 ...)

- **Fate of trace elements and emerging organic µpol (AP, BPA, ...)**
- *Caracterization of microbial communities and their roles*







# Methodology





# Our wetland






# Functioning & sampling



# Filter structure & sampling



*Common reed*

“sediment”  
10 cm sand  
20 cm Rainclean™  
10 cm sand




# Core sampling



6 to 8 cores/zone

R.C.  
sand




Composite  
samples  
for each:

Campaign  
Filters  
Substrates/Depth  
Localisation



# Analysis






# Results & discussion




# S.S. retention

Sand




R.C.






# Zinc



- Zn XRF map 2021 (mg/kg d.s.)



# Trace metals - zinc




# Organic μpol - Nonylphenol




# Trace metal accumulation (g/m<sup>3</sup>/y)

Sand




R.C.




# Organic µpol accumulation (g/m<sup>3</sup>/y)

## Sand




## R.C.



# Global microbial activity

(Organic µpol accumulation)



	DT50 (d)
P-sand_NP	4.35
P-RC_NP	2.55
sand_NP	15.63
RC_NP	5.11





# Conclusions



# $\mu$ -pollutant fate

## Accumulation

**Metals**: accumulation and few losses = **Leaching** ?

**Organic MPs**: losses except in surface/zone 1 = **Biodegradation** ?

**Microbial communities** : progressive colonization → rôle ?

## Substrate

**Sediment**: **1% volume 35-45% contribution**

**Rainclean**: retention capacities not (yet) demonstrated

## Mass balance

**Sand > R.C. for Metals** ; opposite for Organic  $\mu$ pol → Water data needed



Thank you  
for your attention