1	Unidentified retracted articles in publisher's websites, bibliographic
2	databases, social academic networks, and Sci-Hub black open
3	access website: a problem that should no longer be ignored
4	
5	Christophe Boudry (0000-0002-8730-8731) 1,2
6	Katherine Howard (0000-0002-9327-8989) 3
7	Frederic Mouriaux (0000-0001-9183-4235) 4
8	
9 10 11 12 13 14	 Normandie Univ, UNICAEN, Média Normandie. 14032 Caen cedex, France URFIST, Ecole Nationale des Chartes, PSL Research University. 75005 Paris, France University of South Australia, Adelaide, Australia INSERM, Univ Rennes, CHU Rennes, Department of Ophthalmology, CLCC Eugène Marquis, COSS [(Chemistry Oncogenesis Stress Signaling)] – UMR_S 1242, 35000 Rennes, France
16	Correspondence to:
17	Christophe Boudry
18	Email: christophe.boudry@chartes.psl.eu
19	Phone: (+33) 1.88.12.03.17
20	

KEY MESSAGES

- Publishers' websites and sites hosting references and/or full-text academic articles insufficiently identify retracted articles
- Retracted articles that are not identified as such may continue to be cited, propagating scientific error
- Solutions such as maintain up to date databases for sites hosting articles or better adhesion to COPE retraction guidelines exist, but these solutions have been unevenly applied to highlight when an article has been retracted
- All stakeholders must be aware of the importance of dealing appropriately with retracted articles and must urgently act in this direction

2223

24

25

26

27

28

29

21

Contributors and sources

CB and FM have published articles related to bibliometrics in the past several years, especially in ophthalmology. They have also studied the difficulty involved in accessing scientific literature around the world with KH, a specialist in information science. The idea for this article came from FM who had used a retracted article in his bibliography. Short interviews with colleagues showed that this topic was relatively unknown.

- 30 CB and FM drafted the manuscript; CB and FM extracted data. CB analyzed data; and CB,
- 31 KH and FM revised the manuscript critically for important intellectual content. All authors
- 32 approved the final version of the manuscript. CB is the guarantor of the article.

Acknowledgements

- 35 The authors thank Retraction Watch for their assistance in providing the authors with free
- 36 access to the Retraction Watch Database. Thanks to Sebastien Kerever for constructive
- 37 discussions related to this article.

Patient involvement

No patients were involved in this work.

Conflicts of Interest

We have read and understood <u>BMJ policy on declaration of interests</u> and we have no conflicts of interest to declare.

Licence

The Corresponding Author has the right to grant on behalf of all authors and does grant on behalf of all authors, an exclusive licence (or non exclusive for government employees) on a worldwide basis to the BMJ Publishing Group Ltd ("BMJ"), and its Licensees to permit this article (if accepted) to be published in The BMJ's editions and any other BMJ products and to exploit all subsidiary rights, as set out in The BMJ's licence.

Christophe Boudry and colleagues call for better identification of retracted articles on publishers' websites and sites hosting references and/or full-text articles, to stop retracted articles being cited without reference to the retraction and thus avoiding scientific error propagation.

Again, in December 2022, a high profile paper was retracted [1]. Article retraction is defined as the withdrawal of a previously published article in an academic journal [2], and is understood to be "a mechanism for correcting the literature and alerting readers to articles that contain such seriously flawed or erroneous content or data that their findings and conclusions cannot be relied upon" [3]. Although retractions are still rare, with around 5 retractions per 10,000 articles published [4–6], numerous papers have highlighted an increasing rate of retractions over time [4,5,7–9] (see Box 1). The COVID-19 crisis has been the source of a significant number of article retractions [10–12], with high retraction rates in the earlier and acute phase of COVID-19 compared to some related research fields, for example up to four times higher compared to other infectious diseases such as HIV, H1N1 or Ebola [13]. Three years after the outbreak of the pandemic, however, it is now estimated that the retraction rate of COVID-19 articles is "consistent with the expected overall rate of retraction" [14].

Academic article retraction mainly results from inadvertent errors or mistakes, non-replicable findings, research misconduct, and redundant or duplicate publication [15]. In 2020, the most common reason for retraction of biological and medical research articles was scientific misconduct (62.2%), followed by error(s) in the manuscript (37.4%) and issues with the journal or publisher such as accidental duplicate publication, publication in wrong journal or preliminary version accidently published without final author correction (19.4%) [6]. Nearly 70% of retracted articles had more than 1 reason for retraction [6]. Retractions "represent wasted resources incurring significant financial costs" [16]: in a research article, Stern et al. found that retracted articles due to research misconduct accounted for approximately \$58 million in direct funding from the NIH between 1992 and 2012 [16]. These authors also note the cost of unproductive research by researchers whose articles are retracted or based their work on retracted articles and, those related to publishing process of retracted articles (e.g. time spent for reviewing and managing the articles). Moreover, article retractions may put patients at risk [10,17,18]. Stern et al. also pointed out that "some studies indicate that hundreds of thousands of patients have been placed at risk of improper medical care due to enrolment in fraudulent studies or the administration of treatment based on fraudulent studies" that were retracted [16]. Article retractions also participate in scientific error propagation when retracted articles continue to be cited without reference to the retraction [19–24], also in clinical trials reports [25] and meta analyses [26].

Theoretically, citations should stop as soon as articles are retracted. In fact, retractions have little or no impact on the total number of citations, showing that researchers continue to cite retracted articles without reference to the retraction [19–25]. For example, a research article paper published in Plos One analysed 54 retracted papers related to reporting a radiology-

imaging diagnostic method: for 30 of 54 articles (55.6%), the number of post-retraction citations was higher than the number of citations before retraction [15]. Moreover, of 559 total post retraction citations of these 54 articles, 546 (97.7%) did not reference the retraction, suggesting that the majority of citing articles were either not aware of the retraction, or they were aware of the retraction and cited it anyway. This problem extends to high-profile journals: a paper published in Cell in 2010 [27] was retracted in 2014 but continued to be widely cited by 2016 without mentioning the retraction in 94% of post-retraction citations [24].

The Committee on Publication Ethics (COPE) [3] has published specific recommendations to help publishers facilitate and standardize their management of the retraction process. Several studies have shown that these recommendations are inconstantly applied: e.g. publishers may not correctly identify retracted articles as such on their website [21,28–30], although this is clearly stated in COPE guidelines. This could reflect "an inadequate awareness of the existence of the COPE guidelines" [10] which could explain why they are not well respected [28]. Copies of retracted articles can be hosted on a range of different websites (preprint servers, bibliographic databases, academic social networks or illegal black open access websites and may not be identified as retractions [19,20,25,31,32]. These unidentified retracted articles continue to be cited by authors without reference to the retraction and then may survive online [19–25]. We argue that a multi-pronged approach including actions by sites hosting articles, journals and authors is needed to solve this worrying problem. We also support that the persistence of this problem is as much incomprehensible that some simple-to-implement solutions exist to overcome it.

Box 1: Retractions of biological and medical science research articles

The retraction rate per 10,000 publications was 0.38 in 1985, 2.03 in 2000 and rose to 5.95 in 2014. The majority of retractions occurred within 1 year of publication, with lower retraction rates over time since publication. On average, articles are retracted 3.8 years after their publication [5].

It is difficult to know if the increase in article retractions results from a rise in fraud and error [33], or if the scientific community is improving its ability to detect and report them, reflecting a more self-monitoring community [4,7,8,10,34]. Pressure to 'publish or perish', and the ensuing increased competition to publish and find funding may contribute to an atmosphere in which some individuals could be tempted to selectively report results, or worse, commit outright fraud, both of which may lead to article retraction [35]. For journals' part, accelerated publication of research, as it was the case during the acute phase of the COVID-19 crisis [12,36,37] may be associated with less rigorous peer-review [38], further increasing the risk of retraction.

134135

136

137

138

139

140

141

142

143

144

145

146

147

148

149

150

151

152

153

154

155

120

121

122

123

124

125

126

127

128

129

130

131

132

133

Online survival of unidentified retracted articles

Since the late 1990s, there has been a large proliferation of article servers that have grown around publishers' websites. The number of different places where an article citation or fulltext could be accessed online is approximately 200, [39], including preprint servers, bibliographic databases (e.g. Scopus, Wos, Google Scholar), academic social networks (e.g. ResearchGate or Academia.edu), or illegal black open access websites (e.g. Sci-Hub). Information on the retraction of articles should in principle appear first on the publishers' websites and flow to other research websites and servers. Nevertheless, some publishers are still not identifying retractions correctly on their websites [21,28-30]. In a research article from 2013, of 233 retracted articles studied, 52 (22.3%) were not flagged as being retracted [28]. If articles are not corrected on publishers' websites, other sites hosting references and/or full-text articles online may fail to identified them as retracted. For example, a research article from May 2022 has shown that among the 30 preprints linked to retracted journal publications present on Research Square, bioRxiv, and medRxiv, only 16 (53.3%) included an indication of the retraction on the preprint [32]. Multidisciplinary databases such as Scopus and the WoS do not always clearly and consistently display retractions [29], and while Google Scholar is widely considered to be the most comprehensive source of scientific information [40], it is well known to lack quality control and clear indexing guidelines [41]. For example, two high-profile articles related to COVID-19 published in NEJM [42] and in The Lancet [43], survived as non-retracted articles in Google Scholar five months after their retraction [38]: 19 versions for the NEJM article, and 59 versions for The Lancet article.

158

159

160

161

162

163

164165

166

167168

169

170

171

172

173

174

175

176

177

The bibliographic database specialized in biology and medicine PubMed best adheres to procedures for documenting and updating retracted publications and is considered "the authoritative source for information about retractions" [44]. In contrast, there is currently no data available on the extent to which sites like Google Scholar, ResearchGate and Sci-Hub mark retracted articles as retracted on their websites. We checked 500 randomly selected retracted articles (from a total of 8559 retracted articles listed in PubMed in April 2021) for the presence of any information allowing identification of retraction in references and full-text articles (Table 1). Roughly 66.3% of references hosted by Google Scholar were not identified as retracted, and 22.9% of references and 81.8% of the full texts of retracted articles hosted by ResearchGate made no mention of retraction. In Scopus and the WoS, 54.6% and 41.9% of references were not identified as retracted, respectively. A 2021 research letter study corroborates our results with the poor identification of retracted articles we observed in Scopus (50%) and the WoS (40.6%) [45]. Sci-Hub is widely used by researchers and allows clinicians, especially in low income countries, to obtain essential information and respond appropriately to patient care needs [46,47]. In our sample, more than 71% of full texts downloadable on Sci-Hub were not marked as retracted. Researchers using Sci-Hub thus have the double burden of not having good access to full text articles, and also using a potentially biased subset of articles that does not account for retractions. For comparison, publishers did a somewhat better job of identifying when an article was retracted, but still did not flag 20.8% of references and 18.1% of full texts of retracted articles as retracted (Table 1).

178179

180

181

182

183

184

185

186

187

188

189

190

191

Table 1: Publishers' websites and sites hosting references and/or full-text articles insufficiently identify retracted articles

A search for retracted articles was done on PubMed on April 8th 2021. A total of 8559 journal articles were retrieved from which 500 were randomly selected. For this, a random sequence of integers between 1 and 8559 was generated using Random.org and attributed to the 8559 articles. An ascending classification was performed based on these random integers, and only the first 500 articles were considered for analysis. A check for the presence of any information allowing identification of retraction in references and full-text articles was performed for each of these 500 articles and on each of the sites or services studied. Digital Object Identifiers (DOI) or titles of articles were used as queries. All searches were conducted between April and July 2021. Full-text paywalled articles on publishers' websites were searched using the institutional access of our university. Searches using Sci-Hub were performed in France using non-university internet access. No university or institution affiliated with the authors of this article were therefore involved in downloading articles via Sci-Hub.

"-": unavailable

		Number of references available (%)	Number of references unidentified as retracted (%)	Of referenced articles, number of full text articles available (%)	Number of full text articles unidentified as retracted (%)
	Publishers'				
Publisher	websites	476 (95.2)	99 (20.8)	403 (84.7)	73 (18.1)
Subscription-	Scopus	403 (80.6)	220 (54.6)	N/A	N/A
based					
bibliographic					
databases	WoS	420 (84)	176 (41.9)	N/A	N/A
Free bibliographic					
database	Google Scholar	499 (99.8)	331 (66.3)	N/A	N/A
Academic social					
network	ResearchGate	497 (99.4)	114 (22.9)	176 (35.4)	144 (81.8)
Black open access					
(illegal)	Sci-Hub	437 (87.4)	330 (75.5)	435 (99.5)	310 (71.3)

Reducing citations of retracted articles needs action by publishers, sites hosting references and/or full-text articles, and authors

195196

197

198

199

200

201

202

203

204

205

206

207

208

209

210

211

212

213

214

215

193

194

A number of solutions have been proposed to better recognize when articles have been retracted online and to decrease their being cited. Most obviously, retracted articles should be unmistakably identified as such by publishers: Suelzer et al. and Frampton et al., have suggested that these ones should systematically add the prefix of 'retracted' to the title of retracted articles [45] and diagonally watermark each page of the full text article stating "retracted" or "withdrawn" [10]. As pointed out by Frampton et al., publishers fail to alert readers to retractions because some are not sufficiently "aware of the problem" [10]. It is important therefore that the limitations in the retraction process are widely communicated and that publishers share their best practices [10]. Improvement in adherence to COPE guidelines could improve this situation [3,28], but this step alone would of course not solve all problems. Indeed, there are potential limits to interoperability and the workflows that update articles because international standards regarding the transmission and display of metadata for retracted publications are still under development [29]. These difficulties alone do not explain the poor performance of Google Scholar or Sci-Hub in correctly identifying retracted articles. The fact that PubMed can and does update its references to reflect article retractions suggests that article retractions have not been recognized or considered a priority by these other sites. Retraction Watch DataBase (RWDB) has been specifically developed to report retracted articles [48]. It has identified more than 40000 retracted articles in all disciplines. It is the most comprehensive and largest database of retracted articles, and its content is regularly updated [4]. Considering partnership with the RWDB and/or referring to PubMed to identify retracted articles could be a solution for these sites.

216217

218

219

220

221

222

223

224

225

226

227

228

For their part, authors can identify retracted articles by searching PubMed for "Retracted publication [pt]", where the term "pt" in square brackets stands for publication type, or by directly to PubMed list of retracted aoina the publications (https://pubmed.ncbi.nlm.nih.gov/?term=retracted+publication+%5Bpt%5D) [44]. As a result of partnering with the RWDB, reference management software such as Zotero and EndNote are another efficient way to avoid citing retracted articles [20]. Unlike other reference management software services (e.g., Mendeley), Zotero and EndNote have built-in capabilities for monitoring retractions by checking the RWDB for retracted documents. This feature was developed in partnership with the RWDB in 2019 for Zotero and in 2021 for EndNote. As an example, retracted publications stored in Zotero and also present in the RWDB are flagged in the Zotero article list, warning users that the stored article is retracted (Figure 1). In addition, each time the software is run, all articles are checked for retractions in the RWDB, allowing automatic updates over time. In our sample, Zotero or EndNote (and therefore the RWDB), would have identified 477 of the 500 retracted articles as being retracted (95.4%). Nowadays "inappropriate citations of retracted articles are difficult to excuse" [49] according the partnership of Zotero and EndNote with RWDB, and the absence of drawbacks to use these tools (except for EndNote which is a commercial software).

Publishers can also do more to avoid publishing articles citing retracted articles without reference to the retraction. In 2006 the members of the International Committee of Medical Journal Editors (ICMJE) changed the Uniform Requirements for Manuscripts to specify that it is the author's responsibility to check their manuscripts for and remove references to retracted articles [44]. To this end, publishers could require authors to attest that they have checked their submitted manuscripts' references and that no retracted articles are included unwittingly [45]. Unfortunately, few publishers have included such statements in their submission guidelines (for example Plos One or Visualized Cancer Medicine), and these recommendations do not address the issue (for authors and peer reviewers who depend on the same information sources [20]) because retracted articles are not systematically identified as retracted across online databases. Manuscript submission platforms could also help authors identify retracted articles in their reference list. Some platforms, such as Editorial Manager, in partnership with scite_ [50], have developed reference check tools to track retracted article during manuscript submissions. Needless to say, not all journals (and not even all journals hosted by Editorial Manager) use this tool.




Fig 1 | Display of a retracted article in Zotero

253

254

255256

257

258259

260

261262

263

264

265266

267

268

269

270

271

272

In conclusion, despite COPE and ICMJE guidelines and the existence of reference management software services such as Zotero or EndNote, amidst a growing number of journals and a rising rate of retracted articles in the past two decades, retracted articles are not universally marked as retracted across multiple websites hosting references and/or fulltext articles. Retracted articles continue to be cited long after their retraction, propagating errors and possibly affecting the accuracy of subsequent analyses [19-25] and, may have potential consequences in medicine for patient health [10,17,18]. Guidelines regarding retracted articles have existed for almost 25 years but have failed to improve the situation. This may be, in part, because the COPE guidelines do not provide any specific recommendations for tracking and deleting unlabelled retracted articles present on a multiplicity of websites and sites hosting references and/or full-text articles once a decision has been made to retract an article. It is also possible that the resolution of this problem, being dependent on multiple actors, has experienced an effect of dilution of their individual responsibility. We also assume that given that retractions are relatively uncommon, most researchers do not feel concerned by this problem. Nevertheless, the scientific community is increasingly aware of scientific integrity issues over time due to the rising of open science practices [51]. In the long run, this could put pressure on the journals or sites hosting articles to improve their practice regarding article retractions, which could indeed see in it an opportunity to stand out from the other actors in an increasingly competitive field. In any case, solving the worrying problem of the citation of retracted articles is a collective responsibility that requires a real commitment on the part of all actors involved in scientific publication.

279	ке	rerences
280 281 282 283	1	Fischer C, Maponga TG, Yadouleton A, <i>et al.</i> RETRACTED: Gradual emergence followed by exponential spread of the SARS-CoV-2 Omicron variant in Africa. <i>Science</i> 2022; 378 :eadd8737. doi:10.1126/science.add8737
284 285 286 287	2	Li G, Kamel M, Jin Y, <i>et al.</i> Exploring the characteristics, global distribution and reasons for retraction of published articles involving human research participants: a literature survey. <i>Journal of Multidisciplinary Healthcare</i> 2018; 11 :39–47. doi:10.2147/JMDH.S151745
288 289 290	3	Retraction guidelines. COPE: Committee on Publication Ethics. https://publicationethics.org/files/cope-retraction-guidelines-v2.pdf (accessed 20 Mar 2022).
291 292	4	Brainard J. Rethinking retractions. <i>Science</i> 2018; 362 :390–3. doi:10.1126/science.362.6413.390
293 294	5	Bhatt B. A multi-perspective analysis of retractions in life sciences. <i>Scientometrics</i> 2021; 126 :4039–54. doi:10.1007/s11192-021-03907-0
295 296 297	6	Gaudino M, Robinson NB, Audisio K, <i>et al.</i> Trends and Characteristics of Retracted Articles in the Biomedical Literature, 1971 to 2020. <i>JAMA Internal Medicine</i> 2021; 181 :1118–21. doi:10.1001/jamainternmed.2021.1807
298 299	7	Van Noorden R. Science publishing: The trouble with retractions. <i>Nature</i> 2011; 478 :26–8. doi:10.1038/478026a
300 301	8	Fanelli D. Why Growing Retractions Are (Mostly) a Good Sign. <i>PLOS Medicine</i> 2013; 10 :e1001563. doi:10.1371/journal.pmed.1001563
302 303	9	Grieneisen ML, Zhang M. A Comprehensive Survey of Retracted Articles from the Scholarly Literature. <i>PLOS ONE</i> 2012; 7 :e44118. doi:10.1371/journal.pone.0044118
304 305 306 307	10	Frampton G, Woods L, Scott DA. Inconsistent and incomplete retraction of published research: A cross-sectional study on Covid-19 retractions and recommendations to mitigate risks for research, policy and practice. <i>PLOS ONE</i> 2021; 16 :e0258935. doi:10.1371/journal.pone.0258935
308 309	11	Cortegiani A, Catalisano G, Ippolito M, <i>et al.</i> Retracted papers on SARS-CoV-2 and COVID-19. <i>Br J Anaesth</i> 2021; 126 :e155–6. doi:10.1016/j.bja.2021.01.008
310 311 312	12	Anderson C, Nugent K, Peterson C. Academic Journal Retractions and the COVID-19 Pandemic. <i>J Prim Care Community Health</i> 2021; 12 :21501327211015590. doi:10.1177/21501327211015592
313 314 315	13	Yeo-Teh NSL, Tang BL. An alarming retraction rate for scientific publications on Coronavirus Disease 2019 (COVID-19). <i>Account Res</i> 2021; 28 :47–53. doi:10.1080/08989621.2020.1782203
316 317	14	Clark J. How covid-19 bolstered an already perverse publishing system. <i>BMJ</i> 2023; 380 :p689. doi:10.1136/bmj.p689

318 15 319 320	Bolboaca SD, Buhai D-V, Aluas M, <i>et al.</i> Post retraction citations among manuscripts reporting a radiology-imaging diagnostic method. <i>PLoS One</i> 2019; 14 :e0217918. doi:10.1371/journal.pone.0217918
321 16 322 323	Stern AM, Casadevall A, Steen RG, <i>et al.</i> Financial costs and personal consequences of research misconduct resulting in retracted publications. <i>eLife</i> 2014; 3 :e02956. doi:10.7554/eLife.02956
324 17 325	Marcus A. A scientist's fraudulent studies put patients at risk. <i>Science</i> 2018; 362 :394–394. doi:10.1126/science.362.6413.394-a
326 18 327 328	Steen RG. Retractions in the medical literature: how many patients are put at risk by flawed research? <i>Journal of Medical Ethics</i> 2011; 37 :688–92. doi:10.1136/jme.2011.043133
329 19 330	Teixeira da Silva JA, Bornemann-Cimenti H. Why do some retracted papers continue to be cited? <i>Scientometrics</i> 2017; 110 :365–70. doi:10.1007/s11192-016-2178-9
331 20 332 333 334	Bornemann-Cimenti H, Szilagyi IS, Sandner-Kiesling A. Perpetuation of Retracted Publications Using the Example of the Scott S. Reuben Case: Incidences, Reasons and Possible Improvements. <i>Sci Eng Ethics</i> 2016; 22 :1063–72. doi:10.1007/s11948-015-9680-y
335 21 336	Wright K, McDaid C. Reporting of article retractions in bibliographic databases and online journals. <i>J Med Libr Assoc</i> 2011; 99 :164–7. doi:10.3163/1536-5050.99.2.010
337 22 338	da Silva JAT, Dobranszki J. Highly cited retracted papers. <i>Scientometrics</i> 2017; 110 :1653–61. doi:10.1007/s11192-016-2227-4
339 23 340	Bar-Ilan J, Halevi G. Temporal characteristics of retracted articles. <i>Scientometrics</i> 2018; 116 :1771–83. doi:10.1007/s11192-018-2802-y
341 24 342	Bar-Ilan J, Halevi G. Post retraction citations in context: a case study. <i>Scientometrics</i> 2017; 113 :547–65. doi:10.1007/s11192-017-2242-0
343 25 344 345	Schneider J, Ye D, Hill AM, <i>et al.</i> Continued post-retraction citation of a fraudulent clinica trial report, 11 years after it was retracted for falsifying data. <i>Scientometrics</i> 2020; 125 :2877–913. doi:10.1007/s11192-020-03631-1
346 26 347 348	Fanelli D, Wong J, Moher D. What difference might retractions make? An estimate of the potential epistemic cost of retractions on meta-analyses. <i>Account Res</i> 2021;:1–18. doi:10.1080/08989621.2021.1947810
349 27 350 351	Donmez G, Wang D, Cohen DE, <i>et al.</i> RETRACTED: SIRT1 suppresses beta-amyloid production by activating the alpha-secretase gene ADAM10. <i>Cell</i> 2010; 142 :320–32. doi:10.1016/j.cell.2010.06.020
352 28 353	Decullier E, Huot L, Samson G, <i>et al.</i> Visibility of retractions: a cross-sectional one-year study. <i>BMC Research Notes</i> 2013; 6 :238. doi:10.1186/1756-0500-6-238
354 29 355 356	Bakker C, Riegelman A. Retracted Publications in Mental Health Literature: Discovery across Bibliographic Platforms. <i>Journal of Librarianship and Scholarly Communication</i> 2018; 6 . doi:10.7710/2162-3309.2199
331 20 332 333 334 335 21 336 337 22 338 339 23 340 341 24 342 343 25 344 345 345 346 26 347 348 349 27 350 351 352 28 353	Bornemann-Cimenti H, Szilagyi IS, Sandner-Kiesling A. Perpetuation of Retracted Publications Using the Example of the Scott S. Reuben Case: Incidences, Reasons and Possible Improvements. <i>Sci Eng Ethics</i> 2016;22:1063–72. doi:10.1007/s11948-015-9680-y Wright K, McDaid C. Reporting of article retractions in bibliographic databases and onlir journals. <i>J Med Libr Assoc</i> 2011;99:164–7. doi:10.3163/1536-5050.99.2.010 da Silva JAT, Dobranszki J. Highly cited retracted papers. <i>Scientometrics</i> 2017;110:1653–61. doi:10.1007/s11192-016-2227-4 Bar-llan J, Halevi G. Temporal characteristics of retracted articles. <i>Scientometrics</i> 2018;116:1771–83. doi:10.1007/s11192-018-2802-y Bar-llan J, Halevi G. Post retraction citations in context: a case study. <i>Scientometrics</i> 2017;113:547–65. doi:10.1007/s11192-017-2242-0 Schneider J, Ye D, Hill AM, <i>et al.</i> Continued post-retraction citation of a fraudulent clinic trial report, 11 years after it was retracted for falsifying data. <i>Scientometrics</i> 2020;125:2877–913. doi:10.1007/s11192-020-03631-1 Fanelli D, Wong J, Moher D. What difference might retractions make? An estimate of the potential epistemic cost of retractions on meta-analyses. <i>Account Res</i> 2021;:1–18. doi:10.1080/08989621.2021.1947810 Donmez G, Wang D, Cohen DE, <i>et al.</i> RETRACTED: SIRT1 suppresses beta-amyloid production by activating the alpha-secretase gene ADAM10. <i>Cell</i> 2010;142:320–32. doi:10.1016/j.cell.2010.06.020 Decullier E, Huot L, Samson G, <i>et al.</i> Visibility of retractions: a cross-sectional one-year study. <i>BMC Research Notes</i> 2013;6:238. doi:10.1186/1756-0500-6-238 Bakker C, Riegelman A. Retracted Publications in Mental Health Literature: Discovery across Bibliographic Platforms. <i>Journal of Librarianship and Scholarly Communication</i>

357 358 359	30	Dal-Ré R, Ayuso C. For how long and with what relevance do genetics articles retracted due to research misconduct remain active in the scientific literature. <i>Account Res</i> 2021; 28 :280–96. doi:10.1080/08989621.2020.1835479
360 361	31	Davis PM. The persistence of error: a study of retracted articles on the Internet and in personal libraries. <i>J Med Libr Assoc</i> 2012; 100 :184–9. doi:10.3163/1536-5050.100.3.008
362 363	32	Avissar-Whiting M. Downstream retraction of preprinted research in the life and medical sciences. <i>PLOS ONE</i> 2022; 17 :e0267971. doi:10.1371/journal.pone.0267971
364 365	33	Steen RG, Casadevall A, Fang FC. Why Has the Number of Scientific Retractions Increased? <i>PLOS ONE</i> 2013; 8 :e68397. doi:10.1371/journal.pone.0068397
366 367	34	Steen RG. Retractions in the scientific literature: is the incidence of research fraud increasing? <i>Journal of Medical Ethics</i> 2011; 37 :249–53. doi:10.1136/jme.2010.040923
368 369	35	Casadevall A, Fang FC. Reforming Science: Methodological and Cultural Reforms. <i>Infection and Immunity</i> 2012; 80 :891–6. doi:10.1128/IAI.06183-11
370 371 372	36	El-Menyar A, Mekkodathil A, Asim M, <i>et al.</i> Publications and retracted articles of COVID-19 pharmacotherapy-related research: A systematic review. <i>Sci Prog</i> 2021; 104 :368504211016936. doi:10.1177/00368504211016936
373 374	37	Watson C. Rise of the preprint: how rapid data sharing during COVID-19 has changed science forever. <i>Nature Medicine</i> 2022; 28 :2–5. doi:10.1038/s41591-021-01654-6
375 376 377	38	Teixeira da Silva JA, Bornemann-Cimenti H, Tsigaris P. Optimizing peer review to minimize the risk of retracting COVID-19-related literature. <i>Med Health Care and Philos</i> 2021; 24 :21–6. doi:10.1007/s11019-020-09990-z
378 379 380	39	List of academic databases and search engines. Wikipedia. 2023.https://en.wikipedia.org/w/index.php?title=List_of_academic_databases_and_search_engines&oldid=1133202029 (accessed 9 Feb 2023).
381 382 383	40	Halevi G, Moed H, Bar-Ilan J. Suitability of Google Scholar as a source of scientific information and as a source of data for scientific evaluation—Review of the Literature. <i>Journal of Informetrics</i> 2017; 11 :823–34. doi:10.1016/j.joi.2017.06.005
384 385 386	41	Falagas ME, Pitsouni EI, Malietzis GA, <i>et al.</i> Comparison of PubMed, Scopus, Web of Science, and Google Scholar: strengths and weaknesses. <i>FASEB J</i> 2008; 22 :338–42. doi:10.1096/fj.07-9492LSF
387 388 389	42	Mehra MR, Desai SS, Kuy S, <i>et al.</i> RETRACTED: Cardiovascular Disease, Drug Therapy, and Mortality in Covid-19. <i>N Engl J Med</i> 2020; 382 :e102. doi:10.1056/NEJMoa2007621
390 391 392	43	Mehra MR, Desai SS, Ruschitzka F, <i>et al.</i> RETRACTED: Hydroxychloroquine or chloroquine with or without a macrolide for treatment of COVID-19: a multinational registry analysis. <i>The Lancet</i> 2020; 0 . doi:10.1016/S0140-6736(20)31180-6
393 394 395	44	ICMJE Recommendations Preparing a Manuscript for Submission to a Medical Journal. http://www.icmje.org/recommendations/browse/manuscript-preparation/preparing-for-submission.html#g (accessed 16 Mar 2022).
396 397	45	Suelzer EM, Deal J, Hanus K, et al. Challenges in Identifying the Retracted Status of an Article. JAMA Netw Open 2021:4:e2115648, doi:10.1001/jamanetworkopen 2021.15648

398 399 400	46	Boudry C, Alvarez-Muñoz P, Arencibia-Jorge R, <i>et al.</i> Worldwide inequality in access to full text scientific articles: the example of ophthalmology. <i>PeerJ</i> 2019; 7 :e7850. doi:10.7717/peerj.7850
401 402	47	Bohannon J. Who's downloading pirated papers? Everyone. <i>Science</i> 2016; 352 :508–12. doi:10.1126/science.352.6285.508
403 404	48	Retraction Watch Database. http://retractiondatabase.org/RetractionSearch.aspx? (accessed 27 Mar 2022).
405 406	49	Piller C. Disgraced COVID-19 studies are still routinely cited. <i>Science</i> 2021; 371 :331–2. doi:10.1126/science.371.6527.331
407	50	scite: see how research has been cited. scite.ai. https://scite.ai (accessed 9 Feb 2023).
408 409	51	Nicholls SG. Research integrity: emphasising our commitment. <i>Research Ethics</i> 2021; 17 :265–6. doi:10.1177/17470161211028740
410		