

Longitudinal Modelling for Single Nucleotide Polymorphism Associations with Alzheimer's Disease

Nemo Fournier, Stanley Durrleman

▶ To cite this version:

Nemo Fournier, Stanley Durrleman. Longitudinal Modelling for Single Nucleotide Polymorphism Associations with Alzheimer's Disease. AAIC 2023 - Alzheimer's Association International Conference, Jul 2023, Amsterdam, Netherlands. hal-04169631

HAL Id: hal-04169631 https://hal.science/hal-04169631v1

Submitted on 24 Jul 2023

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers. L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.

LONGITUDINAL MODELLING FOR SINGLE NUCLEOTIDE POLYMORPHISM Associations with Alzheimer's Disease

NEMO FOURNIER, STANLEY DURRLEMAN

SORBONNE UNIVERSITE, INSTITUT DU CERVEAU - PARIS BRAIN INSTITUTE - ICM, CNRS, INRIA, INSERM, AP-HP, HOPITAL DE LA PITIE SALPETRIERE, F-75013, PARIS, FRANCE

Background

Robust associations between genetic traits and neurodegenerative pathologies have been established thanks to the advent of GWAS. Meta-analysis incorporating tens of thousands of subjects allowed to discover hundreds of genetic loci associated with the diagnosis of diseases such as Alzheimer's Disease.

Our aim is to identify associations between SNPs and longitudinal features of the disease progression, such as speed of progression, feature-specific dynamic patterns, etc. A finer understanding of the link between SNPs and disease progression could help design new polygenic risk scores, targeting not the diagnosis, but rather for instance progression speed, hence allowing for higher-powered clinical trials for instance.

Method

We developed and validated a new statistical model that extracts interpretable progression parameters for patients from a longitudinal cohort. Our model is able to link time-independent covariates — such as SNP arrays — to dynamic aspects of the disease such as progression speed for each monitored biomarker, disease onset-time or progression patterns.

We applied our method to observational cohorts from the Alzheimer's Disease Neuroimaging Initiative (ADNI) effort. We modelled a multivariate progression profile that included both the evolution of cognitive neuropsychological assessments and the dynamics of imaging biomarkers (brain volumes, tau and Abeta loads). We pre-selected the SNPs that we included in our analysis from a published reference AD GWAS.

Results

Our results suggest that multiple profiles of SNP coexist even among the top-associated SNPs of GWAS (some are linked mainly with onset-time, while others show a strong association with the disease dynamics for either all or a particular subset of features).

Conclusion

We proposed a model to link individual SNP to dynamic aspects of the disease, and examined some SNPs associated with AD diagnosis, which suggested new kinds of associations based on disease dynamics.

This work was funded in part by the French government under management of Agence Nationale de la Recherche as part of the Investissements d'avenir program, reference ANR-19-P3IA- 0001 (PRAIRIE 3IA Institute), ANR-19-JPW2-000 (E- DADS), and ANR10-IAIHU-06 (IHU ICM), as well as by the European Research council reference ERC-678304 and the H2020 programme via grant 826421 (TVB- Cloud).