

## Assumptions and model structure for the growth and survival of the holopelagic brown macroalga Sargassum spp. based on DEB (Dynamic Energy Budget) theory

María José Lagunes, Laure Pecquerie, Christophe Lett, Mar Benavides, Philippe Cecchi, Thomas Changeux, Solène Connan, Paulo Duarte-Neto, Julien Jouanno, Judith Klein, et al.

#### ▶ To cite this version:

María José Lagunes, Laure Pecquerie, Christophe Lett, Mar Benavides, Philippe Cecchi, et al.. Assumptions and model structure for the growth and survival of the holopelagic brown macroalga Sargassum spp. based on DEB (Dynamic Energy Budget) theory. 8th European Phycological Congress "Scientific Opportunities for a Global Algal Revolution", Aug 2023, Brest, France. hal-04181607

HAL Id: hal-04181607

https://hal.science/hal-04181607

Submitted on 16 Aug 2023

**HAL** is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers. L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.



# Assumptions and model structure for the growth and survival of the holopelagic brown macroalga Sargassum spp. based on DEB (Dynamic Energy Budget) theory



M.J. Lagunes<sup>1</sup>, L. Pecquerie\*<sup>2</sup>, C. Lett<sup>3</sup>, M. Benavides<sup>1</sup>, P. Cecchi<sup>3</sup>, T. Changeux<sup>1</sup>, S. Connan<sup>2</sup>, P. Duarte-Neto<sup>4</sup>, J. Jouanno<sup>5</sup>, J. Klein<sup>3</sup>, R. Lavaud<sup>6</sup>, F. Le Loc'h<sup>2</sup>, F.L. Frédou<sup>7</sup>, V. Michotey<sup>1</sup>, J.M. Munaron<sup>2</sup>, Y. Freile-Pelegrín<sup>8</sup>, J.C. Poggiale<sup>1</sup>, D. Robledo<sup>8</sup>, V. Stiger<sup>2</sup>, B. Stosic<sup>4</sup>, T. Thibaut<sup>1</sup>, R.M. Vásquez-Elizondo<sup>8</sup>, L. Berline<sup>1</sup>

<sup>1</sup>Aix Marseille Univ, Université de Toulon, <sup>2</sup>LEMAR, Univ Brest, <sup>3</sup>MARBEC, Univ. Montpellier, <sup>4</sup>DEINFO, Univ. Federal Rural de Pernambuco (BZ) <sup>5</sup>LEGOS, Université de Toulouse <sup>6</sup>School of Renewable Natural Resources, (LA,USA) <sup>7</sup>DEPAQ (BZ) <sup>8</sup>CINVESTAV (MX)


### PROJECT CONTEXT

Massive strandings of holopelagic Sargassum spp. have been observed since 2011 in the east and west coasts of the tropical North Atlantic causing ecological, socioeconomic and health problems.

Several models have been developed to simulate Sargassum drift [9, 2], few studies have integrated physiology into a Lagrangian model to study Sargassum growth. Moreover, few have make a difference between morphotypes [3, 5]. Holopelagic Sargassum has three morphotypes Sargassum natans I, S. natans VIII and S. fluitans III which strand on the coasts with different proportions depending on the year [1, 4]. However, there is no study about physiological characteristics of each morphotype explaining these differences.

To fill these gaps a synergetic approach between a modeling PhD thesis in LEMAR and MARBEC and an experimentation PhD thesis funded by the IRD in Mexico, will be done framed in the BIOMAS project (BIOenergetic Modeling Approach for Sargassum Dynamics).

#### **OBJECTIVES OF THE BIOMAS PROJECT**



#### MODEL ASSUMPTIONS AND STRUCTURE

DEB theory describes at the individual level, the energy and mass flow within the organism and the exchanges between the organisms and its surroundings [6]. This theory is based on general concepts on physiology and has been applied to many different types of organisms.

Two-nutrient DEB models have been developed for other macroalgue like *Ulva lactuca* [7] and Saccharina latissima [10] to study growth and nutrient dynamics.

Considering holopelagic Sargassum knowledge and previous models, we'll include phosphorus and exclude sexual reproduction.

Model will be constructed to simulate growth and survival based on nutrient concentrations, temperature and irradiance. Model will also test for starvation conditions, important to understand Sargassum's seasonal dynamics.

#### **EXAMPLE OF SIMULATIONS**

Numerical experiments (Fig. 1) that can be done using the SargaDEB model are:

- N and P uptake rate based on different
  Length of Sargassum morphotypes nutrient concentration
- Oxygen production rate as function of irradiance
- N:C:P ratio under starvation conditions
- Rejection flow of each nutrient




Figure 1. Simulations of A) Biomass evolution B) N uptake and C) Oxygen production. Adaptation of [10] GitHub code

based on algae models previously developed [7, 10].

#### MODEL CALIBRATION AND VALIDATION

To identify key parameters and to design adequate protocols for parameter calibration, the experimentation protocol will be defined jointly with the PhD Mexican partner in order to identify forcing variables/culture conditions to obtain the same observable/response variables (Fig. 2). Afterwards, model parameters for each of Sargassum morphotypes will be calibrated using the experimental data sets. Finally, the model will be validated using independent data sets.




Figure 2. Numerical experiments with the SargaDEB model and lab experiments (Mexican partners) to estimate DEB parameter sets of the three Sargassum morphotypes.

### INTEGRATION WITH DRIFT MODEL

The DEB model will then be integrated into Ichthyop (WP4), a Lagrangian drift model forced by realistic physical-biogeochemical simulations and advection processes [8]. Using the set of DEB parameters previously estimated for each mortphotype (WP1 and WP2), we will be able to simulate Sargassum growth and survival at basin scale and seasonal temporal scales. The integrated model will be validated using in-situ monitoring of Sargassum, which will be possible thanks to the collaboration with Brazilian, Mexican and African partners (WP3).

#### **CONCLUSIONS**

Through this model-experimentation approach, the BIOMAS project aims to assess the specific physiological traits of each holopelagic Sargassum morphotype, allowing the integration of the physiological model into the drift model for more accurate forecasting of Sargassum spp proliferation and strandings across different seasons and regions in the Atlantic Ocean.

#### **ACKNOWLEDGMENTS**

Funding for this PhD project comes from the ANR project Conjoint SARGASSUM -2022 (ANR-22-SARG-0003). Thanks to all the BIOMAS project https://biomas.osupytheas.fr/

#### REFERENCES



Scan me for the list of all references! [4] Changeux, T., Berline, L., Podlejski, W., Guillot, T., Stiger-Pouvreau, V., Connan, S., & Thibaut, T. (2023). Variability in growth and tissue composition (CNP, natural isotopes) of the three morphotypes of holopelagic Sargassum. Aquatic

[5] Jouanno, J., Benshila, R., Berline, L., Soulié, A., Radenac, M.-H., Morvan, G., Diaz, F., Sheinbaum, J., Chevalier, C., Thibaut, T., Changeux, T., Menard, F., Berthet, S., Aumont, O., Ethé, C., Nabat, P., & Mallet, M. (2021). A NEMO-based model of Sargassum; distribution in the tropical Atlantic: Description of the model and sensitivity analysis (NEMO-Sarg1.0).

[7] Lavaud, R., Filgueira, R., Nadeau, A., Steeves, L., & Guyondet, T. (2020). A Dynamic Energy Budget model for the macroalga Ulva lactuca. Ecological Modelling, 418, 108922.

[10] Venolia, C. T., Lavaud, R., Green-Gavrielidis, L. A., Thornber, C., & Humphries, A. T. (2020). Modeling the Growth of Sugar Kelp (Saccharina latissima) in Aquaculture Systems using Dynamic Energy Budget Theory. Ecological Modelling,