



## Effects of Moving Speed and Phone Location on Eyes-Free Gesture Input with Mobile Devices

Milad Jamalzadeh, Yosra Rekik, Laurent Grisoni, Radu-Daniel Vatavu,  
Gualtiero Volpe, Alexandru Dancu

### ► To cite this version:

Milad Jamalzadeh, Yosra Rekik, Laurent Grisoni, Radu-Daniel Vatavu, Gualtiero Volpe, et al.. Effects of Moving Speed and Phone Location on Eyes-Free Gesture Input with Mobile Devices. Doctoral. York (Great Britain), United Kingdom. 2023. hal-04204270

HAL Id: hal-04204270

<https://hal.science/hal-04204270v1>

Submitted on 12 Sep 2023

**HAL** is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.

# Effects of Moving Speed and Phone Location on Eyes-Free Gesture Input with Mobile Devices

**Authors:** Milad Jamalzadeh, Yosra Rekik, Laurent Grisoni, Radu-Daniel Vatavu, Gualtiero Volpe, and Alexandru Dancu

**Presenter:** Milad Jamalzadeh



**INTERACT 2023**  
Design for Equality & Justice




**Université  
de Lille**




This project has received funding from the European Union’s Horizon 2020 Research and Innovation Program under Grant Agreement No 860114.


- Using smartphones while moving is challenging and can be dangerous.
- Eyes-free input gestures can provide a means to use smartphones without the need for visual attention.




- We investigated the effect of different moving speeds
  - standing, walking, or jogging
- and different phone locations on gestures:
  - phone held freely in the hand,
  - phone placed inside a shoulder bag.



- ❖ 12 male participants
- ❖ 20 gestures with 5 repetitions for each condition






- ❖ Measured gesture features: width, height, length, area, duration, and speed
- ❖ Measured phone orientation: alpha, beta, and gamma






## Results (gesture features)

4/7







## Results (gesture features)

5/7



# Results (phone orientation)

6/7



- ❖ Moving speed and smartphone location
  - Does not affect gesture duration
  - Does affect gesture length, height, width, area, and phone orientation
- ❖ Moving faster or holding the phone freely led to faster gestures without requiring less time to draw the gesture but instead longer gestures which caused the gesture entering speed to increase.
- ❖ The faster the user moves the longer, larger, and faster stroke gestures are produced.
- ❖ Inversely, when holding the phone in a bag, the produced gestures are slower, shorter, and smaller than when holding the phone freely.

---

**Thank You**  
For Your Attention!

Any Questions

