



HAL
open science

Efficacy of a selective 5-HT₆R antagonist in an innovative 2-hit mouse model of schizophrenia

Caroline Lahogue, Morgane Jobard, Jean-Marie Billard, Valentine Bouet

► **To cite this version:**

Caroline Lahogue, Morgane Jobard, Jean-Marie Billard, Valentine Bouet. Efficacy of a selective 5-HT₆R antagonist in an innovative 2-hit mouse model of schizophrenia. FENS, Jul 2022, Paris, France. hal-04216519

HAL Id: hal-04216519

<https://hal.science/hal-04216519>

Submitted on 25 Sep 2023

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.

Caroline Lahogue, Morgane Jobard, Jean-Marie Billard, Valentine Bouet
COMETE, UMR 1075 INSERM/Université de Caen Normandie



Schizophrenia

- Etiology: still unknown but possibly genetic x environmental factors
- Antipsychotic drugs improve positive symptoms (delirium, hallucination) but not **negative symptoms** (avolition, anhedonia, social withdrawal...) and **cognitive deficits** (memory impairment...)
- ▶ New therapeutic targets need to be tested in animals to improve negative and cognitive symptoms



Target: Serotonergic subtype 6 receptors (5-HT6R)

- 5-HT6R expressed in the brain regions involved in schizophrenia such as hippocampus
- Blockade of 5-HT6R reverses memory deficit in aged mice [1]
- **SB-271046** is the most selective 5-HT6R antagonist
- ▶ Blockade of 5-HT6 receptors a promising strategy to improve memory deficits


Aim: to characterize the efficacy of pharmacological modulation of 5-HT6R in a new mouse model of schizophrenia



Behavioral study in male mice




Spontaneous locomotion in actimeter (30min)




Anova with permutation: genotype effect (F=<2e-16)
Pairwise comparison: * < 0.05

Spontaneous alternation - Working memory




Anova: genotype (F=0.00083) and treatment effect (F=0.04374)
TukeyHSD comparison: * < 0.05
Univariate t.test > 50%: * < 0.05; ***<0.001

Electrophysiological study in 26 – 34 weeks female mice




Long-term potentiation (LTP)

High frequency stimulation (HFS, 100Hz 1sec)




Basal AMPA transmission

(Stimulation: 5V)



Basal NMDA-R activation

(Stimulation: 500µA)



Take home message

Summary: SB-271046 effects

	Anxiety	Working Memory	Spontaneous activity	AMPA transmission	NMDA-R activation	LTP
Control	-	↗	-	↗	↗	-
SRKO	-	-	-	↗	↗	-
MS	-	-	-	~	↗	-
2-hit	-	-	-	↗	↗	-

The combination between genetic x environmental factor does not induce behavioral deficits in 2-hit male mice nor impairments in LTP, basal AMPA transmission and NMDA-R activation in 2-hit female mice. SB-271046 improves working memory in male mice and enhances glutamatergic transmission without impact on HFS-induced synaptic plasticity. We are now investigating effects of SB-271046 on other cognitive processes (sociability and sensory gating) as well as on another kind of synaptic plasticity, induced by theta burst stimulation (TBS), which also involves GABAergic system.

[1] Da Silva Costa-Aze V et al. Behav Brain Res. 2011. DOI: 10.1016/j.bbr.2011.03.046.
[2] Coyle JT, Balu DT. Adv Pharmacol. 2018. DOI: 10.1016/bs.apha.2017.10.002
[3] Ellenbroek BA et al. Schizophr Res. 1998. DOI/ 10.1016/s0920-9964(97)00149-7
[4] Bouet V et al. Neurosci Lett. 2011. https://doi.org/10.1016/j.neulet.2010.11.033.