



HAL
open science

Refinement of a ligand activity and representation of topological pharmacophores in a colored network

Maroua Lejmi, Damien Geslin, Bertrand Cuissart, Ilef Ben Slima, Nida Meddouri, Ronan Bureau, Alban Lepailleur, Amel Borgi, Jean-Luc Lamotte

► **To cite this version:**

Maroua Lejmi, Damien Geslin, Bertrand Cuissart, Ilef Ben Slima, Nida Meddouri, et al.. Refinement of a ligand activity and representation of topological pharmacophores in a colored network. SFCI-11 : 11èmes Journées de la Société Française de Chémoinformatique, Oct 2023, Caen, France. hal-04236949

HAL Id: hal-04236949

<https://hal.science/hal-04236949>

Submitted on 11 Oct 2023

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.

Refinement of a ligand activity and representation of topological pharmacophores in a colored network

Maroua Lejmi^{1,4}, Damien Geslin², Bertrand Cuissart¹, Ilf Ben Slima³, Nida Meddouri⁶, Ronan Bureau², Alban Lepailleur², Amel Borgi⁵, Jean-Luc Lamotte¹

¹ Equipe CODAG - Laboratoire GREYC - UMR6072 – Groupe de Recherche en Informatique, Image et Instrumentation de Caen – France

² Centre d'Etudes et de Recherche sur le Médicament de Normandie – Université de Caen Normandie : UR4258, Université de Caen Normandie – France 3


³ ISMAIK, University of Kairouan, Digital Research Center of Sfax (CRNS), SM@RTS, Sfax, Tunisia

⁴ FST-LIPAH / Université de Tunis El Manar, Tunis, Tunisie

⁵ ISI-LIPAH / Université de Tunis El Manar, Tunis, Tunisie

⁶ Laboratoire de Recherche de l'EPITA (LRE), Le Kremlin-Bicêtre, France.

Financial support : Campus France – PHC Utique – PAPRICA project



1. Context and Goal

SAR : better understanding of association between pharmacophores and ligand affinity.

• BCR-ABL dataset: 1517 ligands and their affinity (ChEMBL24)
Structure description: 309 representative pharmacophores of order 3 to 7 that support at least 10 molecules (extracted with Norns and selected using MMRFS) [1].


Method:

→ Refine the molecular affinity from 2 categories to 4 categories.

→ Construction of a colored "Pharmacophore Network" based on the similarity between the pharmacophores through the supporting molecules and an adapted Growth-Rate.

2. Previous work


The Pharmacophore Network [2]: a graph of pharmacophores whose nodes represent the pharmacophores and edges represent the distance of similarity between them determined through similarities between the supporting molecules.




Pharmacophore evaluation: "Growth-Rate"

$$GR = \frac{\text{Frequency(Actives)}}{\text{Frequency(Inactives)}}$$

3. Contribution



Layout made with Cytoscape: 2 NNs - Force method.




Pharmacophore evaluation: "Adapted Growth-Rate"

$$GR1 = \frac{\text{Frequency(Super actives)}}{\text{Frequency(Inactives)}}$$

$$GR2 = \frac{\text{Frequency(Very actives)}}{\text{Frequency(Inactives)}}$$


$$GR3 = \frac{\text{Frequency(Actives)}}{\text{Frequency(Inactives)}}$$



$$R = f(GR1)$$

$$V = f(GR2)$$

$$B = f(GR3)$$



Conclusion

- Definition of a space of representative pharmacophores of the activity of 1517 molecules.
- The pharmacophore space enables a visualization of the 4 activity classes and a clear differentiation between active groups and inactive ones.
- A zone analysis indicates activity graduations along close pharmacophores hence along close molecules and permit a better exploitation of GR values.

References

- [1] MÉTIVIER, Jean-Philippe, CUISSART, Bertrand, BUREAU, Ronan, et al. The pharmacophore network: a computational method for exploring structure–activity relationships from a large chemical data set. *Journal of medicinal chemistry*, 2018, vol. 61, no 8, p. 3551-3564.
- [2] Geslin, D., Lepailleur, A., Manguin, J.L., Vo, N.V., Lamotte, J.L., Cuissart, B., Bureau, R., 2022. Deciphering a pharmacophore network: A case study using bcr-abl data. *Journal of Chemical Information and Modeling* 62, 678–691.