



HAL
open science

Neural network learning with photonics and for photonic circuit design

Daniel Brunner, M Soriano, Shanhui Fan

► **To cite this version:**

Daniel Brunner, M Soriano, Shanhui Fan. Neural network learning with photonics and for photonic circuit design. *Nanophotonics*, 2023, 12 (2), pp.773-775. 10.1515/nanoph-2023-0123 . hal-04261516

HAL Id: hal-04261516

<https://hal.science/hal-04261516>

Submitted on 27 Oct 2023

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.

[*]Corresponding author: daniel.brunner@femto-st.fr

Research Article

Daniel Brunner, Miguel C. Soriano, and Shanhui Fan

Neural network learning with photonics and for photonic circuit design

<https://doi.org/xx>, Received XXXX; accepted XXXX

Keywords: Artificial neural networks, photonic neural networks, nanophotonics, neural network assisted photonic design

PACS: XXXX,XXXX

This special issue covers works that lie at the interface between machine learning, spearheaded by the computing power of artificial neural networks (NN), and photonic technologies. In the past few years, there has been a renewed interest in this promising field due to a number of successful experimental demonstrations of advanced computing functionalities [1, 2] or the design of optimized nanophotonic devices [3, 4]. An example of the cross-fertilization from the combination of machine learning concepts and the advances in photonic fabrication using novel materials is the development of hardware accelerators for vector-matrix multiplication, which benefit from a software and hardware co-design [5].

Here, we have identified that current trends in the community can be conceptually divided in two distinct research directions. On the one hand, photonic systems and devices can serve as a hardware substrate that naturally suits the characteristic properties of artificial NN topologies [6]. Advantages brought by photonics in this context include the potential for parallelization, high-speed operation and low power consumption. On the other hand, machine learning can aid in the design of photonic devices [7] or components [8] and accelerate the search for promising structures. Artificial NN can also assist in the processing of optically acquired data with the ultimate goal of adding new functionalities and enhancing performance [9].

Dinc et al. [10] provide a tomography centered review about the involvement of NN in photonic circuit design, which provides a valuable general perspective to the scientific community and future candidate topologies of 3D optical design. The potential to simultaneously exploit the multiple physical dimensions of time, wavelength and space for optical NN is reviewed in the context of recent advances of optical NNs by Bai et al. [11]. Brückerhoff-Plückelmann et al. [12] illustrate how charge accumulation can potentially be an ingredient for enabling large-scale photonic matrix processors, Gu et al. [13] provide a vision of 3D vertically-integrated photonic NN based on vertical-cavity surface-emitting laser (VCSEL) arrays, while Buckley et al. [14] examine online learning paradigms for photonic NN, in which the machinery for training is built deeply into the hardware itself.

Li et al. [15] demonstrate how a periodically-poled thin-film lithium niobate nanophotonic waveguide can be used to implement an ultra-fast and highly efficient optical neuron with a linear rectifying nonlinearity as activation function. By coupling a VCSEL laser to a resonant tunneling diode, Hejda et al. [16] demonstrate how to realize an optoelectronic excitable neuron. Hasegawa et al. [17] investigate parallel and deep all optical reservoir computing with delayed feedback coupled semiconductor lasers by combining multiple reservoirs in potentially hybrid configurations. Miri et al. [18] show how to harness the collective behavior of laser

Daniel Brunner, FEMTO-ST/Optics Dept., UMR CNRS 6174, Univ. Franche-Comté, 15B avenue des Montboucons, 25030 Besançon Cedex, France.

Miguel C. Soriano, Instituto de Física Interdisciplinar y Sistemas Complejos, IFISC (UIB-CSIC), Campus Universitat de les Illes Balears, E-07122 Palma de Mallorca, Spain.

Shanhui Fan, Stanford University, Stanford, CA, USA.

networks for storing and retrieving a large number of phase patterns, where nonreciprocal coupling is shown to be important for resource efficiency.

How to realize learning of multiple tasks in deep diffractive NN by leveraging multiple wavelengths is investigated and demonstrated by Duan et al. [19]. Continuing with diffractive optical networks, Mengü et al. [20] implement permutation matrices and find indications that the capacity of the diffractive optical networks in approximating a given permutation operation increases proportional to the number of diffractive layers. The application of integrated photonic reservoirs in the context of 64-level quadrature-amplitude modulated and directly detected signal in a Kramers–Kronig receiver fashion is reported by Masaad et al. [21]. Hülser et al. [22] create a link between high-level information processing metrics and the performance in a particular task, which they investigate based on a delay-reservoir architecture comprising coupled Stuart–Landau oscillators. How to use transfer learning in a novel way is shown by Bauwens et al. [23], who demonstrate that the concept can increase an analog hardware reservoir’s robustness against parameter drifts. Other important aspects such as limited system size in photonic circuits and a potentially lower bit precision is addressed by Giamougiannis et al. [24], who experimentally demonstrate a speed-optimized dynamic precision NN including tiled matrix multiplication. Basani et al. [25] investigate self-similar topologies of multiport interferometers based on integrated beamsplitter meshes following sine–cosine fractal decompositions of unitary matrices with respect to compactness and robustness against fabrication non-idealities. Finally, the optimization, i.e. training of such multiport interferometer meshes based on a drastically simplified yet high performant protocol is experimentally reported by Pai et al. [26].

Yesilyurt et al. [27] propose a NN based inverse design technique enabled by a differentiable analytical solver that mitigates common fabrication challenges by including simulated systematic and random non-idealities. Multi-task topology optimization of photonic devices utilizing only low-spatial frequency components in the conjunction with deep NN is introduced and evaluated by Mao et al. [28].

In conclusion, this special issue provides reviews, perspective and a variety of research articles on the current themes emerging from the interplay between photonics and NN. We hope that this collection of articles covering the many relevant scientific and technological aspects will be of help of researchers entering the field as well as for those who are already established. Particularly in this fast moving field with the current rate of innovation, regular inventories of the trending research directions are of significant benefit. We would like to thank the Nanophotonics Publishing editor Dennis Couwenberg and publishing assistant Tara Dorrian for their constant support and technical assistance.

References

- [1] Yichen Shen et al. “Deep learning with coherent nanophotonic circuits.” In: *Nature photonics* 11.7 (2017), pp. 441–446.
- [2] Johannes Feldmann et al. “All-optical spiking neurosynaptic networks with self-learning capabilities.” In: *Nature* 569.7755 (2019), pp. 208–214.
- [3] Dianjing Liu et al. “Training deep neural networks for the inverse design of nanophotonic structures.” In: *Acs Photonics* 5.4 (2018), pp. 1365–1369.
- [4] Yuyao Chen et al. “Physics-informed neural networks for inverse problems in nano-optics and metamaterials.” In: *Optics express* 28.8 (2020), pp. 11618–11633.
- [5] Bhavin J Shastri et al. “Photonics for artificial intelligence and neuromorphic computing.” In: *Nature Photonics* 15.2 (2021), pp. 102–114.
- [6] Gordon Wetzstein et al. “Inference in artificial intelligence with deep optics and photonics.” In: *Nature* 588.7836 (2020), pp. 39–47.
- [7] Sunae So et al. “Deep learning enabled inverse design in nanophotonics.” In: *Nanophotonics* 9.5 (2020), pp. 1041–1057.
- [8] Daniele Melati et al. “Mapping the global design space of nanophotonic components using machine learning pattern recognition.” In: *Nature communications* 10.1 (2019), p. 4775.
- [9] Goëry Genty et al. “Machine learning and applications in ultrafast photonics.” In: *Nature Photonics* 15.2 (2021), pp. 91–101.

- [10] Niyazi Ulas Dinc et al. "From 3D to 2D and back again." In: *Nanophotonics* (Jan. 2023). ISSN: 2192-8606. DOI: 10.1515/nanoph-2022-0512. URL: <https://www.degruyter.com/document/doi/10.1515/nanoph-2022-0512/html>.
- [11] Yunping Bai et al. "Photonic multiplexing techniques for neuromorphic computing." In: *Nanophotonics* (Jan. 2023), pp. 1–23. ISSN: 2192-8606. DOI: 10.1515/nanoph-2022-0485. URL: <https://www.degruyter.com/document/doi/10.1515/nanoph-2022-0485/html>.
- [12] Frank Brücknerhoff-Plückelmann et al. "A large scale photonic matrix processor enabled by charge accumulation." In: *Nanophotonics* (Oct. 2022). ISSN: 2192-8606. DOI: 10.1515/nanoph-2022-0441. URL: <https://www.degruyter.com/document/doi/10.1515/nanoph-2022-0441/html>.
- [13] Min Gu et al. "Perspective on 3D vertically-integrated photonic neural networks based on VCSEL arrays." In: *Nanophotonics* (Jan. 2023). ISSN: 2192-8606. DOI: 10.1515/nanoph-2022-0437. URL: <https://www.degruyter.com/document/doi/10.1515/nanoph-2022-0437/html>.
- [14] Sonia Mary Buckley et al. "Photonic online learning: a perspective." In: *Nanophotonics* (Jan. 2023), pp. 26–28. ISSN: 2192-8606. DOI: 10.1515/nanoph-2022-0553. URL: <https://www.degruyter.com/document/doi/10.1515/nanoph-2022-0553/html>.
- [15] Gordon H.Y. Li et al. "All-optical ultrafast ReLU function for energy-efficient nanophotonic deep learning." In: *Nanophotonics* (May 2022). ISSN: 2192-8606. DOI: 10.1515/nanoph-2022-0137. URL: <https://www.degruyter.com/document/doi/10.1515/nanoph-2022-0137/html>.
- [16] Matěj Hejda et al. "Artificial optoelectronic spiking neuron based on a resonant tunnelling diode coupled to a vertical cavity surface emitting laser." In: *Nanophotonics* (Nov. 2022). ISSN: 2192-8606. DOI: 10.1515/nanoph-2022-0362. arXiv: 2206.11044. URL: <https://www.degruyter.com/document/doi/10.1515/nanoph-2022-0362/html>.
- [17] Hiroshi Hasegawa, Kazutaka Kanno, and Atsushi Uchida. "Parallel and deep reservoir computing using semiconductor lasers with optical feedback." In: *Nanophotonics* (Oct. 2022). ISSN: 2192-8606. DOI: 10.1515/nanoph-2022-0440. URL: <https://www.degruyter.com/document/doi/10.1515/nanoph-2022-0440/html>.
- [18] Mohammad-Ali Miri and Vinod Menon. "Neural computing with coherent laser networks." In: *Nanophotonics* (Jan. 2023), pp. 15–17. ISSN: 2192-8606. DOI: 10.1515/nanoph-2022-0367. URL: <https://www.degruyter.com/document/doi/10.1515/nanoph-2022-0367/html>.
- [19] Zhengyang Duan, Hang Chen, and Xing Lin. "Optical multi-task learning using multi-wavelength diffractive deep neural networks." In: *Nanophotonics* 1358 (Jan. 2023), pp. 1–11. ISSN: 2192-8606. DOI: 10.1515/nanoph-2022-0615. URL: <https://www.degruyter.com/document/doi/10.1515/nanoph-2022-0615/html>.
- [20] Deniz Mengu et al. "Diffractive interconnects: all-optical permutation operation using diffractive networks." In: *Nanophotonics* (Sept. 2022), pp. 1–19. ISSN: 2192-8606. DOI: 10.1515/nanoph-2022-0358. URL: <https://www.degruyter.com/document/doi/10.1515/nanoph-2022-0358/html>.
- [21] Sarah Masaad et al. "Photonic reservoir computing for nonlinear equalization of 64-QAM signals with a Kramers–Kronig receiver." In: *Nanophotonics* (Oct. 2022). ISSN: 2192-8606. DOI: 10.1515/nanoph-2022-0426. URL: <https://www.degruyter.com/document/doi/10.1515/nanoph-2022-0426/html>.
- [22] Tobias Hülser et al. "Deriving task specific performance from the information processing capacity of a reservoir computer." In: *Nanophotonics* 3690 (Oct. 2022). ISSN: 2192-8606. DOI: 10.1515/nanoph-2022-0415. URL: <https://www.degruyter.com/document/doi/10.1515/nanoph-2022-0415/html>.
- [23] Ian Bauwens et al. "Transfer learning for photonic delay-based reservoir computing to compensate parameter drift." In: *Nanophotonics* 2587 (Oct. 2022), pp. 1–13. ISSN: 2192-8606. DOI: 10.1515/nanoph-2022-0399. URL: <https://www.degruyter.com/document/doi/10.1515/nanoph-2022-0399/html>.
- [24] George Giamougiannis et al. "Analog nanophotonic computing going practical: silicon photonic deep learning engines for tiled optical matrix multiplication with dynamic precision." In: *Nanophotonics* (Jan. 2023). ISSN: 2192-8606. DOI: 10.1515/nanoph-2022-0423. URL: <https://www.degruyter.com/document/doi/10.1515/nanoph-2022-0423/html>.
- [25] Jasvith Raj Basani et al. "A self-similar sine-cosine fractal architecture for multiport interferometers." In: *Nanophotonics* (2023). ISSN: 21928614. DOI: 10.1515/nanoph-2022-0525. arXiv: 2209.03335.
- [26] Sunil Pai et al. "Power monitoring in a feedforward photonic network using two output detectors." In: *Nanophotonics* (Jan. 2023). ISSN: 2192-8606. DOI: 10.1515/nanoph-2022-0527. URL: <https://www.degruyter.com/document/doi/10.1515/nanoph-2022-0527/html>.
- [27] Omer Yesilyurt et al. "Fabrication-conscious neural network based inverse design of single-material variable-index multilayer films." In: *Nanophotonics* (Jan. 2023). ISSN: 2192-8606. DOI: 10.1515/nanoph-2022-0537. URL: <https://www.degruyter.com/document/doi/10.1515/nanoph-2022-0537/html>.
- [28] Simei Mao et al. "Multi-task topology optimization of photonic devices in low-dimensional Fourier domain via deep learning." In: *Nanophotonics* 9171 (Oct. 2022). ISSN: 2192-8606. DOI: 10.1515/nanoph-2022-0361. URL: <https://www.degruyter.com/document/doi/10.1515/nanoph-2022-0361/html>.