



HAL
open science

A global database of dissolved organic matter (DOM) measurements in coastal waters (CoastDOM v1)

Christian Lønborg, Cátia Carreira, Gwenaël Abril, Susana Agustí, Valentina Amaral, Agneta Andersson, Javier Arístegui, Punyasloke Bhadury, Mariana Bernardi Bif, Alberto V Borges, et al.

► To cite this version:

Christian Lønborg, Cátia Carreira, Gwenaël Abril, Susana Agustí, Valentina Amaral, et al.. A global database of dissolved organic matter (DOM) measurements in coastal waters (CoastDOM v1). *Earth System Science Data: Papers in open discussion*, 2023, 10.5194/essd-2023-348 . hal-04266492

HAL Id: hal-04266492

<https://hal.science/hal-04266492>

Submitted on 31 Oct 2023

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.



1 **A global database of dissolved organic matter (DOM) measurements in coastal**
2 **waters (CoastDOM v1)**

3 Christian Lønborg^{1*}, Cátia Carreira², Gwenaël Abril³, Susana Agustí⁴, Valentina Amaral⁵,
4 Agneta Andersson⁶, Javier Aristegui⁷, Punyasloke Bhadury⁸, Mariana B. Bif⁹, Alberto V.
5 Borges¹⁰, Steven Bouillon¹¹, Maria Ll. Calleja^{4,12}, Luiz C. Cotovicz Jr^{13,49}, Stefano Cozzi¹⁴,
6 Maryló Doval¹⁵, Carlos M. Duarte⁴, Bradley Eyre¹⁶, Cédric G. Fichot¹⁷, E. Elena García-
7 Martín¹⁸, Alexandra Garzon-Garcia¹⁹, Michele Giani^{20,21}, Rafael Gonçalves-Araujo²²,
8 Renee Gruber²³, Dennis A. Hansell²⁴, Fuminori Hashihama²⁵, Ding He²⁶, Johnna M.
9 Holding²⁷, William R. Hunter²⁸, J. Severino P. Ibánhez²⁹, Valeria Ibello³⁰, Shan Jiang³¹,
10 Guebuem Kim³², Katja Klun³³, Piotr Kowalczyk³⁴, Atsushi Kubo³⁵, Choon Weng Lee³⁶,
11 Cláudia B. Lopes³⁷, Federica Maggioni³⁸, Paolo Magni³⁹, Celia Marrase⁴⁰, Patrick
12 Martin⁴¹, S. Leigh McCallister⁴², Roisin McCallum⁴³, Patricia M Medeiros⁴⁴, Xosé Anxelu
13 G. Morán^{4,45}, Frank Muller-Karger⁴⁶, Allison Myers-Pigg⁴⁷, Marit Norli⁴⁸, Joanne M.
14 Oakes¹⁵, Helena Osterholz⁴⁹, Hyekyung Park³², Maria Lund Paulsen⁵⁰, Judith A.
15 Rosentreter^{16,51}, Digna Rueda-Roa⁴⁶, Chiara Santinelli⁵², Yuan Shen⁵³, Eva Teira⁵⁴,
16 Tinkara Tinta³³, Guenther Uher⁵⁵, Masahide Wakita⁵⁶, Nicholas Ward⁴⁷, Kenta
17 Watanabe⁵⁷, Yu Xin⁵⁸, Youhei Yamashita⁵⁹, Liyang Yang⁶⁰, Jacob Yeo¹⁶, Huamao
18 Yuan⁶¹, Qiang Zheng^{53,61}, Xosé Antón Álvarez-Salgado²⁹

19 ¹Section for Marine Diversity and Experimental Ecology, Department of Ecoscience,
20 Aarhus University, 4000 Roskilde, Denmark.

21 ²Department of Environmental Science, Aarhus University, 4000 Roskilde, Denmark.

22 ³Laboratoire de Biologie des Organismes et Ecosystèmes Aquatiques (BOREA), CNRS,
23 Muséum National d'Histoire Naturelle, 61 rue Buffon, 75005, Paris, France.

24 ⁴King Abdullah University of Science and Technology, Thuwal 23955-6900, Kingdom of
25 Saudi Arabia.



- 26 ⁵Departamento Interdisciplinario de Sistemas Costero Marinos, Centro Universitario
27 Regional Este, Universidad de la República, Ruta 9 y 15, CP 27000, Rocha, Uruguay.
- 28 ⁶Umeå Marine Sciences Centre, Umeå University, Sweden.
- 29 ⁷Instituto de Oceanografía y Cambio Global (IOCAG), Universidad de Las Palmas de
30 Gran Canaria, Las Palmas, Spain.
- 31 ⁸Centre for Climate and Environmental Studies, Indian Institute of Science Education
32 and Research Kolkata, Mohanpur, Nadia, West Bengal, India.
- 33 ⁹Monterey Bay Aquarium Research Institute, Moss Landing, California, United States.
- 34 ¹⁰University of Liège, Chemical Oceanography Unit, Liège, Belgium.
- 35 ¹¹KU Leuven, Department of Earth and Environmental Sciences, Leuven, Belgium.
- 36 ¹²Marine Ecology and Systematics (MarES), Department of Biology, Universitat de les
37 Illes Balears, 07122 Palma de Mallorca, Spain.
- 38 ¹³Departamento de Geoquímica, Universidade Federal Fluminense, Outeiro São João
39 Batista s/n, 24020015 Niterói, RJ, Brazil.
- 40 ¹⁴Consiglio Nazionale delle Ricerche, Istituto di Scienze Marine (CNR-ISMAR), Strada
41 Statale 14, km 163.5, 34149 Trieste, Italy.
- 42 ¹⁵Instituto Tecnológico para o Control do Medio Mariño de Galicia, 36611 Vilagarcía de
43 Arousa, Spain.
- 44 ¹⁶Centre for Coastal Biogeochemistry, Faculty of Science and Engineering, Southern
45 Cross University, Lismore 2480, NSW, Australia.
- 46 ¹⁷Department of Earth and Environment, Boston University, Boston, MA, United States.
- 47 ¹⁸National Oceanography Centre, European Way, Southampton, SO14 3ZH, United
48 Kingdom.
- 49 ¹⁹Department of Environment and Science, PO Box 5078, Brisbane, Queensland 4001,
50 Australia.
- 51 ²⁰National Institute of Oceanography and Applied Geophysics (OGS), Trieste, Italy.



- 52 ²¹Istituto Centrale per la Ricerca scientifica e tecnologia Applicata al MAre, Chioggia,
53 Italy
- 54 ²²National Institute of Aquatic Resources, Technical University of Denmark, Kgs.
55 Lyngby, Denmark.
- 56 ²³Australian Institute of Marine Science, PMB 3, Townsville QLD 4810, Australia
- 57 ²⁴Department of Ocean Sciences, Rosenstiel School of Marine and Atmospheric
58 Science, University of Miami, Miami, FL, United States.
- 59 ²⁵Tokyo University of Marine Science and Technology, Japan.
- 60 ²⁶Department of Ocean Science and Center for Ocean Research in Hong Kong and
61 Macau, The Hong Kong University of Science and Technology, Clear Water Bay, Hong
62 Kong, China.
- 63 ²⁷Department of Ecoscience, Aarhus University, 8000 Aarhus, Denmark.
- 64 ²⁸Fisheries and Aquatic Ecosystems Branch, Agri-Food and Biosciences Institute,
65 Belfast, Northern Ireland, United Kingdom.
- 66 ²⁹CSIC, Instituto de Investigaci3n Mariñas, Eduardo Cabello 6, 36208 Vigo, Spain.
- 67 ³⁰Institute of Marine Sciences, Middle East Technical University, 33731 Erdemli-Mersin,
68 Turkey.
- 69 ³¹State Key Laboratory of Estuarine and Coastal Research, East China Normal
70 University, 200241, Shanghai, China.
- 71 ³²School of Earth and Environmental Sciences, Seoul National University, Seoul 08826,
72 Korea.
- 73 ³³Marine Biology Station, National Institute of Biology, Fornače 41, 6330 Piran,
74 Slovenia.
- 75 ³⁴Remote Sensing Laboratory, Institute of Oceanology, Polish Academy of Sciences,
76 Sopot, Poland.



- 77 ³⁵Department of Geosciences, Shizuoka University, 836 Ohya, Suruga-ku, Shizuoka,
78 422-8529, Japan.
- 79 ³⁶Laboratory of Microbial Ecology, Institute of Biological Sciences, Institute of Ocean
80 and Earth Sciences, Universiti Malaya, 50603 Kuala Lumpur, Malaysia.
- 81 ³⁷CICECO – Aveiro Institute of Materials, Department of Chemistry, University of Aveiro,
82 Campus de Santiago, 3810-193 Aveiro, Portugal.
- 83 ³⁸University of New Caledonia and Institute de recherche pour le developement (IRD),
84 New Caledonia.
- 85 ³⁹Consiglio Nazionale delle Ricerche, Istituto per lo studio degli impatti Antropici e
86 Sostenibilità in ambiente marino (CNR-IAS), Loc. Sa Mardini, Torregrande, 09170,
87 Oristano, Italy.
- 88 ⁴⁰Institut de Ciències del Mar (CSIC), Passeig Marítim de la Barceloneta, 37
89 08003 Barcelona, Spain.
- 90 ⁴¹Asian School of the Environment, Nanyang Technological University, 639798,
91 Singapore.
- 92 ⁴²Virginia Commonwealth University, Department of Biology, Richmond, Virginia, United
93 States.
- 94 ⁴³Centre for Marine Ecosystems Research, School of Science, Edith Cowan University,
95 270 Joondalup Drive, Joondalup 6027 WA, Australia.
- 96 ⁴⁴Department of Marine Sciences, University of Georgia, Athens, GA30602, United
97 States.
- 98 ⁴⁵Centro Oceanográfico de Gijón/Xixón, Instituto Español de Oceanografía, Gijón/Xixón,
99 Spain.
- 100 ⁴⁶College of Marine Science, University of South Florida, Saint Petersburg, Florida,
101 United States.



- 102 ⁴⁷Pacific Northwest National Laboratory, Marine and Coastal Research Laboratory,
103 Sequim, Washington, United States.
- 104 ⁴⁸Norwegian Institute for Water Research, Oslo, Norway.
- 105 ⁴⁹Leibniz Institute for Baltic Sea Research Warnemuende, D- 18119 Rostock-
106 Warnemuende, Germany.
- 107 ⁵⁰Marine microbiology, University of Bergen, Norway.
- 108 ⁵¹Yale School of the Environment, Yale University, New Haven, Connecticut, United
109 States.
- 110 ⁵²Biophysics Institute, CNR, Pisa, Italy.
- 111 ⁵³State Key Laboratory of Marine Environmental Science (MEL) & College of Ocean
112 and Earth Sciences, Xiamen University, China.
- 113 ⁵⁴Departamento de Ecología y Biología Animal, Universidade de Vigo, Centro de
114 Investigación Mariña da Universidade de Vigo(CIM-UVigo), Vigo, Spain.
- 115 ⁵⁵School of Natural and Environmental Science, Newcastle University, Newcastle upon
116 Tyne, United Kingdom.
- 117 ⁵⁶Mutsu Institute for Oceanography, Research Institute for Global Change, Japan
118 Agency for Marine-Earth Science and Technology, 690 Kitasekine, Sekine, Mutsu,
119 Aomori, Japan.
- 120 ⁵⁷Coastal and Estuarine Environment Research Group, Port and Airport Research
121 Institute, Yokosuka 239-0826, Japan.
- 122 ⁵⁸Key Laboratory of Marine Chemistry Theory and Technology, Ministry of Education,
123 Institute for Advanced Ocean Study, Ocean University of China, Qingdao, Shandong,
124 China.
- 125 ⁵⁹Faculty of Environmental Earth Science, Hokkaido University, Hokkaido 060-0810,
126 Japan.
- 127 ⁶⁰College of Environment and Safety Engineering, Fuzhou University, China.



128 ⁶¹Fujian Key Laboratory of Marine Carbon Sequestration, Xiamen University, Xiamen

129 361102, China.

130

131 *Corresponding author:

132 E-mail: c.lonborg@ecos.au.dk or clonborg@gmail.com

133

134 **ORCID nr.:**

135 Christian Lønborg: 0000-0001-8380-0238
136 Cátia Carreira: 0000-0002-1520-9320
137 Gwenaël Abril: 0000-0002-4914-086X
138 Susana Agustí: 0000-0003-0536-7293
139 Valentina Amaral: 0000-0002-1088-1484
140 Agneta Andersson: 0000-0001-7819-9038
141 Javier Aristegui: 0000-0002-7526-7741
142 Punyasloke Bhadury: 0000-0001-8714-7475
143 Mariana Bernardi Bif: 0000-0002-2148-4556
144 Alberto V. Borges: 0000-0002-5434-2247
145 Steven Bouillon: 0000-0001-7669-2929
146 Maria Ll. Calleja: 0000-0002-5992-2013
147 Luiz C. Cotovicz Jr: 0000-0002-3914-8155
148 Stefano Cozzi: 0000-0003-0116-742X
149 Maryló Doval: 0000-0002-8565-8703
150 Carlos M. Duarte: 0000-0002-1213-1361
151 Bradley Eyre: 0000-0001-5502-0680
152 Cédric G. Fichot: 0000-0002-1099-5764
153 E. Elena García-Martín: 0000-0003-4807-3287
154 Alexandra Garzon-Garcia: 0000-0002-6804-8890
155 Michele Giani: 0000-0002-3306-7725
156 Rafael Gonçalves-Araujo: 0000-0001-8344-8326
157 Renee Gruber: 0000-0002-8788-6910
158 Dennis A. Hansell: 0000-0001-9275-3445
159 Fuminori Hashihama: 0000-0003-3835-7681
160 Ding He: 0000-0001-9620-6115
161 Johnna M. Holding: 0000-0002-7364-0055
162 William R. Hunter: 0000-0001-8801-7947
163 J. Severino P. Ibánhez: 0000-0001-6093-3054
164 Valeria Ibelló: 0000-0002-1067-0425
165 Shan Jiang: 0000-0002-1121-6080
166 Guebuem Kim: 0000-0002-5119-0241
167 Katja Klun: 0000-0001-6111-1650
168 Piotr Kowalczyk: 0000-0001-6016-0610
169 Atsushi Kubo: 0000-0002-6457-5386
170 Choon Weng Lee: 0000-0001-9805-9980
171 Cláudia Lopes: 0000-0001-7378-8677
172 Federica Maggioni: 0000-0002-7109-4257



173 Paolo Magni: 0000-0001-5955-6829
174 Celia Marrase: 0000-0002-5097-4829
175 Patrick Martin: 0000-0001-8008-5558
176 S. Leigh McCallister: 0000-0002-9041
177 Roisin McCallum: 0000-0002-0358-2371
178 Patricia M Medeiros: 0000-0001-6818-2603
179 Xosé Anxelu G. Morán: 0000-002-9823-5339
180 Frank Muller-Karger: 0000-0003-3159-5011
181 Allison Myers-Pigg: 0000-0002-6905-6841
182 Marit Norli: 0000-0001-7472-1562
183 Joanne M. Oakes: 0000-0002-9287-2652
184 Helena Osterholz: 0000-0002-2858-9799
185 Hyekyung Park: 0000-0002-4743-5883
186 Maria Lund Paulsen: 0000-0002-1474-7258
187 Judith A. Rosentreter: 0000-0001-5787-5682
188 Digna Rueda-Roa: 000-0003-4621-009X
189 Chiara Santinelli: 0000-0002-8921-275X
190 Yuan Shen: 0000-0001-6618-4226
191 Eva Teira: 0000-0002-4333-0101
192 Tinkara Tinta: 0000-0001-6740-8973
193 Guenther Uher: 0000-0001-5105-4445
194 Masahide Wakita: 0000-0002-3333-0546
195 Nicholas Ward: 0000-0001-6174-5581
196 Kenta Watanabe: 0000-0002-0106-3623
197 Yu Xin: 0000-0002-5328-7717
198 Youhei Yamashita: 0000-0002-9415-8743
199 Liyang Yang: 0000-0001-8767-8698
200 Jacob Yeo: 0000-0003-2443-5378
201 Huamao Yuan: 0000-0003-2014-619X
202 Qiang Zheng: 0000-0002-6836-2310
203 Xosé Antón Álvarez-Salgado: 0000-0002-2387-9201



204 **Abstract**

205 The measurements of dissolved organic carbon (DOC), nitrogen (DON), and phosphorus
206 (DOP) are used to characterize the dissolved organic matter (DOM) pool and are
207 important components of biogeochemical cycling in the coastal ocean. Here, we present
208 the first edition of a global database (CoastDOM v1; available at
209 <https://figshare.com/s/512289eb43c4f8e8eaeef>) compiling previously published and
210 unpublished measurements of DOC, DON, and DOP collected in coastal waters. These
211 data are complemented by hydrographic data such as temperature and salinity and, to
212 the extent possible, other biogeochemical variables (e.g., Chlorophyll-a, inorganic
213 nutrients) and the inorganic carbon system (e.g., dissolved inorganic carbon and total
214 alkalinity). Overall, CoastDOM v1 includes observations from all continents however,
215 most data were collected in the Northern Hemisphere, with a clear gap in coastal water
216 DOM measurements from the Southern Hemisphere. The data included were collected
217 from 1978 to 2022 and consist of 62339 data points for DOC, 20360 for DON and 13440
218 for DOP. The number of measurements decreases progressively in the sequence DOC
219 > DON > DOP, reflecting both differences in the maturity of the analytical methods and
220 the greater focus on carbon cycling by the aquatic science community. The global
221 database shows that the average DOC concentration in coastal waters (average
222 (standard deviation; SD): 182 (314) $\mu\text{mol C L}^{-1}$; median: 103 $\mu\text{mol C L}^{-1}$), is 13-fold greater
223 than the average coastal DON concentrations (average (SD): 13.6 (30.4) $\mu\text{mol N L}^{-1}$;
224 median: 8.0 $\mu\text{mol N L}^{-1}$), which was itself 39-fold greater than the average coastal DOP
225 concentrations (average (SD): 0.34 \pm 1.11 $\mu\text{mol P L}^{-1}$; median: 0.18 $\mu\text{mol P L}^{-1}$). This
226 dataset will be useful to identify global spatial and temporal patterns in DOM and to
227 facilitate reuse of DOC, DON and DOP data in studies aimed at better characterising local
228 biogeochemical processes, closing nutrient budgets, estimating carbon, nitrogen and



229 phosphorous pools, as well as identifying a baseline for modelling future changes in
230 coastal waters.

231

232 **Keywords:** Dissolved organic matter, Dissolved organic carbon, Dissolved organic
233 nitrogen, Dissolved organic phosphorus, Coastal waters, Global database.



234 **1. Introduction**

235 Coastal waters are the most biogeochemical dynamic areas of the ocean, exhibiting
236 the highest standing stocks, process rates and transport fluxes of carbon (C), nitrogen
237 (N), and phosphorus (P) per unit area (Bauer et al., 2013; Mackenzie et al., 2011). In
238 these areas, organic matter plays a critical role in numerous biogeochemical processes,
239 serving as both a C, N and P reservoir and substrate (Carreira et al., 2021).

240 Organic matter found in the marine environment is commonly distinguished by its size;
241 material retained on a filter with a pore size typically between 0.2 and 0.7 μm is classified
242 as particulate organic matter (POM), whereas organic matter that passes through the filter
243 is referred to as dissolved organic matter (DOM). This partitioning is operational but has
244 implications for biogeochemical cycling: POM can be suspended in the water column or
245 sink to the sediments controlled by its size, shape and density (Laurenceau-Cornec et al.,
246 2015), whereas DOM is a solute that mostly remains in the water column. In most coastal
247 waters, the DOM concentrations are greater than POM, with the POM fraction being less
248 degraded and more bioavailable (Boudreau and Ruddick, 1991; Lønborg et al., 2018).

249 The DOM pool consists mainly of C (DOC), N (DON), and P (DOP) but it also includes
250 other elements such as oxygen, sulphur and trace elements (Lønborg et al., 2020). In
251 coastal waters, DOM originates from multiple sources. Internal, or autochthonous,
252 sources include planktonic organisms (Lønborg et al., 2009; Carlson and Hansell, 2015),
253 benthic microalgae, macrophytes, and sediment porewater (Burdige and Komada, 2014;
254 Wada et al., 2008). On the other hand, DOM from external, or allochthonous, sources,
255 has mainly terrestrial origins, including wetlands, river and surface runoff, groundwater
256 discharges, and atmospheric deposition (Iavorivska et al., 2016; Raymond and Spencer,
257 2015; Taniguchi et al., 2019; Santos et al., 2021). The main sinks for DOM from the water
258 column in coastal waters are: 1) bubble coagulation and abiotic flocculation (Kerner et al.,
259 2003) or sorption to particles (Chin et al., 1998); 2) sunlight mediated photodegradation



260 (Mopper et al., 2015); and 3) microbial degradation by mainly heterotrophic prokaryotes
261 (Lønborg and Álvarez-Salgado, 2012).

262 Given the importance of DOM as a source of nutrients and for coastal biogeochemical
263 cycling in general, numerous studies have measured the C, N and P content of the DOM
264 pool over the last few decades (e.g., García-Martín et al., 2021; Cauwet, 2002; Osterholz
265 et al., 2021). Most data, however, are often unavailable or stored in an inaccessible
266 manner, making it difficult to e.g., analyse global spatial and temporal patterns effectively.
267 A global open ocean DOM data compilation already exists, but it contains few coastal
268 samples (< 200m) (Hansell et al., 2021). Hence, there is a clear need for a comprehensive
269 global and integrated database of DOC, DON and DOP measurements for coastal waters.
270 To address this need, we have prepared the first edition of a coastal DOM database
271 (named CoastDOM v1), by compiling both previously reported as well as unpublished
272 data. These data have been obtained from authors of the original studies or extracted
273 directly from the original studies. In order to allow the DOM measurements to be
274 interpreted across larger scales, and to better understand their relationship with local
275 environmental conditions, we have included concurrently collected ancillary data (such
276 as physical and/or chemical seawater properties) whenever available. The objective of
277 this database is multifaceted. Firstly, we aimed to compile all available coastal DOM data
278 into a single repository. Secondly, our intention was to make these data easily accessible
279 to the research community and thirdly, we sought to achieve long-term consistency of the
280 measurements, to enable data intercomparison, and establish a robust baseline for
281 assessing, for example, the impacts of climate change and land use changes.

282

283 **2. Methods**

284 **2.1. Data compilation**



285 The measurements included in CoastDOM v1 were obtained either directly from
286 authors of previously published studies, online databases, or scientific papers. An
287 extensive search of published reports, Ph.D. theses, and peer-reviewed literature was
288 performed to identify studies dealing with DOM in coastal waters. First, a formal search
289 was performed using Google Scholar in January 2022 using the search terms “dissolved
290 organic carbon”, “dissolved organic nitrogen”, and “dissolved organic phosphorus” in
291 connection with “marine” or “ocean”, which yielded a total of 897 articles (after filtering
292 the query by searching content in the title and abstract and excluding non-coastal
293 articles). When data could not be obtained directly from the corresponding authors,
294 relevant data were extracted. Further searches for relevant datasets were conducted
295 using the reference lists of the identified scientific papers as well as databases and
296 repositories to capture as many datasets as possible. Additionally, research groups that
297 were invited to participate in this effort were also encouraged to submit unpublished data
298 to CoastDOM v1.

299

300 **2.2. Dissolved organic matter analysis**

301 The DOC concentrations included in CoastDOM v1 were commonly measured using a
302 total organic carbon (TOC) high temperature catalytic oxidation (HTCO) analyser (81%
303 of samples). Some were measured by a combined wet chemical oxidation (WCO) step
304 and/or UV digestion, after which the carbon dioxide generated was quantified (19% of
305 samples). Similarly, concentrations of total dissolved nitrogen (TDN) were determined
306 using either a nitric oxide chemiluminescence detector connected in series with the HTCO
307 analyser used for DOC analyses (31% of the samples), or by employing a UV and/or
308 chemical oxidation step (69%). In the latter approach, both organic and inorganic N
309 compounds were oxidised to nitrate, which was subsequently quantified through a
310 colorimetric method to determine the concentration of inorganic N (Valderrama, 1981;



311 Álvarez-Salgado et al., 2023; Halewood et al., 2022; Foreman et al., 2019). The reported
312 DON concentrations were calculated as the difference between TDN and dissolved
313 inorganic nitrogen (DIN; sum of ammonium (NH_4^+) and nitrate/nitrite ($\text{NO}_3^- + \text{NO}_2^-$); DON
314 = $\text{TDN} - \text{DIN}$) (Álvarez-Salgado et al., 2023). Analyses of total dissolved phosphorus
315 (TDP) were determined by UV (4%) or wet chemical oxidation (66%), or a combination of
316 these (30%), and subsequently were analysed for inorganic phosphorus by a colorimetric
317 method (Álvarez-Salgado et al., 2023). The DOP concentrations were calculated as the
318 difference between TDP and soluble reactive phosphorus (SRP: HPO_4^{2-}) ($\text{DOP} = \text{TDP} -$
319 SRP) (Álvarez-Salgado et al., 2023).

320

321 **3. Description of the dataset**

322 The data compiled in CoastDOM v1 were collected, analysed and processed by different
323 laboratories, however, all data included have undergone quality control measures, either
324 by using reference samples or internal quality assurance procedures. While many of the
325 included DOC and TDN data have been systematically compared against consensus
326 reference material (CRM) mainly provided by the University of Miami's CRM program
327 (Hansell, 2005), there is a limitation in CoastDOM v1 regarding the intercalibration across
328 different measurement systems used for both DOP and DON determination. While the
329 CRM could be used for DOC, DON and DOP measurements, this has not yet been
330 attempted for DOP and measurement uncertainties increase in the sequence $\text{DOC} >$
331 $\text{DON} > \text{DOP}$. Although some of the reported measurements have quantified the DOP
332 recovery based on commercially available DOP compounds such as Adenosine
333 triphosphate (ATP), it is not known if these were conducted systematically in all cases.
334 Therefore, we strongly recommend undertaking further intercalibrations across
335 laboratories for future measurements of TDP, as has been done for DOC and TDN



336 measurements (e.g., Sharp et al., 2002). Since additional quality control is not possible
337 in retrospect, we assessed the quality of CoastDOM v1 based on its internal consistency.

338 In CoastDOM v1, we defined “coastal water” as encompassing estuaries (salinity >
339 0.1) to the continental shelf break (water depth < 200 m). However, some locations, such
340 as deep fjords which are close to the coast cannot be classed as coastal due to
341 bathymetry (deeper than > 200 m). Therefore, we evaluated the inclusion of some
342 datasets on a case-by-case basis. For inclusion in the database, each DOM
343 measurement needed at a minimum to contain the following information (if reported in the
344 original publication or otherwise available):

- 345 - Country where samples were collected
- 346 - Latitude of measurement (in decimal units)
- 347 - Longitude of measurement (in decimal units)
- 348 - Year of sampling
- 349 - Month of sampling
- 350 - Sampling day (when available)
- 351 - Depth (m) at which the discrete sample were collected
- 352 - Temperature (°C) of the sample
- 353 - Salinity of the sample
- 354 - Dissolved organic carbon (DOC) concentration ($\mu\text{mol L}^{-1}$)
- 355 - Method used to measure DOC concentration
- 356 - DOC - QA flag: Quality flag for DOC measurement
- 357 - Dissolved organic nitrogen (DON) concentration ($\mu\text{mol L}^{-1}$)
- 358 - Total dissolved nitrogen (TDN) concentration ($\mu\text{mol L}^{-1}$)
- 359 - Method used to measure TDN concentration
- 360 - TDN - QA flag: Quality flag for TDN measurement
- 361 - Dissolved organic phosphorus (DOP) concentration ($\mu\text{mol L}^{-1}$)



- 362 - Total dissolved phosphorus (TDP) concentration ($\mu\text{mol L}^{-1}$)
- 363 - Method used to measure TDP concentration
- 364 - TDP - QA flag: Quality flag for TDP measurement
- 365 - Responsible person
- 366 - Originator institution
- 367 - Contact of data originator
- 368 It should be noted that in all entries, at least DOC, DON or DOP should have been
- 369 measured. In addition, we also included other relevant data, when available, in the
- 370 CoastDOM v1 dataset:
- 371 - Depth at the station where the sample was collected (Bottom depth, m).
- 372 - Total suspended solids (TSS) concentration (mg L^{-1})
- 373 - Chlorophyll-*a* (Chl *a*) concentration ($\mu\text{g L}^{-1}$)
- 374 - Chl *a* - QA flag: Quality flag for chlorophyll-*a* measurement
- 375 - Sum of nitrate and nitrite ($\text{NO}_3^- + \text{NO}_2^-$) concentration ($\mu\text{mol L}^{-1}$)
- 376 - $\text{NO}_3^- + \text{NO}_2^-$ - QA flag: Quality flag for $\text{NO}_3^- + \text{NO}_2^-$ measurement
- 377 - Ammonium (NH_4^+) concentration ($\mu\text{mol L}^{-1}$)
- 378 - NH_4^+ - QA flag: Quality flag for NH_4^+ measurement
- 379 - Soluble reactive phosphorus (HPO_4^{2-}) concentration ($\mu\text{mol L}^{-1}$)
- 380 - HPO_4^{2-} - QA flag: Quality flag for HPO_4^{2-} measurement
- 381 - Particulate organic carbon (POC) concentration ($\mu\text{mol L}^{-1}$)
- 382 - Method used to measure POC concentration
- 383 - POC - QA flag: Quality flag for POC measurement
- 384 - Particulate nitrogen (PN) concentration ($\mu\text{mol L}^{-1}$)
- 385 - Method used to measure PN concentration
- 386 - PN - QA flag: Quality flag for PN measurement
- 387 - Particulate phosphorus (PP) concentration ($\mu\text{mol L}^{-1}$)



- 388 - Method used to measure PP concentration
- 389 - PP - QA flag: Quality flag for PP measurement
- 390 - Dissolved inorganic carbon (DIC) concentration ($\mu\text{mol kg}^{-1}$)
- 391 - DIC - QA flag: Quality flag for DIC measurement
- 392 - Total alkalinity (TA) concentration ($\mu\text{mol kg}^{-1}$)
- 393 - TA - QA flag: Quality flag for TA measurement

394

395 Quality control of large datasets is crucial to ensure their reliability and usefulness.
396 Thus, we have not included data that were deemed compromised, such as records that
397 had not gone through quality control by the data originators. We also accepted a certain
398 degree of measurement error since multiple groups have been involved in the collection,
399 analysis, and/or compilation of the information. Some of these errors were corrected (e.g.,
400 when a value was placed in a wrong column, or clearly inaccurate locations were
401 reallocated for consistency with the place of study), while others could not be rectified
402 (e.g., values showing clear signs of contamination) and were consequently excluded from
403 CoastDOM v1. It should also be noted that differences in analytical capabilities between
404 laboratories and individual measurement campaigns likely caused additional uncertainty.
405 Outliers, arising for example from contamination, were removed from the dataset. The
406 data were moreover screened for zero values (i.e., concentrations below the detection
407 limit or absence of data). In cases where concentrations were below the detection limit,
408 the zero values were replaced with half the value of the limit-of-detection. To ensure the
409 inclusion of only high-quality data, we only accepted entries with specific World Ocean
410 Circulation Experiment (WOCE) quality codes: “2- Acceptable measurement” and “6-
411 Mean of replicate measurements”. In our quality control assessments, we carefully
412 avoided overly strict criteria, known as “data grooming”, which could potentially overlook
413 genuine patterns and changes in the dataset that may be significant over longer temporal



414 and/or wider spatial scales. Coastal waters are known to exhibit a wide range of
415 environmental concentrations, influenced by factors such as seasonality and local
416 anthropogenic activities. Consequently, these data points may encompass a wide
417 concentration range.

418

419 **3.1 Summary of dissolved organic carbon (DOC) observations**

420 Measurements of DOC concentrations were conducted between 1978 to 2022, with a
421 total of 62339 individual data points (Table 1). The DOC concentrations ranged from 17
422 to 30327 $\mu\text{mol C L}^{-1}$ (average (Standard Deviation; SD): 182 (314) $\mu\text{mol C L}^{-1}$; median:
423 103 $\mu\text{mol C L}^{-1}$; Table 1). The majority (53%) of the concentrations fell within the range of
424 60 to 120 $\mu\text{mol C L}^{-1}$ (Fig. 1). A large number of DOC observations (17%) ranged between
425 300 and 600 $\mu\text{mol C L}^{-1}$, which were predominantly collected in eutrophic and river-
426 influenced coastal waters of the Northern Hemisphere, such as the Baltic Sea (Fig. 1). It
427 was observed that 75% of the DOC concentrations were higher than 77 $\mu\text{mol C L}^{-1}$, while
428 25% of the measurements surpassed 228 $\mu\text{mol C L}^{-1}$ (Table 1).

429 Coastal environments that experience minimal continental runoff, such as Palmer
430 Station in Antarctica, typically exhibit low DOC concentrations. On the other hand, coastal
431 waters heavily influenced by humic-rich terrigenous inputs, such as the Sarawak region
432 in Malaysia, tended to have high DOC concentrations. In addition some extreme high
433 DOC concentrations were measured in the Derwent River in Australia which is impacted
434 by paper mill effluents. There has been a large increase in the number of DOC
435 observations after 1992 (Fig. 2), and those measurements were from a wide range of
436 locations. However, these observations were not evenly distributed, with the Southern
437 Hemisphere being relatively under-sampled, especially in the African, South American
438 and Antarctic continents (Fig. 2, 3).

439



440 **3.2. Summary of dissolved organic nitrogen (DON) observations**

441 The DON measurements were collected between 1990 and 2021, with a total of 20357
442 data points (Table 1). Concentrations of DON ranged from < 0.1 to $2095.3 \mu\text{mol N L}^{-1}$
443 (average (SD): $13.6 (30.4) \mu\text{mol N L}^{-1}$; median: $8.0 \mu\text{mol N L}^{-1}$; Table 1), with the most
444 common range (42%) for DON concentrations between 4 to $8 \mu\text{mol N L}^{-1}$ (Fig. 1). Overall
445 75% of DON concentrations were above $5.5 \mu\text{mol N L}^{-1}$, while 25% were above $15.8 \mu\text{mol}$
446 N L^{-1} (Table 1).

447 The lowest DON concentrations were recorded in Young Sound, Greenland, which
448 receives direct run-off from the Greenland Ice Sheet, whereas the highest concentrations
449 were detected during a flood event in the Richmond River Estuary, Australia. Since 1995,
450 there has been a large increase in the number of DON measurements conducted in
451 coastal waters globally (Fig. 2); however, the majority of those measurements have been
452 in the Northern Hemisphere, mostly in Europe and the United States (Fig. 2, 3).

453

454 **3.3. Summary of dissolved organic phosphorus (DOP) observations**

455 CoastDOM v1 includes a total of 13534 DOP measurements, collected between 1990
456 and 2021 (Table 1). Overall, DOP concentrations ranged from < 0.10 to $84.27 \mu\text{mol P L}^{-1}$
457 ¹ (average (SD): $0.34 (1.11) \mu\text{mol P L}^{-1}$; median: $0.18 \mu\text{mol P L}^{-1}$; Table 2). The majority
458 (74%) of DOP concentrations were below $0.30 \mu\text{mol P L}^{-1}$ (Fig. 1). Analysis of the DOP
459 dataset revealed that 75% of the concentrations were above $0.11 \mu\text{mol P L}^{-1}$, while 25%
460 were above $0.30 \mu\text{mol P L}^{-1}$ (Table 1).

461 The lowest DOP concentrations were measured off the Kimberley Coast in Australia,
462 while the highest concentrations were found in the Vasse-Wonnerup Estuary in the South
463 west region of Australia. Similarly to DOC and DON, most of the DOP measurements
464 have been conducted from the 1990s onwards, with a predominant focus in the Northern
465 Hemisphere, particularly in Europe and the United States (Fig. 2, 3).



466

467 **3.4. Summary of dissolved organic matter (DOM) observations**

468 In CoastDOM v1 the number of measurements decreases progressively in the
469 sequence DOC > DON > DOP, reflecting both differences in the maturity of the analytical
470 methods and the greater focus on carbon cycling by the aquatic science community. In
471 addition the average DOC concentration in coastal waters (182 (314) $\mu\text{mol C L}^{-1}$), was
472 13-fold greater than the average coastal DON concentrations 13.6 (30.4) $\mu\text{mol N L}^{-1}$,
473 which was itself 39-fold greater than the average coastal DOP concentrations (0.34 (1.11)
474 $\mu\text{mol P L}^{-1}$) (Table 1). Interestingly the coefficient of variation (C.V.) increased from DOC
475 (173%) to DON (224%) and DOP (326%), which is related to that the % contribution of
476 refractory organic material decreases in the same sequence (Table 1).

477

478 **3.5. Potential use of the dataset**

479 The use of the CoastDOM v1 dataset should be accompanied by the citation of this
480 paper and the inclusion of the correct doi-reference. CoastDOM v1 will be available in full
481 open access on the PANGEA homepage after acceptance of the manuscript, where it will
482 be available as a *.csv file. The dataset includes a brief description of the metadata and
483 methods employed, with emphasis on measurement techniques and data units. We
484 chose the terminology most familiar to the ocean science community. It is important to
485 note that all data included in CoastDOM v1, as well as this manuscript, are considered
486 public domain; as such, a subset of this global dataset may also be present in previous
487 data compilations (e.g., Hansell et al., 2021). The list of citations and links referenced in
488 CoastDOM v1 also provide users with information as to how these data has been
489 previously used in publications or databases.

490

491 **3.6. Recommendations and conclusions**



492 In CoastDOM v1, we have compiled available coastal DOM data in a single repository,
493 making it freely available to the research community. This compilation has established a
494 consistent global dataset, serving as a valuable information source to investigate a variety
495 of environmental questions and to explore spatial and temporal trends. We suggest a set
496 of recommendations for the future expansion of this global dataset. Firstly, our analysis
497 highlights a spatial bias, with a concentration of sampling efforts and/or data availability
498 predominantly concentrated in the Northern Hemisphere. The data gap in coastal DOM
499 measurements in the Southern Hemisphere needs to be addressed to provide a more
500 representative global understanding of the role of DOM in coastal water biogeochemistry.
501 Additionally, increased sampling efforts especially in the African and South American
502 continents are warranted due to the vulnerability of many coastal areas to climate change
503 and intensifying human activities, which will undoubtedly impact DOM biogeochemistry.
504 Further it is also worth noting that there is comparatively few data from coastal waters
505 affected by river discharge into the tropics, e.g., Amazon, Indian and Indonesian rivers
506 that together dominate freshwater inputs to the coastal ocean. Secondly, there is a need
507 for more comprehensive temporal and spatial datasets to capture the variability of DOM
508 levels in highly dynamic and productive coastal systems. Focused efforts should be made
509 to resolve these temporal and spatial changes. Thirdly, it is also important to collect and
510 report ancillary data, such as temperature, salinity, nutrient measurements, and
511 particulate components, to provide context and better understand the underlying
512 processes driving the observed DOM levels. Lastly, we strongly recommend that the
513 DOM research community conducts regular inter-calibration exercises to establish
514 standardised and interoperable methods, particularly for DON and DOP measurements.
515 This will ensure the comparability and reliability of data across different studies and
516 enhance our understanding of DON and DOP dynamics in coastal waters.



517 In light of ongoing global environmental changes, the mobilisation and open sharing of
518 existing data of important biogeochemical variables, such as the DOM pool, are crucial
519 for establishing baselines and determining global trends and changes in coastal waters.
520 The aim is to publish an updated version of the database periodically to determine global
521 trends of DOM levels in coastal waters, and we therefore encourage researchers to
522 submit new data to the corresponding author. The CoastDOM v1 dataset was developed
523 according to the FAIR principles regarding Findability, Accessibility, Interoperability and
524 Reusability of data. Thus, CoastDOM v1 will serve as a reliable open-source information
525 resource, enabling in-depth analyses and providing quality-controlled input data for large
526 scale ecosystem models.

527

528 **4. Data availability**

529 The dataset is available for the review process at Figshare
530 <https://figshare.com/s/512289eb43c4f8e8eaeef>). The dataset is furthermore submitted to
531 the PANGEA database and is currently waiting to be assigned a Doi number (Lønborg et
532 al., 2023). The file will be available as a *.csv merged file and will be available in full open
533 access in the PANGEA database after acceptance of the manuscript.

534

535 **Competing interests**

536 The authors declare no competing interests.

537 **Author Contribution**

538 C.L., C.C., and X.A.A-S started the initiative and finalised the data compilation. All co-
539 authors contributed data. C.L. wrote the manuscript with input from all co-authors.

540 **Acknowledgement**



541 Qi Chen is acknowledged for his very skilful help with Figure 3.

542 **Funding**

543 During the drafting of the manuscript C.L. received funding from the Independent
544 Research Fund Denmark Grant No. 1127-00033B. The monitoring data obtained from
545 Bermuda received funding from the Bermuda Government Department of Environment
546 and Natural Resources. A subset of the data obtained from UK coastal estuaries received
547 funding from the Natural Environment Research Council (Grant NE/N018087/1). Data
548 retrieved from the Palmer LTER data were collected with support from the Office of Polar
549 Programs, US National Science Foundation. Data obtained from the Great Barrier Reef
550 Marine Monitoring Program for Inshore Water Quality, which is a partnership between the
551 Great Barrier Reef Marine Park Authority, the Australian Institute of Marine Science,
552 James Cook University, and the Cape York Water Partnership. The contribution by P.K.
553 was supported by DiSeDOM project contract no. UMO-2019/33/B/ST10/01232 funded by
554 the NCN - National Science Centre, Poland. N.W. and A.M.-P. participated in this
555 synthesis effort with funding provided by the U.S. Department of Energy funded
556 COMPASS-FME project; the provided data was collected with funding from the PREMIS
557 Initiative, conducted under the Laboratory Directed Research and Development Program
558 at Pacific Northwest National Laboratory. The data obtained from the Levantine Sea (Med
559 Sea) received funding from the Scientific and Technological Research Council of Türkiye
560 (TÜBİTAK, 1001 program, Grant 115Y629).

561

562 **References**

563 Álvarez-Salgado, X. A., Nieto-Cid, M., and Rossel, P. E.: Dissolved Organic Matter, in:
564 Marine Analytical Chemistry, edited by: Blasco, J., and Tovar-Sánchez, A., Springer
565 International Publishing, Cham, 39-102, 10.1007/978-3-031-14486-8_2, 2023.
566 Bauer, J. E., Cai, W. J., Raymond, P. A., Bianchi, T. S., Hopkinson, C. S., and Regnier,
567 P. A.: The changing carbon cycle of the coastal ocean, *Nature*, 504, 61-70,
568 10.1038/nature12857, 2013.
569 Boudreau, B. P. and Ruddick, B. R.: On a reactive continuum representation of organic
570 matter diagenesis, *American Journal of Science*, 291, 507-538, 1991.



- 571 Burdige, D. J. and Komada, T.: Sediment pore waters, in: Biogeochemistry of marine
572 dissolved organic matter, edited by: Hansen, D. A., and Carlson, C. A., Elsevier, 535-
573 577, 2014.
- 574 Carlson, C. A. and Hansell, D. A.: DOM Sources, Sinks, Reactivity, and Budgets, in:
575 Biogeochemistry of Marine Dissolved Organic Matter, edited by: Carlson, C. A., and
576 Hansell, D. A., Elsevier Science & Technology, 65-126, 10.1016/b978-0-12-405940-
577 5.00003-0, 2015.
- 578 Carreira, C., Talbot, S., and Lønborg, C.: Bacterial consumption of total and dissolved
579 organic carbon in the Great Barrier Reef, *Biogeochemistry*, 10.1007/s10533-021-
580 00802-x, 2021.
- 581 Cauwet, G.: DOM in coastal areas, in: Biogeochemistry of Dissolved organic matter,
582 edited by: Hansell, D., and Carlson, C. A., Academic Press, London, 579-609, 2002.
- 583 Chin, W. C., Orellana, M. V., and Verdugo, P.: Spontaneous assembly of marine
584 dissolved organic matter into polymer gels, *Nature*, 391, 568-572, 1998.
- 585 Foreman, R. K., Björkman, K. M., Carlson, C. A., Opalk, K., and Karl, D. M.: Improved
586 ultraviolet photo-oxidation system yields estimates for deep-sea dissolved organic
587 nitrogen and phosphorus, *Limnology and Oceanography: Methods*, 17, 277-291,
588 <https://doi.org/10.1002/lom3.10312>, 2019.
- 589 García-Martín, E. E., Sanders, R., Evans, C. D., Kitidis, V., Lapworth, D. J., Rees, A. P.,
590 Spears, B. M., Tye, A., Williamson, J. L., Balfour, C., Best, M., Bowes, M., Breimann,
591 S., Brown, I. J., Burden, A., Callaghan, N., Felgate, S. L., Fishwick, J., Fraser, M.,
592 Gibb, S. W., Gilbert, P. J., Godsell, N., Gomez-Castillo, A. P., Hargreaves, G., Jones,
593 O., Kennedy, P., Lichtschlag, A., Martin, A., May, R., Mawji, E., Mounteney, I.,
594 Nightingale, P. D., Olszewska, J. P., Painter, S. C., Pearce, C. R., Pereira, M. G.,
595 Peel, K., Pickard, A., Stephens, J. A., Stinchcombe, M., Williams, P., Woodward, E.
596 M. S., Yarrow, D., and Mayor, D. J.: Contrasting Estuarine Processing of Dissolved
597 Organic Matter Derived From Natural and Human-Impacted Landscapes, *Global*
598 *Biogeochemical Cycles*, 35, e2021GB007023,
599 <https://doi.org/10.1029/2021GB007023>, 2021.
- 600 Halewood, E., Opalk, K., Custals, L., Carey, M., Hansell, D. A., and Carlson, C. A.:
601 Determination of dissolved organic carbon and total dissolved nitrogen in seawater
602 using High Temperature Combustion Analysis, *Frontiers in Marine Science*, 9,
603 10.3389/fmars.2022.1061646, 2022.
- 604 Hansell, D. A.: Dissolved Organic Carbon Reference Material Program, *Eos*,
605 *Transactions American Geophysical Union*, 86, 318-318,
606 <https://doi.org/10.1029/2005EO350003>, 2005.
- 607 Hansell, D. A., Carlson, C. A., Amon, R. M. W., Álvarez-Salgado, X. A., Yamashita, Y.,
608 Romera-Castillo, C., and Bif, M. B.: Compilation of dissolved organic matter (DOM)
609 data obtained from global ocean observations from 1994 to 2021. Version 2. (NCEI
610 Accession 0227166) [dataset], doi.org/10.25921/s4f4-ye35, 2021.
- 611 Iavorivska, L., Boyer, E. W., and DeWalle, D. R.: Atmospheric deposition of organic
612 carbon via precipitation, *Atmospheric Environment*, 146, 153-163,
613 <https://doi.org/10.1016/j.atmosenv.2016.06.006>, 2016.
- 614 Kerner, M., Hohenberg, H., Ertl, S., Reckermann, M., and Spitzzy, A.: Self-organization
615 of dissolved organic matter to micelle-like microparticles in river water, *Nature*, 422,
616 150-154, 2003.
- 617 Laruelle, G. G., Dürr, H. H., Lauerwald, R., Hartmann, J., Slomp, C. P., Goossens, N.,
618 and Regnier, P. A. G.: Global multi-scale segmentation of continental and coastal
619 waters from the watersheds to the continental margins, *Hydrol. Earth Syst. Sci.*, 17,
620 2029-2051, 10.5194/hess-17-2029-2013, 2013.



- 621 Laurenceau-Cornec, E. C., Trull, T. W., Davies, D. M., De La Rocha, C. L., and Blain,
622 S.: Phytoplankton morphology controls on marine snow sinking velocity, *Marine*
623 *Ecology Progress Series*, 520, 35-56, 2015.
- 624 Lønborg, C. and Álvarez-Salgado, X. A.: Recycling versus export of bioavailable
625 dissolved organic matter in the coastal ocean and efficiency of the continental shelf
626 pump, *Global biogeochemical cycles* 26, GB3018, 10.1029/2012GB004353, 2012.
- 627 Lønborg, C., Álvarez-Salgado, X. A., Davidson, K., and Miller, A. E. J.: Production of
628 bioavailable and refractory dissolved organic matter by coastal heterotrophic
629 microbial populations, *Estuarine, Coastal and Shelf science*, 82, 682–688,
630 10.1016/j.ecss.2009.02.026, 2009.
- 631 Lønborg, C., Álvarez-Salgado, X. A., Duggan, S., and Carreira, C.: Organic matter
632 bioavailability in tropical coastal waters: The Great Barrier Reef, *Limnology and*
633 *Oceanography*, 63, 1015-1035, 10.1002/lno.10717, 2018.
- 634 Lønborg, C., Carreira, C., Jickells, T., and Álvarez-Salgado, X. A.: Impacts of Global
635 Change on Ocean Dissolved Organic Carbon (DOC) Cycling, *Frontiers in Marine*
636 *Science*, 7, 466, 10.3389/fmars.2020.00466, 2020.
- 637 Lønborg, C., Carreira, C., Abril, G., Agustí, S., Amaral, V., Andersson, A., Arístegui, J.,
638 Bhadury, P., Bif, M. B., Borges, A. V., Bouillon, S., Calleja, M. L., Cotovicz Jr, L. C.,
639 Cozzi, S., Doval, M. D., Duarte, C. M., Eyre, B. D., Fichot, C. G., García-Martín, E.
640 E., Garzon-Garcia, A., Giani, M., Gonçalves-Araujo, R., Gruber, R., Hansell, D. A.,
641 Hashihama, F., He, D., Holding, J. M., Hunter, W. R., Ibáñez, J. S., Ibello, V., Jiang,
642 S., Kim, G., Klun, K., Kowalczyk, P., Kubo, A., Weng Lee, C., Lopes, C., Maggioni,
643 F., Magni, P., Marrase, C., Martin, P., McCallister, S. L., McCallum, R., Medeiros, P.
644 M., Morán, X. A. G., Muller-Karger, F., Myers-Pigg, A., Norli, M., Oakes, J. M.,
645 Osterholz, H., Park, H., Paulsen, M. L., Rosentreter, J. A., Rueda-Roa, D., Santinelli,
646 C., Shen, Y., Teira, E., Tinta, T., Uher, G., Wakita, M., Ward, N., Watanabe, K., Xin,
647 Y., Yamashita, Y., Yang, L., Yeo, J., Yuan, H., Zheng, Q., and Álvarez-Salgado, X.
648 A.: A global database of dissolved organic matter (DOM) measurements in coastal
649 waters (CoastDOM v1) [dataset], 2023.
- 650 Mackenzie, F. T., De Carlo, E. H., and Lerman, A.: 5.10 - Coupled C, N, P, and O
651 Biogeochemical Cycling at the Land–Ocean Interface, in: *Treatise on Estuarine and*
652 *Coastal Science*, edited by: Wolanski, E., and McLusky, D., Academic Press,
653 Waltham, 317-342, <https://doi.org/10.1016/B978-0-12-374711-2.00512-X>, 2011.
- 654 Mopper, K., Kieber, D. J., and Stubbins, A.: Marine Photochemistry of Organic Matter,
655 in: *Biogeochemistry of Marine Dissolved Organic Matter*, edited by: Carlson, C. A.,
656 and Hansell, D. A., 389-450, 10.1016/b978-0-12-405940-5.00008-x, 2015.
- 657 Osterholz, H., Burmeister, C., Busch, S., Dierken, M., Frazão, H. C., Hansen, R.,
658 Jeschek, J., Kremp, A., Kreuzer, L., and Sadkowiak, B.: Nearshore dissolved and
659 particulate organic matter dynamics in the southwestern Baltic Sea: environmental
660 drivers and time series analysis (2010–2020), *Frontiers in Marine Science*, 8,
661 795028, 2021.
- 662 Raymond, P. A. and Spencer, R. G. M.: Riverine DOM, in: *Biogeochemistry of Marine*
663 *Dissolved Organic Matter*, edited by: Hansell, D. A., and Carlson, C. A., Elsevier,
664 Amsterdam, 509-533, 10.1016/b978-0-12-405940-5.00011-x, 2015.
- 665 Santos, I. R., Burdige, D. J., Jennerjahn, T. C., Bouillon, S., Cabral, A., Serrano, O.,
666 Wernberg, T., Filbee-Dexter, K., Guimond, J. A., and Tamborski, J. J.: The
667 renaissance of Odum's outwelling hypothesis in 'Blue Carbon' science, *Estuarine,*
668 *Coastal and Shelf Science*, 255, 10.1016/j.ecss.2021.107361, 2021.
- 669 Sharp, J. H., Rinker, K. R., Savidge, K. B., Abell, J., Benaim, J. Y., Bronk, D., Burdige,
670 D. J., Cauwet, G., Chen, W., Doval, M. D., Hansell, D., Hopkinson, C., Kattner, G.,
671 Kaumeyer, N., McGlathery, K. J., Merriam, J., Morley, N., Nagel, K., Ogawa, H.,



- 672 Pollard, C., Pujo-Pay, M., Raimbault, P., Sambrotto, R., Seitzinger, S., Spyres, G.,
673 Tirendi, F., Walsh, T. W., and Wong, C. S.: A preliminary methods comparison for
674 measurement of dissolved organic nitrogen in seawater, *Marine Chemistry*, 78, 171-
675 184, 2002.
- 676 Taniguchi, M., Dulai, H., Burnett, K. M., Santos, I. R., Sugimoto, R., Stieglitz, T., Kim,
677 G., Moosdorf, N., and Burnett, W. C.: Submarine Groundwater Discharge: Updates
678 on Its Measurement Techniques, Geophysical Drivers, Magnitudes, and Effects,
679 *Frontiers in Environmental Science*, 7, 10.3389/fenvs.2019.00141, 2019.
- 680 Valderrama, J. C.: The simultaneous analysis of total nitrogen and total phosphorus in
681 natural waters, *Marine Chemistry*, 10, 109-122, 1981.
- 682 Wada, S., Aoki, M. N., Mikami, A., Komatsu, T., Tsuchiya, Y., Sato, T., Shinagawa, H.,
683 and Hama, T.: Bioavailability of macroalgal dissolved organic matter in seawater,
684 *Marine Ecology Progress Series*, 370, 33-44, 2008



685 **Figure legends**

686 **Figure 1.** Histograms showing the distribution of observations for **a)** dissolved organic
687 carbon (DOC), **b)** nitrogen (DON) and **c)** phosphorus (DOP), within defined
688 concentration ranges in the coastal ocean. Note that the concentration ranges are not
689 uniform in all cases due to the large difference in concentration levels.

690 **Figure 2. a)** Cumulative number of observations for dissolved organic carbon (DOC),
691 nitrogen (DON), and phosphorus (DOP). Number of observations shown as a function
692 of **b)** latitude, and **c)** longitude, grouped into bins of 10° latitude or longitude.


693 **Figure 3.** Global distribution of observations included in CoastDOM v1 for **a)** dissolved
694 organic carbon (DOC), **b)** nitrogen (DON), and **c)** phosphorus (DOP). The black dots
695 on the map represent the reported data that are included in the CoastDOM v1
696 database. Histograms show the distribution of observations for DOC, DON and DOP
697 within defined concentration ranges in the continents where measurements are
698 available. Maps were created using the GIS shape file obtained from Laurelle et al.
699 (2013)



700 **Table 1.** Descriptive statistics for the dissolved organic carbon (DOC), dissolved organic
701 nitrogen (DON), and dissolved organic phosphorus (DOP) measurements included in the
702 CoastDOM v1 dataset. The minimum (Min), maximum (Max), average values (Avg.) and
703 standard deviation (SD), coefficient of variation (CV %), median, 25th and 75th
704 percentiles (perc.) and number of samples (N) for each variable are shown.


	DOC $\mu\text{mol C L}^{-1}$	DON $\mu\text{mol N L}^{-1}$	DOP $\mu\text{mol P L}^{-1}$
Min	17	< 0.1	< 0.01
Max	30327	2095.3	84.27
Avg. (SD)	182 (314)	13.6 (30.4)	0.34 (1.11)
Median	103	8.0	0.18
CV %	173	224	326
25th perc.	77	5.5	0.11
75th perc.	228	15.8	0.30
N	62339	20357	13534

705




706

707 **Figure 1.**



708

709 **Figure 2.**



710
711

Figure 3.