

A multi-stage Bayesian modelling for building the chronocultural sequence of the Late Mesolithic at Cueva de la Cocina (Valencia, Eastern Iberia)

Oreto García-Puchol, Sarah Mcclure, Joaquim Juan-Cabanilles, Alfredo Cortell-Nicolau, Agustín Diez-Castillo, Josep Lluís Pascual Benito, Manuel Pérez-Ripoll, Salvador Pardo-Gordó, Gianni Gallello, Mirco Ramacciotti, et al.

▶ To cite this version:

Oreto García-Puchol, Sarah Mcclure, Joaquim Juan-Cabanilles, Alfredo Cortell-Nicolau, Agustín Diez-Castillo, et al.. A multi-stage Bayesian modelling for building the chronocultural sequence of the Late Mesolithic at Cueva de la Cocina (Valencia, Eastern Iberia). Quaternary International, In press, 10.1016/j.quaint.2023.05.015. hal-04282090

HAL Id: hal-04282090 https://hal.science/hal-04282090

Submitted on 21 Nov 2023 $\,$

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers. L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.

Quaternary International

A multi-stage Bayesian Modeling for building the chronocultural sequence of the Late Mesolithic at Cueva de la Cocina (Valencia, Eastern Iberia) --Manuscript Draft--

Manuscript Number:				
Article Type:	SI: Last Hunter-Gatherers Cueva de la Cocina			
Keywords:	Radiocarbon dates; Bayesian modeling; Late Mesolithic; Neolithic; Cueva de la Cocina; Eastern Iberia			
Corresponding Author:	Oreto García Puchol Universitat de València Valencia, Spain			
First Author:	Oreto García-Puchol, Phd			
Order of Authors:	Oreto García-Puchol, Phd			
	Sarah B. McClure, Phd			
	Joaquín Juan-Cabanilles, Phd			
	Alfredo Cortell-Nicolau, Phd			
	Agustín Diez-Castillo, Phd			
	Josep Lluís Pascual-Benito, Phd			
	Salvador Pardo-Gordó, Phd			
	Gianni Gallello, Phd			
	Mirco Ramacciotti, Phd			
	Lluís Molina-Balaguer, Master degree			
	Esther López-Montalvo, Phd			
	Joan Bernabeu-Aubán, Phd			
	Martina Basile, Phd			
	Cristina Real-Margalef, Phd			
	Alfred Sanchís-Serra, Phd			
	Ángela Pérez-Fernández, Phd			
	Teresa Orozco-Köhler, Phd			
	Yolanda Carrión-Marco, Phd			
	Guillem Pérez-Jordà, Phd			
	María Barrera-Cruz, Master degree			
	Pilar Escribá-Ruiz, Phd			
	Joaquim Jiménez-Puerto, Phd			
Abstract:	This paper presents a refined Mesolithic chronocultural sequence as result of matching data provided by the set of archaeological research conducted at Cueva de la Cocina in the 20th and 21st century and the new radiocarbon dates record. Because available data is of different quality, we apply a methodological framework based on Bayesian modeling approaches. To do this, we systematically order each one of the archaeological registers and then combine the information in a unitary general chronology. Our novel approach introduces Bayesian modeling from a double analytical procedure: using Bayesian chronological models applied to the stratigraphic sequence of Pericot's excavation in Cocina cave we build a general phase model using data from multiple years of archaeological fieldwork. One the most reliable layers have			

been defined, we use this information to define the rest of the sequence through a

	Predictive Bayesian approach. This approach sheds light on evolutionary questions from a macroscale in regards to the socioecological dynamics of the last hunter gatherers and their role for explaining the subsequent agricultural spread.
Suggested Reviewers:	Thomas Perrin, Phd Researcher, CNRS Traces toulouse thomas.perrin@cnrs.fr His expertize in the subject of the paper (Mesolithic in the Western Mediterranean and bayesian chronological modeling)
	Didier Binder, Phd Dr. Emerite, CNRS CEPAM Nice didier.binder@cepam.cnrs.fr His expertize in the subject of the paper (Mesolithic and neolitisation process at the Western Mediterranean, chronologies, bayesian modeling chronologies)
	Federica Fontana, Phd Professor, University of Ferrara, Italy federica.fontana@unife.it Her expertize in the subject of the paper (Mesolithic in Italy, chronostratigraphy)
	Lawrence Guy Strauss, Phd Professor, The University of New Mexico Istraus@unm.edu His expertize on the subject of the paper (Mesolithic in Iberia)
	Geoffrey Clark, Phd Emeritus professor, Arizona State University gaclark@asu.edu His expertize on the subject area (the Mesolithic in Iberia)

1 A multi-stage Bayesian Modeling for building the chronocultural sequence of the Late

- 2 Mesolithic at Cueva de la Cocina (Valencia, Eastern Iberia)
- 3
- 4 García-Puchol, O.^{a*}, McClure, S.B.^b, Juan-Cabanilles, J.^c, Cortell-Nicolau, A.^d, Diez-
- 5 Castillo, A.^e, Pascual Benito, J.L.^c, M., Pardo-Gordó, S.^f, Gallello, G.^a, Ramacciotti, M.^a,
- 6 Molina- Balaguer, L.^a, López-Montalvo, E.^g, Bernabeu Aubán, J.^a, Basile, M.^h, Real-
- 7 Margalef, C.^a, Sanchís-Serra, A.^c, Pérez-Fernández, A.ⁱ, Orozco-Köhler, T.^a, Carrión-Marco,
- 8 Y.^a, Pérez-Jordà, G.^a, Barrera-Cruz, M.^a, Escribá-Ruiz, P.^a, Jiménez-Puerto, J.^a.
- 9
- 10 ^a PREMEDOC Research group Department of Prehistory, Archaeology and Ancient History,
- 11 University of Valencia, Valencia, Spain.
- ^b Department of Anthropology, University of California, Santa Barbara, CA 93106, USA
- 13 ^c Servei d'Investigació Prehistòrica, Museu de Prehistòria de València, València, Spain.
- ^d McDonald Institute for Archaeological Research, University of Cambridge, Cambridge,
 United Kingdom.
- ^e GRAM Research group Department of Prehistory, Archaeology and Ancient History,
 University of Valencia, Valencia, Spain.
- ^f UDI de Prehistoria, Arqueología e Historia Antigua, Universidad de La Laguna, Tenerife
 Spain.
- 20 ^gCNRS-TRACES UMR 5608, Toulouse, France.
- 21 ^h Independent Researcher, Napoli, Italy.
- 22 Independent Researcher, Guipuzcoa, Spain.
- 23
- 24 ^{*}Corresponding author.
- 25
- 26 E-mail address: oreto.garcia@uv.es27

28 Abstract

29

30 This paper presents a refined Mesolithic chronocultural sequence as result of matching data

- provided by the set of archaeological research conducted at Cueva de la Cocina in the 20th
- and 21st century and the new radiocarbon dates record. Because available data is of different
- quality, we apply a methodological framework based on Bayesian modeling approaches. To
- 34 do this, we systematically order each one of the archaeological registers and then combine the
- 35 information in a unitary general chronology. Our novel approach introduces Bayesian
- modelling from a double analytical procedure: using Bayesian chronological models applied
 to the stratigraphic sequence of Pericot's excavation in Cocina cave we build a general phase
- 37 to the stratigraphic sequence of Pericot's excavation in Cocina cave we build a general phas
 38 model using data from multiple years of archaeological fieldwork. One the most reliable
- all a set and a se
- 40 Predictive Bayesian approach. This approach sheds light on evolutionary questions from a
- 41 macroscale in regards to the socioecological dynamics of the last hunter gatherers and their
- 42 role for explaining the subsequent agricultural spread.
- 43

44 key words: Radiocarbon dates; Bayesian modeling; Late Mesolithic; Neolithic; Cueva de la
45 Cocina; Eastern Iberia
46

1. Introduction

47 48

In 1941 the first fieldwork campaign at Cueva de la Cocina began under Lluis Pericot's
 direction, just a year after Salvador Espí (member of Prehistory Museum of Valencia)

51 validated the preservation of archaeological deposits coinciding with their visit to the area for 52 the exploration of a recent discovery of Levantine rock art at the Cinto de La Ventana and Cinto de las Letras sites (Pericot 1946). During four years, 1941, 1942, 1943 and 1945, 53 Pericot and his team excavated for a total of 74 days. In all, approximately 60,5 m2 of 54 cultural deposits was removed, confirming the richness of the prehistoric archaeological 55 deposits in a long sequence that included mainly forager occupations but also Neolithic, 56 57 Chalcolitic and Bronze age levels. Lluís Pericot was a recognized Spanish archaeologist that 58 previously had worked at Cova del Parpalló (Gandia, Valencia) discovering one of the most impressive Upper Paleolithic portable art collections in Europe (Pericot, 1942). In 1946 Lluís 59 60 Pericot published the only paper focused on the primary results at the site of Cocina according to the 1945 campaign, a seminal work which provided evidence about the sequence 61 and chronology, centered between the final Paleolithic and the Holocene times in the region. 62 Consequently, Pericot's explanation linked the beginning of the human occupations with the 63 Magdalenian, and identified a total of 3 levels that also encompassed the Epipaleolithic and 64 Neolithic periods (Juan-Cabanilles et al., this issue). Furthermore, the discovery of a 65 particular graphic expression episode through the recovery of "35" engraved plaquettes with 66 lineal motifs highlighted the singularity of the site in terms of social and symbolic practices. 67 Concurrently, Pericot mentioned the identification of possible painting traces in the southern 68 wall of the cavity. This assertion triggered the controversy about the chronology of the 69 Holocene graphic expressions sequence in the Mediterranean Iberia that remain until today 70 71 (including Levantine, Schematic and Macroschematic horizons) (García Puchol et al., 2004; 72 Cruz Berrocal and Vicent, 2007; McClure et al., 2008; Villaverde et al., 2016; Ruiz et al., 73 2022; López Montalvo et al., in press). 74 Despite the preliminary character of his report, different researchers understood the novelties 75 that Cocina provided in order to organize the archaeological sequence at the regional level, 76 particularly Javier Fortea, who in the 70s was working on his doctoral thesis. As a result, his 77 influential book (1973) presented the bases for systematizing the sequence of the last hunter 78 gatherers in the area. He classified the Holocene sequence in two main technocomplexes: 79 "Microlaminar Epipaleolithic" and "Geometric Epipaleolithic" (he preferred the term Epipaleolithic to Mesolithic). Unlike Pericot, Fortea argued that Cocina had a short 80 chronological sequence. Accordingly, he sorted the Pericot excavation information into four 81 levels including two attributed to the Geometric Epipaleolithic of Tardenoisian tradition. 82 Firstly, he emphasized the impressive richness of the lithic record produced by forager 83 dwellers in the site, reflecting a diachronic succession of levels. These industries are 84 85 characterized by regular blades and geometric projectiles, trapezes at the beginning, and 86 "Cocina type" triangles subsequently. Since that publication, Cueva de la Cocina became the referential site for the Late Geometric Epipaleolithic in Iberia. Secondly, he centered his 87 88 interest on the subsequent Neolithic levels and the "transitional process" that he believed was 89 evident in the site. As a consequence, the site was considered the main proof for explaining 90 the acculturation process from foragers to farmers in the Mediterranean Iberia (Fortea et al., 91 1987). This was described in the "dual model", aimed to explain the neolithization process in 92 eastern Iberia (Fortea and Martí, 1984-1985; Fortea et al., 1987; Bernabeu, 1997). 93 He began a new fieldwork project at Cueva de la Cocina that involved several excavations 94 between 1974 and 1981. For this purpose, he selected a central area near the north wall of the cave. Unfortunately, only three specific papers were published, two of them related to the 95 sedimentary history of the site (Fumanal, 1978, 1986). The third one consists of a preliminary 96 97 summary including new data from the faunal record (Fortea et al., 1987). Fueled by this first 98 detailed zooarchaeological approach, the paper pointed to a transitional character of the site 99 relating to the arrival of the Neolithic, including the presence of domesticated sheep or goats in levels with Late Mesolithic stone tools technologies. However, and probably due to the 100

101 new research challenges attached to his incorporation at the University of Oviedo (northern

102 Iberia) the final results remained unpublished.

103 Based on these pivotal questions about the chronology and nature of hunter-gatherer lifeways

as well as the evidence for acculturation of the last hunter-gatherers to farming, we decided to

105 open a new window to the archaeological record of Cueva de la Cocina. Several research

106 projects, started in 2013 until now, have allowed us to build an interdisciplinary research

team that involves different Spanish and international institutions. Thanks to this

- 108 collaborative approach we revisited the archaeological site and organized several
- archaeological excavations (from 2015-2018) that have provided new data for understandingthis impressive prehistoric deposit. Not less important, one of the fundamental objectives has
- 111 consisted of studying the older record recovered during the excavations from Pericot and
- 112 Fortea. In fact, it has been a huge challenge considering the magnitude of the entire
- 113 collection, particularly the access for the first time to the bulk of Pericot's remains. Thanks to
- this collaborative effort, more than 70,000 lithics, close to 7,000 faunal remains, and 2,000
- pottery fragments, among others, have been analyzed and provide the current database.
- 116 Our interest in Cueva de la Cocina was motivated by several questions. The general issues try
- to shed light on evolutionary questions from a macroscale approach in regards to the
- socioecological dynamics of the last hunter gatherers and the models for explaining the
- subsequent agricultural spread. Specifically, we focus on a) defining the archaeological
- sequence at Cueva de la Cocina with a new high resolution radiocarbon record; b) exploring
- cultural transmission processes and scenarios of cultural change from archaeological record;building land use behavior and palaeoeconomical patterns in a diachronic view; d)

recovering new data about paleoclimate and paleoenvironmental dynamics; and, e) trying to

- reveal some aspects on social practices and symbolic behavior at the site level and at regional scale.
- 126 In this paper we focus on a refined chronocultural sequence as a result of matching data

127 provided by the set of archaeological investigations conducted at the site and the new

radiocarbon dates record. To do this we rely on different quality data that we will sort and

- combine through a methodological approach based on Bayesian modeling and statistical
- 130 analysis procedures in order to present the best model for characterizing the particularities of
- this archaeological record.
- 132 133

2. General description

134 135 - Course

Cueva de la Cocina is located in the municipality of Dos Aguas (Valencia province, Eastern Iberia), opened in a pronounced meander of the La Ventana ravine. The site is surrounded by an abrupt landscape forming part of the Southeastern Iberian range, limiting at the North and the West with the cretaceous formations of Sierra de Martes and Sierra del Caballón, to the East with the Velbraic plain and to the South, with the common conformed by the Vélbraic

East with the València plain, and to the South, with the canyon conformed by the Xúquer river before its arrival to the Valencian plain, where it flows into the Mediterranean (Fig. 1)

river before its arrival to the Valencian plain, where it flows into the Mediterranean (Fig. 1).This special situation would explain its continental climate character as it is reflected by the

mean temperature, with a maximum in August (31), and a minimum in January, when it can

drop to freezing. The annual rainfall fluctuates between 400-550 mm with a maximum in

autumn. Recurrently affected by fires, the immediate natural landscape is dominated by a

145 vegetation of shrubs and some residual pines.

146 The cave (20 meters wide by 30 m long) (Fig. 2) was formed by the drainage system of the

147 Barranco de la Ventana until the beginning of the accumulation of sediments that constitute

the base of the Holocene deposits (Fumanal, 1978, 1986). The particular position in regards

149 with the course of the ravine explains sporadic entrances of water and the subsequent silt

depositions. This kind of episodes was documented in 1977, when a flash flood reopened a

151 lateral sink at the cavity showing a long sequence of Pleistocene natural deposits. Fumanal's

study (1987) points to the process formation of the cavity and the reading of the current 152

natural and archaeological deposit. She highlighted another important trait previously 153

154 described by Pericot: the cavity offers a sedimentary accumulation in the center, and a

pronounced slope from this part to the southern wall, forming a great basin when the 155

Holocene accumulation started to occur. This aspect has been demonstrated by the recent 156 157 fieldwork conducted affecting the surrounding areas (García Puchol et al., 2018b).

The mountainous landscapes around the site and the particular "cul de sac" conformed by the 158

area, currently only accessible through a "stimulating" rural track, are in accordance with the 159

160 several uses and activities carried out at the site from a long durée perspective, from the

Mesolithic to the contemporary period. As an example, a Koran book was hidden in the 161

cavity and discovered in 1821, as documented by the Real Academia de la Historia (1821), 162

and has been linked by some historians with the last episodes of Valencian "moriscos" before 163 the expulsion ordered by Felipe III at the beginning of 17th century. On the other hand, at 164

least from modern times, the cavity has been used as an animal pen. Oral histories also 165

inform us of its use as a refuge during the Spanish Civil War. 166

Natural and anthropogenic factors explain the sedimentary episodes formed by a complex 167

accumulation that must be understood from a taphonomic perspective. From the middle 168

Holocene period, human activities are the most important agent, although it is possible to 169

170 determine some natural events also affecting the stratigraphy. Of particular importance would

171 be the extraction of manure in modern times for agricultural purposes. Following the site

owners' oral communication, we could identify a particular moment of extraction of manure 172

173 between Pericot's and Fortea's works, although this would be recurrent in previous times. 174 These activities have affected particularly the top of the sequence, from the Neolithic to

modern times. Water entrances from the nearby ravine have also sporadically affected and 175

176 disturbed the sedimentary deposits at different moments.

As consequence, focusing on prehistoric levels, we can say in advance that major 177

postdepositional episodes have disrupted the upper stratigraphy at the cavity, particularly the 178

Neolithic and Bronze age levels. The presence of pottery decorative motives belonging to the 179

Early Neolithic (cardial and gradina impressions) confirms the evidence of Early Neolithic, 180

followed by middle Neolithic, Chalcolithic, and Bronze age occupations, covering a period 181

between the last centuries of the 8th to the 4th millennium cal BP. At the bottom, late 182

Mesolithic levels reveals a complete sequence showing different degrees of intensity and 183 activity starting at the first half of the 9th millennium until the middle of the 8th millennium 184 cal BP. 185

- 186
- 187

3. Excavation campaigns, sedimentary data, and radiocarbon record

188 189

3.1 Archaeological excavations and material and biological remains

190 The different seasons carried out at Cueva de la Cocina have vielded unequal documentation 191 regarding archaeological levels. According with the current dataset we can say that Pericot's 192 campaigns encompass the main occupational levels preserved at the site (Table 1). As a 193 194 result, the bulk of cultural and palaeoeconomical materials correspond to this first fieldwork. This confirms that the majority of anthropic remains was preserved at the Southwestern area 195 of the cavity, reaching at this point its maximum depth (4.5 m) (Fig. 2). In contrast, at the 196 Northeast corner of the 1943 pit the natural sediment appears at 30 cm, indicating a 197 198 pronounced gradient from the Northeast to the Southwest. Fortea's work was centered in an area of about 25 m2 in the Northern central part, reaching close to 1 m in depth in sector E 199 and in a test pit in the south (sector U). Finally, between 2015 to 2018 our team has been 200

working in a total of 6 sondages, some of them surrounding Pericot's excavation (sondage 1, 2 and 4), and the others (sondages 3, 5, 6 and including sondage 2) around Fortea's sector U.

203 204

3.1.1. Pericot's excavation (1941, 1942, 1943 and 1945)

205 As aforementioned, Pericot's excavation encompasses the most fertile archaeological deposit 206 207 (around 60,5 m2 resulting on 116,13 m3 of archaeological sediments). The primary current information comes from the personal journals written by Pericot and collaborators. It is 208 worthy to say that they described, in a veritable meticulous manner for that time, the main 209 210 characteristics in regards with the minimum archaeological units removed. The area excavated varied between 9 m2 to 1,31 m2, and the layer depth oscillated between 0,15 and 211 212 0.30 m. From this information we were able to build the spatial volumes with the goal to 213 better approximate horizontal and vertical values (Fig. 3). We also had access to a small number of sketch plans with some notes in regards with the maximum depths (including a 214 draft of the largest stones), some drawn profiles, and a small number of photographs. 215 Interestingly, the authors also recorded the main archaeological findings including lithics, 216 217 pottery, ornaments and plaquettes through schematic drawings. At the same time, they also offered a general description pointing to the presence of hearths and the main sedimentary 218 traits. From the 1942 campaign, the depth information accounts for the vertical distance 219 220 according with the position of the possible painting located between the sectors B and C 221 (1942). 222 At the beginning of their work (1941), the cave was being used as an animal pen and thus 223 was closed by a wall which constituted the first exterior boundary relating to the 1941, 1942 224 and 1943 sectors. Deposits of dung covering the ground of the cavity offered testimony of this use. Once these seasons finished, Pericot and his team decided to excavate at the exterior 225 226 part of this stonewall, which was consequently dismantled. A new outer wall that limited the recently opened area from the Southern wall in the North direction (1945 E-I, and 1945 E-IIb 227 and E-IIa) was immediately rebuilt. In regards with 1945 E2b sector, the data is restricted to 228 229 the first 0.5 m, when a human skeleton of historic chronology was discovered and, at least 230 apparently, caused the stoppage of the dig. 231 A summary of the main archaeological record recovered at Cocina is reflected in Table 2. In 232 brief we can point to two general issues: 233 1) We have observed a selection factor bias: The most impressive record corresponds with lithic remains, more than 70,000 pieces (materials from cleaning activities or without clear 234 235 context have not been recorded). They include mainly flint knapped remains but also 236 limestones and quartzite objects. A painstaking recovery of this materials was clearly carried out (including very small items, less than 1 cm). Similarly, Pericot's interest in portable art 237 objects stimulated the recovery of the engraved plaquettes. As for the faunal remains, 238 although there are nearly 4,700 bones recovered, there was clearly a selection biases towards 239 240 the largest and most identifiable of medium to large mammals and, to a lesser extent, leporids. The terrestrial and marine malacofauna resources recovered consist mainly of the 241 242 better-preserved remains. 243 2) A differential preservation factor affects the archaeological sequence: The significant 244 decrease of Neolithic record is observed from the East to the West, in such a way that pottery is concentrated in the sectors close to the Southern cavity wall and in the 1945's excavation. 245 The same can be indicated for other prehistoric materials related to the top of the sequence, 246 such as polished stone axes or domestic animals remains. Conversely, the Mesolithic deposit 247 248 is better preserved in the wide area excavated by Pericot although a general Northeastern to

249 Southeastern gradient is detected (from 0.3 m depth at the Northeastern corner of 1943 A to

the 4,5 m depth in the Southwestern corner of 1945 E-I).

251 252

253

3.1.2. Fortea's excavation

Prof. J. Fortea started his excavation project at Cocina in 1974. After his previous 254 study, he decided to explore the central part of the cavity, assuming that the deposit would be 255 better preserved (Fortea et al., 1987; Fumanal, 1986). To do this he selected a square area 256 257 near the Northern wall (sector E). He used a grid that divided the site in square meters, where 258 horizontal and vertical lines were named by letters and numbers, with a 0 crossing point (Fig. 259 2). The initial area (25 m2) was dug conforming a stepped area (the maximum depth achieved 260 is around 1 m) from the superficial levels to the natural clay deposit. This information confirms the slimming of deposits towards the inner and Northern part of the cavity. 261 The methodology applied was in accordance with modern procedures at the time including 262 263 systematic record of spatial data for the amount of archaeological remains, and photographical documentation using artificial layers and/or livings floors (Pardo-Gordo et al., 264 2018). Other exploratory excavations were conducted at the same time. One trench was 265 opened starting from the Pericot's excavation to the central area with the objective to 266 267 understand the continuity of the deposit towards the interior part of the cave $(5 \times 1 \text{ m})$. A second trench located South of sector A was dug for investigating sedimentary processes. A 268 third test pit was opened affecting the central Southern part of the cavity (sector U), mainly 269 squares A'8' and B'8'. After reviewing Fortea's documentation, available at the Prehistory 270 Museum of Valencia, we have currently detailed the information for sectors A and U. The 271 information about the trenches is restricted to some profile drawing (South trench), so we 272 273 relied primarily on the summary annotated in the excavation report (Labor del SIP).

The stratigraphical units described by Fortea account for natural and anthropical 274 episodes of different intensity. The top of prehistoric archaeological units corresponds to the 275 G unit, assigned to the Chalcolithic and Bronze age periods. Separated by a natural 276 277 calcareous crust, he defined the formation of the H living floors (H1 to H4). For him, these 278 deposits were a reflection of the transitional acculturation process revealed by Cocina and confirmed by the presence of cardial pottery fragments. At the bottom, the J archaeological 279 unit is defined as the first Mesolithic episode. The archaeological materials remained 280 unpublished except for a first appraisal of the faunal remains (Fortea et al., 1987). 281 282 In the framework of our current research we analyzed the entire assemblage, first by compiling the spatial information data, on a *per* object basis, through the documentation in 283 the database created for the project, and then studying in detail the archaeological record. 284 285 Nearly 10,000 findings (cultural material and biological remains) have been studied. A first 286 paper, published in 2018, focused on the stratigraphic problems revealed after studying the archaeological record (mainly faunal remains and pottery; Pardo-Gordó et al., 2018). The 287 288 results of the statistical analysis applied confirm the taphonomical problems affecting the H 289 level. Consequently we can highlight the following aspects: a) The stratigraphy in this area preserves evidence of Late Neolithic, Chalcolithic and Bronze age periods, some dismantled 290 rests of Early Neolithic occupations and a short deposit formed by Mesolithic occupational 291 episodes, b) The taphonomical problems concern not only natural aspects (mudflow revealing 292 293 flows episodes), but also anthropic agents (ancient pits that caused percolating problems and 294 mixed record), c) The living floors distinguished by Fortea must in fact be considered 295 artificial constructions for methodological purposes, d) H1 to H4 archaeological units seem to better correspond with a continuous and less intense deposit of different Mesolithic events 296 that encompasses a great part of the chronological development of the hunter-gatherers 297 298 occupations at the cavity.

299 300

3.1.3. The 2015-2018 excavation

302 Triggered by some intriguing questions concerning Pericot's and Fortea's excavations we revisited the cavity with a new excavation program. In 2014 we performed a three-303 304 dimensional map of the cave (Fig. 2). The new plan serves as the basis for situating the old excavation sectors with the aim to reconstruct archaeological units for implementing spatial 305 analysis. The metallic grid assembled by Fortea allowed us to extend this same grid to the 306 307 entire area, in order to plan the new excavation pits. For practical purposes we used 308 coordinates that increase from the North and the South and from the East to the West given 309 Fortea's XYZ 0 point. During the 2015 season we worked in 6 test pits (named 1 to 6) around 310 Pericot's excavation (Fig. 2). At the same time, we emptied the Southern trench dug by Fortea with the goal to obtain a profile between his Southern excavated area and 1941 311 Pericot's sector. We also tried to find the Northern and Eastern Pericot's profiles, currently 312 blurred both by posterior anthropic refills and timing. The results obtained helped us to offer 313 a new reevaluation of the previous and currently preserved archaeological deposits. The 314 methodology applied included refined spatial registering and digital orthophotographic 315 316 methods within in a rigorous protocol for recovering fieldwork data (Diez Castillo et al., 2017; García Puchol et al., 2018b). 317

318 Due to the cleaning activities developed in Pericot's area we observed the great dismantling of the remaining archaeological levels. As a consequence, test pits 1 and 4 have 319 320 rapidly shown (particularly test pit 1) the appearance of natural red clays. After cleaning 321 Fortea's Southern trench we could see in one hand the high degree of disturbance of the 322 upper stratigraphy, and in the other the pronounced slope of natural red clay. The presence of 323 two accumulations of ashes and charcoal at the Northern profile triggered us to open two test 324 pits (2 and 5) with the goal to describe possible preserved prehistoric deposits. While the first (test pit 5) has been revealed as contemporary in chronology, we have proved that the amount 325 326 of charcoal visible at the test pit 2 corresponds with the rest of a Mesolithic hearth partially preserved. Test pit 3 was open from the top of the current sedimentary deposits close to 327 Fortea's Southern test pit U (Fig. 2). At this point we have excavated more 0.5 m2 from the 328 329 current surface to the natural deposits, recovering a sequence of a total of 1m depth with remains of Mesolithic, Early Neolithic and posterior accumulations attributed on top to the 330 Bronze age. The stratigraphy seems broadly uniform, without clear shifts from the bottom to 331 the middle segment of the profile (work in progress). 332

Finally, we focused our work in test pit 4 (5,5 m2). From the first season, the discovery of the based wall corresponding with the old animal pen closure of the cavity predicted good expectations in regards with the potential of preserved archaeological remains. This aspect was confirmed in the next seasons when we excavated Mesolithic deposits (a silty-clay grey level) formed since the natural red clay based in advance, when they were cut by modern human activity. The characteristic cultural material and the radiocarbon dates obtained reveal their adscription to the Late Mesolithic (phase B).

340 The majority of archaeological remains was mainly concentrated in test pit 4 and includes lithics, faunal remains, mollusks (terrestrial and marine shells), and ornaments, 341 among others. One plaquette with several engraved lines was also recovered (another 342 plaquette was discovered in test pit 1 from a superficial level). Not less important, for the first 343 344 time the bulk of sediments were water sieved, collecting by flotation charcoal, seeds and 345 fruits remains. The results presented contribute to reconstructing palaeoconomical behavior and paleoenvironmental conditions from vegetation resources. This procedure allows us to 346 obtain a complete record that serves also for comparing with the previous excavation 347 348 gathering protocols.

349

301

350

3.2 Sedimentary analysis and Paleoenvironmental conditions

351

As it has been previously noted, the first analysis of Cueva de la Cocina sediments was

- 353 conducted in the 70s by Prof. Pilar Fumanal (1978). The particular conditions behind the
- 354 formation of sedimentary episodes between the Pleistocene and the Holocene periods are in
- the base of our current understanding of the archaeological deposits. Pericot already signaled
- 356 the concentration of archaeological sediments in the Southwestern area of the cavity, at a 357 short distance of the "current level of the ravine". Despite this feature, he excavated also at
- short distance of the "current level of the ravine". Despite this feature, he excavated also atthe exterior area of the closed pen when he reached the deepest archaeological levels.
- Through the diaries we know how he annotated the appearance of the natural clay level
- 360 whenever he advanced in depth. In fact, after we cleaned the Pericot's sector and conducted a
- test pit in the Northern profile we were able to understand a particular profile draft of his1943 excavation (Fig. 2).
- The questions about the situation of the ravine at the entrance of the cavity are also present in Fortea's reflections. The mudflow of 1977 was the starting point to investigate the entire
- solution investigate the entire sedimentary sequence exposed as consequence of the drain reopened in the right corner of the
- entrance. This natural drainage system confirmed the past functioning of the cave (Fumanal,
- 1986). This episode flooded the cave during several days and left a3-4 thick silt layer
- 368 covering. The reading of drain profile allowed to describe close to 4 m of sedimentary levels
- 369 formed by recurrent Pleistocene floods. The presence of detritus materials from the slopes
- supports strong episodes of flooding with a high charge capacity (visible in lower levels). At
 the top of the Pleistocene sequence a stalagmitic concretion was formed (level X: C-468:
- 371 the top of the Fleistocene sequence a stataginite concretion was formed (rever X. C-408.
 372 27,466±2,398 and C-469: 26,733±2,181) (Fumanal, 1986). The documentation of this
- 373 concretion in the central-Northern area reveals that the basin should have been formed later,
- probably caused by a drain opened at the Southern wall of the cavity. After a cutting episode
- in the Pleistocene sedimentation, the Holocene levels were formed. Other flooding episodes
- have been identified through several means. Three of them were described by Fumanal, one
- 377 forming the base of the Holocene anthropic sequence (IX sedimentary level), a second
- affecting Upper/Bronze age and Chalcolithic deposits, and the third corresponding to the
 1977 flooding event. While the last episode is described as a slow charge, the others showed
- a high capacity.
- From Pericot's excavation we have indirect data that confirm the effect of some flooding
 episodes. The description of gravel levels at the base of the archaeological stratigraphy could
 be one of them (maybe linked with the IX level described by Fumanal). Current laboratory
- work allows us to obtain other evidence from the study of the mollusk record. Despite the
- bias selection problems associated with the oldest materials, the distribution pattern of a
- bias selection problems associated with the oldest materials, the distribution pattern of a
 particular species, *Melanopsis tricarinata*, a mainly aquatic taxon, allows us to hypothesize
- how its presence was caused by a flooding event affecting at the top of the Mesolithic
- 388 sequence. Their presence could be directly related with the water entrance and subsequent
- stagnation, particularly due its vertical concentration in specific locations (Fig. 3). We have
- realized how this event was identified in the last of Pericot's layers at the interior of the old
- closed animal pen, in particular, 1941 layer 2, 1942 RS layer 1, and 1943 A and C sectors
- 392 layer 1. Confirming this assumption, the last layers excavated recently at sector 4 indicate the 392 identification of this kind of event offecting recent Magalithic arised as As a series des
- identification of this kind of event affecting recent Mesolithic episodes. As a consequence,
 we can confirm that the water of the ravine constitutes one of the natural agents affecting
 anthropic deposits from the top of the Mesolithic sequence.
- 396 In addition, we have analyzed current archaeological test pits by geochemical means
- 397 (Gallello et al., 2021). The obtained results serve to address several questions concerned with
- methodological and archaeological purposes. At this point we tested how major and minor
- 399 elements constitute a good sign for distinguishing anthropogenic and natural factors relating
- 400 to the new exposed profiles. The interesting results obtained show different signatures

401 between anthropic activities as we could expected according to the domestic activities related

402 to hunter-gatherers (especially in test pit 4), and more blurred Neolithic actions (only tested403 in current test pit 3).

404 Fumanal's sedimentary analysis had pointed to some major climatic events in regards with the last Wurm episodes. She hypothesized how the unstable postglacial episodes stopped 405 sedimentary deposits after level IX. Since then, anthropogenic levels began at the cave during 406 407 Holocene times. From Fortea's sector E she noted a specific climatic episode according with 408 an extended concretion on top of H level. She correlated theirs with other similar Subboreal crusts documented in several caves at the region. The wetter conditions associated to the 4.2 409 410 event (or Bond 3 event) in Mediterranean regimes could be behind these recurrent episodes. Paleoenvironmental conditions were also approached for the first time through charcoal 411 remains. The identified flora at Cocina is dominated by species from the thermo-412 413 Mesomediterranean forest, dominated by Aleppo pine (*Pinus halepensis*) and Holm oak or kermes oak (evergreen *Quercus*), with the presence of some *Prunus* and junipers (*Juniperus*). 414

414 Kernes oak (evergreen *Quercus*), with the presence of some *Prunus* and jumpers (*Jumperu* 415 The scrub would be composed of heathers (*Erica*), legumes and rosemary (*Rosmarinus*

- 415 The serub would be composed of heathers (*Erica*), regulies and roseniary (*Rosmarmus* 416 *officinalis*). Some thermophilic elements such as mastic (*Pistacia lentiscus*) and wild olive
- 416 *officinalis*). Some thermophilic elements such as mastic (*Pistacia lentiscus*) and wild only
- 417 (*Olea europaea*) are also present (Carrión-Marco and Pérez-Jordà, this issue).
- 418 419

3.3 Radiocarbon dates

420

421 In the last few years we conducted several radiocarbon programs. Until now we have

422 published a total of 18 radiocarbon dates (Juan-Cabanilles and García-Puchol, 2013;

423 Marchand and Perrin., 2017; García-Puchol et al., 2018a, b, and Pardo Gordó et al., 2018,

424 Olalde et al., 2019). Currently, we have of 40 radiocarbon dates from the different excavation

425 seasons based on a careful sampling protocol (Table 3). The sample selection was managed426 by an accurate filter of samples considering their nature and the accumulated information

427 data of archaeological levels. All samples come from short lived species, including charcoal

remains (Table 3). Whenever possible, we preferred bone samples to plant charcoal due to the

429 absence of domestic seeds preserved in direct relationship with anthropic remains for

430 Neolithic and Bronze age levels. In the case of animal samples, we selected bones with

anthropic marks (cuts or fractures) when possible. Only three samples do not meet this

432 criteria, due to low levels of preserved collagen detected in bone samples recovered at the433 upper layers and the subsequent bias introduced in the resampling.

434 Considering Neolithic levels first, we dated domestic animals identified by Prof. Pérez

- Ripoll, although they are scarce in the faunal record. From his selection we obtained
- 436 radiocarbon ages belonging to Chalcolithic and Bronze age periods (excluding some failed
- 437 attempts affecting 2 domestic samples from Pericot's excavation (Pericot 1945 E-I layer 4
- 438 and Pericot 1942 layer 1 RS). We also dated samples of fruits, such as acorns and, above all,

439 pine cones particularly from upper layers where bone samples were problematic (e.g.,

440 Pericot's sectors and 2015-2018 test pits). A coprolite of *Ovis/Capra* was dated with the aim

to determine the age of the use of the cavity as an animal pen. And finally, 5 remains of

442 human bone were dated. The anthropological study effectuated and the radiocarbon results

443 confirms the minimum number of individuals found (5), unfortunately without any clear444 archaeological context (McClure et al., this issue).

445 Samples were sent to three radiocarbon laboratories: University of California Keck

Laboratory (UCIAMS), The Pennsylvania State University's Institutes of Energy and the

447 Environment Radiocarbon Laboratory (PSUAMS), and Beta Analytic. Samples for AMS

radiocarbon dating at UCIAMS and PSUAMS were prepared using standard procedures for

449 collagen extraction at The Pennsylvania State University Human Paleoecology and Isotope

450 Geochemistry Laboratory (McClure et al., 2010; 2020; Zavodny et al., 2014; Kennett et al.,

451 2017). Specifically, dry bone samples (ca. 500mg) were crushed and washed in NanoPure water and demineralized in 0.5N HCL at 5°C for several days. Samples were then prepared 452 for collagen extraction using a modified Longin (1971) method with ultrafiltration (Brown et 453 al., 1988; Kennett et al., 2017) and extracted collagen was gelatinized at 110°C in 1ml 0.02N 454 HCL for 24 hours, then pipetted into a precleaned 10ml disposable syringe with an attached 455 precleaned 0.45µm Millex Durapore polyvinylidene difluoride (PVDF) filter and put into a 456 thick-walled culture tube. Samples were hydrolysed in 1.5ml 6N HCL for 24 hours at 110°C 457 before being driven through a SPE column with 10ml 6N HCL and dried under UHP N2 gas 458 while being heated at 50°C for 12 hours. Samples sent to Beta Analytic, Inc. were treated 459 following their standard protocols. 460

4. Methodology

462 463

461

464 In order to build a refined chronological framework, we have used a multistage approach based on combining Bayesian methods. Differences in the accuracy of archaeological data 465 provided the basis for separating Pericot's and Fortea's fieldwork campaigns (García-Puchol 466 467 et al., 2018a; Pardo-Gordó et al., 2018). Here we correlate the set of archaeological data provided by each campaign and include 2015-2018 fieldwork. To do this, we order each of 468 the archaeological records and then combine the information in a single general proposal. 469 470 Our new approach introduces Bayesian modelling from a double analytical procedure. First, we will work with Bayesian chronological models applied to the stratigraphic sequence of 471 Pericot's excavation in Cocina. Then, after the most reliable layers have been defined, we use 472 these as prior information to define the rest of the sequence (Armero et al. 2021; Pardo-Gordó 473 et al., 2022). The focus on Pericot's sectors stems from the fact that they preserve most of the 474 Mesolithic sequence and a wide segment of the Neolithic evidences. 475

- 476
- 477

4.1.Bayesian chronological modeling

478 Beginning with the Bayesian chronological modelling, the preliminary proposal was 479 480 published in 2018 based on Pericot's excavation (García-Puchol et al. 2018a). There is a 481 general bias produced by the minimum excavation unit excavated (layers of 15-25 cm) and the pronounced slope observed in E-W direction that affected all Pericot sectors, so we have 482 483 chosen 1945 E-I and 1941 sectors as the starting point. To do this, we used archaeological units grouped statistically by considering densities of basic types of lithic projectiles and 484 general lithic and pottery records (García Puchol et al., 2018a). We also took into account the 485 radiocarbon dates available at the time from these sectors in addition to a considered Ante 486 *Quem* date provided by trench 3 that could be related with Early Neolithic occupations at the 487 488 site.

489 Here we run new models by introducing new dates that could be directly associated with the archaeological units proposed (Table 4). These new models have been built following similar 490 491 criteria using Oxcal 4.4 software (Bronk Ramsey, 2009a) and intCal20 curve (Reimer et al., 492 2020). First, we have modeled stratigraphic models for 1941 and 1945 sectors. All of the 493 models include the outlier model function (t-student at a significance level of 0.05). Once they were detected and evaluated, they were deemed as outliers in the models according to 494 495 the information available of the date, and modelled again. This is in accordance with the 496 stepping procedure used for Bayesian chronological modelling frameworks. The modelled dates were used in the next round steps as *priors*. After analyzing the results, we modeled a 497 498 phase model including both *prior* dates produced by the stratigraphic models conducted and added the new radiocarbon dates from other sectors that could be more clearly associated 499 500 with the units considered. Due to the fact that most of them corresponded to Mesolithic

contexts, the focus on discussing the subsequent occupational episodes is evaluated here only
considering the first Neolithic evidences. From the results we estimated the timing of the
units described in a diachronic view. The model is useful to assess the potential
presence/absence of a hiatus event between last Mesolithic and early Neolithic occupations.
The results will permit a higher accuracy in the explanation of diachronic Mesolithic
occupations.

- 507
- 508 509

4.2 Predictive Bayesian approach for the 1942 and 1943 sectors

510 A smaller number of radiocarbon dates are available for the 1942 and 1943 Pericot's sectors (close to the half of the excavated area). As a result and in order to avoid in that way the 511 512 economical and sample destruction cost, we have decided to employ a Bayesian 513 methodological procedure designed initially to get an estimate chronology for dating archaeological collections (Armero et al., 2021; Pardo-Gordo et al., 2022). The goal in this 514 case consists of proposing an archaeological sequence for Pericot's 1942 and 1943 sectors 515 516 based on the posterior probabilities defined by the existing material in such sectors. The work proposed here consists of an *intrasite* application of the method developed by 517 Armero and colleagues (Armero et al., 2021; Pardo-Gordo et al., 2022). Essentially, this 518 519 method consists of a multinomial-Dirichlet process where the response variable is a multi-520 level categorical variable (in this case, each potential chronological period is considered a 521 category) and the predictors are the counts of the different artefacts involved. To construct 522 the prior probabilities, we used assemblages from the better-defined layers (1941, 1945), 523 which constitute our training set. After the data has been trained, the artefacts present in the 524 sectors 1942 and 1943 were used to develop a prediction for the chronological classification of each of the layers in those sectors. For this work, we have adapted the scripts developed by 525 526 Pardo-Gordó et al. (2022) using R (R Core team, 2022). 527 The count by layer of 1941 and 1945 E-I sectors includes 8 types conformed by the basic geometric projectiles morphologies, bifacial points and pottery (Supplementary material 2). 528 Each one of the layers considered has been approximated from a defined archaeological unit 529 tested through different statistical procedures (García Puchol et al., 2018a). These units 530 correspond to the minimum accurate temporal windows (archaeological subunits) proposed 531 by us from Pericot's 1941 and 1945 excavation. In this analysis we exclude A0 due to the 532 scarce cultural material associated. For practical purposes they have been named in the scripts 533 from I to VIII from the bottom to the top of the sequence. Archaeological units I to V include 534 535 A1, A2, B1, B2, B3 Mesolithic units, VI correspond to the unit C1, and the units VII and VIII 536 group Neolithic, Chalcolithic and Bronze age record. These last units, because we only use detailed typologies for geometric projectiles, cannot be approximated more accurately. 537 538 The methodological procedure consists of: 1) firstly, to calculate the estimated likelihood from these types by each archaeological unit considered (informative procedure), 2) to 539 540 calculate for the unknown 1942 and 1943 layers the predicted likelihood to belong to each unit. For the acceptance of results, we selected a threshold of >=25% probability for any 541 single unit. If the results presented bimodal or multimodal distributions, they are rejected and 542 543 were not considered for temporal assignment function. Taking into account the stratigraphic 544 relationship among layers, we discuss the results including the potential inconsistencies 545 considering a diachronic view. 546

547 5. Results
548
549 5.1.Stratigraphical Bayesian chronological modeling
550

551 The chronocultural subunits built from the different archaeological fieldwork conducted at Cueva de la Cocina can be understood at the moment as our proposal of the minimum 552 553 temporal windows. The subunits deemed and the correlation with the different archaeological 554 projects carried out are described in table 4. Taking into account the problems that affect the upper layers of the sequence, the chronological models offer a better evaluation of the 555 Mesolithic evidence. According to the methods described, we have firstly obtained the results 556 557 for the stratigraphic models applied to 1941 and 1945 E1 campaigns (Table 5 and 558 Supplementary materials 1). For 1941 we modelled the dates according with their stratigraphic order. To do this we added a new date from layer 1. This date, from a bone of 559 Capra pyrenaica (PSU5323, 6590±25 BP), constitutes the more recent radiocarbon result that 560 561 we would associate with the last Mesolithic occupations. Some considerations are necessary, starting from the nature of the sample, a cervical vertebrae without anthropic marks and 562 563 associated to a layer with a few number of artefacts (140 lithics and 4 pottery fragments). The 564 assumption of linking it with the last Mesolithic relies on the assumed date related to the Early Neolithic evidence at the cavity, although we could also dismiss it due the lack of 565 anthropic manipulation. The earlier pottery at Cueva de la Cocina would be coincident with 566 567 the decoration techniques present at the "classic" cardial developed in the last centuries of the 568 8th millennium cal BP. This aspect is confirmed by the only radiocarbon date that could be associated with these first Neolithic occupational events obtained from a branch of Pinus sp 569 (Beta-426849, 6350+-30 BP). The first rounded model shows a low A-model index (52.5) 570 571 and an outlier (PSUAMS-4429: 7135±25 BP). The date corresponds to a fragment of cranial bone from a human individual clearly not associated with the cultural assignment. Deemed as 572 573 an outlier, we run again the model and the results achieve an acceptable Amodel index (102.2). The model run for 1945 E1 uses the same dates that past attempts initially obtaining 574 575 a low agreement index (Amodel: 33) affected by an outlier (Beta 267439: 6760±40 BP), clearly in disagreement with the archaeological context (layer 12). Consequently, we consider 576 it as an outlier and we run the model again. The result obtained offers now an acceptable 577 578 Amodel (93.4). 579 The modelled dates obtained from the stratigraphic models have been used as priors to build a new phase model correlating 1941 and 1945 E1 sectors. In addition, we include new 580 radiocarbon dates from other sectors that could be merged with the temporal windows 581 582 stablished through specific criteria. To do this we choose dates from the archaeological units with presence of cultural material data and/or stratigraphic relationships that easily permits us 583 to determine their belonging to the temporal windows considered. This is the case of a date 584 585 from a bone of Capra pyrenaica with anthropic fracture from 2015-2018 sector 6 (Beta-586 512549: 6760±30 BP, UE 1126) associated to a crescent with abrupt retouch that we assign to subunit B3. UCIAMS-174945 (6705±35 BP), on Capra pyrenaica without anthropic marks, 587 588 has also been incorporated to this same temporal. Despite this problematic aspect we consider 589 that the most probable scenario is its relationship with anthropic activities relating to the last Mesolithic episodes (B3). The model is complemented with the dates provided by 2015-2018 590 591 sector 4. The radiocarbon dates obtained from pine cones (faunal remains failed repeatedly) 592 show consistency considering their stratigraphic position and cultural material associated, 593 while also being consistent with a date provided at the bottom of the stratigraphy from a 594 *Capra pyrenaica* bone with anthropic marks. They have been associated to the B2 and B1 temporal windows. In addition, we introduced within the model a date from Fortea's A 595 596 sector, a *Capra pyrenaica* bone with anthropic mark from the H4 level (UCIAMS-145197: 7710±30 BP) that we associated with A0. The general lithic record is scarce, although blade 597 598 technology is well represented (without geometrics). Finally, we introduce a terminus ante quem (TAQ) through the command (before) based on the unique date that we could associate 599 to the Early Neolithic pottery at the cavity obtained from a branch of *Pinus sp* (Beta-426849, 600

601 6350±30 BP). This is used as a constraint to the Mesolithic last occupations. The resulting
602 model offers a lower Amodel (57.9) and an outlier date affecting to the modelled date (Prior
603 B2_45_Beta267436) from 1945 E1 campaign. Considering the scarce resolution of the data
604 we run again the model considering it as an outlier. The new model presents an acceptable
605 result (Amodel: 83.5) (Fig. 4).
606 The modelled dates estimate the duration of each archaeological subunit as a result of the

607 constraints assumed step by step, from sample strategy to the archaeological resolution of *a* 608 *priori* information and decision-making. Table 6 and figure 5 show the results by units

609 expressed as modelled dates. The starting date starts at the first centuries of the 9th

610 millennium cal BP (A0: 8850-8380 cal BP), involving units that cover the 9th millennium

(A1 and A2) and the first half of the 8th millennium cal BP (B1, B2 and B3). In our proposal,
the last subunit considered (B3) would arrive to the half of the 8th millennium cal BP.

612 613

5.2.Bayesian approach through informed phases likelihood

614 615

616 Figure 6 informs us in a graphical manner of the results obtained by each layer in 1942 617 season (Supplementary material 3 for 1943 season) about their chronological expectancy expressed as the likelihood to belong to different temporal windows (archaeological units). In 618 a general view, the preliminary check reveals how the results show enough confidence 619 620 considering a diachronic dimension from the bottom to the top of the sequence. More 621 frequently, the probability up to 25 % is centered only in one temporal interval underpinning 622 the robustness of the analysis conducted and the good diagnostic approximation provided by 623 the selected types. Only in two cases (1943 D layer 1, 1943 A layer 2 and 1943 E layer 4) the results show two separated intervals above the accepted threshold. In other case (1942 B 624 layer 5) there are three intervals above the threshold and, consequently, it is not conclusive. If 625 we evaluate the results by sectors, it is possible to observe similar problems and also 626 627 particular disruptive aspects.

628 1942 sector reflects several problems in regards with upper layers for all subsectors (A to D).

Layer 1 (RS), is a general layer without minor divisions. The presence of pottery introducedthe discussion about the preservation of a neolithic layer, as its temporal window would

631 indicate. The results of dating the human bone recovered (frontal bone) emphasize its

character as a palimpsest. From layer 2 it is possible to appreciate the different subdivisions,while we can also observe diverse kinds of parceled problems. The weight of temporal

634 window III (subphase B1), could be another signal of disturbances due the lacking of the last

Mesolithic subphases (B2 and B3). This effect also is visible in layer 3, particularly for A, B
and C subsectors. The high concentration of *"Melanopsis tricarinata"* could be related, at

637 least in part, to the degree of inconsistences observed as consequence of the ravine flooding

events. From layer 4 in advance (and including 1942 D, layer 3), the adscription provided

639 seems to be more consistent. At this point the general observances help to refer some relevant

640 features. First, we can say that at the Eastern part (subsector A), the natural layer appears

before as it is noted in the diaries, although the maximum depth is achieved at layer 7 (of a 1041 d 1041

total of 9). Considering the information from 1941, the basin slope had to be verypronounced. From layer 4 the coherence is largest reflecting the development of the

subsequent subphases from temporal window I (A1) to IV (B2). Nevertheless, the two

radiocarbon dates available inform us of the general problems persisting mainly caused by

the coarse excavation method but also related with the proximity of the wall and the presence

of particular accumulation of stone blocks that can be related with specific disturbance

648 episodes.

The concluding relevant aspects in regarding the 1943 sector appear more clearly, maybe

because Pericot applied a more controlled digging plan and took a great number of pictures

651 by layers, and specially for the profiles, that serve to give a more general view (Fig. 7). From 652 them, we know that the natural clay layer appeared very early from the South and the Northern profiles, preserving the maximum depth to the center and the Southwestern part. 653 654 We can conclude how the upper sequence is cut off in a gradient that affects particularly subsector A. In this case we observe how the first layer of subsector A could be approached 655 from the results of the B1 subphase. It appeared immediately after cleaning dung remains and 656 657 the superficial layer. Towards the South, we observe a more complete Mesolithic sequence 658 (subsectors B and C) involving B2, B1, A2 and A1 subphases. The presence of *Melanopsis* is documented mainly in layer 1 although it is present also in layer 2 (C and D) (Fig. 3). From 659 660 these layers, the sequence shows quite good consistency from the bottom (subphase A1). 661 Other kind of issues can be noted from subsectors D and E, coinciding with the presence of Neolithic ceramic (subsector E). In accordance, the first layer of 1943 subsector E could be 662 related with subphase VI, coinciding with the presence of pottery. The general description of 663 this assemblage can be assigned to the regional Middle Neolithic (characterized by the 664 presence of "peinada" treatment of surfaces (Molina-Balaguer et al., this issue). Interestingly, 665 666 the Bayesian estimation reveals a cut off between the subsequent layer, related to the 667 subphase B2. Based on the prior data, at this point we can note a breakup in the Mesolithic sequence. Since then, the likelihood obtained displays their association with the subsequent 668 late Mesolithic subphases. In contrast, the radiocarbon dates from subsector E indicate 669 inconsistences with this attribution and among then. The most ancient one came from a 670 671 human bone (cranial). Considering the profiles reading we could hypothesize that the 672 pronounced slope of the Northern basin base could affect the sampling selection by layers.

673 674

675

6. Discusion: Chronostratigraphy and cultural sequence

676 The result of combining Bayesian modeling and chronocultural data through an accurate revision of archaeological and sedimentary information allows us to propose a renewed 677 archaeological sequence for Cueva de la Cocina. Figure 8 summarizes the correlation 678 between each excavation considering the current dataset. As we can see, the proposal takes 679 into account the revised Pericot's sequence because it reveals the widest and most intensively 680 occupied prehistoric levels from the bottom to the top. On one hand, the analysis carried out 681 for the entire data collection has provided the diagnostic classification of cultural material 682 components, particularly lithic projectiles. On the other, the radiocarbon dates program has 683 introduced the necessary chronological data to approximate temporal windows through 684 685 Bayesian modeling procedures with the aim to refine the reading of the prehistoric 686 occupations. For a more comprehensive proposal we have used this same nomenclature in regards with general archaeological units considering the 2015-2018 excavation, whereas we 687 688 have maintained Fortea's names for practical purposes. The recent campaigns along with the top of Fortea's excavations provide the necessary information for drawing a historic sequence 689 until the 20th century. As result, we have built the minimum archaeological subunits that 690 conform the proposal explained (subunits 1 to 18 from the top to the bottom). 691 692 Focusing on prehistoric times we can say that the analyses conducted have provided a more 693 accurate reading, particularly in regards with the Mesolithic sequence. We can approximate

them from the bottom to the top as follows:

695

The start of the sequence corresponds with the so-called A0 archaeological unit (unit
(8850-8380 cal BP). It has been defined from the data provided by radiocarbon dates
from the first archaeological layers (1941/layer 13, Fortea B4/level H4/layer 6). The scarcity
of materials recovered here does not currently allow for detailed characterization, although
the cultural material can be assigned to the Late Geometric Mesolithic according with the

technological blade knapping documented. The presence of macrolithic tools using limestone
raw material is also associated to the immediate upper units as was described by Pericot
(1945 layers 12 to 16). As a consequence, at the moment we do not have enough elements to
disassociate this first ephemeral occupations with the Geometric technocomplex in part due
to the small number of lithic remains. This issue is shortly to be explored properly.

The next Archaeological unit A1 (subunit 17) (8475-8230 cal BP) corresponds to the
extended development of the blades and trapezes technocomplex, including asymmetric
trapezes with concave sides among others, with scarce presence of microburin technique.
This archaeological subunit shows, in general, a less intensive presence in the 1945 sector
and a high concentration the 1941 dig. This aspect confirms differential activities in a spatial
view. Current information reveals the first burial practices at the cavity.

Archaeological unit A2 (subunit 16) (8291-7929 cal BP) also shows differential
intensive areas between the different sectors. This phase is also represented in current
campaigns (test pit 2). The lithic composition contains a great number of geometric
projectiles and the documentation of microburin technique.

Archaeological unit B1 (subunit 15) (8046-7720 cal BP) is characterized by the
appearance of "Triangles Cocina Type Triangles", a characteristic projectile of triangular
morphology and concave edges, similar to Muge triangles, accompanied in this case by a
significant number of trapezes. The buried children remains and the frontal bone belonging to
an adult can be attributed to this period. The distribution of engraved plaquettes in Pericot's
sectors, together with the plaquette recovered at pit 4 (UE 1409), should confirm the first
appearance of this graphic expression in the cave.

723 5) Archaeological unit B2 (subunit 14) (7781-7615 cal BP) shows a more general 724 intensive occupation in the cavity as it is deduced from the largest densities recovered of cultural and biological materials. A flooding episode has been detected through the 725 726 characteristic malacological record that proliferates associated to water presence. This species 727 appears in the uppers layers throughout the Pericot's sector, excluding 1945 campaigns. We can hypothesize its beginning from this moment. This level offers also some particularities 728 that may be point to the remarkable activities conducted in the site in a more extensive social 729 dimension (aggregate site function?). From a cultural diagnostic view, Cocina type triangles, 730 731 made using microburin technique, dominate the assemblage. The knapping activities were focused on blades made from a wide diversity of flints, reflecting distant raw materials 732 sources (Ramacciotti et al., 2021 and this issue). And not less important, the observed variety 733 in regards to food resources, including now the higher concentration of marine resources like 734 735 Cerastodema glaucum, would also indicate a greater diversity in landuse dynamics.

Archaeological unit B3 (subunit 13) (7660-7465 cal BP) is identified from a more
blurred record, affected by the increase of postdepositional episodes that have eliminated the
greater part of upper prehistoric sequence as long at the cavity. New radiocarbon dates
contribute to supply a last temporal interval for the last Mesolithic activities at the site
(PSU5323, 6590±25). At an lithic industrial level we hypothesize to its association with a
great concentration of circle segments with abrupt retouch.

742 Archaeological unit C1 (subunit 12) corresponds with the Early Neolithic occupation 7) of the cavity confirmed through the presence of "cardial pottery". Only a charcoal date can be 743 associated with this temporal window (Beta426849: 6350±30 BP). The appearance of a small 744 number of "cardial" diagnostic decoration is revealing enough. As we noted before, this 745 episode is widely altered. The sampling of domestic animals has revealed their relation with 746 747 the upper prehistoric sequence of the cavity (Chalcolithic and Bronze age). In addition, the 748 lack of domestic seeds does not support agricultural practices for the inhabitants of Cocina. 749 Consequently, current data are not conclusive in order to characterize economical practices of 750 the events associated with the Early Neolithic potteries, maybe linked with hunting activities.

751 In Fortea's E sector, the crust that covers the layer with these Early Neolithic remains 752 separates it of an upper layer associated to the Chalcolithic and Bronze age indicating the

lacking sediments between them. Some early pottery fragments appear concentrated in a 753

754 supposed hearth structure that we consider a probable Neolithic pit. The analysis undertaken

confirms the problems that affect the stratigraphic levels that preserve these kinds of 755 evidence, particularly visible in Fortea sector E. 756

757 8) Archaeological unit C2 (subunit 11) has been identified through the evidences 758 recovered at the entrance of the cavity consisting of a set of pottery remains that share 759 characteristic "peinado" treatment attributed to the Middle Neolithic sequence in the region 760 (Pericot 1945 E-I layers 3 and 4 and 1943 E layer 1). At the moment we do not dispose of 761 any radiocarbon dates. The only remains of domestic animal (Ovis) recovered in this context 762 (1945 E1 layer 4) failed in the results due to the low level of collagen preserved.

763 9) Finally, Archaeological unit D (subunit 10) refers the last prehistoric episodes at the 764 cave that show the unique domestic evidence dated (sheep and cattle). Despite the problems 765 affecting the integrity of the stratigraphy, radiocarbon dates and cultural material support 766 their assignment to the Late Neolithic, Chalcolithic and Bronze Age periods

767 (UCIAMS174145: 4425±25; UCIAMS: 3725±20; UCIAMS-174144: 3590±20)

768 The upper subunits (from 9 to 1) complete a sequence with important diachronic 10)hiatuses. Some evidences of cultural material allows attribution of occupational episodes to 769

770 the Iberian Culture (Iron Age), Medieval and Modern times and, finally, contemporary activities (Beta453589: 180±30). 771

772 773

Concluding remarks 7.

774 The socioecological dynamics of the last hunter-gatherers have revealed adaptative 775 evolutionary behaviors that show interesting patterns of resilience. Triggered by the changing 776 environmental conditions, the last Western Mediterranean foragers exhibit driving forces that 777 can be mainly appreciated by shifts in the landuse strategies and consequently in social 778 networks. This reorganization has been demonstrated by the rise of the open-air sites 779 involving the exploitation of aquatic resources from inner lacustrine areas and coastal areas, 780 and through the increasing evidences of burial practices. The demographic changes also took 781 place showing a visible and regionally diverse rise, according with several diagnostic proxies 782 (García-Puchol et al., 2017, Fernández López de Pablo et al., 2019). These major shifts began around 10.200 cal BP linked to the Notches and Denticulated technocomplexes recognized 783 784 from that moment in coastal and interior areas at the Mediterranean region and far away (Aura et al., 2011; Perrin et al., 2022). From the first half of the 9th millennium cal BP, the 785 786 irruptive appearance of Blades and Trapezes technocomplex is recognized along the 787 Mediterranean region (Marchand and Perrin, 2017). This reordering of the sequence has required a renewed interpretation in contrast with the first proposals described during the 20th 788 789 century (Alday, 2006; Utrilla and Montes, 2009; Aura et al. 2011). In this regard, Cocina provides some of the oldest radiocarbon dates for blades and trapezes technocomplexes in the 790 791 western Mediterranean, adding more questions to the debate of the cultural transmission 792 processes explaining their appearance. 793 Based on the pioneering work conducted at the cave, and applying new methodological 794 procedures, we propose a renewed interpretation of Cueva de la Cocina sequence. The

795 obtained results have exceeded the initial expectations regarding intrasite dynamics and

796 regional evolutionary perspectives. Concerning the first issue, we have presented a more

797 refined view the chronocultural units as a result of a better understanding of natural and

798 anthropogenic agents that affected the formation processes of the palimpsests that usually

form archaeological deposits. The richness of the archaeological record of the cave provides 799

800 new insight into economic behaviors, technological knowledge, and social practices,

- 801 including burial remains. These last spheres allow us to hypothesize about the remarkable
- role of Cocina as a microregional social network hub, at least affecting the last Mesolithic
- 803 phases (Subphase B1 and B2). From that moment, ancient and recent disruptive processes
- have contributed to remove and largely dismantle the upper prehistoric and historic deposits.
 Consequently, and considering our current data, it is not possible to identify and characterize
- a "transitional phase" in Cocina, as was initially defined. Current radiocarbon dates indicate a
- solve a transitional phase in Coefficia, as was initially defined. Current radiocarbon dates indicate 807 short time between these occupational events. In parallel, the extended last Mesolithic
- 808 occupations demonstrate the interaction processes that would act at regional level as the "dual
- 809 model" had described. The artistic Holocene sequence, and its associated evidence for
- painting evidences, recognized on the Southern wall of the cavity, will in time be object of a
- 811 specific discussion (work in progress). In this respect we can say in advance that this issue
- will be approached considering current evidence and postdepositional processes affecting the
- accumulation sequence described. Unquestionably, we have confirmed that the engraved
 plaquette graphic expression is associated with the last Mesolithic episodes (López Montalvo
- 814 praquette grap 815 et al., 2022).
- 816 In conclusion, we would like to point to the recently published results from ancient DNA
- analysis to remark the role played by last hunter gatherer populations in the spread and
- 818 consolidation of the Neolithic way of life in the Western Mediterranean, depending on
- variable regional situations (García-Puchol et al., 2017; Olalde et al., 2015; 2019; Arzelier et
- al., 2022; Perrin and Manen, 2021). The Mesolithic sequence of Cueva de la Cocina offers
- remarkable evidence of the richness of the last foragers regarding social practices and landuse
- dynamics. Although the data from Cocina does not permit to describe a proper acculturation
- 823 context, the evidence, particularly temporality, would point to the participation of the last
- 824 Mesolithic groups in the advance and consolidation of the Neolithic from coastal pioneers
- bearing the new economic practices and social challenges.
- 827 Author contributions
- 828
- 829 Oreto García-Puchol: Conceptualitzation, writing original draft, investigation, formal
 830 analysis, methodology, funding adquisition, data analysis (lithics), project administration,
 831 visualization.
- 832 Sarah B. McClure: Writing review & editing, investigation, formal analysis, funding
- adquisition, project administration, data analysis (faunal remains and human remains,isotopes).
- **Joaquim Juan-Cabanilles:** Writing review & editing, investigation, funding adquisition,
- 836 data analysis and curation (lithics).
- 837 Alfredo cortell-Nicolau: Writing review & editing, investigation, formal analysis, data
- 838 curation (lithics), visualization.
- 839 Agustín Diez-Castillo: Writing review & editing, investigation, data analysis (spatial
- analysis), databases design and maintenance, formal analysis, research team, visualization.
- 841 Josep Lluís Pascual-Benito: Investigation, data analysis and curation (marine and terrestrial
- 842 mollusk, bone industry, Personal ornaments), research team.
- 843 Salvador Pardo-Gordó: Investigation, spatial analysis, research team.
- 844 Gianni Gallello: Investigation, sedimentary analysis, funding adquisition, research team.
- 845 Mirco Ramacciotti Investigation, data analysis (chert raw materials)
- 846 Lluís Molina-Balaguer: Investigation, data analysis (pottery), research team.
- 847 Esther López-Montalvo: Writing review & editing, Investigation, data analysis
- 848 (plaquettes), research team.
- **Joan Bernabeu-Aubán**: Investigation, data analysis (pottery), funding adquisition, research
- 850 team.

851 Martina Basile: Investigation, data analysis (plaquettes), research team.

- 852 Cristina Real-Margalef: Investigation, data analysis (faunal remains).
- **Alfred Sanchís-Serra**: Investigation, data analysis and curation (faunal remains).
- 854 Ángela Pérez-Fernández: Investigation, data analysis (human remains).
- 855 Teresa Orozco-Kölher: Investigation, data analysis (polished stone tools), research team.
- 856 Yolanda Carrión-Marco: Investigation, data analysis (charcoal analysis).
- 857 Guillem Pérez-Jordà: Investigation, data analysis (seeds and fruits analysis).
- 858 María Barrera-Cruz: Investigation, data analysis (lithics), research team.
- 859 **Pilar Escribá-Ruiz**: Investigation, data analysis (pottery), research team.
- 860 Joaquín Jiménez-Puerto: Investigation, data analysis (pottery), research team.
- 861

862 Data availability 863

All data discussed are presented in the manuscript or in the Supplementary files.

866 Declaration of competing interest

867

865

The authors declare that they no known competing financial interests or personal

relationships that could have appeared to influence the work reported in this paper.

870871 Acknowledgements

872

The authors acknowledge the Spanish Ministry of Science and Innovation for funding the
projects HAR2015-68962: (EVOLPAST), PGC2018-096943-B-C21: (CHRONOEVOL)
MCIN/AEI/10.13039/501100011033 ERDF A way of making Europe, and the project

- PID2021-127731NB-C21 (EVOLMED), MCIN/AI/10.13039/501100011033 ERDF A way
- of making Europe, the PID2021-127141NA-I00 (MESORIGEN),
- 878 MCIN/AI/10.13039/501100011033 ERDF A way of making Europe and the Ministry of
- 879 Education, Culture and Sport of the Valencian Government for funding the project NeoNetS
- 880 "A Social Network Approach to Understanding the Evolutionary Dynamics of Neolithic
- 881 Societies (C. 7600-4000 cal. BP)" (Prometeo/2021/007). ACN is supported by the European
- 882 Comission H2020-MSCA_IF-2020 Grant n° 101020631. Gianni Gallello acknowledges the
- financial support of the Beatriz Galindo Fellowship (2018) funded by the Spanish Ministry of
- 884 Science and Innovation and Ministry of Universities (Project BEAGAL18/00110
- 885 "Development of analytical methods applied to archaeology"). Mirco Ramacciotti
- acknowledges the financial support of the Margarita Salas Fellowship (MS21-176) funded by
 the Ministry of Universities of Spain. SPG es beneficiario del programa Ramón y Cajal
- the Ministry of Universities of Spain. SPG es beneficiario del programa Ramón y Cajal
 (ayuda RYC2021-033700-I) financiada por MCIN/AEI/10.13013/501100011033 y por la
- (ayuda K I C2021-055700-1) IllianClada por MCIN/AEI/10.15015/301
 Unión Europea NextGenerationEU/PRTR
- 889 Unión Europea NextGenerationEU/PRTR.
- 890
- 891 Funding
- 892
- 893 This work was supported by the Spanish Ministry of Science and Innovation [PGC2018-
- 894 096943-B-C21 and PID2021-127731NB-C21], and the Ministry of Education, Culture and
- 895 Sport of the Valencian Government [Prometeo/2021/007]. The Universitat de València
- 896 (Spain); University of California, Santa Barbara (USA); and the Prehistory Museum of
- 897 Valencia (Spain).
- 898
- 899 **References**
- 900

- Alday, A. (Coord.), 2006. El mesolítico de muescas y denticulados en la cuenca del Ebro y el
 litoral mediterráneo peninsular. Memoria de Yacimientos Alaveses, vol. 11, Diputación Foral
 de Álava, Vitoria.
- 903 (904
- 905 Arzelier, A., Rivollat, M., De Belvalet, H., Pemonge, M.H., Binder, D., Convertini, F.,
- Duday, H., Gandelin, M., Guilaine, J., Haak, W., Deguilloux, M.F., Pruvost, M., 2022.
- 907 Neolithic genomic data from southern France showcase intensified interactions with hunter-
- gatherer communities. iScience 25, 105387. https://doi.org/10.1016/j.isci.
- 909 2022.105387
- 910
- 911 Aura Tortosa, J.E., Jordà Pardo, J.F., Montes, L., Utrilla, P., 2011.
- 912 Human responses to younger Dryas in the Ebro valley and mediterranean watershed (eastern
- 913 Spain). Quaternary International, 242 (2), 348–359.914
- 915 Armero, C., García-Donato, G., Jiménez-Puerto, J., Pardo-Gordó, S., Bernabeu, J., 2021.
- 916 Bayesian classification for dating archaeological sites via projectile points
- 917 SORT Stat. Oper. Res. Trans., 45, 33–45, <u>10.2436/20.8080.02.108</u>
- Bernabeu, J., 1997. Indigenism and migrationism. The neolithisation of the Iberian Peninsula.
 Porocilo, 24, 1–18.
- 921

918

- Bronk Ramsey, C., 2009. Bayesian analysis of radiocarbon dates. Radiocarbon 51, 337–360.
- 924 Bronk Ramsey, C., 2020. OxCal 4.4. 2. 2020.
- Brown, T.A., Nelson, D.E., Vogel, J.S., Southon, J.R., 1988. Improved collagen extraction by
 modified Longin method. Radiocarbon 30, 171–177.
- 928
- 929 Cruz Berrocal, M., Vicent, J., 2007. Rock art as an archaeological and social indicator: the
 930 neolithization of the Iberian Peninsula. Journal of Anthropological Archaeology, 26, 676–
 931 697.
- 932

937

- Diez-Castillo, A., Cortell-Nicolau, A., García-Puchol, O., Escribá-Ruiz, P., 2017. Entorno 3D
 para el análisis y la recreación virtual de las actuaciones arqueológicas en Cueva de la Cocina
 (Dos Aguas, Valencia), Virtual Archaeology Review 8, 75–83.
- 936 DOI: https://doi.org/10.4995/var.2017.7028
- Fortea, J., 1971. La Cueva de la Cocina. Ensayo de cronología del Epipaleolítico (Facies
 Geométricas). Servicio de Investigación Prehistórica (TV SIP, 40), Valencia.
- 940
 941 Fortea, J., 1973. Los complejos microlaminares y geométricos del Epipaleolítico mediterráneo
 942 español. Universidad de Salamanca, Salamanca.
- 943
- 944 Fortea, J., Martí, B., 1984-85. Consideraciones sobre los inicios del Neolítico en el
 945 Mediterráneo español. Zephyrus XXXVII-XXXVIII, 167–199.
 946
- 947 Fortea, J., Martí, B., Fumanal, P., Dupré, M., Pérez Ripoll, M., 1987. Epipaleolítico y
 948 neolitización en la zona oriental de la Península Ibérica, in: Guilaine, J., et al. (Dirs.), Premières
 949 communautés paysannes en Méditerranée occidentale. CNRS, Paris, 607–619.
- 950

951 Fumanal García, M.P., 1978. Estudio sedimentológico de la Cueva de la Cocina, Dos Aguas 952 (Valencia). Saitabi: revista de la Facultat de Geografia i Història, 28, 161-180. 953 954 Fumanal García, M.P., 1986. Sedimentología y clima en el país valenciano: las cuevas 955 habitadas en el cuaternario reciente, Trabajos Varios del SIP, 83, Diputación de Valencia, Valencia. 956 957 958 García-Puchol, O., McClure, S.B., Juan-Cabanilles, J., Diez, A., Bernabeu, J., Martí, B., 959 Pardo-Gordó, S., Pascual-Benito, J.L., Pérez-Ripoll, M., Molina, L., 2018a. Cocina cave 960 revisited: Bayesian radiocarbon chronology for the last hunter-gatherers and first farmers in 961 Eastern Iberia. Quaternary International 472, 259-271. 962 963 García-Puchol, O., Pardo-Gordó, S., Diez-Castillo, A., Cortell-Nicolau, A., Juan-Cabanilles, J., McClure, S., Ramacciotti, M., 2018b. Actuación arqueológica en los depósitos mesolíticos 964 de Cueva de la Cocina (Dos Aguas, Valencia): Valoración preliminar. Saguntum (PLAV) 50, 965 249-254. DOI:10.7203/SAGVNTVM.50.13273 966 967 968 García-Puchol, O., Molina-Balaguer, Ll., García-Robles, R., 2004. El arte Levantino y el 969 proceso de Neolitización en el arco mediterráneo peninsular: el contexto arqueológico y su 970 significado. Archivo de Prehistoria Levantina XXV, 61-90. 971 972 García-Puchol, O., Diez-Castillo, A., Pardo-Gordó, S., 2017. Timing the Western 973 Mediterranean Last Hunter-Gatherers and First Farmers. In O. García-Puchol & D. Salazar-974 García, (eds): Times of Neolithic Transition along the Western Mediterranean, Springer, 69-975 99. 976 977 Gallello, G., Ramacciotti, M., García-Puchol, O., Chenery, S., Cortell-Nicolau, A., Cervera, M.L., Diez-Castillo, A., Pastor, A., McClure, S.B., 2021. Analysis of stratigraphical sequences 978 979 at Cocina Cave (Spain) using rare earth elements geochemistry. Boreas 50, 1190-1208. 980 Juan-Cabanilles, J., 1985. El complejo epipaleolítico geométrico (facies Cocina) y sus 981 relaciones con el Neolítico antiguo. Saguntum-PLAV 19, 9-30. 982 983 Juan-Cabanilles, J., García-Puchol, O., 2013. Rupture et continuité dans la néolithisation du 984 versant méditerranéen de la péninsule Ibérique: mise à l'épreuve du modèle de dualité 985 culturelle, in: Jaubert, J., et al. (Dirs.), Transitions, ruptures et continuité en Préhistoire. Vol. 986 1. XXVIIe CPF (Bordeaux-Les Eyzies, 2010). Société Préhistorique Française, Paris, 405-417. 987 988 Kennett, D.J., Plog, S., George, R.J., Culleton, B.J., Watson, A.S., Skoglund, P., Rohland, N., 989 Mallick, S., Stewardson, K., Kistler, L., 2017. Archaeogenomic evidence reveals prehistoric 990 matrilineal dynasty. Nature Communications 8, 14115. 991 992 Fernández-López de Pablo, J., Gutiérrez Roig, M., Gómez Puche, M., McLaughlin, R., Silva, 993 F., Lozano, S., 2019. Palaeodemographic modelling supports a population bottleneck during 994 the Pleistocene-Holocene transition in Iberia. Nature Communications 10, 1–13. 995 996 Longin, R., 1971. New method of collagen extraction for radiocarbon dating. Nature 230, 997 241. 998 999 López-Montalvo, E., García-Puchol, O., Juan-Cabanilles, J., McClure, S.B., Pascual Benito, 1000 J.Ll., 2022. Mesolithic codes through the lineal engraved plaquettes recovered at Cueva de la

1001 Cocina (Dos Aguas, Valencia, Spain). Tagungen des Landesmuseums Für Vorgeschichte 1002 Halle, Band 26, 1–15. 1003 Marchan, G., Perrin, T., 2017. Why this revolution? Explaining the major technical shift in 1004 Southwestern Europe during the 7th millennium cal. BC. Quaternary International 428, part 1005 B, 73-85, https://doi.org/10.1016/j.quaint.2015.07.059 1006 1007 1008 Martí, B., Aura, J.E., Juan-Cabanilles, J., García-Puchol, O., Fernández-López de Pablo, J., 1009 2009. El mesolítico Geométrico de tipo "Cocina" en el País Valenciano, in: Utrilla, P., 1010 Montes, L. (Eds.), El mesolítico Geométrico en la Península Ibérica. Universidad de 1011 Zaragoza, Zaragoza, 205–259. 1012 1013 McClure, S.B., García-Puchol, O., Culleton, B.J., 2010. AMS dating of human bone from 1014 Cova de la Pastora: new evidence of ritual continuity in the prehistory of eastern Spain. 1015 Radiocarbon 52, 25–32. 1016 1017 McClure, S.B., Molina-Balaguer, Ll., Bernabeu-Aubán, J., 2008. Neolithic rock art in context: Landscape history and the transition to agriculture in Mediterranean Spain. Journal 1018 of Anthropological Archaoelogy, 27 (3), 326–337. https://doi.org/10.1016/j.jaa.2008.05.001 1019 1020 1021 McClure, S.B., Zavodny, E., Novak, M., Balen, J., Potrebica, H., Janković, I., Kennett, D.J., 1022 2020. Paleodiet and health in a mass burial population: The stable carbon and nitrogen 1023 isotopes from Potočani, a 6,200-year-old massacre site in Croatia. International Journal of 1024 Osteoarchaeology 30, 507–518. 1025 1026 Olalde, I., Schroeder, H., Sandoval, M., Vinner, L., Lobón, I., Ramirez, O., et al., 2015. A common genetic origin for early farmers from Mediterranean Cardial and Central European 1027 1028 LBK cultures. Molecular Biology and Evolution 32 (12), 3132–42. 1029 1030 Olalde, I., Mallick, S., Patterson, N., Rohland, N., Villalba, V., Silva, M., et al., 2019. The 1031 genomic history of the Iberian Peninsula over the past 8000 years. Science 363 (6432), 1230-1032 34. 1033 Pardo-Gordó, S., García-Puchol, O., Diez-Castillo, A., McClure, S.B., Juan-Cabanilles, J., 1034 1035 Pérez-Ripoll, M., Molina, L., Bernabeu, J., Pascual-Benito, J.L., Kennett, D.J., Cortell-Nicolau, A., Tsantef, N., Basile, M., 2018. Taphonomic processes inconsistent with 1036 indigenous Mesolithic acculturation during the transition to the Neolithic in the Western 1037 1038 Mediterranean. Quaternary International 483, 136–147. 1039 1040 Pardo-Gordó, S., Bernabeu-Aubán, J., Jiménez-Puerto, J., Armero, C., García-Donato, G., 2022. The chronology of archaeological assemblages based on an automatic Bayesian 1041 procedure: Eastern Iberia as study case. Journal of Archaeological Science, 139, 105555 1042 1043 1044 Pericot, L., 1942. La Cova del Parpalló (Gandía, Valencia). Publicaciones CSIC. Instituto 1045 Diego Velazquez, Madrid. 1046 1047 Perrin, T., Dachy, T., López-Montalvo, E., Manen, C., Marchand, G., 2022. What relations 1048 between north Africa and Europe in the Early Holocene?. Revista Tabona, Universidad de La 1049 Laguna, 22, 261-281. 1050

1051 Perrin, T., Manen, C., 2021. Potential interactions between Mesolithic hunter-gatherers and 1052 Neolithic farmers in the Western Mediterranean: The geochronological data revisited. Plos One 16(3): e0246964, https://doi.org/10.1371/journal.pone.0246964 1053 1054 1055 Pericot, L., 1946. La cueva de la Cocina (Dos Aguas). Nota preliminar. Archivo de Prehistoria Levantina II (1945), 39-71. 1056 1057 1058 Reimer, P.J., Austin, W.E., Bard, E., Bayliss, A., Blackwell, P.G., Ramsey, C.B., Butzin, M., 1059 Cheng, H., Edwards, R.L., Friedrich, M., et. al., 2020. The IntCal20 Northern Hemisphere 1060 radiocarbon age calibration curve (0-55 cal kBP). Radiocarbon 62, 725-757. 1061 1062 R Core Team, 2022. A language and environment for statistical computing. R Foundation for 1063 Statistical Computing, Vienna, Austria. https://www.R-project.org/ 1064 1065 Ruiz, J.F., Royo-Lasarte, J., Royo-Guillén, J.I., Rivero, O., 2022. Filling the Void: Rock art Continuity Over the Pleistocene-Holocene Boundary in Eastern Iberia. Cambridge 1066 1067 Archaeological Journal, 32 (4), 661-687. https://doi.org/10.1017/S0959774322000105 1068 1069 Utrilla, P., Montes, L., 2009. El Mesolítico geométrico en la Península Ibérica Monografías Arqueológicas 44, Universidad de Zaragoza. 1070 1071 1072 Villaverde, V., Martínez i Rubio, T., Guillem Calatayud, P.M., Martínez Valle, R., Martínez 1073 Álvarez, J.A., 2016. Arte rupestre y hábitat en la prehistoria del Riu de les Coves: 1074 aproximación a la cronología del arte Levantino a través de la red de caminos óptimos. Del 1075 Neolític a l'edat del Bronze en el Mediterrani Occidental. Estudis en homenatge a Bernat 1076 Martí Oliver. Trabajos varios del SIP, 119, 501-520. 1077 1078 Zavodny, E., McClure, S.B., Culleton, B.J., Podrug, E., Kennett, D.J., 2014. Neolithic animal 1079 management practices and stable isotope studies in the Adriatic. Environmental Archaeology 1080 19, 184–195. 1081 1082 Figure captions 1083 1084 Figure 1. Location of Cocina cave at the eastern Mediterranean region and the main Late Geometric Mesolithic sites (maps made with in QGIS 3.16 over SCUAM 2013 map). 1085 1086 1087 Figure 2. Site map of the cavity with indication of archaeological fieldwork, a) 3D model with indication of the different seasons (red=Pericot -1941:1945), purple= Fortea -1088 1974:1981, green=2015:2018), b) same with contour lines (made by Global Geomática). 1089 1090 1091 Figure 3. Spatial volumetric reconstruction of Pericot's sectors. 1092 1093 Figure 4. General Bayesian phase model plot. The models have been built using Oxcal 4.4 1094 software (Bronk Ramsey, 2009a) and intCal20 curve (Reimer et al., 2020). 1095 Figure 5. Bayesian modelling Dates plot. The models have been built using Oxcal 4.4 1096 1097 software (Bronk Ramsey, 2009a) and intCal20 curve (Reimer et al., 2020). 1098 1099 Figure 6. Predictive probability results from Bayesian approximate approach by units of 1942 1100 and 1943 campaigns.

Figure 7. 1943 Pericot's pictures (Prehistory Museum of Valencia).
Figure 8. Current proposal of Archaeological sequence at Cueva de la Cocina. General
correlation by archaeological units and subunits considered.
Table captions
Table 1. Surface and volume data from Pericot's seasons.
Table 2. Summary of archaeological remains recovered at the Pericot's fieldwork.
Table 3. Table with the current radiocarbon dates from Cueva de la Cocina. The dates have
been calibrated using Oxcal 4.4 software (Bronk Ramsey, 2009a) and intCal20 curve (Reimer
et al., 2020).
Table 4. Data for building Bayesian chronological analysis from 1941 and 1945 E1.
Table 5. Bayesian model results.

Table 6. Modelled duration dates from general phase modelling results using Oxcal 4.4
software (Bronk Ramsey, 2009a) and intCal20 curve (Reimer et al., 2020).









GISP2 0180

m mmmmmmm	my with home my
V WWV - J	\mathbf{V}
xCal v4.4.4 Bronk Ramsey (2021); r:5 Atmospheric data from Reimer et al (2020)	
(Sequence Cocina [Amodel:84]	
Boundary Start A0 [C:97]	
Phase A0	
Prior A01941UCIAMS_147348 [A:95 C:100]	<u> </u>
R_Date UCIAMS-145197 [A:98 C:100] —	
A0 [C:100]	
Boundary Transition A0/A1 [C:100]	
Phase A1	
Prior A1_1945_Beta267440 [A:102 C:100] —	
Prior A1_1941_UCIAMS_147347 [A:101 C:100]	
A1 [C:100]	
Boundary Transition A1/A2 [C:100]	
Phase A2	
Prior A2_1941_UCIAMS_145195 [A:103 C:100]	_ <u>_</u>
Prior A2_1945_Beta267438 [A:106 C:100]	
Prior A2_1941_UCIAMS_145194 [A:105 C:100]	_ <u>_</u>
A2 [C:100]	
Boundary Transition A2/B1 [C:100]	
Phase B1	
Prior B1_1945_Beta267437 [A:91 C:100]	
R_Date Beta512548 [A:93 C:100]	
R_Date Beta599656 [A:110 C:100]	
R_Date Beta599657 [A:109 C:100]	
B1 [C:100]	
Boundary Transition B1/B2 [C:100]	
Phase B2	
Prior B2_45_Beta267436? [P:0 C:100]	
Prior B2_1941_UCIAMS_147346 [A:75 C:100]	
R_Date Beta599654 [A:75 C:100]	
R_Date Beta599655 [A:115 C:100]	
B2 [C:100]	
Boundary Transition B2/B3 [C:100]	
(Phase B3	^ *
Prior B3_1945_Beta267435 [A:64 C:100]	
R_Date Beta512549 [A:109 C:100]	
R_Date UCIAMS-174945 [A:107 C:100]	
Prior B3_1941_PSU5323 [A:94 C:100]	
B3 [C:100]	
Boundary End B3 [C:99]	
Before	~~

Modelled date (BP)





GISP2 5180





- 1. 1943. A sector, Northeastern corner.
- 2. 1943. B, C, D, sectors, North side.
- 3. 1943. E sector, Western side.

* Red dashed line: approximate limit between natural and anthropic sediments. Images from Prehistory Museum of Valencia (Spain).



	Archaeologícal ur	nits	Archaeological subunits	Description	2015-2018 excavation detail					
PERICOT	FORTEA	2015-2018 excavation			Test pit	Test pit	Test pit 3	Test pit	Test pit	Test pit
		10	Surface	Surface	S1_1	S2_1	\$3_1	S4_0	\$5_1	S6_1
			1	Contemporary hearth	St_2					
			2	Pit 1						S6_2
		Contemporary	з	Contemporary pen level		52_2			\$5_3/2	\$6_3
Sup	A, B, C, D, E		4	Pit 2				S4_1		
			5	Contemprary coal			\$3_2			S6_4
			6	Modern fill				\$4_2		
		Medieval/	7	ancient close pen				\$4_3		
		Modern	8	Base close pen fill				S4_4		
			Hiatus							
			•	Iberian level						
			Hiatus	Histurs						
	F		Flooding	Flooding						
D	G	D	10	Late Neolithic / Chalcolithic / Bronze Age			S3_3			
			Crust	Crust						
C2		C2	(11)	Middle Neolithic						
			Hiatus?							
Mixed	H layer 2	C1	12	Early Neolithic			\$3_3			
			Hiatus	Histor						
B3			13	Late Geometric Mesolithic B3						
B2	н	82	N	Late Geometric Mesolithic B2			S3_4	S4_5a		
81	H2	B1	15	Late Mesolítico Geométric B1			S3_4	S4_5b		S6_5
A2	нз	A2	18	Late Geometric Mesolithic A2		S2_3	\$3_4			
A	H4		π	Late Geometric Mesolithic A1						
AD	a i		18	Late Geometric Mesolithic A0						
Natural base					S1_3	S2_4	S3_5	84_6	S5_4	S6_6

Pericot´s Sectors	m²	m³	Max. Depth	Min. Depth
1941	9	18,45	2,50	1,60
1941 exp	1,50	3,75	2,50	2,50
1942 A	1,31	1,37	1,05	1,05
1942 B	3,15	9,18	3,37	2,46
1942 C	2,79	8,52	3,37	2,74
1942 D	5,04	10,68	2,12	2,12
1943 A	3,75	2,77	1,28	0,2
1943 B	3,75	4,36	1,28	1,05
1943 C	3,75	5,23	1,53	1,26
1943 D	3,75	5,23	1,53	1,26
1943 E	3,75	5,73	1,53*	1,53
1945 EI	3,36	15,12	4,5	4,5
1945 Ellb	9,62	4,81	0,5**	0,5
1945 Ella	5,98	20,93	3,90	3,10
тот	60,5	116,07		

Pericot's sectors	Lithics*	Pottery	Fauna	Fish	Terrestrial Molusck	Marine molusck
1941	8771	4	510	2	763	220
1941 amp	2699	0	298	-	205	-
1942RS	2796	33	638	3	600	203
1942A	519	0	14		31	8
1942B	5760	2	454	15	282	94
1942C	4805	1	381	15	459	215
1942D	4348	0	376		225	91
1943A	3646	0	240	-	397	2
1943B	8422	0	310	-	242	8
1943C	8703	0	534	-	788	-
1943D	7361	8	523	-	379	126
1943E	7223	34	351	-	149	15
1945 E1	4502	656	149	1	29	94
1945 E2	*	145	*	-	2	8
TOTAL	69555	883	4778	21	4551	1084

Plaquettes	Ornament	Bone tools		
1	07	2		
-	97	5		
2				
-				
2	152	4		
3				
9				
2				
1				
2	107	15		
2				
-				
5	50	10		
1	56	10		
30	412	32		

Trench/Layer	Sample	Species	Lab. Ref	¹⁴ C age bp	sd	Cal BP	95.4 %
Pericot 1941 Layer 3	Animal bone	Cervus elaphus**	UCIAMS-147346	6970	35	7924	7696
Pericot 1941 Layer 6	Animal bone	Cervus elaphus***	UCIAMS-145194	7300	30	8175	8027
Pericot 1941 Layer 8	Animal bone	Capra pyrenaica*	UCIAMS-145195	7475	25	8368	8195
Pericot 1941 Layer 11	Animal bone	Capra pyrenaica*	UCIAMS-147347	7415	35	8345	8061
Pericot 1941 layer 13	Animal bone	Capra pyrenaica*	UCIAMS-147348	7905	40	8981	8596
Pericot 1945 layer 6	Animal bone	Capra pyrenaica*	Beta-267435	6840	50	7780	7583
Pericot 1945 layer 8	Animal bone	Capra pyrenaica**	Beta-267436	7080	50	8010	7792
Pericot 1945 layer 10	Animal bone	Capra pyrenaica	Beta-267437	7050	50	7972	7752
Pericot 1945 layer 12	Animal bone	Capra pyrenaica*	Beta-267438	7350	40	8313	8026
Pericot 1945 layer 13	Animal bone	Capra pyrenaica**	Beta-267439	6760	40	7676	7522
Pericot 1945 layer 17	Animal bone	Capra pyrenaica*	Beta-267440	7610	40	8519	8345
2015 fieldwork Trench 3 UE1036	Charcoal	branch pinus sp	Beta- 426849	6350	30	7414	7167
Fortea, D6, level G	Animal bone	Ovis aries	UCIAMS-174145	4425	25	5269	4874
Fortea, D5, level H, layer 4	Animal bone	Ovis aries	UCIAMS-174146	3725	20	4149	3985
Fortea, B5, level H, layer 2	Animal bone	Capra pyrenaica**	UCIAMS-145198	6985	25	7929	7731
Fortea, B4, level H3, layer 5	Animal bone	Cervus elaphus**	UCIAMS-145196	7455	25	8345	8190
Fortea, B4, level H4, layer 6	Animal bone	Capra pyrenaica**	UCIAMS-145197	7710	30	8585	8416
Pericot 1943 zone E, layer 4	Animal bone	Cervus elaphus****	PSU5320	7040	20	7936	7796
Pericot 1943 zone E, layer 9	Animal bone	Capra pyrenaica*	PSU5321	7160	25	8019	7937
Pericot 1942, zone D, layer 4	Animal bone	Cervus elaphus*	PSU5608	7285	25	8171	8024
Pericot 1942, zone C, layer 8	Animal bone	Capra pyrenaica*	PSU5322	7310	25	8176	8032
Pericot 1941, layer 1	Animal bone	Capra pyrenaica****	PSU5323	6590	25	7562	7428
2018 fieldwork, trench 4 UE1424	Animal bone	Capra pyrenaica*	Beta-512548	6940	30	7843	7681
2015 fieldwork Trench 6 UE1126	Animal bone	Capra pyrenaica*	Beta-512549	6760	30	7669	7574
2015 fieldwork Trench 6 UE1147	Animal bone	Capra pyrenaica*	Beta-512550	6910	30	7830	7673
2015 fieldwork Trench 5 UE 1136	Coprolito	ovis/capra	Beta-453589	180	30	295	
2015 fieldwork Trench 3 UE1021	seed/fruit	acorn	Beta-453590	6930	30	7836	7680
2015 fieldwork Trench 2 UE 1154	Charcoal	evergreen querqus	Beta-426850	7380	30	8325	8037
Fortea A'8' layer 1, El	Animal bone	Bos taurus	UCIAMS-174144	3590	20	3971	3836
2015 fieldwork Trench 5 UE 1078	Animal bone	Capra pyrenaica****	UCIAMS-174945	6705	35	7663	7505
Pericot 1943 zona E, capa 8/9	Human bone	Human	UCIAMS-174943	7400	30	8334	8051
Pericot 1942, rincon SE layer 1	Human bone	Human	UCIAMS-174147	7375	25	8320	8036
Pericot 1941 layer 2	Human bone	Human	PSUAMS-4429	7135	25	8013	7875
2016 fieldwork trench 4 UE1223 KE2	S seed/fruit	pine cone	Beta-599654	6760	30	7669	7574
2016 fieldwork trench 4 UE1230 KE2	S seed/fruit	pine cone	Beta-599655	6880	30	7790	7623
2018 fieldwork trench 4 UE1404 KE2	S seed/fruit	pine cone	Beta-599656	6980	30	7927	7706
2018 fieldwork trench 4 UE1416 KE2	S seed/fruit	pine cone	Beta-599657	6970	30	7922	7700
2015 fieldwork trench 3 UE1020 AE7	S seed/fruit	pine cone	Beta-599658	6770	30	7671	7576
Sarrión1974	Human bone	Human	Beta-618257	7090	30	7975	7842
Sarrión1974	Human bone	Human	Beta-618258	7120	30	8012	7868

δ ¹³ C	δ ¹⁵ Ν	C:N	Reference
-19.5	4.0	3.25	García Puchol <i>et al</i> . 2018
-20.3	3.9	3.20	García Puchol et al. 2018
-20.4	4.2	3.18	García Puchol et al. 2018
-19.5	3.8	3.22	García Puchol et al. 2018
-19.0	4.5	3.24	García Puchol et al. 2018
nd	nd	nd	Juan Cabanilles & García Puchol 2013
nd	nd	nd	Juan Cabanilles & García Puchol 2013
nd	nd	nd	Juan Cabanilles & García Puchol 2013
nd	nd	nd	Juan Cabanilles & García Puchol 2013
nd	nd	nd	Juan Cabanilles & García Puchol 2013
nd	nd	nd	Juan Cabanilles & García Puchol 2013
-25.3			Pardo Gordó et al. 2018
-22.4	4.2	3.47	Pardo Gordó <i>et al</i> . 2018
-20.3	4.5	3.41	Pardo Gordó et al. 2018
-19.2	4.4	3.16	Pardo Gordó et al. 2018
-20.2	4.8	3.17	Pardo Gordó et al. 2018
-19.1	4	3.15	Pardo Gordó et al. 2018
-20.1	4.7	2.9	Unpublished
-20.2	4.3	2.9	Unpublished
-20.2	4.4	2.8	Unpublished
-20.7	3.9	3	Unpublished
-19.8	3.8	2.9	Unpublished
-19	4	3.3	Unpublished
-20.2	4	3.3	Unpublished
-19.6	4.6	3.3	Unpublished
-25.7			Unpublished
-23.3			Unpublished
-26.4			Unpublished
-20.1	7.6	3.39	Unpublished
-20.5	3.1	3.23	Unpublished
-18.1	8.6	3.3	Unpublished
-19.3	8.2	3.26	Unpublished
-18.8	9.3	3.27	Olalde et al. 2019
-27.9			Unpublished
-24.3			Unpublished
-20.7			Unpublished
-27.8			Unpublished
-21.9			Unpublished
-18.2	10.6	3.2	Unpublished
-18.8	10.8	3.3	Unpublished

Trench	1941				Units
41_1	layer 1	PSU5323*	6590	25	В3
41_2	layer 2	PSUAMS-4429	7135	25	B2
41_3	layer 3	UCIAMS-147346	6970	35	B2
41_4	layer 4				B1
41_5	layer 5				B1
41_6	layer 6	UCIAMS-145194	7300	30	A2
41_7	layer 7				A2
41_8	layer 8	UCIAMS-145195	7475	25	A2
41_9	layer 9				A1
41_10	layer 10				A1
41_11	layer 11	UCIAMS-147347	7415	35	A1
41_12	layer 12				A1
41_13	layer 13	UCIAMS-147348	7905	40	A0
Trench	1945				Units
45_1	layer 1				D
45_2	layer 2				D
45_3	layer 3				C2
45_4	layer 4				C2
45_5	layer 5				C1
45_6	layer 6	Beta-267435	6840	50	B3
45_7	layer 7				B2
45_8	layer 8	Beta-267436	7080	50	B2
45_9	layer 9				B1
45_10	layer 10	Beta-267437	7050	50	B1
45_11	layer 11				A2
45_12	layer 12	Beta-267438	7350	40	A2
45_13	layer 13	Beta-267439	6760	40	A2
45_14	layer 14				A1
45_15	layer 15				A1
45_16	layer 16				A1
45_17	layer 17	Beta-267440	7610	40	A1

Model results	Amodel
Stratigraphic model 1941 All dates	52.5
Stratigraphic model 1941 Outlier	102.2
Stratigraphic model 1945 E1 All dates	33
Stratigraphic model 1945 E1 (outlier)	93.4
Phase model all dates and priors	57.9
Phase model (outlier)	83.5

Units	From	to	%	С
A0	8850	8380	95.4	99.7
A1	8475	8230	95.4	99.9
A2	8291	7929	95.4	99.8
B1	8046	7720	95.4	99.8
B2	7781	7615	95.4	99.9
B3	7660	7465	95.4	99.9