



**HAL**  
open science

## Ventricular Fibrillation Is a Sign of Life

Nabil Dib, Raphaël Martins, Erwan Flécher

► **To cite this version:**

Nabil Dib, Raphaël Martins, Erwan Flécher. Ventricular Fibrillation Is a Sign of Life. Revista Brasileira de Cirurgia Cardiovascular, 2023, 38 (6), pp.e20210428. 10.21470/1678-9741-2021-0428 . hal-04284070

**HAL Id: hal-04284070**

**<https://hal.science/hal-04284070>**

Submitted on 29 May 2024

**HAL** is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.



Distributed under a Creative Commons Attribution 4.0 International License

# Ventricular Fibrillation Is a Sign of Life

Nabil Dib<sup>1</sup>, MD, MSc; Raphael Martins<sup>2</sup>, MD, PhD; Erwan Flécher<sup>1</sup>, MD, PhD

<sup>1</sup>Division of Thoracic, Cardiac and Vascular Surgery, Pontchaillou University Hospital, Rennes, France.

<sup>2</sup>Division of Cardiology, Pontchaillou University Hospital, Rennes, France.

This study was carried out at the University Hospital Centre, Rennes, France.

## ABSTRACT

Ventricular fibrillation (VF) is a deadly rhythm problem. With asystole, it represents one of the most extreme emergencies that may engage vital prognosis within only few minutes if appropriated treatment is not instituted. It is learned in all medical schools worldwide that VF is not compatible with consciousness and sustained life.

Moreover, at 37°C, and without restauration of cardiac flow, VF may be responsible for severe and most often irreversible brain damage after 3 minutes.


**Keywords:** Biological Phenomena. Cardiovascular Diseases. Physiological Phenomena. Ventricular Fibrillation.

## Abbreviations, Acronyms & Symbols

VF = Ventricular fibrillation

Herein we report an exceptional case of a patient who presented with authentic ventricular fibrillation (VF) for many hours and who remained perfectly conscious and walking into our hospital<sup>[1-3]</sup>.

A 57-year-old male with previous Hodgkin's lymphoma had complications related to radiotherapy. Radiotherapy-induced coronary lesions were clinically treated, and severe aortic stenosis justified transcatheter aortic valve implantation. The latter required a pacemaker implantation due to a high-degree atrioventricular block. After temporary clinical improvement, refractory heart failure occurred. Heart transplantation was not indicated and a left ventricular assist device (Jarvik® Heart Inc., NY) (Figure 1) was implanted in destination therapy. Three years later, the patient was hospitalized for asthenia and anemia. On admission, VF was discovered although the patient was alert and ambulatory (Video).



**Fig. 1** - Jarvik® 2000 before implantation.

Correspondence Address:

**Nabil Dib**


 <https://orcid.org/0000-0003-4257-6991>

2 rue Henri le Guilloux, Rennes, France

Zip code: 35000

E-mail: [nabil.dib@anemf.org](mailto:nabil.dib@anemf.org)

Article received on August 17<sup>th</sup>, 2021.  
Article accepted on September 23<sup>rd</sup>, 2021.



**Video** – Evidence of ventricular fibrillation in a male speaking patient.  
 Link: <https://s3.sa-east-1.amazonaws.com/publisher.gn1.com.br/bjcv.org/videos/e20210428.mp4>

The pacemaker examination revealed 36 hours of continued VF. An electric shock restored sinus rhythm and a defibrillator was implanted in place of the pacemaker. Clinical condition of the patient dramatically improved, and he was promptly discharged. He died from septic shock 3 months later.

**No financial support.**  
**No conflict of interest.**

#### Authors' Roles & Responsibilities

- ND Substantial contributions to the conception or design of the work; or the acquisition, analysis, or interpretation of data for the work; drafting the work or revising it critically for important intellectual content; final approval of the version to be published
- RM Substantial contributions to the conception or design of the work; or the acquisition, analysis, or interpretation of data for the work; drafting the work or revising it critically for important intellectual content; final approval of the version to be published
- EF Substantial contributions to the conception or design of the work; or the acquisition, analysis, or interpretation of data for the work; drafting the work or revising it critically for important intellectual content; final approval of the version to be published

#### REFERENCES

1. Mathey J, Binet JP, Vernant P, Chateaufreynaud J, Oustrieres G. Guérison d'un cas authentique de fibrillation ventriculaire. Mem Acad Chir (Paris). 1954;80(19-20):523-9. French.
2. Soffer J, Dreifus LS, Michelson EL. Polymorphous ventricular tachycardia associated with normal and long Q-T intervals. Am J Cardiol. 1982;49(8):2021-9. doi: 10.1016/0002-9149(82)90224-7.
3. Brochier M, Fauchier JP. Torsades de pointe et rentrées provoquées par les antiarythmiques. Arch Mal Coeur Vaiss. 1978;71(4):477-88. French.



This is an open-access article distributed under the terms of the Creative Commons Attribution License.