

Dual Regulation of Graphene Oxide Membrane by Crosslinker and Hydrophilic Promoter for Dye Separation

Ge Yang, Mengling Sun, Chunzheng Wang, Yanpeng Li, Yongming Chai, Hailing Guo, Svetlana Mintova

▶ To cite this version:

Ge Yang, Mengling Sun, Chunzheng Wang, Yanpeng Li, Yongming Chai, et al.. Dual Regulation of Graphene Oxide Membrane by Crosslinker and Hydrophilic Promoter for Dye Separation. Microporous and Mesoporous Materials, 2023, 360, pp.112718. 10.1016/j.micromeso.2023.112718. hal-04285824

HAL Id: hal-04285824 https://hal.science/hal-04285824

Submitted on 14 Nov 2023 $\,$

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers. L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.

1 Dual Regulation of Graphene Oxide Membrane by Crosslinker and

2

Hydrophilic Promoter for Dye Separation

- Ge Yang¹, Mengling Sun¹, Chunzheng Wang¹, Yanpeng Li², Yongming Chai¹, Hailing
 Guo^{1,*}, Svetlana Mintova^{1,3}
- ¹ State Key Laboratory of Heavy Oil Processing, College of Chemistry and Chemical Engineering,

6 China University of Petroleum (East China) Qingdao 266555 (P.R. China).

7 ² Advanced Chemical Engineering and Energy Materials Research Center, China University of

8 Petroleum (East China) Qingdao 266555 (P.R. China).

³ Laboratoire Catalyse et Spectrochimie (LCS), ENSICAEN, UNICAEN, CNRS, Normandie

10 Université, 6 boulevard du Marechal Juin, 14050 Caen (France).

- 11 * Corresponding authors.
- 12 Email addresses: guohl@upc.edu.cn (Hailing. Guo)

13 Abstract

14 Graphene oxide (GO)-based membranes have shown considerable promise in the 15 field of water treatment. However, the structural swelling of GO membranes in water 16 has hindered their further development. A single regulatory approach seems difficult 17 to simultaneously improve permeability, selectivity, and stability. In this study, we present a dual regulation strategy for GO membranes employing the 18 19 1,4-Diaminobutane crosslinker to prevent swelling and maintain an interlayer spacing of 1.34 nm, resulting in effective dye rejection, and employing the hydrophilic 20 21 EMT-type zeolite promoter to improve the membrane's water permeability. The obtained NH₂-GO/10EMT composite membrane exhibited enhanced pure water flux 22 (from 9.0 to 20.8 $L/m^2 \cdot h \cdot bar$) and anionic dye rejection (from 87.2% to 97.6%) with 23 promising structure stability (at least 20 h), while greatly improving the membrane's 24 25 fouling resistance (the water recovery ratio increased from 46.5% to 86.2%). Our 26 findings provide a straightforward and efficient approach to the development of high-performance GO membranes for selective water separation. 27

28 Keywords

29 Zeolite; Graphene oxide membrane; Hydrophilicity; Dye rejection; Anti-fouling

1 **1 Introduction**

The global freshwater resources crisis is being exacerbated by several factors, 2 3 including population growth, climate change, groundwater depletion, and 4 environmental pollution[1,2]. Membrane separation technology offers the advantages 5 of high separation efficiency, facile operation, low energy consumption, and large 6 water treatment capacity in wastewater treatment[3,4]. However, low fouling 7 resistance is a significant issue faced by the mature polymer membranes used in 8 wastewater treatment [5-7]. The inherent hydrophobicity possessed by polymer 9 membranes renders them more prone to the adsorption of foulants[7]. Graphene oxide 10 (GO) membranes with better hydrophilicity and surface roughness have the potential 11 to be effective alternatives, due to their excellent permeability and sieving properties, 12 especially the high membrane-forming ability[8-10]. Furthermore, the hydrophilicity of GO membranes confers advantageous anti-fouling performance, as the hydrophilic 13 14 surface can inhibit the non-specific adsorption of pollutants such as proteins[7]. Yet, 15 one of the primary drawbacks to using GO membranes in wastewater treatment is structural swelling. The edges of GO nanosheets are rich in active groups, which are 16 17 readily hydrated, resulting in the interlayer channels expanding until the structure dissolves[11,12]. 18

Numerous approaches have been employed to address the limitations of GO membranes, including chemical reduction[13-15], nanoparticle intercalation[16,17], and covalent cross-linking[18-20], to create stable GO membranes. However, the chemical reduction of GO membranes typically results in a decrease in *d*-spacing and

a sharp decline in total flux. The incorporation of nanoparticles via non-covalent 1 bonding requires strong interactions (e.g. electrostatic interactions, hydrogen bonding 2 3 interactions, coordination interactions, π - π interactions) between GO nanosheets and nanoparticles, which can be adversely affected by the working conditions of the 4 5 membranes, such as polarity, and pH level[21]. Moreover, although the support effect 6 of nanoparticles can improve the membrane's water flux, their insertion will disrupt 7 the ordered stacking of GO nanosheets due to mismatched interlayer spacing and inorganic particle size. Alternatively, covalent crosslinkers can form strong bonds 8 9 with GO nanosheets to build stable membranes, and the interlayer spacing can be 10 adjusted by altering the molecular size of the crosslinkers[22,23]. However, the molecular size of the crosslinkers can impact the membranes' performance. 11 12 Small-sized crosslinkers (e.g. ethylenediamine, urea, etc.) narrow the interlayer spacing and occupy channels, leading to low flux (usually below 5 $L/m^2 \cdot h \cdot bar$) [24,25]. 13 While polymer crosslinkers (e.g. polydopamine, polyallylamine, etc.) cannot support 14 interlayer channels with uniform d-spacing, thus affecting the membranes' 15 size-sieving ability [21,26]. From the above research results, it can be seen that a 16 17 single regulatory approach cannot simultaneously improve permeability, selectivity, and stability. 18

19 The concurrent implementation of both approaches, the "dual-regulation 20 strategy", could be a viable option for enhancing structural stability and optimizing 21 water treatment performance for GO membranes. For example, the researchers used 22 nanoparticles as intercalating materials and polymer crosslinkers matching the

1	nanoparticles' size to ensure GO membrane structure stability. Table 1 summarizes
2	several dual-regulated GO membranes. The large size particles (>100 nm) destroyed
3	the ordered stacking of GO membranes. Although polymer crosslinkers could
4	improve the stability of the GO membranes, they did not contribute to the
5	construction of uniform interlayer channels. Thus, these dual-regulated GO
6	membranes exhibited a low rejection of anionic dyes that require size-sieving property.
7	However, the membranes demonstrated higher rejection for cationic dyes due to the
8	adsorption of negatively charged GO membranes. Another case is that the structure of
9	GO membrane is optimized by the synergetic coupling of ultra-small size
10	nanoparticles and small-size crosslinkers. Kang's study made use of β -CD and
11	monomer crosslinkers (TMC) in fabricating membranes with high selectivity for both
12	anionic and cationic dyes[27]. Hence, effectively pairing intercalating materials and
13	covalent crosslinkers based on their size and properties is a crucial aspect of executing
14	the dual regulation strategy.

Table 1 Previous work about dual-regulated GO membranes

Table 1 Previous work about dual-regulated GO membranes					
Membrane	Nanoparticle (size)	Crosslinker	Rejection of anionic dyes	Rejection of cationic dyes	Ref.
PDA/RGO /HKUST-1	HKUST-1 (ND)	PDA	CR 79.6%	MB 88.6%	[28]
PDA/RGO/UiO-66	UiO-66 (>200 nm)	PDA	CR 87.4%	MB 99.5%	[26]
PDA/RGO/MOFs& SiO2-COOH	MOFs&SiO ₂ -CO OH (900 nm)	PDA	ND	MB 99.4% MG 99%	[29]

PDA/RGO/HNTs	HNTs (~150 nm)	PDA	CR 99%	MB 99%	[30]
CNT/GO	CNT (15 nm)	MXDA	CR 98.7%	MB 94.1%	[31]
Ca/GO-SAx	Ca ²⁺	sodium alginate	CR 98.8%	MB 99.8%	[32]
GO/β-CD/TMC	β-CD (0.6 nm)	ТМС	CR 99%	MB 99%	[27]

Note: PDA-polydopamine; TMC-trimesoyl chloride; MXDA-Meta-xylylenediamine; EDA ethylenediamine

3 The use of zeolite materials in water treatment applications has gained attention due to their notable mechanical, thermal, and chemical stability are attractive for 4 water treatment applications [33,34]. By adjusting the crystal morphology and the 5 Si/Al ratio of the framework, hydrophilic zeolite nanocrystals can be synthesized, 6 7 which can be employed as intercalated particles of GO membranes. EMT-type zeolite 8 possesses hexagonal unit cells. In 2012, Mintova's group successfully synthesized EMT-type zeolite nanosheets with diameters below 20 nm and thicknesses below 10 9 10 nm without organic template[35]. These EMT-type zeolite nanosheets with a Si/Al ratio of only 1.14 exhibit strong hydrophilicity and hold promise as intercalation 11 materials for GO membranes. 12

Here, we present a GO composite membrane that utilizes EMT-type zeolite nanosheets as a hydrophilic promoter and 1,4-Diaminobutane as a cross-linking agent (Scheme 1). The EMT-type nanosheets with a thickness of 6-7 nm, created hydrophilic regions within the GO membranes without disrupting the GO membranes' structure, allowing for an enhancement in water flux. On the other hand, 1,4-Diaminobutane contributed to the stabilization of the GO interlayer channels with
big interlayer spacing (commonly termed as *d*-spacing) and confined EMT to the edge
space of GO nanosheets by interlocking. The obtained composite GO/EMT
membranes demonstrated enhanced hydrophilicity, and ordered interlayer channels,
resulting in elevated water flux and superior rejection of anionic dyes, coupled with
good anti-fouling performance.



8 Scheme 1 Schematic diagram of the dual regulation strategy of EMT and 1,4-Diaminobutane on
 9 GO membranes

- 10 2 Materials and methods
- 11 2.1 Materials

7

The support Nylon membrane with a pore size of 0.2 μm was obtained from Whatman TM. Graphene oxide (thickness: 0.8-1.2 nm) was bought from XFNANO. Sodium aluminate (technical), hydrochloric acid (37 %), methyl orange dye (MO, 96%), congo red dye (CR, >98.0%), and reactive black 5 (RB, ≥50 %) were purchased from Aladdin Reagent Co. Ltd. Sodium silicate solution (Na₂O 10.6%, SiO₂ 26.5%) was obtained from Sigma-Aldrich. The crosslinker, 1,4-Diaminobutane (98%), was bought from Macklin. Sodium hydroxide (AR) was obtained from
 Sinopharm Chemical Reagent Co., Ltd. All the reagents were used in the experiments
 without any further purification.

4

2.2 Synthesis of EMT-type zeolite nanosheet

5 EMT-type zeolite nanosheet was synthesized based on our previous work[35]. 6 2.95 g NaOH and 14.70 g Na₂SiO₃ were added into 20.00 g deionized water to get the 7 Si source. 11.52 g NaOH and 2.05 g NaAlO₂ were mixed with 25.00 g deionized 8 water to obtain the Al source. The Al source was dropped into the Si source in an ice 9 water bath to get the final synthetic solution with a molar ratio of 16.45 Na₂O: 1.0 10 Al₂O₃: 5.15 SiO₂: 240 H₂O. After aging for 30 min, the synthetic solution was hydrothermally crystallized at 35 °C for 24h. Finally, the treated solution was washed 11 12 by centrifuged (12000 rpm, 30 min) until pH=7. The EMT-type zeolite nanosheets were obtained after freeze-drying for 36 h and was named EMT. 13

14 **2.3 Preparation of NH₂-GO/EMT composite membranes**

15 The preparation procedure is shown in Scheme 2. Firstly, 0.15 mg/mL GO 16 solution was prepared by ultrasound dispersing GO powder in deionized water. 17 NH₂-GO was obtained by adding 1.50 mL 1,4-Diaminobutane into 20 mL GO solution under stirring (600 rpm) and heating at 80 °C for 1.5 h. A certain amount (0 18 mg, 10 mg, and 20 mg) of EMT nanosheets was ultrasonically dispersed in deionized 19 20 water (20 mL) for 1 h. Then, EMT was mixed with NH2-GO evenly and the NH2-GO/EMT composite membrane was obtained by vacuum filtration, named 21 22 NH₂-GO/0EMT, NH₂-GO/10EMT, NH₂-GO/20EMT, respectively.



Scheme 2 Preparation of NH2-GO/EMT composite membranes

3 2.4 Characterizations

4 The structures of EMT nanosheet and NH2-GO/EMT composite membranes were measured by XRD (Bruker D8 Advance). The interlayer spacing (d) of 5 membrane was calculated based on the Bragg equation: $2d\sin\theta = n\lambda$ (θ is the diffraction 6 7 angle of membrane in XRD pattern, n stands for diffraction series 1, λ represents the 0.154056 nm wavelength of the Cu beam of XRD). The morphology of EMT 8 nanosheet was observed by SEM (JEOL 7900F) and STEM (FEI Talos F200X 9 10 200kV). The surface and cross-sectional morphologies of NH₂-GO/EMT composite membranes were tested by SEM (JEOL 7900F) with EDS (Oxford Instruments 11 12 X-MaxN). The membranes' surface properties were characterized with AMF (SHIMADZU, SMP-9700) and drop shape analyzer (KRUSS, DSA100). X-ray 13 photoelectron spectroscopy of membranes was conducted on a ThermoFischer 14 ESCALAB 250Xi X-ray Photoelectron Spectroscope with an Al K_a radiation source. 15 16 The swelling degree (SD) was used to describe the structural stability of the 17 membrane in solution, which was based on Jia's work[36] and was analyzed by the gravimetric method. Generally, the low SD means that the membrane has more stable 18 19 structure. The membranes were weighed before (W_d) and after (W_w) soaking in 1 deionized water, and SD was calculated as $SD=(W_w-W_d)/Wd\times 100\%$.

2

2.5 Water flux and dye rejection performance

3 The water flux and dye rejection performance of the GO membrane and all crosslinked NH₂-GO/EMT membranes were studied using a dead-end unit (with a 4 3.14 cm² effective area) at 2 bar and 25 °C. For each sample, 20 mL of the pure water 5 or dye feed solutions with a concentration of 10 mg/L was used. The dye solutions 6 7 include methyl orange dye (MO) with a molecular size of 1.13 nm×0.42 nm, congo red dye (CR) with a molecular size of 2.56 nm×0.73 nm, and reactive black 5 dye (RB) 8 9 with a molecular size of 1.65 nm×1.65 nm, which are all anionic dyes. The long-term 10 separation performance was measured by a cross-flow filter (with a 7.10 cm² effective area) at 2 bar and 25 °C. The water flux $J (L/m^2 \cdot h \cdot bar)$ was measured by collecting the 11 permeate water (V/L) through the membrane using an electronic balance and 12 13 calculated using the following equation (1):

 $J = \frac{V}{A \times t \times P} \tag{1}$

Where *A* (m²) is the effective membrane area, *t* (h) is the permeate time, and *P* (MPa) is the permeate pressure. UV-Vis spectrophotometer (UV mini 1240 Shimadzu) was also employed to measure the residual concentration of dye solution within the wavelength range of 200-700 nm based on the standard curve and the linear correlation coefficient was greater than 0.999. The rejection rate of organic dye molecules in an aqueous solution was calculated using the following equation (2):

21
$$R = \frac{c_{feed} - c_{permeate}}{c_{feed}} 100\%$$
(2)

22

Where C_{feed} is the dye concentration in the feed solution, and $C_{permeate}$ is the dye

concentration in the permeate solution. All the water flux and dye separation
 performance results were obtained from at least three different GO membranes or
 composite membranes, and demonstrated using error bars.

4 2.6

2.6 Dye adsorption performance

In adsorption experiments, the MO dye solution with a concentration of 10 mg/L
was used. GO/EMT composite membranes were placed in a 50 mL MO dye solution.
The membrane samples were taken at intervals of 1h. The curve of time and ratio was
drawn by measuring the absorbance of MO dye.

9

2.7 Anti-fouling property test

Bovine Serum Albumin (BSA) solution was used to test the membrane's anti-fouling property. Firstly, 10 mL of pure water was filtered through the membrane to obtain the pure water flux ($J_{w, l}$). Secondly, 10 mL of BSA solution at a concentration of 100 ppm was filtered through the same membrane to obtain the BSA flux (J_{BSA}). Then, the fouled membrane was washed with water for 15 min to remove BSA. Then, the water flux ($J_{w, 2}$) of this membrane was measured again. The water flux recovery ratio (*FRR*) was calculated by the following equation (3):

17
$$FRR(\%) = \frac{J_{W,2}}{J_{W,1}} \times 100\%$$
 (3)

Fouling resistance ratios, including total fouling ratio (R_t) , reversible fouling ratio (R_r) , and irreversible fouling ratio (R_{ir}) , were also applied to describe the anti-fouling performance of membranes. They were calculated according to the following equations (4-6):

22
$$R_t(\%) = (1 - \frac{J_{BSA}}{J_{w,1}}) \times 100\%$$
 (4)

1
$$R_r(\%) = (\frac{J_{W,2} - J_{BSA}}{J_{W,1}}) \times 100\%$$
 (5)

$$R_{ir}(\%) = \left(\frac{J_{W,1} - J_{W,2}}{J_{W,1}}\right) \times 100\% \tag{6}$$

3 Results and discussion

2

4 **3.1 Property of EMT nanosheets**

As depicted in Figure 1(a), all primary characteristic Bragg peaks attributed to 5 EMT-type zeolite were observed. Owing to the nanomaterial characteristic, the three 6 peaks around 6° were combined into one broad peak, which was corroborated by the 7 8 findings of previous literature[37]. The FT-IR spectrum also exhibited characteristic bands corresponding to EMT nanosheet, including the asymmetrical stretching 9 10 vibration of the T-O-T band at 982 cm⁻¹, the double-6-ring (D6R) band at 567 cm⁻¹[38] 11 (Figure 1(b)). These outcomes stated the successful synthesis of EMT-type zeolite. 12 The EMT's morphology is presented in Figure 2, where the SEM image showed 13 agglomerated nanosheets. However, independent nanosheets in a hexagonal shape 14 could be observed in the TEM image, with a diameter of 20-30 nm and a thickness of 15 6-7 nm.



16 17

Figure 1 (a) XRD pattern and (b) FT-IR spectrum of EMT-type zeolite



Figure 2 (a) SEM image and (b) TEM image of EMT-type zeolite nanosheet

3 3.2 Properties of NH₂-GO/EMT composite membranes

According to the XRD pattern, the dry GO membrane revealed a "d" spacing of 4 0.74 nm (11.9°), which aligns with previous studies [22,23,25]. With an SD of 58% 5 (Table S1), the "d" spacing of the wet GO membrane rose to 1.02 nm. Upon 6 7 cross-linking with 1,4-Diaminobutane, the layer spacing of the dry NH₂-GO/0EMT membrane was supported to 1.26 nm (7.0°), and its SD reduced to 15%, 8 demonstrating the enhanced stability of NH2-GO/0EMT membrane. Therefore, the 9 10 layer spacing of the NH₂-GO/0EMT membrane was kept almost unchanged after contact with water (from 1.26 nm to 1.30 nm). All the composite membranes 11 12 exhibited a bulge peak attributed to the EMT-type zeolite nanosheet. Due to the peak overlap of the EMT with the peak of the GO membrane, peak fitting analysis was 13 conducted for composite membranes (Figure 3, right). The determination of the 14 15 position of the three EMT peaks (the orange line) was carried out according to the 16 (1,0,0), (0,0,2), and (1,0,1) planes of EMT[39], and the intensity ratio of these three peaks was consistent across all samples. In the case of the NH₂-GO/10EMT 17 18 membrane, a narrow peak (the blue line) located at 6.6° was detected, indicating a relatively fixed layer spacing (d = 1.34 nm) and resulting in an SD of only 28%. 19

However, a band with a larger FWHM (Full-Width Half-Maximum) instead of a 1 narrow peak at 6.6° appeared in the NH2-GO/20EMT membrane due to the 2 destruction of interlayer spacing (the "d" spacing) by excessive zeolite nanosheets, 3 thus also leading to a much higher SD of 54%. Hence, The NH₂-GO/10EMT 4 5 composite membrane demonstrated regular layer spacing, thanks to the dual 6 regulation of EMT nanosheets with 1,4-Diaminobutane crosslinkers. Additionally, the 7 "d" spacing is smaller than the particle size of EMT nanosheets, signifying a presence 8 within the free space between GO nanosheets.





9 10

band of the NH₂-GO/20EMT sample disappeared, while the intensity of the -OH 1 2 band reduced significantly, indicating that 1,4-Diaminobutane reduced GO. Two new bands at 1568 cm⁻¹ and 1475 cm⁻¹, attributed to -NH and C-N appeared, implying that 3 1,4-Diaminobutane reacted with GO's functional groups (specifically, C-OH). Similar 4 5 changes of characteristic bands of GO after cross-linking with diamine can also be 6 seen in the spectra of NH₂-GO/10EMT and NH₂-GO/20EMT composite membranes, and the band belonging to the EMT's skeleton T-O-T appeared at 983 cm⁻¹, which 7 stated EMT promoter successfully introduced into the GO-based composite 8 9 membranes.





10

13 The C 1s peaks of GO showed peak binding energies of 284.8 eV, 286.1 eV,

286.8 eV, 288.1 eV, and 289.0 eV which correspond to C-C, C-O, C=O, and O-C=O,
respectively(Figure 5a)[22,42,43]. However, the oxygen-containing groups were lost
after the cross-linking reaction (Figure 5(b-d)). The intensity of C-O and O-C=O
peaks of crosslinked GO membranes decreased significantly, but a new peak

18 attributed to a C-N bond appeared[22]. By combining the XPS and FT-IR results, it

1 can be seen that the cross-linking reaction is mainly conducted by amidation.



2 3

4

Figure 5 XPS elemental analysis of GO membrane and crosslinked GO membrane in the C1s region: (a) GO, (b) NH₂-GO/0EMT, (c) NH₂-GO/10EMT, and (d) NH₂-GO/20EMT

The cross-sectional SEM images indicated that the pure GO membrane with a 5 thickness of 0.8 µm, displayed a lamellar morphology (Figure 6(a)). Following 6 7 chemical cross-linking, the membrane's thickness increased to 1.0 µm, while still retaining its lamellar structure. The thickness of the composite membranes further 8 9 increased to 2.5 µm and 3.0 µm after doping with 10.0 mg and 20.0 mg EMT 10 nanosheets. It was observed that the cross-sectional structure of the NH₂-GO/10EMT membrane was denser, whereas that of the NH₂-GO/20EMT membrane was relatively 11 12 rough, due to excessive EMT nanosheets influencing the membrane's structure.



Figure 6 Cross-sectional SEM images of (a) GO membrane, (b) NH₂-GO/0EMT membrane, (c)
 NH₂-GO/10EMT membrane, and (d) NH₂-GO/20EMT membrane

The surface of the GO membrane showed a characteristic wrinkle 4 morphology[9,44], with no apparent morphological changes observed after 5 cross-linking (Figure 7 a,b). However, the elemental analysis indicated the presence 6 of N element belonging to the diamine cross-linking agent (Figure 7(b)). The 7 8 incorporation of EMT nanosheets resulted in the appearance of a granular 9 morphology on the membranes' surface, with the presence of Al element attributed to 10 EMT-type zeolite (Figure 7(c-d)). Additionally, the surface roughness of all 11 membranes increased with the increased loading of cross-linking agents and zeolite 12 promoters (Figure 8), which was consistent with the surface SEM images.



Figure 7 SEM images with EDS of the surface for (a) GO membrane, (b) NH₂-GO/0EMT membrane, (c) NH₂-GO/10EMT membrane, and (d) NH₂-GO/20EMT membrane





The original GO membrane had a common water contact angle of 53.4 °[22,23].
The water contact angle of NH₂-GO/0EMT membrane after cross-linked with
1,4-Diaminobutane increased to 58.1 ° (Figure 9). The higher water contact angle

resulted from the introduction of hydrophobic alkyl groups and the loss of GO's oxygen-containing polar groups. However, the contact angle was reduced with an increase of EMT (33.5 ° to 31.1 °), as EMT promoters improved the hydrophilic property of GO-based composite membranes (Figure S1), which would potentially enhance the membrane's water permeability.



8 NH₂-GO/10EMT membrane, and (d) NH₂-GO/20EMT membrane
9 The pure GO membrane demonstrated a water flux of 9.0 L/m²·h·bar, while the
10 cross-linked NH₂-GO/0EMT membrane exhibited a decreased water flux of 4.3
11 L/m²·h·bar, ascribed to the enhanced hydrophobicity (Figure 10). The water flux of
12 the NH₂-GO/10EMT and NH₂-GO/20EMT composite membranes enhanced to 20.8
13 L/m²·h·bar and 28.3 L/m²·h·bar respectively, confirming the optimized effect of EMT
14 promoters on membrane permeability (Figure 10).



Figure 10 Water flux of GO membrane and crosslinked GO membranes

3

3.3 Dye separation performance

To evaluate dye separation performance, anionic methyl orange (MO) with a 4 molecular size of 1.2~1.45 nm[45,46] was used (Figure 11). The GO membrane 5 exhibited a flux of 5.9 L/m²·h·bar and an 87.0 % rejection. The NH₂-GO/0EMT 6 7 membrane with a more stable layer spacing, exhibited an increased rejection of 96.8%, 8 while the low hydrophilicity of NH₂-GO/0EMT led to a reduced flux to 3.0 $L/m^2 \cdot h \cdot bar$. EMT promoter significantly increased the MO flux of the composite 9 membranes. The NH₂-GO/10EMT membrane achieved an enhanced MO flux of 11.2 10 $L/m^2 \cdot h \cdot bar$ and a higher rejection of 98.2%, highlighting the advantages of the dual 11 regulation strategy in this work. With a further increase of EMT promoters, the MO 12 flux of NH₂-GO/20EMT membrane increased to 18.5 L/m²·h·bar, the rejection fell to 13 79.0%. This can be attributed to the excessive promoters that caused a disruption of 14 the ordered structure of the NH₂-GO/20EMT membrane and reduced the size-sieving 15 16 ability.



2 Figure 11 MO separation performance of membranes: (a) water flux and (b) MO rejection As shown in Figure S2, the NH₂-GO/10EMT membrane possessed minimal 3 adsorption capability for anionic MO, suggesting that the membrane's dye separation 4 performance primarily relied on the interception of MO molecules. Based on the XRD 5 6 analysis, the layer spacing of the NH₂-GO/10EMT membrane is about 1.34 nm, a dimension comparable to that of the methyl orange molecule. This may result in 7 inadequate retention of certain dye molecules. Therefore, congo red (CR) and reactive 8 black 5 (RB) dyes were employed as substitutes, due to their comparatively larger 9 findings illustrated in Figure 10 molecular size[46], as 12. The indicated 11 that the NH_2 -GO/10EMT membrane successfully achieved a higher rejection rate of 12 over 99.5%, verifying the size interception ability of the NH₂-GO/10EMT composite membrane. As depicted in Figure S3, the high CR rejection and water flux of 13-14 13 L/m²·h·bar of NH₂-GO/10EMT membrane within 20 h confirmed the structural 14 15 stability and sieving property of the membrane.







3.4 Anti-fouling performance

The anti-fouling performance of the membranes was evaluated by assessing the 4 filtration of a 100 ppm Bovine Serum Albumin (BSA) solution. As shown in Figure 5 6 13, the water flux demonstrated a marked decrease during the BSA solution filtration. 7 Unfortunately, due to the unstable structure of the GO membrane, the membrane 8 structure was damaged during the cleaning process after contamination, so the 9 membrane could not be reused (Figure 13 a). However, the cross-linking of the 10 1,4-Diaminobutane improved structural integrity of the crosslinked NH2-GO/0EMT and NH2-GO/10EMT membranes, rendering the crosslinked 11 membranes amenable to washing and restoration of water flux. The recovered water 12 flux of the NH₂-GO/10EMT membrane remained around 17.0 $L/m^2 \cdot h \cdot bar$, indicating 13 high anti-fouling performance. 14



1 2

Figure 13 Anti-fouling performance of (a) GO, (b) NH₂-GO/0EMT and (c) NH₂-GO/10EMT membranes

4 The membrane's anti-fouling performance was explored by comprising water flux recovery ratios and fouling resistance ratios, as shown in Figure 14. The 5 NH₂-GO/10EMT membrane exhibited a higher FRR (86.2%) than the NH₂-GO/0EMT 6 membrane (46.5%), indicating that the increase of hydrophilicity could improve the 7 8 anti-fouling property. The hydrophilic surface could preferentially adsorb water 9 molecules, thus preventing the adsorption of other fouling agents[47,48]. Moreover, the EMT-modified crosslinked membrane (NH2-GO/10EMT) had a lower Rt and a 10 higher Rr than the NH2-GO/0EMT membrane. This may be due to the increased 11 12 hydrophilicity of the membrane surface and the presence of hydrophilic free spaces within the membrane, which promoted the diffusion of water and reduced deposition 13 14 of BSA in the membrane's channel. Therefore, the EMT promoter has significantly improved the water flux and anti-fouling performance of crosslinked membranes. 15



		ssiniked 00	memoru	lieb	
Membrane	Crosslinker	Contact angle/°	d /nm	Pure water flux/ L/m ² ·h·bar	Ref
GO-EDA/CA	ethylenediamine	24.4	0.93	1.3	
GO-BDA/CA	butylenediamine	26.6	0.99	2.4	[49]
GO-PPD/CA	p-phenylenediamine	80.6	1.09	0.3	
GO-UR/CA	urea	64.7	0.85	~9	[05]
GO-EDA/CA	Ethylenediamine	94.8	0.89	~7	[25]
GO-PPD 1bL	p-phenylenediamine	53.2	/	6.2	[6]
GO-PPD 5bL	p-phenylenediamine	59.7	/	1.8	[5]
A2-GO	1,2-Diaminoethane	44.2	0.85	~3 (45°C)	
A3-GO	1,3-Diaminopropane	51.4	0.95	~3 (45°C)	[23]
A4-GO	1,4-Diaminobutane	54.9	1.06	~4 (45°C)	
BPPO/EDA/GO	ethylenediamine	/	/	4.1	[50]
PDA-GO/EDA	ethylenediamine	53.4	1.13	30.8	[51]
PDA-GO/beta-CD-EDA	beta-CD-EDA	70.53	0.97	34.0	[51]
GO&EDA	ethylenediamine	/	/	17.9	[50]
GO&EDA_HPEI 60K	ethylenediamine	/	/	5.01	[52]
	1,4-Diaminobutane with	33.5	1.34	20.8	This
10EM1	EMT promoter				work

Table 2 Comparison of different crosslinked GO membranes

3 4 Conclusions

In this work, the combined use of a 1,4-Diaminobutane crosslinker and a 4 5 hydrophilic EMT promoter yielded a synergistic effect on the dual regulation of GO membranes. The 1,4-Diaminobutane crosslinker stabilized the composite membrane 6 7 structure and limited the layer spacing to 1.34 nm. The EMT nanosheets were locked 8 in the free space of the composite membranes to construct hydrophilic regions. As a result, the NH₂-GO/10EMT composite membrane exhibited significant improvement 9 in its hydrophilicity, with the pure water flux increasing from 4.3 $L/m^2 \cdot h \cdot bar$ to 21.1 10 $L/m^2 \cdot h \cdot bar$. The molecular size of the anionic dyes affected the rejection, as methyl 11

orange with a smaller molecular size had a rejection of 96.8%, while congo red and 1 reactive black, which have larger molecular sizes, had a rejection of more than 99%. 2 3 Furthermore, our investigation showed a significant improvement in the fouling 4 profile of the NH₂-GO/10EMT membrane, with higher water flux recovery ratio and 5 lower fouling ratio. To conclude, the NH₂-GO/10EMT composite membrane, prepared 6 by dual regulation strategy, proved highly efficient in dye separation and displayed 7 good anti-fouling property. This work presents a feasible optimization strategy to 8 enhance the hydrophilicity of GO crosslinked membranes on the premise of ensuring 9 their ordered lamellar structure. 10 **Declaration of Competing Interest** 11 The authors declared that they have no known competing financial interests or 12 personal relationships that could have appeared to influence the work reported in this 13 paper. Acknowledgements 14 15 This work is supported by National Key Research and Development Program of 16 China of Ministry of Science and Technology (2022YFE0116000), National Natural Science Foundation of China (Grant No. 22175200, No. 21975285), the Fundamental 17 18 Research Funds for the Central Universities (No. 21CX06024A), Qingdao 19 Postdoctoral Research Project (No. qdyy20210005), and Innovation Fund of Science 20 and Technology Project of Fujian Province (2022C0021). 21 References

22 [1] Z. Li, X. Xu, X. Sheng, P. Lin, J. Tang, L. Pan, Y.V. Kaneti, T. Yang, Y. Yamauchi,

23 Solar-powered sustainable water production: State-of-the-art technologies for

- 1 sunlight-energy-water nexus, ACS Nano 15 (8) (2021) 12535-12566.
- 2 https://doi.org/10.1021/acsnano.1c01590.
- 3 [2] M. Salehi, Global water shortage and potable water safety; Today's concern and tomorrow's
- 4 crisis, Environ. Int. 158 (2022) 106936. https://doi.org/10.1016/j.envint.2021.106936.
- 5 [3] J. Dasgupta, J. Sikder, S. Chakraborty, S. Curcio, E. Drioli, Remediation of textile effluents
- 6 by membrane based treatment techniques: A state of the art review, J. Environ. Manage. 147
- 7 (2015) 55-72. https://doi.org/10.1016/j.jenvman.2014.08.008.
- 8 [4] D. Sholl, R. Lively, Seven chemical separations to change the world, Nature 532 (7600)
- 9 (2016) 435-437. https://doi.org/10.1038/532435a.
- 10 [5] V. Kandjou, A.M. Perez-Mas, B. Acevedo, M. Hernaez, A.G. Mayes, S. Melendi-Espina,
- 11 Enhanced covalent p-phenylenediamine crosslinked graphene oxide membranes: Towards
- 12 superior contaminant removal from wastewaters and improved membrane reusability, J.
- 13 Hazard. Mater. 380 (2019) 120840. https://doi.org/10.1016/j.jhazmat.2019.120840.
- 14 [6] X. Lu, M. Elimelech, Fabrication of desalination membranes by interfacial polymerization:
- 15 history, current efforts, and future directions, Chem. Soc. Rev. 5 (11) (2021) 629-637.
- 16 https://doi.org/10.1039/d0cs00502a.
- 17 [7] R. Zhang, Y. Liu, M. He, Y. Su, X. Zhao, M. Elimelech, Z. Jiang, Antifouling membranes for
- 18 sustainable water purification: strategies and mechanisms, Chem. Soc. Rev. 45 (21) (2016)
- 19 5888-5924. https://doi.org/10.1039/c5cs00579e.
- 20 [8] J. Abraham, K.S. Vasu, C.D. Williams, K. Gopinadhan, Y. Su, C.T. Cherian, J. Dix, E.
- 21 Prestat, S.J. Haigh, I.V. Grigorieva, P. Carbone, A.K. Geim, R.R. Nair, Tunable sieving of
- ions using graphene oxide membranes, Nat. Nanotechnol. 12 (6) (2017) 546-550.

1 https://doi.org/10.1038/nnano.2017.21.

2	[9] H. Huang, Z. Song, N. Wei, L. Shi, Y. Mao, Y. Ying, L. Sun, Z. Xu, X. Peng, Ultrafast
3	viscous water flow through nanostrand-channelled graphene oxide membranes, Nat.
4	Commun. 4 (1) (2013) 2979. https://doi.org/10.1038/ncomms3979.
5	[10] M. Sun, J. Li, Graphene oxide membranes: functional structures, preparation and
6	environmental applications, Nano Today 20 (2018) 121-137.
7	https://doi.org/10.1016/j.nantod.2018.04.007.
8	[11] Y. An, X. Gao, W. Jiang, J. Han, Y. Ye, T. Chen, R. Ren, J. Zhang, B. Liang, Z. Li, A. Wang,
9	N. Ren, A critical review on graphene oxide membrane for industrial wastewater treatment,
10	Environ. Res. 223 (2023) 115409. https://doi.org/10.1016/j.envres.2023.115409.
11	[12] J. Wang, H. Zhou, S. Li, L. Wang, Selective ion transport in two- dimensional lamellar
12	nanochannel membranes, Angew. Chem. Int. Ed. 62 (19) (2023) e202218321.
13	https://doi.org/10.1002/anie.202218321.
14	[13] A. Mohammadi, M.R. Daymond, A. Docoslis, New insights into the structure and chemical
15	reduction of graphene oxide membranes for use in isotopic water separations, J. Membrane
16	Sci. 659 (2022) 120785. https://doi.org/10.1016/j.memsci.2022.120785.
17	[14] Y. Li, S. Yuan, Y. Xia, W. Zhao, C.D. Easton, C. Selomulya, X. Zhang, Mild annealing
18	reduced graphene oxide membrane for nanofiltration, J. Membrane Sci. 601 (2020) 117900.
19	https://doi.org/10.1016/j.memsci.2020.117900.
20	[15] X. Fan, C. Cai, J. Gao, X. Han, J. Li, Hydrothermal reduced graphene oxide membranes for
21	dyes removing, Sep. Purif. Technol. 241 (2020) 116730.
22	https://doi.org/10.1016/j.seppur.2020.116730.

1	[16] L. Chen, G. Shi, J. Shen, B. Peng, B. Zhang, Y. Wang, F. Bian, J. Wang, D. Li, Z. Qian, G.
2	Xu, G. Liu, J. Zeng, L. Zhang, Y. Yang, G. Zhou, M. Wu, W. Jin, J. Li, H. Fang, Ion sieving
3	in graphene oxide membranes via cationic control of interlayer spacing, Nature 550 (7676)
4	(2017) 380-383. https://doi.org/10.1038/nature24044.
5	[17] Y. Ying, D. Liu, W. Zhang, J. Ma, H. Huang, Q. Yang, C. Zhong, High-flux graphene oxide
6	membranes intercalated by metal-organic framework with highly selective separation of
7	aqueous organic solution, ACS Appl. Mater. Inter. 9 (2) (2017) 1710-1718.
8	https://doi.org/10.1021/acsami.6b14371.
9	[18] R.P. Pandey, P. Kallem, H.M. Hegab, P.A. Rasheed, F. Banat, S.W. Hasan, Cross-linked
10	laminar graphene oxide membranes for wastewater treatment and desalination: A review, J.
11	Environ. Manage. 317 (2022) 115367. https://doi.org/10.1016/j.jenvman.2022.115367.
12	[19] A. Alkhouzaam, H. Qiblawey, Functional GO-based membranes for water treatment and
13	desalination: fabrication methods, performance and advantages. A review, Chemosphere 274
14	(2021) 129853. https://doi.org/10.1016/j.chemosphere.2021.129853.
15	[20] S. Sharif, K.S. Ahmad, F. Rehman, Z. Bhatti, K.H. Thebo, Two-dimensional graphene oxide
16	based membranes for ionic and molecular separation: current status and challenges, J.
17	Environ. Chem. Eng. 9 (4) (2021) 105605. https://doi.org/10.1016/j.jece.2021.105605.
18	[21] X. Lv, R. Xie, J. Ji, Z. Liu, X. Wen, L. Liu, J. Hu, X. Ju, W. Wang, L. Chu, A novel strategy
19	to fabricate cation-cross-linked graphene oxide membrane with high aqueous stability and
20	high separation performance, ACS Appl. Mater. Inter. 12 (50) (2020) 56269-56280.
21	https://doi.org/10.1021/acsami.0c15178.

22 [22] H. Ju, J. Duan, H. Lu, W. Xu, Cross-linking with diamine monomers to prepare graphene

1	oxide composite membranes with varying <i>d</i> -spacing for enhanced desalination properties,
2	Front. Chem. 9 (2021) 779304. https://doi.org/10.3389/fchem.2021.779304.
3	[23] Y. Qian, X. Zhang, C. Liu, C. Zhou, A. Huang, Tuning interlayer spacing of graphene oxide
4	membranes with enhanced desalination performance, Desalination 460 (2019) 56-63.
5	https://doi.org/10.1016/j.desal.2019.03.009.
6	[24] K. Guan, K. Ushio, K. Nakagawa, T. Shintani, T. Yoshioka, A. Matsuoka, E. Kamio, W. Jin,
7	H. Matsuyama, Integration of thin film composite graphene oxide membranes for solvent
8	resistant nanofiltration, J. Membrane Sci. 660 (2022) 120861.
9	https://doi.org/10.1016/j.memsci.2022.120861.
10	[25] Y. Zhang, K. Su, Z. Li, Graphene oxide composite membranes cross-linked with urea for
11	enhanced desalting properties, J. Membrane Sci. 563 (2018) 718-725.
12	https://doi.org/10.1016/j.memsci.2018.06.037.
13	[26] Y. Liu, D. Gan, M. Chen, L. Ma, B. Yang, L. Li, M. Zhu, W. Tu, Bioinspired dopamine
14	modulating graphene oxide nanocomposite membrane interposed by super-hydrophilic
15	UiO-66 with enhanced water permeability, Sep. Purif. Technol. 253 (2020) 117552.
16	https://doi.org/10.1016/j.seppur.2020.117552.
17	[27] J. Pang, X. Cui, Y. Feng, Z. Guo, G. Kong, L. Yu, C. Zhang, R. Wang, Z. Kang, D. Sun,
18	Fabrication of graphene oxide membrane with multiple "plug-ins" for efficient dye
19	nanofiltration, Sep. Purif. Technol. 278 (2021) 119504.
20	https://doi.org/10.1016/j.seppur.2021.119504.
21	[28] Y. Liu, M. Zhu, M. Chen, L. Ma, B. Yang, L. Li, W. Tu, A polydopamine-modified reduced
22	graphene oxide (RGO)/MOFs nanocomposite with fast rejection capacity for organic dye,

1	Chem. Eng. J. 359 (2019) 47-57. https://doi.org/10.1016/j.cej.2018.11.105.
2	[29] Y. Liu, Z. Huang, W. He, M. Chen, W. Tu, M. Zhu, D. Gan, S. Liu, Multifunctional stable
3	PDA/RGO/MOFs&SiO ₂ -COOH membrane with excellent flux and anti-fouling performance
4	for the separation of organic dye and oil/water, Surf. Interfaces 33 (2022) 102183.
5	https://doi.org/10.1016/j.surfin.2022.102183.
6	[30] Y. Liu, W. Tu, M. Chen, L. Ma, B. Yang, Q. Liang, Y. Chen, A mussel-induced method to
7	fabricate reduced graphene oxide/halloysite nanotubes membranes for multifunctional
8	applications in water purification and oil/water separation, Chem. Eng. J. 336 (2018) 263-277.
9	https://doi.org/10.1016/j.cej.2017.12.043.
10	[31] L. Huang, Z. Li, Y. Luo, N. Zhang, W. Qi, E. Jiang, J. Bao, X. Zhang, W. Zheng, B. An, G.
11	He, Low-pressure loose GO composite membrane intercalated by CNT for effective dye/salt
12	separation, Sep. Purif. Technol. 256 (2021) 117839.
13	https://doi.org/10.1016/j.seppur.2020.117839.
14	[32] J. Yu, Y. Wang, Y. He, Y. Gao, R. Hou, J. Ma, L. Zhang, X. Guo, L. Chen, Calcium
15	ion-sodium alginate double cross-linked graphene oxide nanofiltration membrane with
16	enhanced stability for efficient separation of dyes, Sep. Purif. Technol. 276 (2021) 119348.
17	https://doi.org/10.1016/j.seppur.2021.119348.
18	[33] L. Wang, J. Yang, J. Wang, W. Raza, G. Liu, J. Lu, Y. Zhang, Microwave synthesis of NaA
19	zeolite membranes on coarse macroporous α -Al ₂ O ₃ tubes for desalination, Micropor.
20	Mesopor. Mat. 306 (2020) 110360. https://doi.org/10.1016/j.micromeso.2020.110360.
21	[34] W. Raza, J. Wang, J. Yang, T. Tsuru, Progress in pervaporation membranes for dehydration

22 of acetic acid, Sep. Purif. Technol. 262 (2021) 118338.

- 1 https://doi.org/10.1016/j.seppur.2021.118338.
- 2 [35] E.P. Ng, D. Chateigner, T. Bein, V. Valtchev, S. Mintova, Capturing ultrasmall EMT zeolite
- 3 from template-free systems, Science 335 (6064) (2012) 70-73.
- 4 https://doi.org/10.1126/science.1214798.
- 5 [36] Z. Jia, Y. Wang, W. Shi, J. Wang, Diamines cross-linked graphene oxide free-standing
- 6 membranes for ion dialysis separation, J. Membrane Sci. 520 (2016) 139-144.
- 7 https://doi.org/10.1016/j.memsci.2016.07.042.
- 8 [37] E. Ng, J. Goupil, A. Vicente, C. Fernandez, R. Retoux, V. Valtchev, S. Mintova, Nucleation
- 9 and crystal growth features of EMT-type zeolite synthesized from an organic-template-free

10 system, Chem. Mater. 24 (24) (2012) 4758-4765. https://doi.org/10.1021/cm3035455.

- 11 [38] S. Xia, Y. Chen, H. Xu, D. Lv, J. Yu, P. Wang, Synthesis EMT-type zeolite by microwave
- 12 and hydrothermal heating, Micropor. Mesopor. Mat. 278 (2019) 54-63.
- 13 https://doi.org/https://doi.org/10.1016/j.micromeso.2018.11.012.
- 14 [39] A. Nearchou, P.R. Raithby, A. Sartbaeva, Systematic approaches towards template-free
- 15 synthesis of EMT-type zeolites, Micropor. Mesopor. Mat. 255 (2018) 261-270.
- 16 https://doi.org/10.1016/j.micromeso.2017.08.036.
- 17 [40] G. Zhao, J. Li, X. Ren, C. Chen, X. Wang, Few-layered graphene oxide nanosheets as
- 18 superior sorbents for heavy metal ion pollution management, Environ. Sci. Technol. 45 (24)
- 19 (2011) 10454-10462. https://doi.org/10.1021/es203439v.
- 20 [41] J. Shen, B. Yan, M. Shi, H. Ma, N. Li, M. Ye, One step hydrothermal synthesis of
- 21 TiO_2 -reduced graphene oxide sheets, Journal of materials chemistry 21 (10) (2011) 3415.
- 22 https://doi.org/10.1039/c0jm03542d.

1	[42] R. Al-Gaashani, A. Najjar, Y. Zakaria, S. Mansour, M.A. Atieh, XPS and structural studies
2	of high quality graphene oxide and reduced graphene oxide prepared by different chemical
3	oxidation methods, Ceram. Int. 45 (11) (2019) 14439-14448.
4	https://doi.org/10.1016/j.ceramint.2019.04.165.
5	[43] C. Jiao, J. Xiong, J. Tao, S. Xu, D. Zhang, H. Lin, Y. Chen, Sodium alginate/graphene oxide
6	aerogel with enhanced strength-toughness and its heavy metal adsorption study, Int. J. Biol.
7	Macromol. 83 (2016) 133-141. https://doi.org/10.1016/j.ijbiomac.2015.11.061.
8	[44] H.W. Kim, H.W. Yoon, S. Yoon, B.M. Yoo, B.K. Ahn, Y.H. Cho, H.J. Shin, H. Yang, U.
9	Paik, S. Kwon, J. Choi, H.B. Park, Selective gas transport through few-layered graphene and
10	graphene oxide membranes, Science 342 (6154) (2013) 91-95.
11	https://doi.org/10.1126/science.1236098.
12	[45] S. Ko, T. Yamaguchi, F. Salles, J. Oh, Systematic utilization of layered double hydroxide
13	nanosheets for effective removal of methyl orange from an aqueous system by π - π
14	stacking-induced nanoconfinement, J. Environ. Manage. 277 (2021) 111455.
15	https://doi.org/10.1016/j.jenvman.2020.111455.
16	[46] J. Huang, Molecular sieving effect of a novel hyper-cross-linked resin, Chem. Eng. J. 165 (1)
17	(2010) 265-272. https://doi.org/10.1016/j.cej.2010.09.028.
18	[47] S. Ayyaru, Y. Ahn, Application of sulfonic acid group functionalized graphene oxide to
19	improve hydrophilicity, permeability, and antifouling of PVDF nanocomposite ultrafiltration
20	membranes, J. Membrane Sci. 525 (2017) 210-219.
21	https://doi.org/10.1016/j.memsci.2016.10.048.
22	[48] M. Safarpour, V. Vatanpour, A. Khataee, Preparation and characterization of graphene

1	oxide/TiO ₂ blended PES nanofiltration membrane with improved antifouling and separation
2	performance, Desalination 393 (2016) 65-78. https://doi.org/10.1016/j.desal.2015.07.003.
3	[49] W. Hung, C. Tsou, M. De Guzman, Q. An, Y. Liu, Y. Zhang, C. Hu, K. Lee, J. Lai,
4	Cross-linking with diamine monomers to prepare composite graphene oxide-framework
5	membranes with varying <i>d</i> -spacing, Chem. Mater. 26 (9) (2014) 2983-2990.
6	https://doi.org/10.1021/cm5007873.
7	[50] N. Meng, W. Zhao, E. Shamsaei, G. Wang, X. Zeng, X. Lin, T. Xu, H. Wang, X. Zhang, A
8	low-pressure GO nanofiltration membrane crosslinked via ethylenediamine, J. Membrane Sci.
9	548 (2018) 363-371. https://doi.org/10.1016/j.memsci.2017.11.044.
10	[51] F. Kong, Q. Liu, L. Dong, T. Zhang, Y. Wei, J. Chen, Y. Wang, C. Guo, Rejection of
11	pharmaceuticals by graphene oxide membranes:Role of crosslinker and rejection mechanism,
12	J. Membrane Sci. 612 (2020) 118338. https://doi.org/10.1016/j.memsci.2020.118338.
13	[52] Y. Zhang, S. Zhang, T. Chung, Nanometric graphene oxide framework membranes with
14	enhanced heavy metal removal via nanofiltration, Environ. Sci. Technol. 49 (16) (2015)
15	10235-10242. https://doi.org/10.1021/acs.est.5b02086.

1 Figure captions

- 2 Scheme 1 Schematic diagram of the dual regulation strategy of EMT and 1,4-Diaminobutane on
- 3 GO membranes
- 4 Scheme 2 Preparation of NH2-GO/EMT composite membranes
- 5 Figure 1 (a) XRD pattern and (b) FT-IR spectrum of EMT-type zeolite
- 6 Figure 2 (a) SEM image and (b) TEM image of EMT-type zeolite nanosheet
- 7 Figure 3 Left: XRD patterns of samples; Right: peak fitting of XRD patterns of EMT,
- 8 NH₂-GO/10EMT membrane (wet) and NH₂-GO/20EMT membrane (wet)
- 9 Figure 4 FT-IR spectra of (a) GO, (b) NH₂-GO/0EMT, (c) NH₂-GO/10EMT, and (d)
- 10 NH₂-GO/20EMT
- 11 Figure 5 XPS elemental analysis of GO membrane and crosslinked GO membrane in the C1s
- 12 region: (a) GO, (b) NH₂-GO/0EMT, (c) NH₂-GO/10EMT, and (d) NH₂-GO/20EMT
- 13 Figure 6 Cross-sectional SEM images of (a) GO membrane, (b) NH₂-GO/0EMT membrane, (c)
- 14 NH₂-GO/10EMT membrane, and (d) NH₂-GO/20EMT membrane
- 15 Figure 7 SEM images with EDS of the surface for (a) GO membrane, (b) NH₂-GO/0EMT
- 16 membrane, (c) NH₂-GO/10EMT membrane, and (d) NH₂-GO/20EMT membrane
- 17 Figure 8 Surface roughness of (a) GO membrane, (b) NH₂-GO/0EMT membrane, (c)
- 18 NH₂-GO/10EMT membrane, and (d) NH₂-GO/20EMT membrane
- 19 Figure 9 Water contact angle of (a) GO membrane, (b) NH₂-GO/0EMT membrane, (c)
- 20 NH₂-GO/10EMT membrane, and (d) NH₂-GO/20EMT membrane
- 21 Figure 10 Water flux of GO membrane and crosslinked GO membranes
- 22 Figure 11 MO separation performance of membranes: (a) water flux and (b) MO rejection
- 23 Figure 12 Dye rejection performance of NH₂-GO/10EMT membrane for different dyes
- Figure 13 Anti-fouling performance of (a) GO, (b) NH₂-GO/0EMT and (c) NH₂-GO/10EMT
- 25 membranes
- 26 Figure 14 Water flux recovery ratios and fouling resistance ratios of GO membrane,
- 27 NH₂-GO/0EMT and NH₂-GO/10EMT membranes



Scheme 1 Schematic diagram of the dual regulation strategy of EMT and 1,4-Diaminobutane on GO membranes





Scheme 2 Preparation of NH2-GO/EMT composite membranes





Figure 1 (a) XRD pattern and (b) FT-IR spectrum of EMT-type zeolite





Figure 2 (a) SEM image and (b) TEM image of EMT-type zeolite nanosheet



 NH_2 -GO/10EMT membrane (wet) and NH_2 -GO/20EMT membrane (wet)



Figure 4 FT-IR spectra of (a) GO, (b) NH_2 -GO/0EMT, (c) NH_2 -GO/10EMT, and (d) NH_2 -GO/20EMT



Figure 5 XPS elemental analysis of GO membrane and crosslinked GO membrane in the C1s
region: (a) GO, (b) NH₂-GO/0EMT, (c) NH₂-GO/10EMT, and (d) NH₂-GO/20EMT



- Figure 6 Cross-sectional SEM images of (a) GO membrane, (b) NH_2 -GO/0EMT membrane, (c) $NH_2\mbox{-}GO/10EMT$ membrane, and (d) $NH_2\mbox{-}GO/20EMT$ membrane





Figure 7 SEM images with EDS of the surface for (a) GO membrane, (b) NH₂-GO/0EMT membrane, (c) NH₂-GO/10EMT membrane, and (d) NH₂-GO/20EMT membrane







re 9 Water contact angle of (a) GO membrane, (b) NH_2 -GO/0EMT membra NH₂-GO/10EMT membrane, and (d) NH₂-GO/20EMT membrane



Figure 10 Water flux of GO membrane and crosslinked GO membranes



Figure 11 MO separation performance of membranes: (a) water flux and (b) MO rejection





Figure 12 Dye rejection performance of NH₂-GO/10EMT membrane for different dyes



Figure 13 Anti-fouling performance of (a) GO, (b) NH₂-GO/0EMT and (c) NH₂-GO/10EMT

membranes

